ILOGO % S . S . S . S . S . S . S . S . S . S	.♦♡
STUDENT REPORT	OP LEW.
- Stiffe Collist Colli	THE STATE OF THE S
DETAILS LEED LED LED LED LED LED LED LED LED LE	
Leg	a techit
Name ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	The state of the s
P MUZAMIL  Roll Number	A COMP
TEMPBTech-EEE065	
The total total total total the title the title	E TEM
ÉXPERIMENT	EFF0003
	of echit
ELECTIONS CONTROL OF THE PROPERTY OF THE PROPE	5 <sub>0</sub> , EE,
Description Leskithers Stranger Strange	MPBTES
γ χ <sub>ο</sub> γ	<u> </u>
You are the head of the election committee in your village. Each Political party is associated with a unique number are represented as an integer array A. where each element contains the party number voted for by the villagers. Fo	
are represented as an integer array A. where each element contains the party number voted for by the villagers. Fo win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's Return -1 if there is no party with a majority.	number.
Note: If only one vote is there he is the winner.	,6
Input Format:  input1: An integer value representing the number the number of voters	
input2: An integer array A representing the votes of the voters.	,e
output Format:	
Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	
Example 1:	o o
Input:	
6	
₹ 112223	3%
Output:	
2	G.
√ Explanation:	
As 2 got the most number of votes i.e 3.	
Example 2:	<b>(</b>
Input:	,5
6	
121122	8
Output:	`
· -1	

Explanation:

Source Code:

```
n=int(input())
arr=list(map(int,input().split()))
d={}
if n==1:
   print(arr[0])
else:
    for i in arr:
        if i not in d:
            d[i]=1
        else:
            d[i]+=1
   x=sorted(d.items(),key=lambda x:x[1],reverse=True)
    if x[0][1]==x[1][1]:
       print(-1)
    else:
        print(x[0][0])
```

RESULT

6 / 6 Test Cases Passed | 100 %