	ILogo	
	STUDENT REPORT	18 ech
. A	TAJLS LINDS THAT THE CONTRIBUTE OF THE POST THE	F6062 Lei
	P MUZAMIL Roll Number	
. 4	TEMPBTech-EEE065	Te C
EX Titl	PERIMENT LEMPHOS LIMPHOS TELEPOS TEMPHOS TELEPOS TELEP	
	CHOCOLATE JAR CHOCALATE JAR CHOCAL	echi.
N. HELV	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick chocolates one by one from each chocolate jar, till the jar is empty, and then repeat the same with the rest of the jars. Your task is to fine and return an integer value representing the total number of chocolates that student A will have, after all the chocolates have been picked from all the jars.	3 ARE
MPG	Note: Once a jar is done A will start taking the chocolates from the new jar.	
	Input Format:	EEO'S
65°	input1: An integer value N representing the number of jars.	
EE,	input2: An integer array representing the quantity of chocolates in each jar.	
	Output Format:	387
a cod	Return an integer value representing the total number of chocolates that student A will have, after all the chocolates are picked.	
ζ *	Example:	
.<	Input:	200
065	3 10 20 30	
	Output:	, ec
×.	21	
(ec,	Explanation:	
	Jar 1: 10 chocolates -> A-4, B-3,C-3	, Zec
LEN	Jar 2: 20 chocolates -> A-7, B-7, C-6	7
	Jar 3: 30 chocolates -> A-10, B-10,C-10	×.
	so A gets a total of 4+7+10=21 chocolates.	300
٤	Source Code: $\mathcal{A}^{\mathbb{R}^{D^{-1}}}$ $\mathcal{A}^{\mathbb{R}^{D^{-1}}}$ $\mathcal{A}^{\mathbb{R}^{D^{-1}}}$ $\mathcal{A}^{\mathbb{R}^{D^{-1}}}$.<

```
N = int(input())
choco = list(map(int,input().strip().split()))[:N]
total = 0
for jar in choco:
    if jar%3!=0:
        total+=jar//3+1
    else:
        total+=jar//3
print(total)

RESULT

5/5 Test Cases Passed | 100 %
```