

AWS Cloud Infrastructure Report

Cloud & DevOps Internship — Task 2

AWS Cloud Infrastructure Provisioning with AWS – IAM, VPC, EC2, S3 & Secure Networking

Region: ap-south-1 — Asia Pacific (Mumbai)

1. Project Overview

This report documents the AWS infrastructure provisioned for Task 2 of the Cloud & DevOps Internship, covering IAM, VPC networking, EC2, Nginx, S3, CloudWatch, security controls, architecture documentation, and cost estimation.

2. IAM and Account Security

Configured IAM users are **DevOpsAdmin** and **CloudIntern**. Both use the **DevOpsAdmins** group for the internship laboratory, with **AdministratorAccess** attached to the group as specified by the task instructions. Root and IAM-user MFA evidence is included. The IAM Roles page also shows **EC2-S3-Access** with EC2 as the trusted service.

3. VPC and Networking

VPC: **cloud-devops-vpc** — 10.0.0.0/16. Public subnet: **public-subnet** — 10.0.1.0/24. Private subnet: **private-subnet** — 10.0.2.0/24 in ap-south-1a, with public IPv4 auto-assignment disabled. Internet Gateway: **cloud-devops-igw**. Public and private route tables are documented and evidenced.

4. EC2 and Nginx

EC2 instance: **cloud-devops-web-server**, Ubuntu, t3.micro, public subnet, Security Group **web-server-sg**, key pair **cloud-devops-key**. SSH and Nginx verification evidence is included.

5. S3 Storage

S3 bucket: **muzammil-cloud-devops-task2-2026**, Region ap-south-1, versioning enabled. The Task 2 test object was uploaded and verified.

6. CloudWatch Monitoring


CloudWatch monitoring was configured for the EC2 infrastructure. Alarm: **ec2-CPU-High-70**; condition: EC2 CPU utilization greater than 70 percent.

7. Cost Estimation

AWS Pricing Calculator evidence records an estimated monthly cost of **USD 15.84** and estimated 12-month cost of **USD 190.08**. Actual charges can vary with usage, data transfer, storage, taxes, pricing changes, and Free Tier eligibility.

8. IAM Evidence


IAM Users — DevOpsAdmin and CloudIntern



The screenshot shows the AWS IAM console interface. On the left, there is a navigation menu with sections for 'Identity and Access Management (IAM)' and 'Access reports'. The main content area is titled 'IAM users (2)' and contains a table listing two users: 'CloudIntern' and 'DevOpsAdmin'. Both users are associated with the 'root' group and have 'Virtual MFA' enabled. The 'Last activity' column shows '22 hours ago' for 'CloudIntern' and '4 days' for 'DevOpsAdmin'.

User name	Path	Group	Last activity	MFA	Password age	Console last sign-in	Acc
CloudIntern	/	1	22 hours ago	Virtual...	22 hours	22 hours ago	-
DevOpsAdmin	/	1	-	Virtual...	4 days	-	-

IAM user MFA evidence



The screenshot shows the details page for the 'DevOpsAdmin' user in the AWS IAM console. A green banner at the top indicates 'MFA device assigned'. The 'Summary' section shows the user's ARN, creation date, and console access status. The 'Security credentials' tab is selected, showing the 'Console sign-in' link and the 'Multi-factor authentication (MFA)' status. The 'Console sign-in' section displays the console sign-in link and the console password, which was updated 2 hours ago. The 'Multi-factor authentication (MFA)' section shows the user is assigned 1 MFA device.

Summary

- ARN: `arn:aws:iam::496411573708:user/DevOpsAdmin`
- Created: September 17, 2026, 16:51 (UTC)
- Console access: Enabled with MFA
- Last console sign-in: Never

Console sign-in

- Console sign-in link: <https://496411573708.signin.aws.amazon.com/console>
- Console password: Updated 2 hours ago (2026-09-17 16:51 UTC)
- Last console sign-in: Never

Multi-factor authentication (MFA) (1)

- Remove
- Resync
- Assign MFA device

CloudIntern MFA assignment

us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/users/details/CloudIntern?section=security_credentials

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- Roles
- Policies
- IAM users**
- IAM user groups
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Access reports

- Access Analyzer
- Resource analysis
- Unused access
- Analyzer settings
- Policy simulator
- Credential report

CloudIntern Info

ARN: [arn:aws:iam::496411573708:user/CloudIntern](#)

Console access: Disabled

Access key 1: [Create access key](#)

Created: September 21, 2026, 15:18 (UTC+05:30)

Last console sign-in: -

Permissions: GROUPS (1) TAGS (0) **Security credentials** Last Accessed

Console sign-in [Enable console access](#)

Console sign-in link: <https://496411573708.signin.aws.amazon.com/console>

Console password: Not enabled

Multi-factor authentication (MFA) (1) [Remove](#) [Resync](#) [Assign MFA device](#)

Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

IAM Roles — EC2-S3-Access

us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/roles

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- Roles**
- Policies
- IAM users
- IAM user groups
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Access reports

- Access Analyzer
- Resource analysis
- Unused access
- Analyzer settings
- Policy simulator
- Credential report

Roles (4) Info [Delete](#) [Create role](#)

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.

Search

☐	Role name	Trusted entities	Last activity
☐	AWSServiceRoleForResourceExplorer	AWS Service: resource-explorer-2 (Service-Linked Role)	23 minutes ago
☐	AWSServiceRoleForSupport	AWS Service: support (Service-Linked Role)	-
☐	AWSServiceRoleForTrustedAdvisor	AWS Service: trustedadvisor (Service-Linked Role)	-
☐	EC2-S3-Access	AWS Service: ec2	3 days ago

Roles Anywhere Info [Manage](#)

Authenticate your non AWS workloads and securely provide access to AWS services.

Access AWS from your non AWS workloads

Operate your non AWS workloads using the same authentication and authorization strategy that you use within AWS.

X.509 Standard

Use your own existing PKI infrastructure or use [AWS Certificate Manager Private Certificate Authority](#) to authenticate identities.

Temporary credentials

Use temporary credentials with ease and benefit from the enhanced security they provide.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Root account MFA

Project Finishing Steps

Dashboard | IAM | Global

Inbox (2,009) - muzammil

us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/home

aws

Search

[Alt+S]

IAM > Dashboard

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- Roles
- Policies
- IAM users
- IAM user groups
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Access reports

- Access Analyzer
 - Resource analysis
 - Unused access
 - Analyzer settings
- Policy simulator
- Credential report

Multi-account access

IAM Dashboard

Info

Security recommendations

0

Root user has MFA

Having multi-factor authentication (MFA) for the root user improves security for this account.

Root user has no active access keys

Using access keys attached to an IAM user instead of the root user improves security.

IAM resources

Resources in this AWS Account

User groups

0

Users

0

Roles

4

Policies

0

Identity providers

0

What's new

Updates for features in IAM

View all

- AWS IAM now provides higher maximum quotas for roles, role trust policies, instance profiles, managed policies, and identity providers. 4 months ago
- IAM Roles Anywhere now enforces VPC endpoint policies for the CreateSession API. 4 months ago
- IAM Roles Anywhere now supports post-quantum digital certificates. 6 months ago

AWS Account

Account ID

496411573708

Account Alias

Create

Sign-in URL for IAM users in this account

https://496411573708.signin.aws.amazon.com/console

Quick Links

My security credentials

Manage your access keys, multi-factor authentication (MFA) and other credentials.

Tools

Policy simulator

The simulator evaluates the policies that you choose and determines the effective permissions for each of the actions that you specify.

CloudShell

Agent Toolkit for AWS


Feedback

Console Mobile App


© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9. VPC and Networking Evidence

VPC



Public subnet



Private subnet

Sep 17 20:08

Project Finish x Subnet detail x Instance deta x Inbox (2,010) x AWS Console x AWS Pricing x Pricing Calcul x Cloud DevOps In x Clipboard | R x +

ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#SubnetDetails:subnetid=subnet-0b4eff9e6c5ae584f

Search [Alt+S]

Asia Pacific (Mumbai) Muzammil (496411573708) Muzammil

VPC dashboard < subnets > subnet-0b4eff9e6c5ae584f

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

subnet-0b4eff9e6c5ae584f / private-subnet

Details

Subnet ID subnet-0b4eff9e6c5ae584f	Subnet ARN arn:aws:ec2:ap-south-1:496411573708:subnet/subnet-0b4eff9e6c5ae584f	State Available	Block Public Access Off
IPv4 CIDR 10.0.2.0/24	Available IPv4 addresses 251	IPv6 CIDR -	IPv6 CIDR association ID -
Availability Zone aps1-az1 (ap-south-1a)	Network border group ap-south-1	VPC vpc-0b37f2b83ae417 cloud-devops-vpc	Route table rtb-0b40a233d36c0f0d6 private-route-table
Network ACL acl-0366d9e025f72a0eb	Default subnet No	Auto-assign public IPv4 address No	Auto-assign IPv6 address No
Auto-assign customer-owned IPv4 address No	Customer-owned IPv4 pool -	Outpost ID -	IPv4 CIDR reservations -
IPv6 CIDR reservations -	IPv6-only No	Hostname type IP name	Resource name DNS A record Disabled
Resource name DNS AAAA record Disabled	DNS64 Disabled	Owner 496411573708	

Flow logs Route table Network ACL CIDR reservations Sharing Tags Related resources

Flow logs

Search

Actions Create flow log

< 1 >

Private route table

Sep 17 20:06

Project Finish x Route table d x Instance deta x Inbox (2,010) x AWS Console x AWS Pricing x Pricing Calcul x Cloud DevOps In x Clipboard | R x +

ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#RouteTableDetails:RouteTableId=rtb-0b40a233d36c0f0d6

Search [Alt+S]

Asia Pacific (Mumbai) Muzammil (496411573708) Muzammil

VPC dashboard < route tables > rtb-0b40a233d36c0f0d6

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

You have successfully updated subnet associations for rtb-0b40a233d36c0f0d6 / private-route-table.

rtb-0b40a233d36c0f0d6 / private-route-table

Details Info

Route table ID rtb-0b40a233d36c0f0d6	Main No	Explicit subnet associations subnet-0b4eff9e6c5ae584f / private-subnet	Edge associations -
VPC vpc-0b37f2b83ae417 cloud-devops-vpc	Owner ID 496411573708		

Routes Subnet associations Edge associations Route propagation Tags Related resources

Explicit subnet associations (1)

Find subnet association

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
private-subnet	subnet-0b4eff9e6c5ae584f	10.0.2.0/24	-

Edit subnet associations

Subnets without explicit associations (0)


The following subnets have not been explicitly associated with any route tables and are therefore associated with the main route table.

Find subnet association


Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
------	-----------	-----------	-----------

Edit subnet associations

Internet Gateway




Route table




10. EC2, SSH and Nginx Evidence


Security Group



EC2 launch configuration



EC2 instance configuration



SSH connection

```

Sep 17 18:07
ubuntu@ip-10-0-1-231: ~ -- ssh -i /home/muzammil/.ssh/cloud-devops-key.pem ubuntu@13.207.185.219

Synchronizing state of nginx.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl start nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Thu 2026-09-17 18:03:53 UTC; 41s ago
     Invocation: 93ad67fd200a46acacac7e40957be67b
       Docs: man:nginx(8)
    Main PID: 27610 (nginx)
      Tasks: 3 (limits: 0/27)
     Memory: 3M (peak: 7.3M)
        CPU: 42ms
    CGroup: /system.slice/nginx.service
            └─27610 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
              └─27612 "nginx: worker process"
                └─27613 "nginx: worker process"

Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...
Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.
ubuntu@ip-10-0-1-231:~$ curl http://localhost
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
ubuntu@ip-10-0-1-231:~$

```

Nginx default page

```
Sep 17 18:14
ubuntu@ip-10-0-1-231: ~ -- ssh -i /home/muzammil/.ssh/cloud-devops-key.pem ubuntu@13.207.185.219

<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>

ubuntu@ip-10-0-1-231:~$ sudo nano /var/www/html/index.html
ubuntu@ip-10-0-1-231:~$ sudo systemctl restart nginx
ubuntu@ip-10-0-1-231:~$ Read from remote host 13.207.185.219: Connection reset by peer
Connection to 13.207.185.219 closed.
client_loop: send disconnect: Broken pipe
muzammil@student-server:~$ ssh -t ~/.ssh/cloud-devops-key.pem ubuntu@13.207.185.219
Welcome to Ubuntu 26.04.1 LTS (GNU/Linux 7.0.0-1806-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu Sep 17 18:14:10 UTC 2026

System load:  0.0           Temperature:   -273.1 C
Usage of /:   39.4% of 6.61GB Processes:      124
Memory usage: 33%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 10.0.1.231


Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.


Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

*** System restart required ***
Last login: Thu Sep 17 17:57:11 2026 from 202.141.47.55
ubuntu@ip-10-0-1-231:~$ echo "Cloud DevOps Internship - AWS S3 Task 2" > s3-test.txt
ubuntu@ip-10-0-1-231:~$
```

Nginx browser verification




Custom Nginx page




11. S3 Evidence

S3 bucket and versioning



S3 object upload



S3 uploaded object

Sep 17 19:31

Project Finish Upload obj x EC2-CPU-High Instance deta Inbox (2,010) AWS Console AWS Pricing Pricing Calcul Cloud DevOps In Clipboard | Re +

ap-south-1.console.aws.amazon.com/s3/upload/muzammil-cloud-devops-task2-2026?region=ap-south-1

aws Search [Alt+S]

Muzammil (496411573708)

Amazon S3

Upload succeeded
For more information, see the Files and folders table.

Upload: statusClose

After you navigate away from this page, the following information is no longer available.

Summary

Destination
s3://muzammil-cloud-devops-task2-2026

Succeeded
✔ 1 file, 0 B (0%)

Failed
⊖ 0 files, 0 B (0%)

Files and foldersConfiguration

Files and folders (1 total, 0 B)


Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
s3-test.txt	-	text/plain	0 B	Succeeded	-

12. CloudWatch, Architecture and Cost Evidence

CloudWatch dashboard



CloudWatch alarm configuration

The screenshot shows the 'Add alarm details' configuration page in the AWS CloudWatch console. The page is divided into four steps: Step 1: Specify metric and conditions, Step 2: Configure actions, Step 3: Add alarm details (current step), and Step 4: Preview and create.

Add alarm details

Name and description

Alarm name: EC2-CPU-High-70

Alarm description - optional: [View formatting guidelines](#)

Edit **Preview**

Alarm when EC2 CPU utilization exceeds 70 percent.

Up to 1024 characters (50/1024).

[Markdown formatting is only applied when viewing your alarm in the console. The description will remain in plain text in the alarm notifications.](#)


Tags - optional [Info](#)

No tags associated with the resource.


[Add new tag](#)

You can add up to 50 tags.

CloudWatch alarm created



AWS architecture diagram



AWS Pricing Calculator

Sep 17 19:54

Project FirMy Estir xPricing CaUpload obEC2-CPU-IInstance dInbox (2,0AWS ConsAWS PricirPricing CaCloud DevOpClipboard+

calculator.aws/#/estimate

aws pricing calculator

FeedbackLanguage: EnglishContact SalesCreate an AWS Account

Upfront cost0.00 USD

Monthly cost15.84 USD

Total 12 months cost190.08 USDIncludes upfront cost

Get started for freeContact Sales

My Estimate

DuplicateDeleteMove toCreate groupAdd supportAdd service

Find resources

☐	Service Name	Status	Upfront cost	Monthly cost	Description	Region	Config Summary
☐	Amazon EC2	-	0.00 USD	15.84 USD	-	Asia Pacific (Mumbai)	Tenancy (Shared Insta...
☐	Amazon Simple Stora...	-	0.00 USD	0.00 USD	-	Asia Pacific (Mumbai)	
☐	Amazon CloudWatch	-	0.00 USD	0.00 USD	-	Asia Pacific (Mumbai)	Number of mobile OT...

Acknowledgement

AWS Pricing Calculator provides only an estimate of your AWS fees and doesn't include any taxes that might apply. Your actual fees depend on a variety of factors, including your actual usage of AWS services. [Learn more](#)

PrivacySite termsCookie preferences

© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.

13. Final Submission Status

The repository contains the required Task 2 implementation evidence: IAM users/groups/MFA/role evidence, custom VPC with public and private subnets, Internet Gateway and route tables, Security Group, Ubuntu EC2 with SSH, Nginx, S3 with versioning and object evidence, CloudWatch dashboard and alarm, architecture diagram, Pricing Calculator evidence, cost documentation, logs, README, screenshots, and this report.

Additional IAM User Creation Evidence

Cloud Computing & DevOps Internship — Task 2

The internship task explicitly requires creating the IAM users DevOpsAdmin and CloudIntern, assigning lab permissions, and enabling MFA. These additional screenshots provide explicit evidence of the CloudIntern creation workflow and successful creation.

1. Create User — CloudIntern

The AWS IAM Create User page shows the username CloudIntern.

The screenshot shows the AWS IAM console 'Create user' page. The browser address bar indicates the URL is `us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/users/create`. The page title is 'Create user | IAM | Global'. The left sidebar shows the navigation menu with 'IAM' selected, and the breadcrumb trail is 'IAM > IAM users > Create user'. The main content area is titled 'Specify user details'. On the left, a step indicator shows 'Step 1: Specify user details' as the active step, followed by 'Step 2: Set permissions' and 'Step 3: Review and create'. The 'User details' section contains a 'User name' input field with the text 'CloudIntern'. Below the input field, a note states: 'The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)'. There is an unchecked checkbox labeled 'Provide user access to the AWS Management Console - optional' with a sub-note: 'In addition to console access, users with SigninLocalDevelopmentAccess permissions can use the same console credentials for programmatic access without the need for access keys.' A blue information box below the checkbox contains the text: 'If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user. [Learn more](#)'. At the bottom right of the form, there are 'Cancel' and 'Next' buttons. The footer of the console shows links for 'CloudShell', 'Agent Toolkit for AWS', 'Feedback', and 'Console Mobile App', along with the copyright notice '© 2026, Amazon Web Services, Inc. or its affiliates.' and links for 'Privacy', 'Terms', and 'Cookie preferences'.

2. Permissions / Group Step

The Set Permissions page shows the DevOpsAdmins group and its AdministratorAccess policy. The final review screenshot is used as the direct evidence that CloudIntern was assigned to the group.

Create user | IAM | GlobalProject Finishing StepsSecond Project Task AssignedSumerix Global Internship P...Cloud Computing & DevOpsAsk Gemini

us-east-1.console.aws.amazon.com/iam/home?region=eu-north-1#/users/create

YouTubeInstagramHome | Techno Dot...LMArenaNew chat - ClaudeFeed | LinkedIn(1540) Discord | Frie...FileCR - THE BIGGES...FitGirl Repacks - Pa...DODI Repacksedit

awsSearch[Alt+S]Ask Amazon QGlobalMuzammil (496411573708)Muzammil

IAMIAM usersCreate user

Step 1Specify user detailsStep 2Set permissionsStep 3Review and create

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☒ Add user to group

Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions

Copy all group memberships, attached managed policies, and inline policies from an existing user.

☐ Attach policies directly

Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

User groups (1)

☐

Group name ↗

▲

☐

DevOpsAdmins

☐

Users

▼

☐

1

☐

Attached policies ↗

▼

☐

AdministratorAccess

☐

Created

▼

☐

2026-09-17 (3 days ago)

Create group

< 1 > ⚙

▶ Set permissions boundary - optional


CancelPreviousNext

CloudShellAgent Toolkit for AWSFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

3. Review and Create — CloudIntern

The review page explicitly lists CloudIntern and the DevOpsAdmins permissions group.



4. User Created Successfully

The IAM users page shows a successful creation message and both CloudIntern and DevOpsAdmin in the users list.

