

AWS INFRASTRUCTURE REPORT

Cloud Infrastructure Provisioning with AWS

Cloud & DevOps Internship — Task 2

Student Name: **Muhammed Muzammil CP**

AWS Region: **Asia Pacific (Mumbai) — ap-south-1**

Services: IAM, VPC, EC2, S3, CloudWatch

Infrastructure implementation, security configuration, monitoring, evidence, and cost estimation.

1. Project Overview

This report documents the AWS infrastructure provisioned for Cloud & DevOps Internship Task 2. The implementation covers account security, IAM, VPC networking, public and private subnets, Internet Gateway and route tables, Security Groups, Ubuntu EC2 deployment, SSH administration, Nginx web hosting, Amazon S3 storage and versioning, CloudWatch monitoring and alarms, architecture documentation, and AWS Pricing Calculator cost estimation.

Objectives

- Provision a structured AWS network using a custom VPC.
- Apply IAM and MFA security controls.
- Deploy and administer an Ubuntu EC2 web server.
- Host a web page using Nginx.
- Configure S3 storage with versioning and upload evidence.
- Monitor infrastructure using CloudWatch and configure an alarm.
- Document architecture and estimate monthly cost.

Primary Configuration

Component	Configuration
AWS Region	Asia Pacific (Mumbai) — ap-south-1
VPC	cloud-devops-vpc — 10.0.0.0/16
Public Subnet	public-subnet — 10.0.1.0/24
Private Subnet	private-subnet — 10.0.2.0/24
Private Route Table	private-route-table
Web Security Group	web-server-sg
Web Server	Ubuntu EC2 + Nginx

2. AWS Account Security and IAM

The project uses AWS IAM for identity and access management. Root-account MFA and IAM-user MFA evidence were captured. The repository excludes credentials and private keys from version control.

Implemented controls

- Root account MFA configured.
- IAM user DevOpsAdmin configured for project administration.
- MFA configured for the IAM user.
- AWS credentials/private keys are not stored in the Git repository.
- Administrative access is separated from routine infrastructure resources.




Figure 2.1 — IAM user security credentials and MFA evidence.

3. VPC and Secure Networking

A custom VPC was configured using 10.0.0.0/16. The network contains separate public and private subnets. The public subnet uses an Internet Gateway route for Internet-facing workloads, while the private subnet is associated with a separate route table without a direct Internet Gateway route.

Network layout

VPC: **10.0.0.0/16**

Public subnet: **10.0.1.0/24**

Private subnet: **10.0.2.0/24**

Internet Gateway: **cloud-devops-igw**

Private route table: **private-route-table**




Figure 3.1 — Private subnet details, CIDR, VPC and route table association.

4. Security Group Configuration

The web-server Security Group controls inbound access to the EC2 instance. SSH is restricted to the required source IP, while HTTP and HTTPS are allowed for web access.

Protocol	Port	Source	Purpose
SSH / TCP	22	My IP	Administrative SSH access
HTTP / TCP	80	0.0.0.0/0	Web traffic
HTTPS / TCP	443	0.0.0.0/0	Secure web traffic





Figure 4.1 — Web server Security Group evidence.

5. EC2 Deployment and Linux Administration

An Ubuntu EC2 instance was deployed in the public subnet to provide the web-server workload. SSH was used for administration, and Nginx was installed and enabled as a system service.

Deployment activities

- EC2 instance launched in the custom VPC/public subnet.
- SSH key pair used for secure access.
- Ubuntu system updated.
- Nginx installed and started.
- Default and custom web pages verified.



```
Sep 17 18:07
ubuntu@ip-10-0-1-231: ~ — ssh -i /home/muzammil/ssh/cloud-devops-key.pem ubuntu@13.207.185.219

Synchronizing state of nginx.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl start nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Thu 2026-09-17 18:03:53 UTC; 41s ago
     Invocation: 93ad67fd200a46acadac7e40957be67b
       Docs: man:nginx(8)
    Main PID: 27610 (nginx)
      Tasks: 3 (limit: 65536)
     Memory: 3M (peak: 7.3M)
        CPU: 42ms
      CGroup: /system.slice/nginx.service
              └─27610 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
                 └─27612 "nginx: worker process"
                   └─27613 "nginx: worker process"

Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...
Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.
ubuntu@ip-10-0-1-231:~$ curl http://localhost
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color:scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
ubuntu@ip-10-0-1-231:~$
```

Figure 5.1 — SSH connection evidence.

6. Nginx Web Server

Nginx was configured as the web server on the Ubuntu EC2 instance. The service was started, enabled for system startup, and verified locally and through the instance public address. A custom internship web page was also deployed.




Figure 6.1 — Custom Nginx web page evidence.

7. Amazon S3 Storage

An S3 bucket was created in the selected region. Versioning was enabled and a test object was uploaded to demonstrate object-storage functionality.

Configuration

- Bucket created in Asia Pacific (Mumbai).
- Versioning enabled.
- Test object uploaded successfully.
- Public access controls were not unnecessarily relaxed.




Figure 7.1 — S3 bucket and versioning evidence.




Figure 7.2 — Successful S3 object upload evidence.

8. CloudWatch Monitoring and Alarm

Amazon CloudWatch was used to monitor the EC2 environment. Monitoring evidence includes dashboard and alarm configuration. The alarm provides a basic mechanism for detecting an infrastructure metric condition that requires attention.




Figure 8.1 — CloudWatch dashboard evidence.




Figure 8.2 — CloudWatch alarm created evidence.

9. AWS Architecture

The architecture separates the Internet-facing workload from the private network segment and documents the main AWS services used in the project.




Figure 9.1 — AWS cloud architecture for Task 2.

10. Cost Estimation

AWS Pricing Calculator was used to create a manual estimate for the configured workload. The estimate covers Amazon EC2, Amazon S3, and Amazon CloudWatch in the Mumbai region.

Service	Region	Estimated Monthly Cost
Amazon EC2	Asia Pacific (Mumbai)	USD 15.84
Amazon S3	Asia Pacific (Mumbai)	USD 0.00
Amazon CloudWatch	Asia Pacific (Mumbai)	USD 0.00
Total		USD 15.84

Estimated monthly cost: USD 15.84

Estimated 12-month cost: USD 190.08




Figure 10.1 — AWS Pricing Calculator estimate.

Note: This is an estimate rather than a billing guarantee. Actual charges can vary with usage, data transfer, requests, storage, taxes, pricing changes, and applicable Free Tier eligibility.

11. Security and Operational Practices

The project follows basic cloud-security practices appropriate for a training environment:

- MFA enabled for root and IAM access where configured.
- SSH restricted to the required source IP.
- Private subnet separated from the Internet-facing subnet.
- No AWS access keys, secrets, passwords, or private SSH keys committed to Git.
- S3 public access was not unnecessarily enabled.
- Infrastructure and deployment activities documented in Markdown/log files.

12. Conclusion


The Task 2 AWS infrastructure was provisioned and documented using IAM, VPC, EC2, S3, CloudWatch, route tables, Internet Gateway, Security Groups, and Linux/Nginx administration. The project includes configuration evidence, architecture diagrams, monitoring evidence, cost estimation, and deployment documentation suitable for internship submission.

13. Evidence Index

Evidence	Repository Screenshot
Root MFA	01.1_root_mfa_dashboard.png / 01.2_root_security_credentials_mfa.png
IAM User	02.1_iam_create_user.png / 02.2_iam_users.png
IAM User MFA	03.1_iam_user_mfa.png
VPC	04.1_vpc.png
Public Subnet	05.1_public_subnet.png
Private Subnet	05.2_private_subnet.png
Private Route Table	05.2_private_subnet_route_table.png
Internet Gateway	06.1_internet_gateway.png
Route Table	07.1_route_table.png
Security Group	08.1_security_group.png
EC2	09.1_ec2_launch_configuration.png / 09.2_ec2_instance_configuration.png
SSH	10.1_ssh_connection.png
Nginx	11.1 / 12.1 / 13.1
S3	14.1 / 16.1 / 16.2
CloudWatch	17.1 / 18.1 / 18.2
Architecture	19.1_aws_architecture_diagram.png
Cost Estimate	20.1_aws_pricing_calculator.png

Appendix A — Selected Screenshots

Evidence 1: 01.1_root_mfa_dashboard.png



Task 2 evidence screenshot — 01.1_root_mfa_dashboard.png


Evidence 2: 01.2_root_security_credentials_mfa.png

The screenshot shows the AWS IAM console interface. The left sidebar contains navigation links for Identity and Access Management (IAM), including Dashboard, Access Management, Access reports, and Multi-account access. The main content area is titled 'My security credentials' for the 'Root user'. It includes a section for 'Account details' with fields for Account name (Muzammil), Email address (Muzammilcp123@gmail.com), AWS account ID (496411573708), and Canonical user ID (d8f9813bcfe2740abf1a7622075d1576d288f48b8ecbbb2e212bb984e567a2c1). Below this is the 'Multi-factor authentication (MFA) (2)' section, which shows two MFA devices: a Virtual device and a Passkeys and security keys device. The 'Access keys (0)' section is also visible, indicating no access keys are currently configured.

Type	Identifier	Certifications	Created on
☐ Virtual	arn:aws:iam:496411573708:mfa/lqoo	Not Applicable	Thu Sep 17 2026
☐ Passkeys and security keys	arn:aws:iam:496411573708:u2f/root/pc-4GV7CNXOHVAPBD5N2WEBFBRCTU	0	Thu Sep 17 2026

Task 2 evidence screenshot — 01.2_root_security_credentials_mfa.png

Evidence 3: 02.1_iam_create_user.png



Task 2 evidence screenshot — 02.1_iam_create_user.png

Evidence 4: 02.2_iam_users.png

The screenshot displays the AWS IAM console interface. The left-hand navigation pane is expanded to 'IAM users (1)'. The main content area shows a table of IAM users. The table has columns for 'User name', 'Path', 'Group', 'Last activity', 'MFA', 'Password age', 'Console last sign-in', and 'Access key'. One user is listed: 'DevOpsAdmin' with a path of '/', a group of '1', and a password age of 'Now'. The console header shows the user 'Muzammit (496411573708)' and the region 'us-east-1'.

☐	User name	Path	Group	Last activity	MFA	Password age	Console last sign-in	Access key
☐	DevOpsAdmin	/	1	-	-	Now	-	-

Task 2 evidence screenshot — 02.2_iam_users.png

Evidence 5: 03.1_iam_user_mfa.png

The screenshot shows the AWS IAM console interface. The left sidebar contains the navigation menu with sections like Identity and Access Management (IAM), Access Management, Access reports, and Multi-account access. The main content area displays the details for the user 'DevOpsAdmin'. A green notification banner at the top states 'MFA device assigned'. The 'Summary' section shows the user's ARN, creation date, and console access status. The 'Security credentials' tab is active, showing the console sign-in link, console password, and last console sign-in. The 'Multi-factor authentication (MFA)' section shows that MFA is assigned to the user.

DevOpsAdmin Info [Delete](#)

Summary

ARN arn:aws:iam::496411573708:user/DevOpsAdmin	Console access Enabled with MFA	Access key 1 Create access key
Created September 17, 2026, 16:51 (UTC)	Last console sign-in Never	

Permissions **Groups (1)** **Tags** **Security credentials** **Last Accessed**

Console sign-in [Manage console access](#)

Console sign-in link https://496411573708.signin.aws.amazon.com/console	Console password Updated 2 hours ago (2026-09-17 16:51 UTC)
Last console sign-in Never	

Multi-factor authentication (MFA) (1) [Remove](#) [Resync](#) [Assign MFA device](#)

Task 2 evidence screenshot — 03.1_iam_user_mfa.png

Evidence 6: 04.1_vpc.png

The screenshot displays the AWS VPC console interface. The browser address bar shows the URL: `ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#VpcDetails:VpcId=vpc-0b37f2b83ae417`. The page title is "vpc-0b37f2b83ae417 / cloud-devops-vpc".

Details:

- VPC ID:** vpc-0b37f2b83ae417
- State:** Available
- Block Public Access:** Off
- DNS hostnames:** Disabled
- DNS resolution:** Enabled
- Main network ACL:** acl-0366d9e025f72a0eb
- Tenancy:** default
- DHCP option set:** dopt-065b883e7508270f7
- IPv4 CIDR (Network border group):** 10.0.0.0/16
- Default VPC:** No
- Route 53 Resolver DNS Firewall rule groups:** -
- Encryption control ID:** -
- Network Address Usage metrics:** Disabled
- Encryption control mode:** -
- Main route table:** rtb-02be54be817ac021c
- IPv6 pool:** -
- Owner ID:** 496411573708

Resource map:

- VPC:** cloud-devops-vpc
- Subnets (0):** Subnets within this VPC
- Route tables (1):** rtb-02be54be817ac021c

Task 2 evidence screenshot — 04.1_vpc.png

Evidence 7: 05.1_public_subnet.png

The screenshot displays the AWS Management Console interface for the 'Subnets' page in the 'ap-south-1' region. A green notification banner at the top states: 'You have successfully created 1 subnet: subnet-0008ed19fcd92d8ce'. The left sidebar shows the navigation menu with 'Virtual private cloud' expanded, highlighting 'Subnets'. The main content area, titled 'Subnets (1)', contains a table with the following data:

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☐	public-subnet	subnet-0008ed19fcd92d8ce	Available	vpc-0b37f2b83aeeea417	Off	10.0.1.0/24

Below the table is a 'Select a subnet' section. The footer of the console shows the date 'Sep 17 17:08' and the user 'Muzammit (496411573708)'.

Task 2 evidence screenshot — 05.1_public_subnet.png

Evidence 8: 05.2_private_subnet.png

The screenshot displays the AWS Management Console interface for a private subnet. The browser address bar shows the URL: `ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#SubnetDetails:subnetId=subnet-0b4eff9e6c5ae584f`. The console header includes the AWS logo, a search bar, and navigation icons. The left sidebar shows the 'VPC dashboard' with a filter by VPC dropdown, and a list of services under 'Virtual private cloud' and 'Security'. The main content area is titled 'subnet-0b4eff9e6c5ae584f / private-subnet' and contains a 'Details' section with the following information:

Subnet ID	Subnet ARN	State	Block Public Access
subnet-0b4eff9e6c5ae584f	arn:aws:ec2:ap-south-1:496411573708:subnet/subnet-0b4eff9e6c5ae584f	Available	Off
IPv4 CIDR	Available IPv4 addresses	IPv6 CIDR	IPv6 CIDR association ID
10.0.2.0/24	251	-	-
Availability Zone	Network border group	VPC	Route table
aps1-az1 (ap-south-1a)	ap-south-1	vpc-0b37f2b83ae00417 cloud-devops-vpc	rtb-0b40a233d36c0f0d6 private-route-table
Network ACL	Default subnet	Auto-assign public IPv4 address	Auto-assign IPv6 address
acl-0366d9e025f72a0eb	No	No	No
Auto-assign customer-owned IPv4 address	Customer-owned IPv4 pool	Outpost ID	IPv4 CIDR reservations
No	-	-	-
IPv6 CIDR reservations	IPv6-only	Hostname type	Resource name DNS A record
-	No	IP name	Disabled
Resource name DNS AAAA record	DNS64	Owner	
Disabled	Disabled	496411573708	

Below the details section, there are tabs for 'Flow logs', 'Route table', 'Network ACL', 'CIDR reservations', 'Sharing', 'Tags', and 'Related resources'. The 'Flow logs' tab is selected, showing a search bar and a 'Create flow log' button. The bottom of the console shows the footer with copyright information and links to Privacy, Terms, and Cookie preferences.

Task 2 evidence screenshot — 05.2_private_subnet.png

Evidence 9: 05.2_private_subnet_route_table.png

The screenshot displays the AWS Management Console interface for a private route table. A green notification banner at the top states: "You have successfully updated subnet associations for rtb-0b40a233d36c0f0d6 / private-route-table." The page title is "rtb-0b40a233d36c0f0d6 / private-route-table".

Details

Route table ID	Main	Explicit subnet associations	Edge associations
rtb-0b40a233d36c0f0d6	No	subnet-0b4eff9e6c5ae584f / private-subnet	-

Owner ID: 496411573708

VPC: vpc-0b37f2b83ae417 | cloud-devops-vpc

Subnet associations

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
private-subnet	subnet-0b4eff9e6c5ae584f	10.0.2.0/24	-


Subnets without explicit associations (0)

The following subnets have not been explicitly associated with any route tables and are therefore associated with the main route table:

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
------	-----------	-----------	-----------


Task 2 evidence screenshot — 05.2_private_subnet_route_table.png

Evidence 10: 06.1_internet_gateway.png




Task 2 evidence screenshot — 06.1_internet_gateway.png

Evidence 11: 07.1_route_table.png




Task 2 evidence screenshot — 07.1_route_table.png

Evidence 12: 08.1_security_group.png



Task 2 evidence screenshot — 08.1_security_group.png

Evidence 13: 09.1_ec2_launch_configuration.png



Task 2 evidence screenshot — 09.1_ec2_launch_configuration.png

Evidence 14: 09.2_ec2_instance_configuration.png

Project Finishing Steps x Launch an instance | EC2 x Inbox (2,009) - muzammil x AWS Console Access Set: x +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

aws [Alt+S] Ask Amazon Q Asia Pacific (Mumbai) Muzammil (496411573708)

EC2 > Instances > Launch an instance

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

cloud-devops-key [Create new key pair](#)

Network settings [Info](#)

VPC - required [Info](#)

vpc-0b37f2b83aeaa417 (cloud-devops-vpc) [Refresh](#)

Subnet [Info](#)

subnet-0008ed19fcd92d8ce [Refresh](#) [Create new subnet](#)

VPC: vpc-0b37f2b83aeaa417 Owner: 496411573708 Availability Zone: ap-south-1a (eps1-az1) Zone type: Availability Zone IP addresses available: 251 CIDR: 10.0.1.0/24

Auto-assign public IP [Info](#)

Enable

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Create security group ☒ Select existing security group

Common security groups [Info](#)

Select security groups [Compare security group rules](#)

web-server-sg sg-08efbeed45cdf2d50 [X](#)

VPC: vpc-0b37f2b83aeaa417

Summary

Number of instances [Info](#)

1 [Refresh](#)

Software image (AMI)

Canonical, Ubuntu, 26.04, amd64...[read more](#)

ami-01a00762f46d584a1

Virtual server type (instance type)

t3.micro

Firewall (security group)

web-server-sg

Storage (volumes)

1 volume(s) - 8 GiB


[Cancel](#) [Launch instance](#) [Preview code](#)

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Task 2 evidence screenshot — 09.2_ec2_instance_configuration.png

Evidence 15: 10.1_ssh_connection.png



The screenshot shows a terminal window with the following content:

```
Synchronizing state of nginx.service with SysV service script with /usr/lib/systemd/systemd-sysv-install.
Executing: /usr/lib/systemd/systemd-sysv-install enable nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl start nginx
ubuntu@ip-10-0-1-231:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Thu 2026-09-17 18:03:53 UTC; 41s ago
     Invocation: 93ade7fd280a46acacac7e40957be07b
       Docs: man:nginx(8)
    Main PID: 27610 (nginx)
      Tasks: 3 (limit: 627)
     Memory: 3M (peak: 7.3M)
        CPU: 42ms
    CGroup: /system.slice/nginx.service
            └─27610 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
              └─27612 "nginx: worker process"
                └─27613 "nginx: worker process"
```

Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...

Sep 17 18:03:53 ip-10-0-1-231 systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.

ubuntu@ip-10-0-1-231:~\$ curl http://localhost

```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>


<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

ubuntu@ip-10-0-1-231:~\$

Task 2 evidence screenshot — 10.1_ssh_connection.png

Evidence 16: 11.1_nginx_default_page.png



```
Sep 17 18:14
ubuntu@ip-10-0-1-231: ~ -- ssh -i /home/muzammil/.ssh/cloud-devops-key.pem ubuntu@13.207.185.219

<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>

ubuntu@ip-10-0-1-231:~$ sudo nano /var/www/html/index.html
ubuntu@ip-10-0-1-231:~$ sudo systemctl restart nginx
ubuntu@ip-10-0-1-231:~$ Read from remote host 13.207.185.219: Connection reset by peer
Connection to 13.207.185.219 closed.
Client loop: send disconnect: Broken pipe
muzammil@student-servers:~$ ssh -i ~/.ssh/cloud-devops-key.pem ubuntu@13.207.185.219
Welcome to Ubuntu 20.04.1 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Thu Sep 17 18:14:10 UTC 2026

System load:  0.0          Temperature:   -273.1 C
Usage of /:   39.4% of 6.61GB    Processes:    124
Memory usage: 33%           Users logged in:  0
Swap usage:   0%              IPv4 address for ens5: 10.0.1.231

Expanded Security Maintenance for Applications is not enabled.


0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

*** System restart required ***
Last login: Thu Sep 17 17:57:11 2026 from 202.141.47.55
ubuntu@ip-10-0-1-231:~$ echo "Cloud DevOps Internship - AWS S3 Task 2" > s3-test.txt
ubuntu@ip-10-0-1-231:~$
```


Task 2 evidence screenshot — 11.1_nginx_default_page.png

Evidence 17: 12.1_nginx_browser.png




Task 2 evidence screenshot — 12.1_nginx_browser.png

Evidence 18: 13.1_custom_nginx_page.png




Task 2 evidence screenshot — 13.1_custom_nginx_page.png

Evidence 19: 14.1_s3_bucket_and_versioning.png




Task 2 evidence screenshot — 14.1_s3_bucket_and_versioning.png

Evidence 20: 16.1_s3_object_upload.png




Task 2 evidence screenshot — 16.1_s3_object_upload.png

Evidence 21: 16.2_s3_object_uploaded.png




Task 2 evidence screenshot — 16.2_s3_object_uploaded.png

Evidence 22: 17.1_cloudwatch_dashboard.png




Task 2 evidence screenshot — 17.1_cloudwatch_dashboard.png

Evidence 23: 18.1_cloudwatch_alarm_configuration.png




Task 2 evidence screenshot — 18.1_cloudwatch_alarm_configuration.png

Evidence 24: 18.2_cloudwatch_alarm_created.png



Task 2 evidence screenshot — 18.2_cloudwatch_alarm_created.png

Evidence 25: 19.1_aws_architecture_diagram.png



Task 2 evidence screenshot — 19.1_aws_architecture_diagram.png

Evidence 26: 20.1_aws_pricing_calculator.png

The screenshot displays the AWS Pricing Calculator interface. At the top, the browser address bar shows the URL `calculator.aws/#/estimate`. The calculator header includes the AWS logo, a 'Feedback' link, a language dropdown set to 'English', a 'Contact Sales' link, and a 'Create an AWS Account' button.

The main summary section shows the following costs:

- Upfront cost: 0.00 USD
- Monthly cost: 15.84 USD
- Total 12 months cost: **190.08 USD** (Includes upfront cost)

Buttons for 'Get started for free' and 'Contact Sales' are located to the right of the summary.

The 'My Estimate' section features a search bar labeled 'Find resources' and a list of services with their associated costs. The services listed are:

Service Name	Status	Upfront cost	Monthly cost	Description	Region	Config Summary
Amazon EC2	-	0.00 USD	15.84 USD	-	Asia Pacific (Mumbai)	Tenancy (Shared Insta...
Amazon Simple Stora...	-	0.00 USD	0.00 USD	-	Asia Pacific (Mumbai)	
Amazon CloudWatch	-	0.00 USD	0.00 USD	-	Asia Pacific (Mumbai)	Number of mobile OT...

Below the table, an 'Acknowledgement' section states: 'AWS Pricing Calculator provides only an estimate of your AWS fees and doesn't include any taxes that might apply. Your actual fees depend on a variety of factors, including your actual usage of AWS services. [Learn more](#)'.

The footer contains links for 'Privacy', 'Site terms', and 'Cookie preferences', along with the copyright notice: '© 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved.'

Task 2 evidence screenshot — 20.1_aws_pricing_calculator.png