Linear Algebra

4/5 points (80.00%)

Practice Quiz, 5 questions

Congratulations! You passed!

Next Item



1/1 points

Let two matrices be

$$A = egin{bmatrix} 4 & 3 \ 6 & 9 \end{bmatrix}, \qquad B = egin{bmatrix} -2 & 9 \ -5 & 2 \end{bmatrix}$$

$$B = \begin{bmatrix} -2 & 9 \\ -5 & 2 \end{bmatrix}$$

What is A - B?



$$\begin{bmatrix}
6 & -6 \\
11 & 7
\end{bmatrix}$$



To subtract B from A, carry out the subtraction element-wise.

$$\begin{bmatrix}
4 & 12 \\
1 & 11
\end{bmatrix}$$

$$\begin{bmatrix} 2 & -6 \\ 1 & 7 \end{bmatrix}$$

$$\begin{bmatrix}
6 & -12 \\
11 & 11
\end{bmatrix}$$



1/1 points

2.

Linear Algebra
$$x = \begin{bmatrix} 2 \\ 7 \\ 4 \\ 1 \end{bmatrix}$$
Practice Quiz, 5 questions

4/5 points (80.00%)

What is 3 * x?



Correct

To multiply the vector x by 3, take each element of x and multiply that element by 3.

Г <u>2</u>]	
$\begin{vmatrix} 3 \\ 7 \end{vmatrix}$	
$\frac{3}{4}$	
$\frac{\overline{3}}{1}$	
$\lfloor \overline{3} \rfloor$	



1/1 points

3.

Let u be a 3-dimensional vector, where specifically

$$u = egin{bmatrix} 5 \ 1 \ 9 \end{bmatrix}$$

What is u^{T} ?

$$\begin{bmatrix} 9 \\ 1 \\ 5 \end{bmatrix}$$

Correct

Linear Algebra

4/5 points (80.00%)

Practice Quiz, 5 questions

$$\begin{bmatrix} 5 \\ 1 \\ 9 \end{bmatrix}$$



4.

Let u and v be 3-dimensional vectors, where specifically

$$u = egin{bmatrix} -3 \ 4 \ 3 \end{bmatrix}$$

and

$$v = egin{bmatrix} 3 \ 1 \ 5 \end{bmatrix}$$

What is $u^T v$?

(Hint: u^T is a

1x3 dimensional matrix, and v can also be seen as a 3x1

matrix. The answer you want can be obtained by taking

the matrix product of u^T and v.) Do not add brackets to your answer.

10

Correct Response



0 / 1 points

4/5 points (80.00%)

Practice Quiz, 5 questions

Let A and B be 3x3 (square) matrices. Which of the following

must necessarily hold true? Check all that apply.

$$lacksquare$$
 If A is the 3x3 identity matrix, then $A*B=B*A$

Correct

Even though matrix multiplication is not commutative in general ($A*B \neq B*A$ for general matrices A,B), for the special case where A=I, we have A*B=I*B=B, and also B*A=B*I=B. So, A*B=B*A.

Un-selected is correct

Un-selected is correct

This should be selected







Linear Algebra

4/5 points (80.00%)

Practice Quiz, 5 questions