



Cisco Packet Tracer - C:\Users\ucum\Cisco Packet Tracer 7.3.0\saves\IIA Labs\Lab05.pkt

File Edit Options View Tools Extensions Help

Router11

Physical Config CLI Attributes

IOS Command Line Interface

```
Router(config)#interface FastEthernet0/0
Router(config-if)#ip address 10.10.10.1 255.0.0.0
Router(config-if)#ip address 10.10.10.1 255.0.0.0
Router(config-if)#ip address 10.10.10.1 255.255.255.248
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0,
changed state to up

Router(config-if)#exit
Router(config)#router rip
Router(config-router)#version 2
Router(config-router)#network 10.10.10.0
Router(config-router)#network 20.20.20.0
Router(config-router)#
```

Ctrl+F6 to exit CLI focus

Copy Paste

Router15

Physical Config CLI Attributes

IOS Command Line Interface

```
Router(config-if)#exit
Router(config)#router rip
Router(config-router)#network 90.90.90.0
Router(config-router)#network 50.50.50.0
Router(config-router)#exit
Router(config)#router rip
Router(config-router)#version 2
Router(config-router)#network 50.50.50.0
Router(config-router)#network 90.90.90.0
Router(config-router)#
Router(config-router)#end
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#router rip
Router(config-router)#
Router(config-router)#no network 90.0.0.0
Router(config-router)#no network 50.0.0.0
Router(config-router)#exit
Router(config)#router rip
Router(config-router)#version 2
Router(config-router)#network 50.50.50.0
Router(config-router)#network 90.90.90.0
Router(config-router)#
```

Ctrl+F6 to exit CLI focus

Copy Paste

Time: 02:30:18

Serial DCE

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time
Successful	Route...	Router14	Router14	ICMP	Blue	0
Successful	Route...	Router14	Router14	ICMP	Green	0