

public double sum (]: C). yesters born silvery Seem - new double (5); Scanner & = new Scanner (24staro.in); System out: busy (25E works for 2 20p (ont). ") An (int 120; 105; 1++). sum (1) = 3. rant Double (1; package (IF... import joura. util scorner; public close Internals extends students. public apubliciem (): public void display () cierro = new double (5): Scanner & - nus Scanner (cystem.in); System. out . printh (" CIE models for 5 sub (out of 50): "). for int i= 0; iet; it +) ciem (1) = 1. rugt Bould (1;

main => import CIE*; Import SEx; Impura Java. uti. Scanner; public dass main & public static void main (String () ange) int n; Scamper 3 = new Scanner (system in); System out. Dishap ("Engla for when I stagent: 1); n=s. next Int (1) CTE. Student St (] = now. CTE. student (n); OTE. externals e() = new SEE, external (n) for ("int 1 =0 1 (K) ++) st (1) = nut CIE ! Studing (1) int () = new CEE. Indimals (); e (i) = new SEI= Externals (); et (1). gistion (1. in (1) display: ei(1). display; System. out print in C'Total marks of students + st () name + in subjects. en:" for int (int jeo; jes; j++). [System. out - printh (in (i) cam (] + c()]. sum