822



STUDENT REPORT

62

8R73

CAO

62 30

DETAILS No.

M V DEEPIKA

Roll Number ${\mathbb A}$

3BR23CA062

EXPERIMENT Title

. NO62

CANDIES

Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The guery at hand is to identify which child will be the last recipient of a candy.

In more explicit terms, after Child x (where $1 \le x \le N$) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient.

The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

Input Format:

The first line of input contains 3 space seperated integers N, K and A.

Output Format:

Print the friend who will be the final recipient of the candy.

Constraints:

1<=N<=K<=10^8

Sample Input:

521

Sample Output:

2

```
Source Code:
def last_candy_recipient(N, K, A):
    last_child = (A - 1 + K - 1) % N + 1
    return last_child
# Example usage:
N, K, A = map(int, input().strip().split())
print(last_candy_recipient(N, K, A))
```

RESULT

, A062 38'

9/28/24, 8:56 PM 3BR23CA062-Candies

6 / 6 Test Cases Passed | 100 %

3823 06238E 32662