
Legal Entity Management API

POST Create New Legal Entity

```
http://localhost:8081/server.php/api/legal-entity/create
```

Create an entity, providing name, country and status

HEADERS

Content-Type

application/json

BODY raw

```
{
  "name": "Deutsche Post",
  "country": "DE",
  "status": "INACTIVE"
}
```

Example Request

Create New Legal Entity

```
curl --location --request POST "http://localhost:8081/server.php/api/legal-entity/create" \
  --header "Content-Type: application/json" \
  --data "{
    \"name\": \"Deutsche Post\",
    \"country\": \"DE\",
    \"status\": \"INACTIVE\"
  }"
```

PUT Update Legal Entity

```
http://localhost:8081/server.php/api/legal-entity/update/16
```

Update entity information, modification history and unallow update for non-validated entity

HEADERS

Content-Type

application/json

BODY raw

```
{
  "name": "Tesla Group End GMBH",
  "country": "DE",
  "status": "ACTIVE"
}
```

Example Request

Update Legal Entity

```
curl --location --request PUT "http://localhost:8081/server.php/api/legal-entity/update/16" \
  --header "Content-Type: application/json" \
  --data "{
    \"name\": \"Tesla Group End GMBH\",
    \"country\": \"DE\",
    \"status\": \"ACTIVE\"
  }"
```

GET Retrieve Legal Entity By Status, By Validation

```
http://localhost:8081/server.php/api/legal-entity/all?status=INACTIVE&validated=0
```

Retrieve complete list with optional filtering entities by their status and validation state

PARAMS

status

INACTIVE

validated

0

Example Request

Retrieve Legal Entity By Status, By Validation

```
curl --location --request GET "http://localhost:8081/server.php/api/legal-entity/all?status=INACTIVE&
--data ""
```

GET Retrieve Legal Entity By LEI

```
http://localhost:8081/server.php/api/legal-entity/lei/2OKKCDJFXSM6MRKHK758?version=2
```

Retrieve entity by lei number and its history api link. A version query parameter should allow retrieving the entity in an earlier version

PARAMS

version

2

Example Request

Retrieve Legal Entity By LEI

```
curl --location --request GET "http://localhost:8081/server.php/api/legal-entity/lei/2OKKCDJFXSM6MRKH
```

GET Retrieve history for each legal entity

```
http://localhost:8081/server.php/api/legal-entity/history/2
```

Retrieve history for each legal entity by Id

Example Request

Retrieve history for each legal entity

```
curl --location --request GET "http://localhost:8081/server.php/api/legal-entity/history/2"
```