Selected files

```
7 printable files
Part1 Class.puml
Part2 Class.puml
Part2 Object.puml
Part3 Class.puml
Part3_Object.puml
Part4 Class.puml
Part4_Object.puml
Part1 Class.puml
@startuml
'https://plantuml.com/class-diagram
abstract class Employee{
-firstName: String
-lastName: String
-socialSecurityNumber: String
+getFirstName(): String
+setFirstName(in firstName: String): void
+getLastName(): String
+setLastName(in lastName: String): void
+getSocialSecurityNumber(): String
+setSocialSecurityNumber(in socialSecurityNumber: String): void
+toString(): String
}
class SalariedEmployee{
-weeklySalary: int
+getWeeklySalary(): int
+setWeeklySalary(in weeklySalary: int): void
+toString(): String
class HourlyEmployee{
-wage: int
-hoursWorked: int
+getWage(): int
+setWage(in wage: int): void
+getHoursWorked(): int
+setHoursWorked(in hoursWorked: int): void
+toString(): String
}
class CommissionEmployee{
-commissionRate: int
-grossSales: int
+getCommissionRate(): int
+setCommissionRate(in commissionRate: int): void
+getGrossSales(): int
+setGrossSales(in grossSales: int): void
+toString(): String
}
class BaseEmployee {
-baseSalary: int
+getBaseSalary(): int
+setBaseSalary(in baseSalary: int): void
+toString(): String
}
```

```
Employee < | .. BaseEmployee
Employee < |.. HourlyEmployee</pre>
Employee < |.. CommissionEmployee</pre>
Employee < |.. SalariedEmployee</pre>
@enduml
Part2_Class.puml
@startuml
'https://plantuml.com/class-diagram
class Ship{
#shipName: String
#yearBuilt: String
+getShipName(): String
+setShipName(in shipName: String): void
+getYearBuilt(): String
+setYearBuilt(in yearBuilt: String): void
+toString(): String
+printShip(): void
class CargoShip{
-cargoCapacityInTonnage: int
+getCargoCapacityInTonnage(): int
+setCargoCapacityInTonnage(in cargoCapacityInTonnage: int): void
+toString(): String
class CruiseShip{
-maxNumberPassengers: int
+getMaxNumberPassengers(): int
+setMaxNumberPassengers(in maxNumberPassengers: int): void
+toString(): String
}
Ship < | --- CargoShip
Ship < | --- CruiseShip
@enduml
Part2_Object.puml
@startuml
'https://plantuml.com/object-diagram
object "<u>Titanic:Ship</u>" as ts{
shipName = "Titanic"
yearBuilt = "March31st, 1909"
object "<u>MVGemini:CruiseShip</u>" as mvg{
shipName = "MVGemini"
yearBuilt = "May30th, 1991"
maxNumberPassengers = 100
}
object "<u>EverGiven:CargoShip</u>" as eg{
shipName = "EverGiven"
yearBuilt = "September25th, 2018"
cargoCapacityInTonnage = 220940
```

```
2/25/24. 1:55 AM
}
object "<u>ships:Ship</u>" as ships{
ships < | -- ts
ships < | --- mvg
ships < | --- eg
@enduml
Part3_Class.puml
@startuml
 'https://plantuml.com/class-diagram
class Instructor{
firstName: String
lastName: String
officeNumber: String
+getFirstName(): String
+setFirstName(in firstName: String): void
+getLastName(): String
+setLastName(in lastName: String): void
+getOfficeNumber(): String
+setOfficeNumber(in officeNumber: String): void
+toString(): String
}
class Textbook{
title: String
author: String
publisher: String
+getTitle(): String
+setTitle(in title: String): void
+getAuthor(): String
+setAuthor(in author: String): void
+getPublisher(): String
+setPublisher(in publisher: String): void
+toString(): String
}
class Course{
name: String
instructors: ArrayList<Instructor>
textbooks: ArrayList<Textbook>
+Course()
+getName(): String
+setName(in name: String): void
+getInstructors():Instructor
+setInstructor(in instructor: Instructor): void
+getTextbooks(): Textbook
+setTextbook(in textbook: Textbook): void
+toString(): String
+printCourse(): void
}
Course o-- Instructor
Course o-- Textbook
@enduml
```

```
Part3_Object.puml
@startuml
'https://plantuml.com/object-diagram
object "<u>c1:Course</u>" as c1{
name = "CS5800 - Advanced Software Engineering"
}
object "<u>c1Instructor:Instructor</u>" as c1Instructor{
firstName = "Nima"
lastName = "Davarpanah"
officeNumber = "3-2636"
object "<u>c1Textbook:Textbook</u>" as c1Textbook{
title = "CleanCode: A Handbook of Agile Software Craftsmanship"
author = "Robert Cecil Martin"
publisher = "Pearson"
c1 o-- c1Instructor
c1 o-- c1Textbook
@enduml
Part4_Class.puml
@startuml
'https://plantuml.com/class-diagram
class File{
-name: String
+File(in name: String)
+getName(): String
+setName(in name: String): void
+toString(): String
}
class Folder{
-name: String
-subfolders: ArrayList<Folder>
```

@enduml

}

+Folder()

-files: ArrayList<File>

+setName(in name: String): void

+printFolderContents(): void

+removeFile(in file: File): boolean
+addFile(in fileName: String): void

+removeSubfolder(in subFolderName: String): void +addSubfolder(in subFolderName: String): String +getSubfolder(in subFolderName: String): Folder

+getName(): String

+toString(): String

Folder *-- File Folder *-- Folder

Part4_Object.puml

```
@startum1
https://plantuml.com/object-diagram
object "<u>phpDemo1:Folder</u>" as phpD{
name = "php_demo1"
subfolders = {"Source Files", "Include Path", "Remote Files"}
files = {}
}
object "<u>Source Files:Folder</u>" as sf{
name = "Source Files"
subfolders = {".phalcon", "cache", "public"}
files={}
object "<u>public:Folder</u>" as public{
name = "public"
subfolders = {}
files={".htaccess", ".htrouter.php", "index.html"}
}
phpD *-- sf
sf *-- public
@enduml
```