

Project report on

# Drug Traceability

Using Blockchain technology

NM ID: NM2023TMID10678

Team Leader	Suruthi S	963320106118
Team mem1	Subathra R	963320106112
Team mem2	Soniya S	963320106108
Team mem3	MurugaVinisha K	963320106072

# TABLE OF CONTENTS

- TABLE OF FIGURES .....
- 1. INTRODUCTION .....
- 1.1 PROJECT OVERVIEW .....
  - 1.2 PUPROSE.....
- 2. LITERATURE SURVEY .....
- 2.1 EXISTING PROBLEM .....
  - 2.2 PROBLEM STATEMENT DEFINITION .....
- 3.IDEATION AND PROPOSED SOLUTION .....
- 3.1 EMPATHY MAP .....
  - 3.2 BRAINSTORMING AND IDEATION .....
- 4.REQUIREMENT ANALYSIS.....
- 4.1 FUNCTIONAL REQUIREMENTS.....
  - 4.2 NON-FUNCTIONAL REQUIREMENTS.....
- 5.PROJECT DESIGN .....
- 5.1 SOLUTION ARCHITECTURE .....
  - 5.2 DATA FLOW DIAGRAM .....
- 6.PROJECT PLANNING & SCHEDULING.....
- 6.1 TECHNICAL ARCHITECTURE.....
  - 6.2 SPRINT PLANNING & ESTIMATION.....
  - 6.3 SPRINT DELIVERY SCHEDULE.....
- 7. CODING AND SOLUTIONING .....
- 7.1 FEATURE 1 .....
  - 7.2 FEATURE 2.....
  - 7.3 DATABASE SCHEMA.....
- 8.TESTING.....
- 9.RESULT .....
- 10.ADVANTAGES AND DISADVANTAGES .....
- 11.CONCLUSION .....
- 12.FUTURE SCOPE.....

## 1. INTRODUCTION

### 1.1 PROJECT OVERVIEW

Blockchain technology is a decentralized, distributed ledger system that provides an efficient and trusted solution for product traceability. Blockchain technology powers the crypto currencies and has been applied to variety of industries such as banking, supply chain, energy, commodities trading, healthcare and many businesses involving transaction processing. To deal with the issue of counterfeit drugs, blockchain technology has the potential to provide pragmatic solution for drug traceability and provenance in a secure and immutable manner. counterfeiting of drugs is increasing globally, pharmaceutical companies are adapting blockchain technology to prevent counterfeiting. The supply of medicines is from manufactures to wholesalers, distributors, and pharmacy stores before it is purchased by customers; the counterfeiters come in between this supply chain and thus fake medicines get supplied and distributed. This project is a blockchain-based solution “Drug-chain” to improve on the end the end transparency of the drug in supply chain.

### 1.2 PURPOSE

The purpose of this project is to enable real-time visibility into the movement of drugs across the supply chain. All

authorized parties, including manufacturers, distributors, pharmacies, and regulatory authorities, can access the blockchain to track the journey of drugs from production to consumption. This transparency helps in quickly identifying and addressing issues such as counterfeiting or diversion.

## 2. LITERATURE SURVEY

### 2.1 EXISTING PROBLEM

The pharmaceutical industry faces a significant challenge in ensuring the authenticity and safety of drugs throughout the supply chain. Despite regulatory efforts and advancements in traceability technologies, the global market still grapples with the infiltration of counterfeit drugs. These counterfeit drugs pose serious threats to patient safety, erode public trust in the healthcare system, and create substantial financial losses for pharmaceutical companies. The problem is exacerbated in developing countries with weaker regulatory infrastructures, making it easier for counterfeit drugs to enter the market undetected. Current traceability systems lack uniform standards, interoperability, and real-time information sharing, hindering the industry's ability to promptly identify, track, and remove counterfeit drugs from circulation.

### 2.2 PROBLEM STATEMENT DEFINITION

Counterfeit drugs are a significant concern in many regions. These fake medications can enter the supply chain, posing serious risks to patients' health. Tracking counterfeit drugs back to their source is difficult due to the complexity of global supply chains. Pharmaceutical supply chains are often extensive and involve multiple stakeholders, including manufacturers, distributors, wholesalers, pharmacies, and healthcare providers. Managing the flow

of drugs across these diverse entities can be complex and challenging.

### 3.IDEATION AND PROPOSED SOLUTION

#### 3.1 EMPATHY MAP

An empathy map is created with a sample consumer and is attached below




Fig 1: Empathy map

## 3.2 BRAINSTORMING AND IDEATION




Fig 2: Brainstorming and ideation

## 4.REQUIREMENT ANALYSIS

### 4.1 Functional Requirements

**User Registration and Authentication:** Users, including consumers, producers, and distributors, should be able to register and authenticate their identities securely.

**Product Registration:** Producers and distributors should be able to register food products on the blockchain, providing details such as origin, production date, and quality information.

**Data Entry and Verification:** The system should allow for real-time data entry and verification, including QR code scanning or IoT device data integration.

**Blockchain Integration:** Smart contracts should be used to ensure the integrity of data recorded on the blockchain and to automate quality checks and authenticity verifications.

### 4.2 Non-Functional Requirements

**Performance:**

- **Response Time:** The system should respond promptly to user requests, ensuring real-time data access and tracking.
- **Scalability:** The system must be able to scale to accommodate a growing number of users and data without compromising performance. •

**Throughput:** The system should handle a high volume of transactions and data entries efficiently.

**Security:**

- **Data Encryption:** All sensitive data on the blockchain should be encrypted to protect user privacy and information integrity.
- **Access Control:** The system should implement strict access controls to ensure that only authorized users can perform specific actions.
- **Data Integrity:** The blockchain should maintain data integrity and prevent unauthorized modifications.



#### Reliability:

The system should be highly reliable, ensuring minimal downtime and data loss.

**Backup and Recovery:** Regular data backups and a robust recovery plan should be in place.

#### Usability:

The user interfaces should be intuitive and user-friendly, requiring minimal training for users to navigate and use the system effectively.

#### Compatibility:

The system should be compatible with a variety of devices and web browsers to ensure accessibility for a broad user base.

#### Regulatory Compliance:

The system must comply with relevant food safety and data privacy regulations in the regions where it operates.

#### Scalability:

The system should be designed to scale horizontally or vertically to accommodate an increasing number of users, products, and transactions.

#### Availability:

The system should be available 24/7, with minimal planned downtime for maintenance or updates.

The system should maintain comprehensive logs of all user actions and system events for auditing purposes.

#### Disaster Recovery:

A disaster recovery plan and backup mechanisms should be in place to ensure data and system recovery in case of unexpected events.

**Environmental Considerations:** The project should consider the environmental impact of its operations, including energy efficiency and sustainable practices.

**Traceability:** Consumers should be able to trace the journey of a food product from its source to the point of purchase, viewing all relevant information on the blockchain.

**User Interface:** User-friendly interfaces for consumers, producers, and distributors should provide easy access to tracking information and data.

**Data Analytics and Reporting:** The system should offer advanced data analytics tools that provide

insights into supply chain performance, reducing waste and improving operational efficiency.

**Security:** The system should have robust security measures, including encryption, to protect user data and maintain the integrity of the blockchain.

**Compliance and Regulatory Features:** The system should ensure compliance with food safety and regulatory standards, enabling the tracking of relevant compliance data.

**Alerts and Notifications:** The system should send alerts and notifications to users in the event of recalls, safety concerns, or changes in product status.

## 4. PROJECT DESIGN

## 4.1 SOLUTION ARCHITECTURE




Fig 3: Solution architecture for the problem

## 4.2 DATA FLOW DIAGRAM





Fig 4: Data flow diagram

## 5. CODING AND SOLUTIONING

### 5.1 CODE

```
1 // SPDX-License-Identifier: MIT
2 pragma solidity ^0.8.0;
3
4 contract Drug{
5     address public owner;
6
7     constructor() { 939414 gas 914200 gas
8         owner = msg.sender;
9     }
10
11     modifier onlyOwner() {
12         require(msg.sender == owner, "Only the owner can perform this action");
13         _;
14     }
15
16     struct Drug {
17         string drugName;
18         string manufacturer;
19         uint256 manufacturingDate;
20         address trackingHistory;
21     }
22
23     mapping(uint256 => Drug) public drugs;
24     uint256 public drugCount;
25
26     event DrugManufactured(uint256 indexed drugId, string drugName, string manufacturer, uint256 manufacturingDate);
27     event DrugTransferred(uint256 indexed drugId, address indexed from, address indexed to, uint256 transferDate);
28 }
```

Fig 5: Solidity code 1



```
28
29  function manufactureDrug(uint256 drugId, string memory _drugName, string memory _manufacturer, uint256 _manufacturingDate)
30
31      address initialHistory;
32      initialHistory = owner;
33
34      drugs[drugId] = Drug(_drugName, _manufacturer, _manufacturingDate, initialHistory);
35      drugCount++;
36
37      emit DrugManufactured(drugId, _drugName, _manufacturer, _manufacturingDate);
38  }
39
40  function transferDrugOwnership(uint256 _drugId, address _to) external {  infinite gas
41      require(_to != address(0), "Invalid address");
42      require(_to != drugs[_drugId].trackingHistory, "Already owned by the new address");
43
44      address from = drugs[_drugId].trackingHistory;
45      drugs[_drugId].trackingHistory = _to;
46
47      emit DrugTransferred(_drugId, from, _to, block.timestamp);
48  }
49
50  function getDrugDetails(uint256 _drugId) external view returns (string memory, string memory, uint256, address) {  infin
51
52      Drug memory drug = drugs[_drugId];
53      return (drug.drugName, drug.manufacturer, drug.manufacturingDate, drug.trackingHistory);
54  }
55 }
```

Fig 6: Solidity code 2







Fig 7: Deployment of contract using Remix


## 6. RESULT



Fig 8: Project frontend

















## 10. ADVANTAGES AND DISADVANTAGES

## 10.1 ADVANTAGES

- increased protection of patients from falsified medicines
- reduction of operational cost and time
- Increased accountability
- Enhanced Traceability
- Improved Transparency

## 10.2 DISADVANTAGES

- Implementation cost
- Scalability
- Standardisation
- User adoption

## 11. CONCLUSION

Drug traceability, especially when implemented using advanced technologies like blockchain, plays a pivotal role in ensuring the safety, authenticity, and efficiency of pharmaceutical supply chains. The challenges associated with counterfeit drugs, supply chain complexities, regulatory compliance, and data accuracy are met with innovative solutions through traceability systems.

## 12. FUTURE SCOPE

The future scope for drug traceability is promising, with advancements in technology and regulatory requirements driving its expansion. Some key aspects include:

1. **Blockchain Technology:** Implementing blockchain for secure and immutable records of drug supply chains to prevent counterfeiting and enhance transparency.
2. **IoT and Sensors:** Integrating Internet of Things (IoT) devices and sensors for real-time monitoring of drug shipments and conditions, ensuring product integrity.
3. **Serialization and Barcoding:** Wider adoption of serialization and unique product identification through barcodes or QR codes to track individual drug units.



4. **Artificial Intelligence:** Utilizing AI for data analysis, anomaly detection, and predictive modeling to enhance supply chain efficiency and detect potential issues.
5. **Regulatory Compliance:** Ongoing development of regulations and standards, like the Drug Supply Chain Security Act (DSCSA) in the United States, driving global compliance efforts.
6. **Mobile Apps:** Enhanced patient engagement and safety through mobile apps that allow consumers to verify the authenticity of their medications.
7. **Data Sharing and Interoperability:** Improved collaboration and data sharing between stakeholders in the pharmaceutical supply chain to ensure end-to-end traceability.
8. **Anti-Counterfeiting Technologies:** Continued innovation in anticounterfeiting features such as tamper-evident packaging and holograms.
9. **Global Expansion:** Expanding traceability initiatives to a broader range of pharmaceutical products, beyond just high-value or high-risk drugs.
10. **Environmental Sustainability:** Integrating eco-friendly practices and materials into traceability solutions to reduce the environmental impact.

The scope for drug traceability will continue to evolve as the pharmaceutical industry seeks to enhance safety, security, and transparency throughout the supply chain.



## 13. APPENDIX

### SOURCE CODE

```
package
{
  "name": "drug-tracking",
  "version": "0.1.0",
  "private": true,
  "dependencies": {
    "@testing-library/jest-dom":
    "^5.17.0",
    "@testing-library/react": "^13.4.0",
```

```
  "@testing-library/user-event":  
    "^13.5.0",  
  "ethers": "^5.6.6",  
  "react": "^18.2.0",  
  "react-bootstrap": "^2.8.0",  
  "react-dom": "^18.2.0",  
  "react-scripts": "5.0.1",  
  "web-vitals": "^2.1.4"  
},  
"scripts": {  
  "start": "react-scripts start",  
  "build": "react-scripts build",  
  "test": "react-scripts test",  
  "eject": "react-scripts eject"  
},  
"eslintConfig": {  
  "extends": [  
    "react-app",  
    "react-app/jest"  
  ]  
},
```

```

"browserslist": {
  "production": [
    ">0.2%",
    "not dead",
    "not op_mini all"
  ],
  "development": [
    "last 1 chrome version",    "last 1
firefox version",
    "last 1 safari version"
  ]
}
}
{
  "name": "drug-tracking",
  "version": "0.1.0",
  "lockfileVersion": 2,
  "requires": true,
  "packages": {
    "": {
      "name": "drug-tracking",

```

```
"version": "0.1.0",
"dependencies": {
  "@testing-library/jest-dom":
"^5.17.0",
  "@testing-library/react": "^13.4.0",
  "@testing-library/user-event":
"^13.5.0",
  "ethers": "^5.6.6",
  "react": "^18.2.0",
  "react-bootstrap": "^2.8.0",
  "react-dom": "^18.2.0",
  "react-scripts": "5.0.1",
"webvitals": "^2.1.4"
}
},
```

```
"node_modules/@aashutoshrathi/wo
rd-wrap": {  "version":
"1.2.6",
  "resolved":
"https://registry.npmjs.org/@aashutos
hrathi/word-wrap/-/word-wrap-
```

```

1.2.6.tgz",
  "integrity": "sha512-
1Yjs2SvM8TfIER/OD3cOjhWWOZb58A
2t7wpE2S9XfBYTill+XFhQG2bjy4Pu1l+E
AICNUzRDYDdFwFYUKvXclA==",
  "engines": {
    "node": ">=0.10.0"
  },
  "node_modules/@adobe/css-tools":
{
  "version": "4.3.1",
  "resolved":
"https://registry.npmjs.org/@adobe/c
ss-tools/-/css-tools-4.3.1.tgz",
  "integrity":
"sha512/62yikz7NLScCGAAST5SHd
njaDJQBD
q0M2muyRTpf2VQhw6StBg2ALiu73zS
JQ4fMVLA+0uBhBHAlE7Wg+2kSg=="
},
  "node_modules/@alloc/quick-lru": {

```

```
    "version": "5.2.0",
    "resolved":
    "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
    "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecf
    dGQ85jglMW6juS3+z5TsKLw==",
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url":
    "https://github.com/sponsors/sindres
    orhus"
    }
  },

  "node_modules/@ampproject/remapping": {
    "version": "2.2.1",
    "resolved":
```

```
"https://registry.npmjs.org/@ampproject/remapping/-/remapping-2.2.1.tgz",
  "integrity":
    "sha512-1FMjJTrFL3j7L9yBxwYfCq2k6qqwHyzuUl/XBnif78PWTJYyL/dfowQHWE3sp6U6ZzqWiilZnpTMO96zhkjwtg==",
  "dependencies": {
    "@jridgewell/gen-mapping":
      "^0.3.0",
    "@jridgewell/trace-mapping":
      "^0.3.9"
  },
  "engines": {
    "node": ">=6.0.0"
  }
},

"node_modules/@babel/codeframe"
: {
  "version": "7.22.10",
```

```
    "resolved":  
    "https://registry.npmjs.org/@babel/c  
ode-frame/-/code-frame-  
7.22.10.tgz",  
    "integrity": "sha512-  
/KKIMG4UEL35Wml9OlvMhurwtjtjvXo  
FcGNrOvyG9zIzA8YmPjVtIZUf7b05+TP  
O7G7/GEmLHDaoCgACHl9hhA==",  
    "dependencies": {  
    "@babel/highlight": "^7.22.10",  
    "chalk": "^2.4.2"  
    },  
    "engines": {  
    "node": ">=6.9.0"  
    }  
  },
```

```
"node_modules/@babel/compatdat  
a": {  
  "version": "7.22.9",  
  "resolved":
```



```

"https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.22.9.tgz",
  "integrity": "sha512-5Uaml7xkUcJ3i9qVDS+KFDEK8/7oJ55/sJMB1Ge7IEapr7KfdfV/HErR+koZwOfd+SgtFKOKRhRakdg++DcJpQ==",
  "engines": {
    "node": ">=6.9.0"
  },
  "node_modules/@babel/core": {
    "version": "7.22.10",
    "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.22.10.tgz",
    "integrity": "sha512-5Uaml7xkUcJ3i9qVDS+KFDEK8/7oJ55/sJMB1Ge7IEapr7KfdfV/HErR+koZwOfd+SgtFKOKRhRakdg++DcJpQ==",
    "sha512-fTmqbbUBAwCcre6zPzNngvsl0aNrPZe77AeqvDxWM9Nm+04RrJ3CAmGHA9f7IJQY6ZMhRztNemy4usIDxTX4Qw=",

```

```
"dependencies": {
  "@ampproject/remapping":
"^2.2.0",
  "@babel/code-frame":
"^7.22.10",
  "@babel/generator": "^7.22.10",
  "@babel/helpercompilationtargets":
"^7.22.10",
  "@babel/helpermoduletransforms":
"^7.22.9", "@babel/helpers":
"^7.22.10",
  "@babel/parser": "^7.22.10",
  "@babel/template": "^7.22.5",
  "@babel/traverse": "^7.22.10",
  "@babel/types": "^7.22.10",
  "convert-source-map": "^1.7.0",
  "debug": "^4.1.0",
  "gensync": "^1.0.0-beta.2",
  "json5": "^2.2.2",
  "semver": "^6.3.1"
```

```
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "funding": {
    "type": "opencollective",
    "url":
      "https://opencollective.com/babel"
  },
  "node_modules/@babel/core/node_modules/semver": {
    "version": "6.3.1",
    "resolved":
      "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity":
      "sha512BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+KI0mmq/MprG9yArRkyrQxTO6XjMzA==",
    "bin": {
```

```
    "semver": "bin/semver.js"
  }
},
```

```
"node_modules/@babel/eslintparser"
: {
  "version": "7.22.10",
  "resolved":
    "https://registry.npmjs.org/@babel/eslint-parser/-/eslint-parser-7.22.10.tgz",
  "integrity": "sha512-0J8DNPRXQRLeR9rPaUMM3fA+RbixjnVLe/MRMYCkp3hzgsSuxCHQ8NN8xQG1wIHKJ4a1DTROTVFJdW+B5/eOsg=",
  "dependencies": {
    "@nicolo-ribaudo/eslint-scope5internals": "5.1.1-v1",
    "eslint-visitor-keys": "^2.1.0",
    "semver": "^6.3.1"
  },
  "engines": {
```

```
    "node": "^10.13.0 || ^12.13.0 ||  
    >=14.0.0"
```

```
  },
```

```
  "peerDependencies": {
```

```
    "@babel/core": "^7.11.0",
```

```
    "eslint": "^7.5.0 || ^8.0.0"
```

```
  }
```

```
},
```

```
"node_modules/@babel/eslintparser/  
node_modules/eslint-visitorkeys": {
```

```
"version": "2.1.0",
```

```
"resolved":
```

```
"https://registry.npmjs.org/eslintvisitors/  
keys/-/eslint-visitor-keys-  
2.1.0.tgz",
```

```
"integrity":  
"sha512-0rSmRBzXgDzlsD6mGdJgevzgezI534C  
er5L/vyMX0kHzT/jiB43jRh9YUIMGYLQ  
y2zprNmOT8qasCGtY+QaKw==",
```

```
"engines": {
```

```
"node": ">=10"
```

```
}"
```

```
"node_modules/@babel/eslintparser/  
node_modules/eslint-visitorkeys": {  
  "version": "2.1.0",  
  "resolved":  
    "https://registry.npmjs.org/eslintvisitors/  
keys/-/eslint-visitor-keys-  
2.1.0.tgz",  
  "integrity":  
    "sha512-0rSmRBzXgDzlsD6mGdJgevzgezI534C  
er5L/vyMX0kHzT/jiB43jRh9YUIMGYLQ  
y2zprNmOT8qasCGtY+QaKw==",  
  "engines": {  
    "node": ">=10"
```

```
    "node": ">=10"
  }
},
```

```
"node_modules/@babel/eslintparser/
node_modules/semver": {
  "version": "6.3.1",
  "resolved":
  "https://registry.npmjs.org/semver/-
  /semver-6.3.1.tgz",
  "integrity":
  "sha512BR7VvDCVHO+q2xBEWskx
  S6DJE1qRn
  b7DxzUrogb71CWoSficBxYsiAGd+Kl0
  mmq/MprG9yArRkyrQxTO6XjMzA==",
  "bin": {
    "semver": "bin/semver.js"
  }
},
```

```
"node_modules/@babel/generator":
{
```

```
"version": "7.22.10",
  "resolved":
    "https://registry.npmjs.org/@babel/generator/-/generator-7.22.10.tgz",
  "integrity": "sha512-79Klf7YiWjjdZ81JnLujDRApWtl7BxTqWD88+FFdQEIOG8LJ0etDOM7CXulgGJa55sGOwZVwuEsaLEm0PJ5/+A==",
  "dependencies": {
    "@babel/types": "^7.22.10",
    "@jridgewell/gen-mapping":
      "^0.3.2",
    "@jridgewell/trace-mapping":
      "^0.3.17",
    "jsesc": "^2.5.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/helperanno
```

```

tate-as-pure": {
  "version": "7.22.5",
    "resolved":
    "https://registry.npmjs.org/@babel/h
    elper-annotate-as-pure/-
    /helperannotate-as-pure-7.22.5.tgz",
    "integrity": "sha512-
    LvBTxu8bQSQkcyKOU+a1btnNFQ1d
    MAd0R6PyW3arXes06F6QLWLlrd681b
    xRPIXlrMGR3XYnW9JyML7dP3qgxg==
    ",
    "dependencies": {
      "@babel/types": "^7.22.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helperbuild
  er-binary-assignment-operator-
  visitor": {

```



```

    "version": "7.22.10",
    "resolved":
    "https://registry.npmjs.org/@babel/h
    elper-builder-
    binaryassignmentoperator-visitor/-
    /helperbuilderbinary-assignment-
    operator-
    visitor-
    7.22.10.tgz",
    "integrity": "sha512-
    Av0qubwDQxC56DoUReVDeLfMEjYY
    SN1nZrTUrWkXd7hpU73ymRANKbuDm
    3yni9npkn+RXy9nNbEJZEzXr7xrfQ==",
    "dependencies": {
      "@babel/types": "^7.22.10"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helpercom

```

```
pilation-targets": {
  "version": "7.22.10",
  "resolved":
"https://registry.npmjs.org/@babel/h
elper-compilation-
targets//helpercompilation-targets-
7.22.10.tgz",
  "integrity": "sha512-
JMSwHD4J7SLod0idLq5PKgl+6g/hLD/i
uWBq08ZX49xE14VpVEojJ5rHWptpirV
2j020MvypRLAXAO50igCJ5Q==",
  "dependencies": {
    "@babel/compat-data":
"^7.22.9",
    "@babel/helpervalidatoroption":
"^7.22.5",
    "browserslist": "^4.21.9",
    "lru-cache": "^5.1.1",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
}
```

```
},
```

```
"node_modules/@babel/helpercompilationtargets/node_modules/semver": {  
  "version": "6.3.1",  
  "resolved":  
  "https://registry.npmjs.org/semver//semver-6.3.1.tgz",  
  "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",  
  "bin": {  
    "semver": "bin/semver.js"  
  }  
},
```

```
"node_modules/@babel/helpercreate-class-features-plugin": {  
  "version": "7.22.10",  
  "resolved":
```

```

"https://registry.npmjs.org/@babel/h
elper-create-class-
featuresplugin//helper-create-class-
featuresplugin-
7.22.10.tgz",
  "integrity": "sha512-
5IBb77txKYQPpOEdUdlhBx8VrZyDCQ
+H82H0+5dX1TmuscP5vJKEE3cKurjtlw
/vFwzbVH48VweE78kVDBrqjA==",
  "dependencies": {
    "@babel/helper-
annotateaspure": "^7.22.5",
    "@babel/helper-environmentvisitor":
    "^7.22.5",
    "@babel/helper-
function-name": "^7.22.5",

    "@babel/helpermemberexpression-
to-functions": "^7.22.5",

    "@babel/helper-
optimisecallexpression": "^7.22.5",

    "@babel/helper-replace-supers":
    "^7.22.9",

```

```

    "@babel/helper-
skiptransparentexpression-wrappers":
"^7.22.5",
    "@babel/helper-
splitexportdeclaration": "^7.22.6",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "peerDependencies": {
    "@babel/core": "^7.0.0"
  }
},

```

```

"node_modules/@babel/helpercreat
e-
classfeaturesplugin/node_modules/s
emver": {
  "version": "6.3.1",
  "resolved":
"https://registry.npmjs.org/semver/-

```

```

/semver-6.3.1.tgz",
  "integrity":
    "sha512BR7VvDCVHO+q2xBEWskx
S6DJE1qRn
b7DxzUrogb71CWoSficBxYsiAGd+Kl0
mmq/MprG9yArRkyrQxTO6XjMzA==",
  "bin": {
    "semver": "bin/semver.js"
  }
},

```

```

"node_modules/@babel/helpercreat
e-regexp-features-plugin": {
  "version": "7.22.9",
  "resolved":
    "https://registry.npmjs.org/@babel/h
elper-create-regexp-
featuresplugin//helper-create-
regexpfeaturesplugin-7.22.9.tgz",
  "integrity":
    "sha512-

```

+svjVa/tFwsNSG4NEy1h85+HQ5imbT9  
2Q5/bgtS7P0GTQIP8WuFdqsiABmQo  
uhiFGyV66oGxZFpeYHza1rNsKw==",

```
  "dependencies": {
    "@babel/helper-
annotateaspure": "^7.22.5",
    "regexpu-core": "^5.3.1",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "peerDependencies": {
    "@babel/core": "^7.0.0"
  }
},
"node_modules/@babel/helpercreat
e-
regexpfeaturesplugin/node_modules
/semv
er": { "version": "6.3.1",
  "resolved":
```

```
"https://registry.npmjs.org/semver/-  
semver-6.3.1.tgz",  
  "integrity":  
    "sha512BR7VvDCVHO+q2xBEWskx  
S6DJE1qRn  
b7DxzUrogb71CWoSficBxYsiAGd+Kl0  
mmq/MprG9yArRkyrQxTO6XjMzA==",  
  "bin": {  
    "semver": "bin/semver.js"  
  },  
},
```

```
"node_modules/@babel/helperdefin  
e-polyfill-provider": {  
  "version": "0.4.2",  
  "resolved":  
    "https://registry.npmjs.org/@b  
abel/h elper-define-polyfill-  
provider//helperdefine-polyfill-  
provider-  
0.4.2.tgz",  
  "integrity":
```



```
"sha512k0qnnOqHn5dK9pZpfD5X  
XZ9SojAITd  
CKRn2Lp6rnDGzIbaP0rHyMPk/4wsSxV  
BVz4RfN0q6VpXWP2pDGloQ7hw==",
```

```
"dependencies": {
```

```
"@babel/helpercompilationtargets":  
"^7.22.6",
```

```
"@babel/helper-plugin-utils":  
"^7.22.5",
```

```
"debug": "^4.1.1",
```

```
"lodash.debounce": "^4.0.8",
```

```
"resolve": "^1.14.2"
```

```
},
```

```
"peerDependencies": {
```

```
"@babel/core": "^7.4.0 ||  
^8.0.0- 0  
<8.0.0"  
}
```

```
},
```

```
"node_modules/@babel/helperenvir
```

```

onment-visitor": {
  "version": "7.22.5",
    "resolved":
    "https://registry.npmjs.org/@babel/h
    elper-environment-visitor/-
    /helperenvironment-visitor-7.22.5.tgz",
    "integrity": "sha512-
    XGmhECfVA/5sAt+H+xpSg0mfrHq6Fz
    Nr9Oxh7PSEBBRUB/mL7Kz3NICXb194r
    CqAEdxkhPT1a88teizAFyvk8Q==",
    "engines": {
      "node": ">=6.9.0"
    }
  },

```

```

"node_modules/@babel/helperfuncti
on-name": {
  "version": "7.22.5",
  "resolved":
  "https://registry.npmjs.org/@babel/h
  elper-function-name/-
  /helperfunction-name-7.22.5.tgz",

```

```
"integrity":  
  "sha512wtHSq6jMRE3uF2otvfuD3Dl  
vVhOsSNs  
hQl0Qrd7qC9oQJzHvOL4qQXlQn291  
6+CXGywIjpGulkoyZRRxHPiNQQ==",  
  "dependencies": {  
    "@babel/template": "^7.22.5",  
    "@babel/types": "^7.22.5"  
  },  
  "engines": {  
    "node": ">=6.9.0"  
  }  
},
```

```
"node_modules/@babel/helperho  
ist-variables": {    "version": "7.22.5",  
  "resolved":  
    "https://registry.npmjs.org/@babel/h  
elper-hoist-variables/-  
/helperhoistvariables-7.22.5.tgz",  
  "integrity":  
    "sha512wGjk9QZVzvknA6yKIUURb
```

8zY3grXCc

OZt+/7Wcy8O2uctxhplmUPkOdlgoN

hmdVee2c92JXbf1xpMtVNbfoxRw==

",

"dependencies": {

"@babel/types": "^7.22.5"

},

"engines": {

"node": ">=6.9.0"

}

},

"node\_modules/@babel/helper-member-expression-to-functions": {

"version": "7.22.5",

"resolved":

"https://registry.npmjs.org/@babel/h elper-member-

expression-to-functions/-

/helper-member-expression-to-

functions-

7.22.5.tgz",

```

    "integrity":
      "sha512aBiH1NKMg0H2cGZqspNv
      saBe6wNG
      jbJjuLy29aU+eDZjSbbN53BaxlpB02xm
      9v34pLTZ1nlQPFYn2qMZoa5BQQ==",
    "dependencies": {
      "@babel/types": "^7.22.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },

```

```

"node_modules/@babel/helpermod
ule-imports": {
  "version": "7.22.5",
  "resolved":
    "https://registry.npmjs.o
rg/@babel/h elper-
module-imports/-
/helpermodule-imports-7.22.5.tgz",
  "integrity":
    "sha512-

```

```
8DI6+HD/cKifutF5qGd/8ZJi84QeAKh+
CEe1sBzz8UayBBGg1dAlJrdHOcOM5
b2MpzWL2yuotJTtGjETq0qjXg==",
"dependencies": {
  "@babel/types": "^7.22.5"
},
"engines": {
  "node": ">=6.9.0"
}
},
```

```
"node_modules/@babel/helpermod
ule-transforms": {
  "version": "7.22.9",
  "resolved":
  "https://registry.npmjs.org/@babel/h
elper-module-transforms/-
/helpermodule-transforms-7.22.9.tgz",
  "integrity":
  "sha512+WA2Xn5K+rTeGtC8jCsd
AH52bjggG
5TKRuRrAGNM/mjlbo4GxvILMFOEz9
wXY5I2XQ60PMFsAG2WlcG82dQMMQ
```

```
==",  
  "dependencies": {  
  
    "@babel/helper-environment-visitor":  
    "^7.22.5",  
    "@babel/helper-module-imports":  
    "^7.22.5",  
    "@babel/helper-simple-access":  
    "^7.22.5",  
    "@babel/helper-split-export-declaration": "^7.22.6",  
  
    "@babel/helper-validator-identifier":  
    "^7.22.5"  
  },  
  "engines": {  
    "node": ">=6.9.0"  
  },  
  "peerDependencies": {  
    "@babel/core": "^7.0.0"  
  }  
},
```

```

"node_modules/@babel/helperoptimise-call-expression": {
  "version": "7.22.5",
    "resolved":
    "https://registry.npmjs.org/@babel/helper-optimise-call-expression//helper-optimise-call-expression-7.22.5.tgz",
    "integrity": "sha512-HBwaojN0xFRx4ylvpwGqxiV2tUfl7401jlok564NgB9EHS1y6QT17FmKWm4ztqjeVdXLuC4fSvHc5ePpQjoTbw==",
    "dependencies": {
      "@babel/types": "^7.22.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helperpl

```



```

ugin-utils": {
  "version": "7.22.5",
  "resolved":
"https://registry.npmjs.org/@babel/h
elper-plugin-utils/-/helper-plugin-utils-
7.22.5.tgz",
  "integrity":
"sha512uLls06UVKgFG9QD4OeFYL
EGteMIAa
5kpTPcFL28yuCllzsf6ZyKZMlIKVOCZFhi
Z5ptnwX4mtKdWCBE/uT4amg==",
  "engines": {
    "node": ">=6.9.0"
  }
},

```

```

"node_modules/@babel/helperrema
p-async-to-generator": {
  "version": "7.22.9",
  "resolved":
"https://registry.npmjs.org/@babel/h
elper-remap-async-
togroupenerator//helper-remap-async-
togroupenerator- 7.22.9.tgz",

```

```
    "integrity": "sha512-8WWC4oR4Px+tr+Fp0X3RHdVfINGpF3ad1HlbrC8A77epiR6eMMc6jsgozkzT2uDiOOdoS9cLIQ+XD2XvI2WSmQ==",
    "dependencies": {
      "@babel/helper-annotateaspure": "^7.22.5",
      "@babel/helper-environmentvisitor": "^7.22.5",
      "@babel/helper-wrap-function": "^7.22.9"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0"
    }
  },
```

```

"node_modules/@babel/helperre
place-supers": {
  "version": "7.22.9",
  "resolved":
"https://registry.npmjs.org/@babel/h
elper-replace-supers/-
/helperreplace-supers-7.22.9.tgz",
  "integrity":
"sha512LJIKvvpgPOPUThdYqcX6lX
RulcTkcAu
b0laDRGCZH0p5GPUUp7PhRU9QVgFc
DDd51BaPkk77ZjqFwh6DZTAEmGg=="
,
  "dependencies": {

"@babel/helperenvironmentvisitor":
"^7.22.5",

"@babel/helpermemberexpression-
to-functions":
"^7.22.5",
    "@babel/helper-
optimisecallexpression": "^7.22.5"
  },

```

```

"engines": {
  "node": ">=6.9.0"
},
"peerDependencies": {
  "@babel/core": "^7.0.0"
}
},

```

```

"node_modules/@babel/helpers-
simple-access": {
  "version": "7.22.5",
  "resolved":
    "https://registry.npmjs.org/@babel/h
    elper-simple-access/-
    /helpersimpleaccess-7.22.5.tgz",
  "integrity":
    "sha512n0H99E/K+Bika3++WNL17P
    Ovo4rKWZ
    7lZEplQ+fStVbUi8nxPQEBOITmCOxW
    /0JsS56SKKQ+ojAe2pHKJHN35w==",
  "dependencies": {
    "@babel/types": "^7.22.5"
  },

```

```
"engines": {
  "node": ">=6.9.0"
},
```

```
"node_modules/@babel/helpers/package.json": {
  "name": "@babel/helpers",
  "version": "7.22.5",
  "description": "Babel helpers module",
  "main": "index.js",
  "repository": {
    "type": "git",
    "url": "https://github.com/babel/babel/tree/master/packages/babel-helper-skip-transparent-expression-wrappers"
  },
  "keywords": [
    "babel",
    "helpers",
    "module"
  ],
  "license": "MIT",
  "bugs": {
    "url": "https://github.com/babel/babel/issues"
  },
  "homepage": "https://babeljs.io/docs/en/next/babel-helper-skip-transparent-expression-wrappers",
  "dependencies": {
    "@babel/types": "^7.22.5"
  }
}
```

```

    },
    "engines": {
      "node": ">=6.9.0"
    }
  },

```

```

"node_modules/@babel/helperssplitex
port-declaration": {
  "version": "7.22.6",
  "resolved":
https://registry.npmjs.org/@babel/helper-splitexport

```

```

contract Drug{   address
public owner;

```

```

    constructor() {   owner
= msg.sender;
    }

```

```

    modifier onlyOwner() {
require(msg.sender == owner, "Only
the owner can perform this action");

```

```
    _;  
}
```

```
    struct Drug {        string  
drugName;        string  
manufacturer; uint256  
manufacturingDate;        address  
trackingHistory;  
    }
```

```
    mapping(uint256 => Drug) public  
drugs;    uint256 public drugCount;
```

```
    event DrugManufactured(uint256  
indexed drugId, string drugName,  
string manufacturer, uint256  
manufacturingDate);    event  
DrugTransferred(uint256 indexed  
drugId, address indexed from,  
address indexed to, uint256  
transferDate);
```

```
function manufactureDrug(uint256
drugId, string memory _drugName,
string memory _manufacturer,
uint256 _manufacturingDate)
    external onlyOwner {
```

```
    address initialHistory;
    initialHistory = owner;
```

```
    drugs[drugId] =
Drug(_drugName, _manufacturer,
_manufacturingDate, initialHistory);
    drugCount++;
```

```
    emit DrugManufactured(drugId,
_drugName, _manufacturer,
_manufacturingDate);
}
```

```
function
transferDrugOwnership(uint256
```



```
_drugId, address _to) external {  
    require(_to != address(0), "Invalid  
    address");    require(_to !=  
    drugs[_drugId].trackingHistory,  
    "Already owned by the new  
    address");
```

```
    address from =  
    drugs[_drugId].trackingHistory;  
    drugs[_drugId].trackingHistory = _to;
```

```
        emit DrugTransferred(_drugId,  
    from, _to, block.timestamp);  
    }
```

```
function getDrugDetails(uint256  
_drugId) external view returns (string  
memory, string memory, uint256,  
address) {
```

```
    Drug memory drug =  
    drugs[_drugId];    return
```

```
(drug.drugName,  
drug.manufacturer,  
drug.manufacturingDate,  
drug.trackingHistory);  
}  
}0
```

## PROJECT DEMO LINK

<https://drive.google.com/file/d/1wAaGyA7ZxnKA91SxxyNlyUCENo0OpwMo/view?usp=sharing>