



GOA POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10A, Phase II
Environment Surveillance Division

ORDER NO: PCB/GOA/2021/61058

Date: 20/12/2025

BY REGISTERED POST A.D.

SUB: Grant of 'Pollution Control Board Order' under Section 25 of Water Act 1974 and Authorization for 'Hazardous Waste (Chemical Sludge)'.

REF: 1. Ref: Your Application No. APP-649682 dated 14/02/2024
2. Inspection Report of Regional Officer dated 15/04/2024

In exercise of the powers conferred under Section-25 of the Water (Prevention and Control of Pollution) Act-1974, the Board grants Consent to Operate to:

M/s. Kuruvilla Dyeing Pvt Ltd
Plot No. 538, Ind. Area, Near Mobor Beach
Dist: GOA, India.

The consent is valid for the manufacture of products and discharge of effluent



VALID UPTO: 31/03/2029 (ACTIVE)

TABLE 1: AUTHORIZED DISCHARGE NORMS

PARAMETER	PERMISSIBLE LIMIT
1. Maximum Discharge	655 KLD (Max)
2. Primary Pollutant	Total Dissolved Solids (TDS) < Standard Limit

SPECIFIC CONDITIONS:

- 1. Portholes and platforms shall be provided at chimney(s) for monitoring emissions.
- 2. Noise levels must remain within ambient air quality standards.
- 3. Bank Guarantee of Rs. 5,00,000/- forfeited if 'Hazardous Waste (Chemical Sludge)' norms are violated.
- 4. Flow meters must be electromagnetic and connected to the SPCB server for real-time data.
- 5. Separate energy meters shall be installed for the Effluent Treatment Plant (ETP).

Copy To:

- 1. The Regional Officer, SPCB.
- 2. The District Magistrate/Collector.
- 3. Master File.

This is a computer-generated Order thru XGN, does NOT require Physical Signature.