



ANDHRA PRADESH POLLUTION CONTROL BOARD

Paryavaran Bhavan, Sector-10A, Phase II
Environment Surveillance Division

ORDER NO: PCB/AND/2021/87741

Date: 20/12/2025

BY REGISTERED POST A.D.

SUB: Grant of 'Consent to Operate' (CTO) under Section 25 of Water Act 1974 and Authorization under Hazardous Waste Rules, 2016.

REF: 1. Your Application No. APP-359500 dated 14/02/2024
2. Inspection Report of Regional Officer dated 15/04/2024

In exercise of the powers conferred under Section-25 of the Water (Prevention and Control of Pollution) Act-1974, the Board grants Consent to Operate to:

M/s. Korpall Dyeing Pvt Ltd

STN Code: 4378

Plot No. 785, Ind. Area, Near Sea Water, Bay Of Bengal, Manginapudi Beach, Machilipatnam (V & M)

Dist: ANDHRA PRADESH, India.

The consent is valid for the manufacture of products and discharge of effluent



VALID UPTO: 31/03/2030 (ACTIVE)

SCHEDULE I: AUTHORIZED DISCHARGE LIMITS

PARAMETER	PERMISSIBLE LIMIT
1. Maximum Water Discharge	585 KLD (Max)
2. Primary Pollutant	Total Dissolved Solids (TDS) < Standard Limit

SPECIFIC CONDITIONS:

- Portholes and platforms shall be provided at chimney(s) for monitoring emissions.
- Noise levels must remain within ambient air quality standards.
- Bank Guarantee of Rs. 5,00,000/- shall be forfeited if Zero Liquid Discharge (ZLD) is violated.
- Flow meters must be electromagnetic and connected to the SPCB server for real-time data.
- Separate energy meters shall be installed for the Effluent Treatment Plant (ETP).

Copy To:

- The Regional Officer, SPCB.
- The District Magistrate/Collector.
- Master File.

This is a computer-generated Order thru XGN, does NOT require Physical Signature.