

Master Project Report

# Teakwood: An Web Framework for Handling Many-task Computing

*Submitted in partial fulfillment of  
the requirements for the degree of*

**Master in System Science**  
in

Louisiana State University and Agricultural and Mechanical College  
The School of Electrical Engineering and Computer Science  
Computer Science and Engineering Division

by

---

Rui Guo

---

Under the guidance of  
**Jian Zhang**



Fall Semester 2014

## **Abstract**

Using Linux commands to handle computing jobs can be a hurdle to the scientific researchers who dont have HPC related background. Teakwood provides a solution and beyond. Teakwood is a framework that migrates all the terminal typing work to a web console GUI, and provides user a total control of their jobs, data, computing resources and so on just by clicking buttons. Teakwood is also an open platform that enables user to work co-operatively. Through Teakwood, user can share their models, results, and computing resources within their group and have discussion in Teakwood forum. Teakwood is powered by Django.

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Motivation . . . . .	1
1.2	Teakwood . . . . .	1
1.3	Feature . . . . .	2
1.4	System requirements . . . . .	3
<b>2</b>	<b>Teakwood System</b>	<b>4</b>
2.1	Overview . . . . .	4
2.2	Frontend . . . . .	5
2.3	Backend . . . . .	6
2.4	Data handling . . . . .	6
2.5	Remote Configuration . . . . .	7
<b>3</b>	<b>Backend Mystery</b>	<b>8</b>
3.1	MTV Framework . . . . .	8
3.2	Models and Database . . . . .	9
3.3	Teakwood Template Language . . . . .	9
3.4	Powerful Admin . . . . .	10
3.5	A Practical Case . . . . .	10
<b>4</b>	<b>Asynchronous Handling</b>	<b>12</b>
4.1	Celery . . . . .	12
4.2	RabbitMQ . . . . .	12
<b>5</b>	<b>Use Case</b>	<b>13</b>
5.1	Job Submission Flow . . . . .	13
5.2	Job Monitoring . . . . .	13
5.3	Job Report . . . . .	13
<b>6</b>	<b>Conclusion</b>	<b>14</b>

<b>7</b>	<b>Future Work</b>	<b>15</b>
7.1	Docker Hub . . . . .	15
7.2	Visualization . . . . .	15
7.3	Computing on the go . . . . .	15
	<b>Acknowledgements</b>	<b>16</b>
	<b>References</b>	<b>17</b>

# List of Figures

2.1	Teakwood System Overview . . . . .	4
2.2	Website Strcutre . . . . .	5
3.1	Teakwood MTV framwork . . . . .	8
3.2	Teakwood Request-Response Working Flow . . . . .	11

# Chapter 1

## Introduction

### 1.1 Motivation

Four years ago, I know nothing about Linux. I then got a job to deal with HPC(High Performance Computing) systems. Suddenly I jumped in to an UNIX environment. I found that all those GUIs(Graphic User Interfaces), which I used to when I using Windows OS, are gone, and I have to use Linux commands to manipulate those machines and manage my stuff, which makes me uncomfortable and cumbersome. With time goes by, I eventually can work with Linux comfortably. However, I still have the tendency to use GUI when proving me an option.

I am not the only one that had such experience. In my working building, a lot of scientists and researchers are suffering this pain. Not only this, since they usually have to work on cross-platforms, the OS conflict add them many wasteful jobs. For example, scientist A want to share a computing result for researcher B to do the visualization. A uses Linux and B uses Windows. What should they do? Command, command, command, copy, paste, command, command ...

Why not create a GUI platform to reduce those repeated typing work and allow them to work cooperatively in one place? With all those desires, Here comes the Teakwood framework.

### 1.2 Teakwood

Teakwood is a GUI framework that allows user to summit HPC jobs from Teakwood web console, and to have a full control of their job status. Teakwood also provides a file management system for user to organize their project data easily. What's more, Teakwood enables user to work cooperatively by

allowing them to share result, models and computing resources within their group.

Teakwood migrates all the terminal typing work to Teakwood GUI, enables user to submit HPC jobs just simply by clicking functional buttons. No more terminal commands.

As Teakwood is a web framework, user can access from any where, any type of machine as long as the machine has a browser and the Internet. no more hassle by the OS conflict.

Teakwood file server hosts all users' computing data in one place, which greatly facilitated the collaboration among users.

## 1.3 Feature

Functionally, Teakwood have the following features:

- **Perfect documentation**

Teakwood homepage provides diverse software documentations including installation guide, user manual, developer manual, video tutorial, etc. user can grasp Teakwood soon.

- **Neat GUI**

A neat LSU style web console makes your work simple and easy. Drag, push, click, that's it!

- **Job monitor System**

Job monitor system provides five labels: "uploading", "queued", "running", "finish", and "Data Ready" for user to monitor the job status. Job monitor system also periodically pulls the job running messages from computing server and displays them on console, user may know more details.

- **Project management system**

All user's project is well organized and web kept in a file server. user can compare, share, and download them as needed.

- **Powerful admin**

The powerful admin system is provided by Django itself. With tiny system configuration, user can activate their models and have a top-down control of their models.

## 1.4 System requirements

Teakwood is a Django powered web framework which integrated a lot of third party python packages and external tools, and some of the packages or tools require extra libs and development packages to work, so before running Teakwood, we need to resolve all the dependencies as well as set up all the packages and tools.

- **Project Dependent libs**

As mentioned above, install all dependent libs are the first thing. Please refer installation guide in homepage for more information.

- **MySQL Database**

Teakwood uses MySQL database, so make sure mysql-server and mysql-devel is installed. If you want a GUI control of your database, I recommend php-MyAdmin.

- **Version Control**

Teakwood uses git as version control. Git is a very popular version control software. Teakwood source code is hosted in Github.

- **Virtual Environment**

It is highly recommend that we set up an independent working environment for Teakwood project. "Virtualenv" is a good solution.

- **Latex+Sphinx**

Teakwood uses sphinx packge to generate diverse documentations such as html, latex, pdf, etc. so these tools need to be installed.

- **Celery+RabbitMQ**

This is a solution for resolve synchronous process.

- **Django 1.4.x**

No need to explain.

- **Third Party Packages**

Teakwood uses a lot of "wheels" during the design, so before it can serving, those wheels need to be installed. Refer "requirements.txt" for more information.



# Chapter 2

## Teakwood System

### 2.1 Overview

Structurally, like most websites, Teakwood system has a three layers layout: frontend, backend, and database. Becuase Teakwood will use computing servers to run jobs, so the eco Teakwood system actually has four layers, the up mentioned three plus the computing layer. the below figure shows how it looks like:




Figure 2.1: Teakwood System Overview

On the above figure, we can see four straight layers bottom up. In each layer, the left part is the layer name, the middle part is the layer content, and the right part is layer reality. Let's go through these layers one by one.

## 2.2 Frontend

The frontend is a visible GUI that user interact with. Basically all what we can see from the Teakwood website can be called "frontend". For neat purpose, Teakwood separated the frontend into two parts: the **information page** and the **working console**. See below:




Figure 2.2: Website Strucutre

The **information page** introduces you all things about Teakwood.

- What is teakwood?
- What can Teakwood do?
- How to install Teakwood?
- How to use Teakwood?
- The user manual.
- Video tutorial.
- Teakwood forum.

The **working console** is your working place where you tango with your jobs and data. The functions buttons guide you to different places.

- **User:** Display user information.
- **Projects:** Create project and overview project.

- **Models:** Create model and overview model.
- **Jobs:** Create jobs, overview jobs and job monitoring.
- **Report:** Download job output.
- **Management:** Access to the admin system.

Note the color differences in the bottom layer.

- The **Green:** all visitors can see and manipulate.
- The **orange:** only logging user can see and manipulate.
- The **red:** only superuser can see and manipulate.

## 2.3 Backend

The backend is the logical design on how to interact with user. This Includes verifying user's request, pulling requested data, generating HTML web page and displaying web page. Teakwood follows the MVC(Model-View-Controller) design pattern and separates all the functions in to loose coupling parts, in Django, it call "app". All parts can both work independently and cooperatively. (We will have a backend chapter to reveal the logic mystery.) In Teakwood system, there are mainly eight parts (Apps).

- **Teakwood:** control the frontend presentation.
- **Accounts:** control the user identification.
- **Models:** invoke and control the computing models.
- **machine:** invoke and control the computing resources
- **PBS:** Guide the PBS script generation.
- **File upload:** gather input files to buffer for downloading
- **Admin:** overall control of user and data.
- **Celery:** asynchronous handling.

## 2.4 Data handling

Teakwood system handles three types of data: the website data, the computing data and the message queue data. For each type of data we provide a different storage. see this table:

<b>Website data</b>	<b>Computing data</b>	<b>Message queue data</b>
<b>MySQL</b>	<b>File server</b>	<b>redis server</b>
<b>Teakwood data</b>	<b>inputs and outputs</b>	<b>Asynchronous handling</b>

Teakwood website uses MySQL database for store it website data, e.g. the user account and the project labels.

For the computing data, we periodically rsync them to a separate file server for data backup and downloading purpose. e.g. input files and the output result.

Message queue data is generated when we use Celery to asynchronous processing time consuming process. They are just ephemeral data, so we simply use a redis server to keep it.

## 2.5 Remote Configuration

Before the first time we can run a job in HPC or cloud, we have set up a connection and ready everything. the main things we should done are:

- Establish an password-less ssh log-in.
- Compile the tools and packages we will use in remote machine.
- Ready all the import path for Teakwood to use.

One those steps are done, we just simply "plug-in" Teakwood to the remote machine, and everything we can do from Teakwood web portal, without touch the under layers.

# Chapter 3

## Backend Mystery

Teakwood is powered by Django framework, so its backend inherits all the Django feathers. For example, Teakwood follows the MVC(Model-View-Controller) design pattern and DRY(Don't Repeat Yourself) principle. When you go through Teakwood's code, you will found that teakwood have a neat and loose coupling coding structure. In this chapter, I will go through some most special feathers in the backend of Teakwood. I will use some Django terminologies for elaboration, If you want a better under standing of Django terminologies, please refer to the Django official documentations.

### 3.1 MTV Framework

Teakwood has an updated MVC, that is MTV.




Figure 3.1: Teakwood MTV framework

**M** represents the model (Model), i.e., **the data access layer**. This layer processing data in all matters related to: how to access, how to confirm the validity , which behaviors it has, and the relationships between the data.

**T** Representative of T template (Template), i.e., **the presentation layer**. The layer processing performance related decision: how to display the page or other types of documents.

**V** represents the view (View), **business logic layer**. This layer contains the access models and the transfer of appropriate template logic. You can see it as a bridge between the model and the template.

## 3.2 Models and Database

Django provides an abstraction layer (the models) for structuring and manipulating the data of your Web application. In Django, a lot of this hassle is taken care of for you by Django's object relational mapping (ORM) functions, and how Django encapsulates databases tables through models. Essentially, a model is a Python object that describes your data model/table. Instead of directly working on the database table via SQL, all you have to do is manipulate the corresponding Python object.

## 3.3 Teakwood Template Language

Django's template language is designed to strike a balance between power and ease. Its designed to feel comfortable to those used to working with HTML. Django template language is not just HTML file. Here is an example:

```
{% extends "base_generic.html" %}
{% block title %}{{ section.title }}{% endblock %}
{% block content %}
<h1>{{ section.title }}</h1>
{% for story in story_list %}
<h2>
    <a href="{{ story.get_absolute_url }}">
        {{ story.headline|upper }}
    </a>
</h2>
<p>{{ story.tease|truncatewords:"100" }}</p>
{% endfor %}
{% endblock %}
```

**Variable:** When the template engine encounters a variable, it evaluates that variable and replaces it with the result.

**Tag :** Tags are more complex than variables: Some create text in the output, some control flow by performing loops or logic, and some load external information into the template to be used by later variables. Some tags require beginning and ending tags. There are about two dozens of build-in tags in Django.

**filter:**Filter is basically a restricted variable.

we can add variables,tags and filters into HTML code.

## 3.4 Powerful Admin

Teakwood comes with a user authentication system which is inherited from Django framework. The admin system handles user accounts, groups, permissions and cookie-based user sessions. This section of the documentation explains how the default implementation works out of the box, as well as how to extend and customize it to suit your project needs.

Teakwood Admin system limited to trusted site administrators, that enables the adding, editing and deletion of site content. Some common examples: the interface you use to post to your blog, the backend site managers use to moderate user-generated comments, the tool your clients use to update the press releases on the Web site you built for them.

## 3.5 A Practical Case

How Teakwood process a request from user?




Figure 3.2: Teakwood Request-Response Working Flow



# Chapter 4

## Asynchronous Handling

### 4.1 Celery

Celery is an asynchronous task queue/job queue based on distributed message passing. It is focused on real-time operation, but supports scheduling as well. The execution units, called tasks, are executed concurrently on a single or more worker servers using multiprocessing, Eventlet, or gevent. Tasks can execute asynchronously (in the background) or synchronously (wait until ready).

### 4.2 RabbitMQ

Messaging enables software applications to connect and scale. Applications can connect to each other, as components of a larger application, or to user devices and data. Messaging is asynchronous, decoupling applications by separating sending and receiving data.

# Chapter 5

## Use Case

### 5.1 Job Submission Flow

### 5.2 Job Monitoring

### 5.3 Job Report

## Chapter 6

## Conclusion

Teakwood provides a solution and beyond. Teakwood is a framework that migrate all the terminal typing work to a web console GUI, and provides user a total control of their jobs, data, computing resources and so on just by click buttons. Teakwood is also a platform that let users work cooperatively. Through Teakwood, users can share their models, outputs, and computing resources to people within the group. Teakwood is powered by Django.

# Chapter 7

## Future Work

### 7.1 Docker Hub

Docker is an open platform for developers and sysadmins to build, ship, and run distributed applications. Consisting of Docker Engine, a portable, lightweight runtime and packaging tool. Once you designed a Docker container. it can plugged to any machine and directly user it.

### 7.2 Visualization

We can have two types of Dockers, the computing docker and the visualization docker.

### 7.3 Computing on the go

Deploy your models to the Amazon cloud, save an image. compute your models on the go.

# Acknowledgments

Bootstrap CSS Bootstrap  
Month and Year here

FAMFAMFAM

# References

- [1] Django framework. <https://www.djangoproject.com/>
- [2] Celery: Distributed Task Queue. <http://www.celeryproject.org/>