

BSOWaterDispenserTracker-6307693

Documentation

Generated at:
10/7/2026, 12:06:14 AM



BSO Water Dispenser Tracker

BSO Water Dispenser Tracker is a digital tracking system designed to monitor and manage water dispenser assets efficiently. The application enables users to record dispenser information, track maintenance activities, monitor dispenser status, and maintain accurate service records. By centralizing data in a single platform, the system improves operational efficiency, enhances asset visibility, and supports timely maintenance and reporting.

Data Summary	13 Tables
	639 Columns
	5 Slices
UX Summary	17 Views
	28 Format Rules
Behavior Summary	34 Actions
	0 Workflow Rules

Short Name	BSO Water Dispenser Tracker
Description	BSO Water Dispenser Tracker is a digital tracking system designed to monitor and manage water dispenser assets efficiently. The application enables users to record dispenser information, track maintenance activities, monitor dispenser status, and maintain accurate service records. By centralizing data in a single platform, the system improves operational efficiency, enhances asset visibility, and supports timely maintenance and reporting.
Version	1.000382
Default app folder	/appsheet/data/BSOWaterDispenserTracker-6307693
Function	Property_Management
Runnable?	Yes
Deployable?	No

Personal use only? No

Data

Tables

Table name DATA COWAY CUCKOO

Table name	DATA COWAY CUCKOO
Visible?	ALWAYS
Shared?	Yes
Data locale	en-GB
Schema	DATA COWAY CUCKOO_Schema
Are updates allowed?	ALL_CHANGES
Source Path	appsheet DATA COWAY
Worksheet Name/Qualifier	DATA COWAY CUCKOO
Data Source	google-1
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-GB
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many worksheets?	No
-------------------------------------	----

Table name MACHINE_MANUAL

Table name	MACHINE_MANUAL
------------	----------------

Visible?	ALWAYS
----------	--------

Shared?	Yes
---------	-----

Data locale	en-GB
-------------	-------

Schema	MACHINE_MANUAL_Schema
--------	-----------------------

Are updates allowed?	ALL_CHANGES
----------------------	-------------

Source Path	appsheets DATA COWAY
-------------	----------------------

Worksheet Name/Qualifier	MACHINE_MANUAL
--------------------------	----------------

Data Source	google-1
-------------	----------

Store for image and file capture	_Default
----------------------------------	----------

Column Order List	_RowNumber
-------------------	------------

Partitioned across many files/sources?	No
--	----

Partitioned across many worksheets?	No
-------------------------------------	----

Table name FILTER

Table name	FILTER
------------	--------

Visible?	ALWAYS
----------	--------

Shared?	Yes
---------	-----

Data locale	en-GB
-------------	-------

Schema	FILTER_Schema
--------	---------------

Are updates allowed?	ALL_CHANGES
----------------------	-------------

Source Path	appsheets DATA COWAY
-------------	----------------------

Worksheet Name/Qualifier	FILTER
--------------------------	--------

Data Source	google-1
-------------	----------

Store for image and file capture	_Default
----------------------------------	----------

Column Order List	_RowNumber
-------------------	------------

Partitioned across many files/sources?	No
--	----

Partitioned across many
worksheets? No

Table name Process for Ownership Transition Alert (60 Months) Process Table

Table name	Process for Ownership Transition Alert (60 Months) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Ownership Transition Alert (60 Months) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/d37a7807-49bf-489b-8c47-b4cbbffa67cc/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Contract Expiry Warning (The "30-Day Reminder") Process Table

Table name	Process for Contract Expiry Warning (The "30-Day Reminder") Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Contract Expiry Warning (The "30-Day Reminder") Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/bf19462e-04c3-49ac-a3a4-39f482c821b7/State Table
Data Source	native

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Payment Outstanding Alert (Debt Monitoring) Process Table

Table name	Process for Payment Outstanding Alert (Debt Monitoring) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Payment Outstanding Alert (Debt Monitoring) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/75a24fd4-f5df-48b2-b3d1-a3d06f45eaac/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Maintenance "Broken" Alert Process Table

Table name	Process for Maintenance "Broken" Alert Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Maintenance "Broken" Alert Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/63ffc4e5-a530-4bbe-b883-3fc4021ec766/State Table

Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for "Hidden Data" Protection (The Deletion Warning) Process Table

Table name	Process for "Hidden Data" Protection (The Deletion Warning) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for "Hidden Data" Protection (The Deletion Warning) Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/11d6b761-83a0-4883-a4ce-5fb33f50c975/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Monthly KPI Report Process Table

Table name	Process for Monthly KPI Report Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Monthly KPI Report Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/ebd78b21-af47-4ed2-adfb-ce7ed0daeb7c/State

	Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Emergency Repair Notification Process Table

Table name	Process for Emergency Repair Notification Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Emergency Repair Notification Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/a88cc4c1-fdfd-4f93-b6a8-5873739ab234/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for The "Member Renewal" Reminder (5-Month Rule) Process Table

Table name	Process for The "Member Renewal" Reminder (5-Month Rule) Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for The "Member Renewal" Reminder (5-Month Rule) Process Table_Schema

Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/ce10e890-e06e-4987-8c35-d6c5555bd5cb/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Process for Financial Audit Log Process Table

Table name	Process for Financial Audit Log Process Table
Visible?	NEVER
Shared?	Yes
Schema	Process for Financial Audit Log Process Table_Schema
Are updates allowed?	READ_ONLY
Source Path	/ProcessStateTables/a98f5cb3-90b0-4020-8430-b28b0ab2cf2e/43ea34bb-26b2-4331-8283-3d40b54c3477/State Table
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\These options control the content and behavior of the app\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":nul

	I,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
-------------	----------------

Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["Australia","Brazil","Canada"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "\MaxLength":null, "\MinLength":null, "\LongTextFormatting": "\Plain Text", "\IsMulticolumnKey":false, "\Valid_If":null, "\Error_Message_If_Invalid":null, "\Show_If":null, "\Required_If":null, "\Editable_If":null, "\Reset_If":null, "\Suggested_Values":null } }, "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["English","French","Tamil"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "\MaxLength":null, "\MinLength":null, "\LongTextFormatting":

	"Plain Text","\IsMulticolumnKey\:false,\Valid_If\:null,\Error_Messa ge_If_Invalid\:null,\Show_If\:null,\Required_If\:null,\Editable _If\:null,\Reset_If\:null,\Suggested_Values\:null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Res et_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data

No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name DATA COWAY CUCKOO_Schema

Schema Name	DATA COWAY CUCKOO_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
-------------	------------

Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["North","South","East","Central"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RETAIL","DN","TGBS"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } }, "EnumInputMode":"Dropdown", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "MACHINE_MANUAL", "ReferencedRootTableName": "MACHINE_MANUAL", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "ReferencedKeyColumn": "Manual_ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Dropdown", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	Yes
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS

Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	DATEDIF(RC[-1],TODAY(),"M")
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Description	Sila masukkan 8-digit nombor PO rasmi daripada sistem Supply Chain TNB.
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Description	Nilai Goods Receipt / Service Acceptance yang telah di-release. Pastikan ia selari dengan PO Value.
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
-------------	------------

Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=DATE(CONCATENATE("31/12/", YEAR([START DATE])))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No

Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["MONTHLY","YEARLY","BLANKET","MANUAL PO"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "\MaxLength\":null, "\MinLength\":null, "\LongTextFormatting\":" "Plain Text", "\IsMulticolumnKey\":false, "\Valid_If\":null, "\Error_Message_If_Invalid\":null, "\Show_If\":null, "\Required_If\":null, "\Editable_If\":null, "\Reset_If\":null, "\Suggested_Values\":null }, "EnumInputMode":"Buttons", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
-------------	--------

Visible?	ALWAYS
Description	Jangan ubah sebab sudah ada formula.
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["ACTIVE","EXPIRED","TERMINATED","EXPIRING SOON"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": { "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } } }</pre>
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-3]="","",IF(RC[-3]
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	<pre>{ "UseLongDateFormat":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset</pre>

	_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS
Description	CAJ FILTER DIKENAKAN ATAU APA CAJ PENUKARAN DALAM MESIN SEBELUM NAK SAMBUNG YEARLY MAINTENANCE. DISEBABKAN PENYAMBUNGAN LEWAT DIBUAT SELEPAS KONTRAK TAMAT
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["PAID","OUTSTANDING","PENDING"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-1]="","",IF(RC[-1]=0,"PAID","OUTSTANDING"))
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Description	Jumlah tunggakan semasa. Masukkan '0.00' jika pembayaran sudah selesai (PAID).
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	RC[-9]-RC[-8]
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Description	Nota khusus untuk hal ehwal KONTRAK & KEWANGAN sahaja.
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=CONCATENATE("Updated on: ", NOW(), " by ", USEREMAIL(), " - ")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Description	Wajib gunakan emel rasmi TNB (@tnb.com.my)
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Description	Wajib gunakan emel rasmi TNB (@tnb.com.my)
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum

Type Qualifier	{ "EnumValues": ["USER STATE", "USER STATION", "HQ ADMIN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{ "Callable": true, "Textable": true, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data

No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([STATION], " (" , [SERIAL NUMBER], ")")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB

Searchable	No
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS([STATE]="SELANGOR", "URL_TO_ICON", TRUE, "URL_DEFAULT")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	e_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("https://chart.googleapis.com/chart?chs=150x150&cht=qr&chl=", [SERIAL NUMBER])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([BRAND], " ", [MODEL], " - ", [STATION])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=EOMONTH([INSTALLATION DATE], 60)
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
-------------	----------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(((YEAR(TODAY()) - YEAR([INSTALLATION DATE])) * 12 + (MONTH(TODAY()) - MONTH([INSTALLATION DATE]))) >= 60, "TNB Owned", "Rental")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TOTALHOURS([End_Date_60] - TODAY()) / 24
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
App formula	<pre>=IFS([CONDITION ASSET] = "DISPOSED", "DISPOSED", [CONDITION ASSET] = "MISSING", "MISSING", [STATUS] = "TERMINATED", "TERMINATED", [Days_To_Expiry] < 0, "COMPLETED", [Days_To_Expiry] <= 30, "URGENT (30 DAYS)", [Days_To_Expiry] <= 150, "EXPIRING SOON", TRUE, "ACTIVE")</pre>
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([CONDITION ASSET] = "Broken", " ! URGENT", "Normal")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
-------------	-------------------

Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(DATA COWAY CUCKOO[SERIAL NUMBER], TRUE))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(FILTER("DATA COWAY CUCKOO", [Days_To_Expiry] <= 150))
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(DATA COWAY CUCKOO[TOTAL OUTSTANDING])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(DATA COWAY CUCKOO[TOTAL OUTSTANDING])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS

Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[MODEL].[Cover_Image]
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(FILTER("DATA COWAY CUCKOO", [Contract_Status_VC] = "ACTIVE"))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT([End_Date_60], "YYYY - MM")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\MAKLUMAT KEWANGAN & PO\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\MAKLUMAT STESEN & REKOD ASET\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":n

	ull,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\\"MAKLUMAT HUBUNGI (TNB & VENDOR)\\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\REKOD SERVIS & PENYELENGGARAAN\","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Schema Name MACHINE_MANUAL_Schema

Schema Name	MACHINE_MANUAL_Schema
-------------	-----------------------

Visible?	ALWAYS
----------	--------

Column 1: _RowNumber

Column name	_RowNumber
-------------	------------

Visible?	ALWAYS
----------	--------

Description	Number of this row
-------------	--------------------

Type	Number
------	--------

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
----------------	---

Read-Only	Yes
-----------	-----

Hidden	Yes
--------	-----

Label	No
-------	----

Formula version	0
-----------------	---

Reset on edit?	No
----------------	----

System Defined?	Yes
-----------------	-----

Key	No
-----	----

Part of Key?	No
--------------	----

Fixed definition?	Yes
-------------------	-----

Editable Initial Value?	Yes
-------------------------	-----

Virtual?	No
----------	----

LocaleName	en-GB
------------	-------

Searchable	No
------------	----

Scannable	No
-----------	----

Sensitive data	No
----------------	----

Column 2: Manual_ID

Column name	Manual_ID
-------------	-----------

Visible?	ALWAYS
----------	--------

Type	Text
------	------

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Brand

Column name	Brand
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Model

Column name	Model
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Manual_File

Column name	Manual_File
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Cover_Image

Column name	Cover_Image
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Related DATA COWAY CUCKOOS

Column name	Related DATA COWAY CUCKOOS
Visible?	ALWAYS
Description	DATA COWAY CUCKOO entries that reference this entry in the MODEL column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "\\", "ReferencedTableName": "\DATA COWAY CUCKOO\", "ReferencedRootTableName": "\DATA COWAY CUCKOO\", "ReferencedType": "\Text\", "ReferencedTypeQualifier": "\\", \"\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"PlainText\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\\\", \"ReferencedKeyColumn\": \"SERIAL NUMBER\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null} \", \"ItemSeparator\": \"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Req</pre>

uired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	REF_ROWS("DATA COWAY CUCKOO", "MODEL")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-GB
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Schema Name FILTER_Schema

Schema Name	FILTER_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Filter_ID

Column name	Filter_ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Pilih_Vendor

Column name	Pilih_Vendor
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["Coway","Cuckoo"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Pilih_State

Column name	Pilih_State
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["Johor","Kedah","Kelantan","Malacca","Negeri Sembilan","Pahang","Penang","Perak","Perlis","Selangor","Terengganu","Sabah","Sarawak","Kuala Lumpur","Putrajaya","Labuan"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier":{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"PlainText", "IsMulticolumnKey":false, "ValidIf":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Auto", "ValidIf":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Status_Kontrak

Column name	Status_Kontrak
Visible?	ALWAYS

Type	Enum
Type Qualifier	{ "EnumValues": ["ACTIVE","EXPIRED"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Pilih_Pejabat

Column name	Pilih_Pejabat
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: User_Email

Column name	User_Email
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=USEREMAIL()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-GB

Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Process for Ownership Transition Alert (60 Months) Process Table_Schema

Schema Name	Process for Ownership Transition Alert (60 Months) Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["North","South","East","Central"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength":null,"\MinLength":null,"\LongTextFormatting":"PlainText","\IsMulticolumnKey":false,"\ValidIf":null,"\Error_Message_If_Invalid":null,"\Show_If":null,"\Required_If":null,"\Editable_If":null,"\Reset_If":null,"\Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "MACHINE_MANUAL", "ReferencedRootTableName": "MACHINE_MANUAL", "ReferencedType": "Text", "ReferencedTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"ReferenceKeyColumn\": \"Manual_ID\", \"IsAPartOf\": false, \"RelationshipName\": null, \"InputMode\": \"Dropdown\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date

Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues":["RENTAL MODE","TNB OWNED"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier":{ "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "\\", "PlainText": "\\", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS
Type	Price

Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["ACTIVE","EXPIRED","TERMINATED","EXPIRING SOON"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": { "Plain Text":true, "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } } } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":true, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS
Type	Decimal

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No

Sensitive data	No
----------------	----

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
-------------	-----------

Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\MAKLUMAT HUBUNGI (TNB & VENDOR)\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\REKOD SERVIS & PENYELENGGARAAN\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Contract Expiry Warning (The "30-Day Reminder") Process Table_Schema

Schema Name	Process for Contract Expiry Warning (The "30-Day Reminder") Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\"MaxLength\"":null,\"MinLength\"":null,\"LongTextFormatting\"\":\"PlainText\", "\"IsMulticolumnKey\"":false,\"Valid_If\"":null,\"Error_Message_If_Invalid\"":null,\"Show_If\"":null,\"Required_If\"":null,\"Editable_If\"":null,\"Reset_If\"":null,\"Suggested_Values\"":null}, "EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,\"Required_If\"":null,\"Editable_If\"":null,\"Reset_If\"":null,\"Suggested_Values\"":null} }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If":null,\"Required_If":null,\"Editable_If":null,\"Reset_If":null,\"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	{ "ReferencedTableName":"MACHINE_MANUAL","ReferencedRootTableName":"MACHINE_MANUAL","ReferencedType":"Text","ReferencedTypeQualifier": { "MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":" "Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}, "ReferenceKeyColumn":"Manual_ID","IsAPartOf":false,"RelationshipName":null,"InputMode":"Dropdown","Valid_If":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } }"</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre> {"EnumValues": ["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} </pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Payment Outstanding Alert (Debt Monitoring) Process Table_Schema

Schema Name	Process for Payment Outstanding Alert (Debt Monitoring) Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength\:":null,"\MinLength\:":null,"\LongTextFormatting\:": "Plain Text\","\IsMulticolumnKey\:":false,"\Valid_If\:":null,"\Error_Message_If_Invalid\:":null,"\Show_If\:":null,"\Required_If\:":null,"\Editable_If\:":null,"\Reset_If\:":null,"\Suggested_Values\:":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	{\"ReferencedTableName\":\"MACHINE_MANUAL\",\"ReferencedRootTableName\":\"MACHINE_MANUAL\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferenceKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["EXCELLENT","GOOD","UNDER REPAIR","DISPOSED","MISSING","BROKEN"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } } EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=TRUE\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Maintenance "Broken" Alert Process Table_Schema

Schema Name Process for Maintenance "Broken" Alert Process
Table_Schema

Visible?	NEVER
----------	-------

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength\:":null,"\MinLength\:":null,"\LongTextFormatting\:": "Plain Text\","\IsMulticolumnKey\:":false,"\Valid_If\:":null,"\Error_Message_If_Invalid\:":null,"\Show_If\:":null,"\Required_If\:":null,"\Editable_If\:":null,"\Reset_If\:":null,"\Suggested_Values\:":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	<code>ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If":null,\"Required_If":null,\"Editable_If":null,\"Reset_If":null,\"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<code>{"ReferencedTableName":"MACHINE_MANUAL","ReferencedRootTableName":"MACHINE_MANUAL","ReferencedType":"Text","ReferencedTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\\\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferenceKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=TRUE\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\MAKLUMAT HUBUNGI (TNB & VENDOR)\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\REKOD SERVIS & PENYELENGGARAAN\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for "Hidden Data" Protection (The Deletion Warning) Process Table_Schema

Schema Name	Process for "Hidden Data" Protection (The Deletion Warning) Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength":null,"\MinLength":null,"\LongTextFormatting":\ "Plain Text","\IsMulticolumnKey":false,"\Valid_If":null,"\Error_Message_If_Invalid":null,"\Show_If":null,"\Required_If":null,"\Editable_If":null,"\Reset_If":null,"\Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	<code>ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If":null,\"Required_If":null,\"Editable_If":null,\"Reset_If":null,\"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<code>{"ReferencedTableName":"MACHINE_MANUAL","ReferencedRootTableName":"MACHINE_MANUAL","ReferencedType":"Text","ReferencedTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\\\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferenceKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=TRUE\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Monthly KPI Report Process Table_Schema

Schema Name	Process for Monthly KPI Report Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["North","South","East","Central"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
-------------	---------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"Base Type":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}

	<code>_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<code>{\"ReferencedTableName\":\"MACHINE_MANUAL\",\"ReferencedRootTableName\":\"MACHINE_MANUAL\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"\" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"ReferencedKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } } EnumInputMode: \"Auto\", Valid_If: null, Error_Message_If_Invalid: null, Show_If: \"=TRUE\", Required_If: null, Editable_If: null, Reset_If: null, Suggested_Values: null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Emergency Repair Notification Process Table_Schema

Schema Name	Process for Emergency Repair Notification Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength\:":null,\ "MinLength\:":null,\ "LongTextFormatting\:":\ "Plain Text\","IsMulticolumnKey\:":false,\ "Valid_If\:":null,\ "Error_Message_If_Invalid\:":null,\ "Show_If\:":null,\ "Required_If\:":null,\ "Editable_If\:":null,\ "Reset_If\:":null,\ "Suggested_Values\:":null} }, "EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	{\"ReferencedTableName\":\"MACHINE_MANUAL\",\"ReferencedRootTableName\":\"MACHINE_MANUAL\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\" {\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferenceKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["EXCELLENT", "GOOD", "UNDER REPAIR", "DISPOSED", "MISSING", "BROKEN"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } ", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre> {"EnumValues":["ACTIVE","EXPIRED","TERMINATED","EXPIRING SOON"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} </pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for The "Member Renewal" Reminder (5-Month Rule) Process Table_Schema

Schema Name	Process for The "Member Renewal" Reminder (5-Month Rule) Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["North","South","East","Central"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{ "\MaxLength":null,"\MinLength":null,"\LongTextFormatting":\ "Plain Text","\IsMulticolumnKey":false,"\Valid_If":null,"\Error_Message_If_Invalid":null,"\Show_If":null,"\Required_If":null,"\Editable_If":null,"\Reset_If":null,"\Suggested_Values":null} }, "EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes

Scannable	No
Sensitive data	No

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	<code>ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,\"Show_If":null,\"Required_If":null,\"Editable_If":null,\"Reset_If":null,\"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<code>{"ReferencedTableName":"MACHINE_MANUAL","ReferencedRootTableName":"MACHINE_MANUAL","ReferencedType":"Text","ReferencedTypeQualifier": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\\\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferenceKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["EXCELLENT","GOOD","UNDER REPAIR","DISPOSED","MISSING","BROKEN"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } , "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre> {"EnumValues":["ACTIVE","EXPIRED","TERMINATED","EXPIRING SOON"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"PlainText"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=TRUE","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} </pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\\"MAKLUMAT STESEN & REKOD ASET\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\MAKLUMAT HUBUNGI (TNB & VENDOR)\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content": "="\REKOD SERVIS & PENYELENGGARAAN\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Process for Financial Audit Log Process Table_Schema

Schema Name	Process for Financial Audit Log Process Table_Schema
Visible?	NEVER

Column 1: Instance Id

Column name	Instance Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

Searchable	Yes
Scannable	No
Sensitive data	No

Column 2: Asset ID

Column name	Asset ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: STATE

Column name	STATE
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Zone

Column name	Zone
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["North","South","East","Central"], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } "EnumInputMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: BUSINESS AREA

Column name	BUSINESS AREA
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":false,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 6: STATION

Column name	STATION
-------------	---------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: COMPANY

Column name	COMPANY
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["RETAIL","DN","TGBS"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: DEPARTMENT

Column name	DEPARTMENT
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 9: LOCATION

Column name	LOCATION
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: BRAND

Column name	BRAND
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Coway","Cuckoo"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"Base Type":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}}

	<code>_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: MODEL

Column name	MODEL
Visible?	ALWAYS
Type	Ref
Type Qualifier	<code>{\"ReferencedTableName\":\"MACHINE_MANUAL\",\"ReferencedRootTableName\":\"MACHINE_MANUAL\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"\" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"ReferencedKeyColumn\":\"Manual_ID\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}</code>
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: SERIAL NUMBER

Column name	SERIAL NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: INSTALLATION DATE

Column name	INSTALLATION DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Asset_Age_Months

Column name	Asset_Age_Months
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 15: ASSET STATUS

Column name	ASSET STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["RENTAL MODE", "TNB OWNED"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": "\ { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }", "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: CONDITION ASSET

Column name	CONDITION ASSET
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues":["EXCELLENT","GOOD","UNDER REPAIR","DISPOSED","MISSING","BROKEN"], "AllowOtherValues":false, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting":"Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null } }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: ORDER NUMBER

Column name	ORDER NUMBER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: PO NUMBER

Column name	PO NUMBER
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 19: PO VALUE

Column name	PO VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 20: GR/SA VALUE

Column name	GR/SA VALUE
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 21: START DATE

Column name	START DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: END DATE

Column name	END DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: PAYMENT

Column name	PAYMENT
Visible?	ALWAYS

Type	Price
Type Qualifier	{ "CurrencySymbol": "RM", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": "[PAYMENT TYPE] <> \"BLANKET / PUKAL\"", "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 24: PAYMENT TYPE

Column name	PAYMENT TYPE
Visible?	ALWAYS
Type	Enum
Type Qualifier	{ "EnumValues": ["MONTHLY", "YEARLY", "BLANKET", "MANUAL PO"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: STATUS

Column name	STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": ["ACTIVE", "EXPIRED", "TERMINATED", "EXPIRING SOON"], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " { \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null } } EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": \"=TRUE\", \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: PAYMENT DATE

Column name	PAYMENT DATE
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: ADDITIONAL CHARGES (FILTERS/OTHERS)

Column name	ADDITIONAL CHARGES (FILTERS/OTHERS)
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 28: PAYMENT STATUS

Column name	PAYMENT STATUS
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["PAID","OUTSTANDING","PENDING"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","{"MaxLength":null,"MinLength":null,"LongTextFormatting":"","PlainText":"","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: TOTAL OUTSTANDING

Column name	TOTAL OUTSTANDING
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"RM","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No

Scannable	No
Sensitive data	No

Column 30: REMARKS

Column name	REMARKS
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: PIC NAME

Column name	PIC NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 32: PIC CONTACT NUMBER

Column name	PIC CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 33: PIC EMAIL

Column name	PIC EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: HOS NAME

Column name	HOS NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: HOS CONTACT NUMBER

Column name	HOS CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: HOS EMAIL

Column name	HOS EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: ACCESS LEVEL

Column name	ACCESS LEVEL
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["USER STATE","USER STATION","HQ ADMIN"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: Vendor_Hotline

Column name	Vendor_Hotline
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No

Sensitive data	No
----------------	----

Column 39: SERVICE PERSON

Column name	SERVICE PERSON
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: SERVICE PERSON CONTACT NUMBER

Column name	SERVICE PERSON CONTACT NUMBER
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: PBMCW507

Column name	PBMCW507
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Tile_Label

Column name	Tile_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 43: State_Icon

Column name	State_Icon
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 44: QR_Generator

Column name	QR_Generator
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Quick_Info

Column name	Quick_Info
-------------	------------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: End_Date_60

Column name	End_Date_60
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 47: Ownership_Mode

Column name	Ownership_Mode
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 48: Days_To_Expiry

Column name	Days_To_Expiry
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Contract_Status_VC

Column name	Contract_Status_VC
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 50: Maintenance_Alert

Column name	Maintenance_Alert
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 51: VC_Total_Machines

Column name	VC_Total_Machines
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 52: VC_Total_Expiring

Column name	VC_Total_Expiring
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 53: VC_Total_Outstanding

Column name	VC_Total_Outstanding
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"ErrorMessage_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Grand_Total_Debt

Column name	Grand_Total_Debt
Visible?	ALWAYS

Type	Price
Type Qualifier	{"CurrencySymbol":"\$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Gambar_Mesin

Column name	Gambar_Mesin
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 56: VC_Total_Active

Column name	VC_Total_Active
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Expiry_Month

Column name	Expiry_Month
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: Header_Kewangan

Column name	Header_Kewangan
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\nMAKLUMAT KEWANGAN & PO\\", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Header_Stesyen

Column name	Header_Stesyen
Visible?	ALWAYS
Type	Show
Type Qualifier	{ "Category": "Page_Header", "Content": "=\\\"MAKLUMAT STESEN & REKOD ASET\\\"","Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Header_Perhubungan

Column name	Header_Perhubungan
-------------	--------------------

Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\MAKLUMAT HUBUNGI (TNB & VENDOR)\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Header_Servis

Column name	Header_Servis
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":="\REKOD SERVIS & PENYELENGGARAAN\","", "Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
Searchable	No
Scannable	No
Sensitive data	No

Slices

Slice Name OUTSTANDING

Slice Name	OUTSTANDING
Slice Columns	_RowNumber STATE Zone STATION BUSINESS AREA COMPANY DEPARTMENT LOCATION BRAND MODEL SERIAL NUMBER INSTALLATION DATE Asset_Age_Months ASSET STATUS CONDITION ASSET ORDER NUMBER PO NUMBER PO VALUE GR/SA VALUE START DATE END DATE PAYMENT PAYMENT TYPE STATUS PAYMENT DATE ADDITIONAL CHARGES (FILTERS/OTHERS)

	TOTAL OUTSTANDING
	PAYMENT STATUS
	REMARKS
	PIC NAME
	PIC CONTACT NUMBER
	PIC EMAIL
	HOS NAME
	HOS CONTACT NUMBER
	HOS EMAIL
	ACCESS LEVEL
	Vendor_Hotline
	SERVICE PERSON
	SERVICE PERSON CONTACT NUMBER
	Tile_Label
	State_Icon
	QR_Generator
	Quick_Info
	End_Date_60
	Ownership_Mode
	Days_To_Expiry
	Contract_Status_VC
	Maintenance_Alert
	VC_Total_Machines
	VC_Total_Expiring
	VC_Total_Outstanding
	Grand_Total_Debt
	Gambar_Mesin
	VC_Total_Active
	Expiry_Month
	Header_Kewangan
	Header_Stesyen
	Header_Perhubungan
	Header_Servis
	Asset ID
	PBMCW507
Row filter condition	=[TOTAL OUTSTANDING] > 0
Update mode	ADDS_AND_UPDATES
Source Table	DATA COWAY CUCKOO
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name TOTAL MACHINE

Slice Name	TOTAL MACHINE
Slice Columns	_RowNumber
	STATE
	Zone
	BUSINESS AREA
	STATION
	COMPANY
	DEPARTMENT
	LOCATION
	BRAND
	MODEL
	SERIAL NUMBER
	INSTALLATION DATE
	Asset_Age_Months
	ASSET STATUS
	CONDITION ASSET
	ORDER NUMBER
	PO NUMBER
	PO VALUE
	GR/SA VALUE
	START DATE
	END DATE
	PAYMENT
	PAYMENT TYPE
	STATUS
	PAYMENT DATE
	ADDITIONAL CHARGES (FILTERS/OTHERS)
	TOTAL OUTSTANDING
	PAYMENT STATUS
	REMARKS
	PIC NAME
	PIC CONTACT NUMBER
	PIC EMAIL
	HOS NAME
	HOS CONTACT NUMBER
	HOS EMAIL
	ACCESS LEVEL
	Vendor_Hotline
	SERVICE PERSON
	SERVICE PERSON CONTACT NUMBER
	Asset ID
	PBMCW507

Update mode	ADDS_AND_UPDATES
Source Table	DATA COWAY CUCKOO
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name STATUS is EXPIRING SOON

Slice Name	STATUS is EXPIRING SOON
Slice Columns	_RowNumber Asset ID STATE Zone BUSINESS AREA STATION COMPANY DEPARTMENT LOCATION BRAND MODEL SERIAL NUMBER INSTALLATION DATE Asset_Age_Months ASSET STATUS CONDITION ASSET ORDER NUMBER PO NUMBER PO VALUE GR/SA VALUE START DATE END DATE PAYMENT PAYMENT TYPE STATUS PAYMENT DATE ADDITIONAL CHARGES (FILTERS/OTHERS) PAYMENT STATUS TOTAL OUTSTANDING REMARKS PIC NAME PIC CONTACT NUMBER PIC EMAIL HOS NAME

	HOS CONTACT NUMBER HOS EMAIL ACCESS LEVEL Vendor_Hotline SERVICE PERSON SERVICE PERSON CONTACT NUMBER PBM CW507 Tile_Label State_Icon QR_Generator Quick_Info End_Date_60 Ownership_Mode Days_To_Expiry Contract_Status_VC Maintenance_Alert VC_Total_Machines VC_Total_Expiring VC_Total_Outstanding Grand_Total_Debt Gambar_Mesin VC_Total_Active Expiry_Month Header_Kewangan Header_Stesyen Header_Perhubungan Header_Servis
Row filter condition	=[STATUS] = "EXPIRING SOON"
Update mode	ALL_CHANGES
Source Table	DATA COWAY CUCKOO
Visible?	ALWAYS
Slice Actions	Edit Compose Email (PIC EMAIL) Compose Email (HOS EMAIL) Add Call Phone (PIC CONTACT NUMBER) Send SMS (PIC CONTACT NUMBER) Call Phone (HOS CONTACT NUMBER) Send SMS (HOS CONTACT NUMBER) Call Phone (Vendor_Hotline) Send SMS (Vendor_Hotline) Call Phone (SERVICE PERSON CONTACT NUMBER)

Send SMS (SERVICE PERSON CONTACT NUMBER)
View Ref (MODEL)
WhatsApp PIC
Hantar Notis Tunggakan
WhatsApp HOS
Buka Lokasi Google Maps
Chart Data for COWAY & CUCKOO
Delete
Chart Data for CONTRACT STATUS
Chart Data for EXPIRING SOON
Chart Data for MACHINE
Chart Data for EXPIRED
Hantar Maklum Balas

Slice Name STATUS is EXPIRED

Slice Name	STATUS is EXPIRED
Slice Columns	_RowNumber Asset ID STATE Zone BUSINESS AREA STATION COMPANY DEPARTMENT LOCATION BRAND MODEL SERIAL NUMBER INSTALLATION DATE Asset_Age_Months ASSET STATUS CONDITION ASSET ORDER NUMBER PO NUMBER PO VALUE GR/SA VALUE START DATE END DATE PAYMENT PAYMENT TYPE STATUS PAYMENT DATE

	ADDITIONAL CHARGES (FILTERS/OTHERS) PAYMENT STATUS TOTAL OUTSTANDING REMARKS PIC NAME PIC CONTACT NUMBER PIC EMAIL HOS NAME HOS CONTACT NUMBER HOS EMAIL ACCESS LEVEL Vendor_Hotline SERVICE PERSON SERVICE PERSON CONTACT NUMBER PBMCW507 Tile_Label State_Icon QR_Generator Quick_Info End_Date_60 Ownership_Mode Days_To_Expiry Contract_Status_VC Maintenance_Alert VC_Total_Machines VC_Total_Expiring VC_Total_Outstanding Grand_Total_Debt Gambar_Mesin VC_Total_Active Expiry_Month Header_Kewangan Header_Stesyen Header_Perhubungan Header_Servis
Row filter condition	=[STATUS] = "EXPIRED"
Update mode	ALL_CHANGES
Source Table	DATA COWAY CUCKOO
Visible?	ALWAYS
Slice Actions	Edit Compose Email (PIC EMAIL) Compose Email (HOS EMAIL)

Add
Call Phone (PIC CONTACT NUMBER)
Send SMS (PIC CONTACT NUMBER)
Call Phone (HOS CONTACT NUMBER)
Send SMS (HOS CONTACT NUMBER)
Call Phone (Vendor_Hotline)
Send SMS (Vendor_Hotline)
Call Phone (SERVICE PERSON CONTACT NUMBER)
Send SMS (SERVICE PERSON CONTACT NUMBER)
View Ref (MODEL)
WhatsApp PIC
Hantar Notis Tunggakan
WhatsApp HOS
Buka Lokasi Google Maps
Chart Data for COWAY & CUCKOO
Delete
Chart Data for CONTRACT STATUS
Chart Data for EXPIRING SOON
Chart Data for MACHINE
Chart Data for EXPIRED
Hantar Maklum Balas

Slice Name STATUS

Slice Name	STATUS
Slice Columns	_RowNumber
	Asset ID
	STATE
	Zone
	BUSINESS AREA
	STATION
	COMPANY
	DEPARTMENT
	LOCATION
	BRAND
	MODEL
	SERIAL NUMBER
	INSTALLATION DATE
	Asset_Age_Months
	ASSET STATUS
	CONDITION ASSET
	ORDER NUMBER
	PO NUMBER

PO VALUE
GR/SA VALUE
START DATE
END DATE
PAYMENT
PAYMENT TYPE
STATUS
PAYMENT DATE
ADDITIONAL CHARGES (FILTERS/OTHERS)
PAYMENT STATUS
TOTAL OUTSTANDING
REMARKS
PIC NAME
PIC CONTACT NUMBER
PIC EMAIL
HOS NAME
HOS CONTACT NUMBER
HOS EMAIL
ACCESS LEVEL
Vendor_Hotline
SERVICE PERSON
SERVICE PERSON CONTACT NUMBER
PBMCW507
Tile_Label
State_Icon
QR_Generator
Quick_Info
End_Date_60
Ownership_Mode
Days_To_Expiry
Contract_Status_VC
Maintenance_Alert
VC_Total_Machines
VC_Total_Expiring
VC_Total_Outstanding
Grand_Total_Debt
Gambar_Mesin
VC_Total_Active
Expiry_Month
Header_Kewangan
Header_Stesyen
Header_Perhubungan
Header_Servis

Update mode	ALL_CHANGES
Source Table	DATA COWAY CUCKOO
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name User Feedback

View name	User Feedback
Created by	App owner
View type	form
Position	center
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-list- ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☰
Menu order	1

View name COWAY & CUCKOO

View name	COWAY & CUCKOO
Created by	App owner
View type	dashboard
Position	left
View configuration	{ "ViewEntries":[{"ViewName":"MACHINE","ViewSize":"Large"}, {"ViewName":"CONTRACT STATUS","ViewSize":"Large"}, {"ViewName":"EXPIRED","ViewSize":"Large"},{"ViewName":"EXPIRING SOON","ViewSize":"Large"},{"ViewName":"DATA","ViewSize":"Large"}, {"ViewName":"EQUIPMENT","ViewSize":"Large"}],"InteractiveMode":fa lse,"ShowTabs":false,"Events":[],"Icon":"fas fa- briefcase","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	👜
Menu order	1

View name LIST COWAY & CUCKOO

View name	LIST COWAY & CUCKOO
-----------	---------------------

Created by	App owner
View type	table
Position	menu
View configuration	{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fas fa-check-circle", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name CONTRACT STATUS

View name	CONTRACT STATUS
Created by	App owner
View type	chart
ActionType	Aggregate PieChart
Position	ref
View configuration	{ "ChartType": "Aggregate PieChart", "UseNewChartExperience": false, "ChartConfig": null, "ChartColumns": ["STATUS"], "GroupAggregate": "COUNT", "TrendLine": "None", "ChartColors": ["green", "red", "yellow", "primaryText"], "LabelType": "Value", "ShowLegend": true, "SortBy": [], "Events": [], "Icon": "fas fa-file-signature", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DATA

View name	DATA
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth": "Narrow", "EnableQuickEdit": false, "ColumnOrder": ["STATE", "Zone", "BUSINESS AREA", "STATION", "COMPANY", "DEPARTMENT", "LOCATION", "BRAND", "] }

```

MODEL","SERIAL NUMBER","INSTALLATION
DATE","Asset_Age_Months","ASSET STATUS","CONDITION
ASSET","ORDER NUMBER","PO NUMBER","PO VALUE","GR/SA
VALUE","START DATE","END DATE","PAYMENT","PAYMENT
TYPE","STATUS","PAYMENT DATE","ADDITIONAL CHARGES
(FILTERS/OTHERS)","TOTAL OUTSTANDING","PAYMENT
STATUS","REMARKS","PIC NAME","PIC CONTACT NUMBER","PIC
EMAIL","HOS NAME","HOS CONTACT NUMBER","HOS
EMAIL","ACCESS LEVEL","Vendor_Hotline","SERVICE
PERSON","SERVICE PERSON CONTACT NUMBER"],"GroupBy":
[],"GroupAggregate":"COUNT","SortBy":
[{"Column":"STATE","Order":"Ascending"},
{"Column":"STATION","Order":"Ascending"}],"PrimarySortColumn":null,
"IsPrimarySortDescending":false,"Events":[{"EventType":"Row
Selected","EventAction":"**auto**"}],"Icon":"fas fa-
bolt","IconRunnerUps":null,"MenuOrder":1}

```

Visible?	ALWAYS
Icon	
Menu order	1

View name DATA COWAY CUCKOO_Detail

View name	DATA COWAY CUCKOO_Detail
Created by	System
View type	detail
ActionType	Normal
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns":["STATION"], "QuickEditColumns":[], "ColumnOrder":[], "ImageStyle":"Fit", "Layout":null, "UseCardLayout":false, "DisplayMode":"Normal", "MaxNestedRows":31, "SlideshowMode":false, "DesktopSplitMode":"Full screen", "UseDesktopMultiColumn":false, "SortBy":[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DATA COWAY CUCKOO_Form

View name	DATA COWAY CUCKOO_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["ASSET_ID", "STATE", "Zone", "BUSINESS AREA", "STATION", "COMPANY", "DEPARTMENT", "LOCATION", "BRAND", "MODEL", "SERIAL NUMBER", "INSTALLATION DATE", "ASSET STATUS", "CONDITION ASSET", "ORDER NUMBER", "PO NUMBER", "PO VALUE", "GR/SA VALUE", "START DATE", "END DATE", "PAYMENT", "PAYMENT TYPE", "STATUS", "PAYMENT DATE", "ADDITIONAL CHARGES (FILTERS/OTHERS)", "PAYMENT STATUS", "REMARKS", "PIC NAME", "PIC CONTACT NUMBER", "PIC EMAIL", "HOS NAME", "HOS CONTACT NUMBER", "HOS EMAIL", "ACCESS LEVEL", "Vendor_Hotline", "SERVICE PERSON", "SERVICE PERSON CONTACT NUMBER", "LAST SERVICE DATE", "NEXT SERVICE DATE", "FILTER CHANGE DATE", "NEXT FILTER CHANGE DATE", "SERVICE REMARKS", "Gambar_Mesin"], "AutoSave": true, "AutoReopen": true, "FinishView": "HOME", "RowKey": "", "FormStyle": "Default", "PageStyle": "Simple", "FormFooterStyle": "Bottom", "MaxNestedRows": 37, "AudioInput": false, "Events": { "EventType": "Form Saved", "EventAction": "***auto**" }, "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name DATA COWAY CUCKOO_Inline

View name	DATA COWAY CUCKOO_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["STATION", "SERIAL NUMBER", "LOCATION", "PIC EMAIL", "Header_Kewangan", "TOTAL OUTSTANDING", "STATE", "Zone", "BUSINESS AREA", "COMPANY", "DEPARTMENT", "BRAND", "MODEL", "INSTALLATION DATE", "Asset_Age_Months", "ASSET STATUS", "CONDITION ASSET", "ORDER NUMBER", "PO NUMBER", "PO VALUE", "GR/SA VALUE", "START DATE", "END DATE", "PAYMENT", "PAYMENT TYPE", "STATUS", "PAYMENT DATE", "ADDITIONAL CHARGES (FILTERS/OTHERS)", "PAYMENT STATUS", "REMARKS", "PIC NAME", "PIC CONTACT NUMBER", "PIC EMAIL", "HOS NAME", "HOS CONTACT NUMBER", "HOS EMAIL", "ACCESS LEVEL", "Vendor_Hotline", "SERVICE PERSON", "SERVICE PERSON CONTACT NUMBER", "LAST SERVICE DATE", "NEXT SERVICE DATE", "FILTER CHANGE DATE", "NEXT FILTER CHANGE DATE", "SERVICE REMARKS", "Gambar_Mesin"], "AutoSave": true, "AutoReopen": true, "FinishView": "HOME", "RowKey": "", "FormStyle": "Default", "PageStyle": "Simple", "FormFooterStyle": "Bottom", "MaxNestedRows": 37, "AudioInput": false, "Events": { "EventType": "Form Saved", "EventAction": "***auto**" }, "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>


```

TYPE","STATUS","PAYMENT DATE","ADDITIONAL CHARGES
(FILTERS/OTHERS)","PAYMENT STATUS","REMARKS","PIC
NAME","PIC CONTACT NUMBER","HOS NAME","HOS CONTACT
NUMBER","HOS EMAIL","ACCESS LEVEL","Vendor_Hotline","SERVICE
PERSON","SERVICE PERSON CONTACT
NUMBER","Tile_Label","State_Icon","QR_Generator","Quick_Info","End_
Date_60","Ownership_Mode","Days_To_Expiry","Contract_Status_VC","
Maintenance_Alert","VC_Total_Machines","VC_Total_Expiring","VC_To
tal_Outstanding","Grand_Total_Debt","Gambar_Mesin","VC_Total_Acti
ve","Expiry_Month","**all other
columns**","Header_Stesyen","Header_Perhubungan","Header_Servis
"],"GroupBy":
[{"Column":"STATE","Order":"Ascending"}],"GroupAggregate":"NONE",
SortBy":
[{"Column":"STATE","Order":"Ascending"}],"PrimarySortColumn":null,"I
sPrimarySortDescending":false,"Events":[{"EventType":"Row
Selected","EventAction":"**auto**"}],"Icon":"fa-list-
ul","IconRunnerUps":null,"MenuOrder":1}

```

Visible?	ALWAYS
Icon	☰
Menu order	1

View name EQUIPMENT

View name	EQUIPMENT
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	<pre> {"Layout":{"style":{"type":"style","color": {"type":"variable","value":"primaryText","id":"7169c5f7-dbee-4c27- a791-511f7aa9c621"},"border": {"type":"variable","value":"cardBorderStyle","id":"d5698dac-4c6e-445f- bc7e-9f294b404a62"},"borderRadius": {"type":"variable","value":"cardBorderRadius","id":"c429bcc7-edb1- 4a62-a782-0ae667eafa31"},"borderColor": {"type":"variable","value":"cardOutline","id":"255b3722-9435-40a4- b782- 1a481824eb28"},"display":"flex","flexDirection":"column","background Color": {"type":"variable","value":"mainContentBackground","id":"bd58227d- e947-4c65-889b-1e4e256752e3"},"fontSize":16,"highlightedUpdate": </pre>

```

{"type":"style","border":
{"type":"variable","value":"cardBorderStyleSelected","id":"1ac950c8-
0605-400b-b626-a3dd492b879a"},"borderColor":
{"type":"variable","value":"focusColor","id":"07e492dc-727a-4aee-
b90c-e92b2ab2c014"},"id":"9768457f-bc96-47ab-b153-
b9f610aef34c"},"id":"bf49015e-053c-4635-b2bf-
a3afe738ec61"},"children":[{"style":
{"type":"style","display":"flex","alignItems":"center","padding":8,"cursor":
"pointer","backgroundColor":
{"type":"variable","value":"mainContentBackground","id":"0cacd2ef-
e515-4884-8ba4-d900d3144ba4"},"borderRadius":
{"type":"variable","value":"cardBorderRadius","id":"7b49c0e1-6b44-
4c3c-a310-c2d01ba4bdad"},"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"d220ae1c-
9b38-45ec-b75a-b03d8592fede"},"boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-
45ec-b75a-b03d8592fede"},"transition":"background
0.8s","id":"b10155de-960d-4680-99ab-12250e16f9ee"},"highlighted":
{"type":"style","background":
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-
b75a-b03d8592fed3"},"id":"b10155de-960d-4680-99ab-
12250e16f94e"},"highlightedUpdate":{},"down":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"21f41bc4-1d8f-
4212-a6e4-057bd3a8fe0b"},"transition":"background
0.8s","id":"9205c7a9-35ed-4237-b9c8-
92d448dc9b11"},"id":"41561a21-2f97-490c-9ca2-
d0f862f55568"},"children":[{"value":"Cover_Image","child":
{"id":"mainImage","type":"image","style":
{"type":"style","overflow":"hidden","width":70,"height":70,"borderRadius
":"2px","objectFit":"cover","flex":"0 0
70px","alignItems":"center","justifyContent":"center","id":"bc54d99e-
c9a5-4f7c-bc5a-7ff388247636"},"id":"28502c76-f322-4bee-a3dd-
3517932edb72","type":"binding"},{"style":
{"type":"style","display":"flex","flexDirection":"column","marginLeft":16,"
flexShrink":1,"flexGrow":0,"overflow":"hidden","id":"1b750d3d-d245-
4672-a22d-e194832d833c"},"children":[{"value":"Model","child":
{"id":"labelText","type":"text","style":{"type":"style","id":"507ee6fc-c860-
445f-880a-c8682b6bd878"},"ignore":false},"id":"3f58a5eb-8102-4b18-
b70c-81c3721275d3","type":"binding","ignore":false},
{"value":"Brand","child":{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"0211ba9

```

```

6-1cee-43ff-a277-dc8081acdd07"},"ignore":false},"id":"af00a19c-
2913-444c-a6cf-
f10de41f6961","type":"binding","ignore":false}],"id":"cc8e8bdf-8cbf-
45fd-9bf6-3cc2da557703","type":"container"},"style":
{"type":"style","justifyContent":"flex-
end","flexGrow":1,"display":"flex","id":"03e8ac10-f699-4b0e-b962-
c2f9b1beb94e"},"children":[{"style":{"type":"style","color":
{"id":"ellipsisColor","type":"variable","value":"primaryText"},"id":"9dbf4f
c3-1d63-43e2-8555-4da156b31604"},"items":[{"style":
{"type":"style","id":"771c2038-f239-4584-9a68-
8e870783c818"},"onClick":{"id":"8969b669-2c65-49b4-8068-
f388d058d3af","type":"action"},"icon":{"type":"constant","value":"fa-file-
text","id":"e1d07767-257b-4bd2-80c4-cfe0773a3bde"},"text":
{"value":"Open File (Manual_File)","id":"ae79459c-e025-4fbd-b8a5-
a67c1951a6fa","type":"actionDisplayText"},"id":"cb2b0d60-7def-4900-
93be-de47d032c897","type":"systemAction","ignore":true},"style":
{"type":"style","id":"cda5f0a8-23ef-44a3-9ac3-
4b25a63c857f"},"onClick":{"value":"Edit","id":"9164b27a-0247-493c-
91fe-5759897fd40b","type":"action"},"icon":
{"type":"constant","value":"fa-edit","id":"c7e376a4-a10d-4255-a9d2-
8e38befe4cea"},"text":{"value":"Edit","id":"9414fa56-e4d7-4ac7-942d-
b88c1433122b","type":"actionDisplayText"},"id":"e09dfed3-b0ba-
4a3a-9d32-f1f34f7b82cb","type":"systemAction"},"style":
{"type":"style","id":"f62e1913-b059-422a-a0ce-
c6c1ed939c19"},"onClick":{"value":"Delete","id":"b4573f97-1ca8-48ea-
bffb-e03966b053c9","type":"action"},"icon":
{"type":"constant","value":"fa-trash-alt","id":"67e305c4-18ca-47c6-
b221-38bb5634e8bd"},"text":{"value":"Delete","id":"b75ef34e-a76d-
4ce7-8ab8-
5be5dc3ad59b","type":"actionDisplayText"},"id":"c65d949d-a0ae-
44ef-a7a0-1c3be8b647eb","type":"systemAction"},"id":"cdf524ff-
9a78-4f03-8b01-
e5bde99d56fc","type":"ellipsisMenu"},"id":"c0bf415a-39e0-4d21-
990a-f3fc8afae169","type":"container"},"onClick":{"value":"Go to
details","id":"bfaf6abf-c1a8-4e20-b27f-
24e65c0da7a1","type":"action"},"id":"357a17b3-b454-405e-9a77-
59fd604173ce","type":"container"},"name":"list","variables":
[{"name":"imageName","value":"https://www.appsheet.com/Content/
editor/img/empty-media-template.png"},
{"name":"labelName","value":"Title goes
here"}],"version":0,"id":"a89b72c9-97cf-43a7-8b48-
b3daf0733a83","type":"container"},"MainDeckImageColumn":"**auto*
*","ImageShape":"Square

```

	<pre>Image","PrimaryDeckHeaderColumn":"**auto**","SecondaryDeckHeaderColumn":"**auto**","DeckSummaryColumn":"**auto**","DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Brand","Order":"Ascending"}],"GroupAggregate":"COUNT","SortBy":[{"Column":"Brand","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"far fa-cube","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EXPIRED

View name	EXPIRED
Created by	App owner
View type	chart
ActionType	Histogram
Position	ref
View configuration	<pre>{"ChartType":"Histogram","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["STATE","STATUS"],"GroupAggregate":"COUNT","TrendLine":"None","ChartColors":["red"],"LabelType":"Percent","ShowLegend":true,"SortBy":[],"Events":[],"Icon":"fas fa-alarm-clock","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name EXPIRING SOON

View name	EXPIRING SOON
Created by	App owner
View type	chart
ActionType	Histogram
Position	ref
View configuration	<pre>{"ChartType":"Histogram","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":["STATE","STATUS"],"GroupAggregate":"COUNT","TrendLine":"None","C</pre>

	<pre>hartColors": ["orange"],"LabelType":"Percent","ShowLegend":false,"SortBy": [],"Events":[],"Icon":"fas fa-arrow-square- down","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTER_Detail

View name	FILTER_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode ":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSpl itMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FILTER_Form

View name	FILTER_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView" :"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	

Menu order	1
------------	---

View name MACHINE

View name	MACHINE
Created by	App owner
View type	chart
ActionType	Histogram
Position	ref
View configuration	{ "ChartType": "Histogram", "UseNewChartExperience": false, "ChartConfig": null, "ChartColumns": ["STATE", "GroupAggregate": "COUNT", "TrendLine": "None", "ChartColors": ["green"], "LabelType": "Percent", "ShowLegend": false, "SortBy": [{ "Column": "START DATE", "Order": "Ascending" }], "Events": [], "Icon": "fas fa-dewpoint", "IconRunnerUps": null, "MenuOrder": 1 } }
Visible?	ALWAYS
Icon	
Menu order	1

View name MACHINE_MANUAL_Detail

View name	MACHINE_MANUAL_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name MACHINE_MANUAL_Form

View name	MACHINE_MANUAL_Form
-----------	---------------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "Automatic","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic", "FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false, "Events":{"EventType":"Form Saved","EventAction":"**auto**"}, "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name USER_MANUAL

View name	USER_MANUAL
Created by	App owner
View type	table
Position	ref
View configuration	{ "ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder": [],"GroupBy":[],"GroupAggregate":"NONE","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}], "Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

Format Rules

Rule name Status_Urgent

Rule name	Status_Urgent
Format these columns and actions	Contract_Status_VC Expiry_Month
For this data	DATA COWAY CUCKOO
If this condition is true	=AND([Days_To_Expiry] >= 0, [Days_To_Expiry] <= 30)
Rule order	1
Is this format rule disabled?	No

Like this

```
{
  "textColor": "red",
  "highlightColor": null,
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "fas fa-exclamation-square",
  "imageSize": null
}
```

Visible?	ALWAYS
----------	--------

Rule name Highlight_Debt

Rule name	Highlight_Debt
-----------	----------------

Format these columns and actions	TOTAL OUTSTANDING
----------------------------------	-------------------

For this data	DATA COWAY CUCKOO
---------------	-------------------

If this condition is true	=[TOTAL OUTSTANDING] > 0
---------------------------	--------------------------

Rule order	1
------------	---

Is this format rule disabled?	No
-------------------------------	----

```
{
  "textColor": "red",
  "highlightColor": null,
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": false,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-money-bill-alt",
  "imageSize": null
}
```

Like this

Visible?	ALWAYS
----------	--------

Rule name Alert_Broken_Asset

Rule name	Alert_Broken_Asset
-----------	--------------------

Format these columns and actions	CONDITION ASSET
----------------------------------	-----------------

For this data	DATA COWAY CUCKOO
---------------	-------------------

If this condition is true	=[CONDITION ASSET] = "BROKEN"
---------------------------	-------------------------------

Rule order	1
------------	---

Is this format rule disabled?	No
-------------------------------	----

```
{
  "textColor": "red",
  "highlightColor": null,
  "textSize": 1.0,
  "underline": true,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "fas fa-exclamation-circle",
  "imageSize": null
}
```

Like this

Visible?	ALWAYS
----------	--------

Rule name Payment_Status_Check 2

Rule name	Payment_Status_Check 2
-----------	------------------------

Format these columns and actions	PAYMENT STATUS
----------------------------------	----------------

For this data	DATA COWAY CUCKOO
---------------	-------------------

If this condition is true	=[PAYMENT STATUS] = "PAID"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-check-circle", "imageSize": null }
Visible?	ALWAYS

Rule name Payment_Status_Check

Rule name	Payment_Status_Check
Format these columns and actions	PAYMENT STATUS
For this data	DATA COWAY CUCKOO
If this condition is true	=[PAYMENT STATUS] = "PENDING"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-exclamation-circle", "imageSize": null }
Visible?	ALWAYS

Rule name Kontrak_Aktif_Hijau

Rule name	Kontrak_Aktif_Hijau
Format these columns and actions	Contract_Status_VC
For this data	DATA COWAY CUCKOO
If this condition is true	=[Contract_Status_VC] = "ACTIVE"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-toggle-on", "imageSize": null }
Visible?	ALWAYS

Rule name Servis_Overdue

Rule name	Servis_Overdue
-----------	----------------

Format these columns and actions	Zone
For this data	DATA COWAY CUCKOO
If this condition is true	=[Maintenance_Alert] = "Urgent"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "orange", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-wrench", "imageSize": null }
Visible?	ALWAYS

Rule name Warna_Butang_WhatsApp

Rule name	Warna_Butang_WhatsApp
Format these columns and actions	__action__WhatsApp PIC
For this data	DATA COWAY CUCKOO
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "green", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-comment", "imageSize": null }
Visible?	ALWAYS

Rule name Warna_Butang_Tunggakan

Rule name	Warna_Butang_Tunggakan
Format these columns and actions	__action__Hantar Notis Tunggakan
For this data	DATA COWAY CUCKOO
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-exclamation-triangle", "imageSize": null }
Visible?	ALWAYS

Rule name Warna_Butang_Servis

Rule name	Warna_Butang_Servis
Format these columns and actions	STATION
For this data	DATA COWAY CUCKOO
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "blue", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Ikon_Hubungi_TNB

Rule name	Ikon_Hubungi_TNB
Format these columns and actions	PIC NAME HOS NAME
For this data	DATA COWAY CUCKOO
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "blue", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-user", "imageSize": null }
Visible?	ALWAYS

Rule name Ikon_Vendor_Hotline

Rule name	Ikon_Vendor_Hotline
Format these columns and actions	Vendor_Hotline SERVICE PERSON
For this data	DATA COWAY CUCKOO
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "minorText", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": "fas fa-phone", "imageSize": null }

Visible?	ALWAYS
----------	--------

Rule name Format Coway

Rule name	Format Coway
Format these columns and actions	BRAND
For this data	DATA COWAY CUCKOO
If this condition is true	=[BRAND] = "Coway"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "purple", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Format Cuckoo

Rule name	Format Cuckoo
Format these columns and actions	BRAND
For this data	DATA COWAY CUCKOO
If this condition is true	=[BRAND] = "Cuckoo"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "pink", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Payment_Status_Check 3

Rule name	Payment_Status_Check 3
Format these columns and actions	PAYMENT STATUS
For this data	DATA COWAY CUCKOO
If this condition is true	=[PAYMENT STATUS] = "OUTSTANDING"
Rule order	1
Is this format rule disabled?	No

Like this	<pre>{"textColor":"red","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-times","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Status_Active_Hijau

Rule name	Status_Active_Hijau
Format these columns and actions	Contract_Status_VC
For this data	DATA COWAY CUCKOO
If this condition is true	=[Days_To_Expiry] > 150
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	ALWAYS

Rule name Status_Expiring_Soon_Oren

Rule name	Status_Expiring_Soon_Oren
Format these columns and actions	Contract_Status_VC Expiry_Month
For this data	DATA COWAY CUCKOO
If this condition is true	=AND([Days_To_Expiry] > 30, [Days_To_Expiry] <= 150)
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"orange","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</pre>
Visible?	ALWAYS

Rule name Condition_Healthy_Hijau

Rule name	Condition_Healthy_Hijau
Format these columns and actions	CONDITION ASSET
For this data	DATA COWAY CUCKOO

If this condition is true	=OR([CONDITION ASSET] = "GOOD", [CONDITION ASSET] = "EXCELLENT")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Condition_Warning_Oren

Rule name	Condition_Warning_Oren
Format these columns and actions	CONDITION ASSET
For this data	DATA COWAY CUCKOO
If this condition is true	=OR([CONDITION ASSET] = "FAIR", [CONDITION ASSET] = "POOR", [CONDITION ASSET] = "UNDER REPAIR")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"orange","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-exclamation","imageSize":null}
Visible?	ALWAYS

Rule name Condition_Critical_Merah

Rule name	Condition_Critical_Merah
Format these columns and actions	CONDITION ASSET
For this data	DATA COWAY CUCKOO
If this condition is true	=OR([CONDITION ASSET] = "DAMAGED", [CONDITION ASSET] = "NOT WORKING", [CONDITION ASSET] = "MISSING")
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-times","imageSize":null}
Visible?	ALWAYS

Rule name Condition_Disposed_Kelabu

Rule name	Condition_Disposed_Kelabu
Format these columns and actions	CONDITION ASSET
For this data	DATA COWAY CUCKOO
If this condition is true	=[CONDITION ASSET] = "DISPOSED"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "minorText", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": true, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Highlight_Additional_Charges

Rule name	Highlight_Additional_Charges
Format these columns and actions	ADDITIONAL CHARGES (FILTERS/OTHERS)
For this data	DATA COWAY CUCKOO
If this condition is true	=[ADDITIONAL CHARGES (FILTERS/OTHERS)] > 0
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Expiry_Month_Dah_Tamat

Rule name	Expiry_Month_Dah_Tamat
Format these columns and actions	Contract_Status_VC Expiry_Month
For this data	DATA COWAY CUCKOO
If this condition is true	=[Days_To_Expiry] < 0
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-times-circle", "imageSize": null }

Visible?	ALWAYS
----------	--------

Rule name Asset_Status_TNB_Owned

Rule name	Asset_Status_TNB_Owned
Format these columns and actions	ASSET STATUS
For this data	DATA COWAY CUCKOO
If this condition is true	=[ASSET STATUS] = "TNB OWNED"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": null, "highlightColor": "purple", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name Asset_Status_Rental_Mode

Rule name	Asset_Status_Rental_Mode
Format these columns and actions	ASSET STATUS
For this data	DATA COWAY CUCKOO
If this condition is true	=[ASSET STATUS] = "RENTAL MODE"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "pink", "highlightColor": null, "textSize": 1.0, "underline": false, "strikethrough": false, "bold": false, "italic": false, "uppercase": false, "icon": null, "imageSize": null }
Visible?	ALWAYS

Rule name EXPIRED

Rule name	EXPIRED
Format these columns and actions	STATUS
For this data	DATA COWAY CUCKOO
If this condition is true	=[Status] = "EXPIRED"
Rule order	1
Is this format rule disabled?	No

Like this

```
{
  "textColor": "primaryText",
  "highlightColor": "primaryText",
  "textSize": 1.3,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": null,
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name EXPIRING SOON

Rule name

EXPIRING SOON

Format these columns and actions

STATUS

For this data

DATA COWAY CUCKOO

If this condition is true

=[Status] = "EXPIRING SOON"

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "orange",
  "highlightColor": "orange",
  "textSize": 1.3,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": null,
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name ACTIVE

Rule name

ACTIVE

Format these columns and actions

STATUS

For this data

DATA COWAY CUCKOO

If this condition is true

=[Status] = "ACTIVE"

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "green",
  "highlightColor": "green",
  "textSize": 1.3,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": null,
  "imageSize": null
}
```

Visible?

ALWAYS

Behavior

Actions

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (PIC EMAIL)

Action name	Compose Email (PIC EMAIL)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "EmailTo": "[PIC EMAIL]", "Subject": null, "Body": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	EMAIL
Attach to column	PIC EMAIL
Set this column	PIC EMAIL

Only if this condition is true NOT(ISBLANK([PIC EMAIL]))

Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (HOS EMAIL)

Action name	Compose Email (HOS EMAIL)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "EmailTo": "[HOS EMAIL]", "Subject": null, "Body": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	EMAIL
Attach to column	HOS EMAIL
Set this column	HOS EMAIL
Only if this condition is true	NOT(ISBLANK([HOS EMAIL]))
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Call Phone (PIC CONTACT NUMBER)

Action name	Call Phone (PIC CONTACT NUMBER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Number":"[PIC CONTACT NUMBER]","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	PIC CONTACT NUMBER
Set this column	PIC CONTACT NUMBER
Only if this condition is true	NOT(ISBLANK([PIC CONTACT NUMBER]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No

Visible?

ALWAYS

Action name Send SMS (PIC CONTACT NUMBER)

Action name	Send SMS (PIC CONTACT NUMBER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "Number": "[PIC CONTACT NUMBER]", "Message": "", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	SMS
Attach to column	PIC CONTACT NUMBER
Set this column	PIC CONTACT NUMBER
Only if this condition is true	NOT(ISBLANK([PIC CONTACT NUMBER]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (HOS CONTACT NUMBER)

Action name	Call Phone (HOS CONTACT NUMBER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "Number": "[HOS CONTACT NUMBER]", "Prominence": "Display_Inline", "NeedsConfirmation": fa

```
lse,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
```

Do this	CALL
Attach to column	HOS CONTACT NUMBER
Set this column	HOS CONTACT NUMBER
Only if this condition is true	NOT(ISBLANK([HOS CONTACT NUMBER]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (HOS CONTACT NUMBER)

Action name	Send SMS (HOS CONTACT NUMBER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{"Number": "[HOS CONTACT NUMBER]", "Message": "", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</pre>
Do this	SMS
Attach to column	HOS CONTACT NUMBER
Set this column	HOS CONTACT NUMBER
Only if this condition is true	NOT(ISBLANK([HOS CONTACT NUMBER]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	DATA COWAY CUCKOO

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (Vendor_Hotline)

Action name	Call Phone (Vendor_Hotline)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{ "Number": "[Vendor_Hotline]", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	CALL
Attach to column	Vendor_Hotline
Set this column	Vendor_Hotline
Only if this condition is true	NOT(ISBLANK([Vendor_Hotline]))
Disable automatic updates?	No
Display name	Phone call
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Vendor_Hotline)

Action name	Send SMS (Vendor_Hotline)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	{ "Number": "[Vendor_Hotline]", "Message": "", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	SMS
Attach to column	Vendor_Hotline
Set this column	Vendor_Hotline
Only if this condition is true	NOT(ISBLANK([Vendor_Hotline]))
Disable automatic updates?	No
Display name	Text message
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Call Phone (SERVICE PERSON CONTACT NUMBER)

Action name	Call Phone (SERVICE PERSON CONTACT NUMBER)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "Number": "[SERVICE PERSON CONTACT NUMBER]", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	CALL
Attach to column	SERVICE PERSON CONTACT NUMBER
Set this column	SERVICE PERSON CONTACT NUMBER
Only if this condition is true	NOT(ISBLANK([SERVICE PERSON CONTACT NUMBER]))
Disable automatic updates?	No
Display name	Phone call
Action icon	

For a record of this table DATA COWAY CUCKOO

Does this action apply to the whole table?

No

Visible?

ALWAYS

Action name Send SMS (SERVICE PERSON CONTACT NUMBER)

Action name Send SMS (SERVICE PERSON CONTACT NUMBER)

Bulk action?

No

Modifies data?

No

Needs confirmation?

No

Prominence

Display_Inline

Action order

1

With these properties

```
{"Number":["SERVICE PERSON CONTACT NUMBER"],"Message":"","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
```

Do this

SMS

Attach to column

SERVICE PERSON CONTACT NUMBER

Set this column

SERVICE PERSON CONTACT NUMBER

Only if this condition is true

NOT(ISBLANK([SERVICE PERSON CONTACT NUMBER]))

Disable automatic updates?

No

Display name

Text message

Action icon



For a record of this table

DATA COWAY CUCKOO

Does this action apply to the whole table?

No

Visible?

ALWAYS

Action name Delete

Action name Delete

Bulk action?

Yes

Modifies data?

Yes

Needs confirmation?

Yes

Prominence

Do_Not_Display

Action order

1

With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	MACHINE_MANUAL
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	MACHINE_MANUAL
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No

Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	MACHINE_MANUAL
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Open Url (Manual_File)

Action name	Open Url (Manual_File)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"[Manual_File]","LaunchExternal":false,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_URL
Attach to column	Manual_File
Set this column	Manual_File
Only if this condition is true	NOT(ISBLANK([Manual_File]))
Disable automatic updates?	No
Action icon	
For a record of this table	MACHINE_MANUAL
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (MODEL)

Action name	View Ref (MODEL)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=MAC HINE_MANUAL&row=\", ENCODEURL([MODEL]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	MODEL
Set this column	MODEL
Only if this condition is true	NOT(ISBLANK([MODEL]))
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table FILTER

Does this action apply to the whole table?

No

Visible?

ADVANCED

Action name Edit

Action name Edit

Bulk action?

No

Modifies data?

Yes

Needs confirmation?

No

Prominence

Display_Overlay

Action order

1

With these properties

```
{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
```

Do this

EDIT_RECORD

Disable automatic updates?

No

Action icon



For a record of this table

FILTER

Does this action apply to the whole table?

No

Visible?

ALWAYS

Action name Add

Action name Add

Bulk action?

Yes

Modifies data?

Yes

Needs confirmation?

No

Prominence

Display_Overlay

Action order

1

With these properties

```
{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
```

Do this

ADD_RECORD

Disable automatic updates?

No

Action icon	
For a record of this table	FILTER
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Compose Email (User_Email)

Action name	Compose Email (User_Email)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{"EmailTo":["User_Email"],"Subject":null,"Body":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	EMAIL
Attach to column	User_Email
Set this column	User_Email
Only if this condition is true	NOT(ISBLANK([User_Email]))
Disable automatic updates?	No
Action icon	
For a record of this table	FILTER
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Reset Tapisan

Action name	Reset Tapisan
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1

With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Pilih_Vendor", "NewColumnValue": "=\\\"", "ColumnToEdit": "Pilih_State", "NewColumnValue": "=\\\"", "ColumnToEdit": "Status_Kontrak", "NewColumnValue": "=\\\"", "ColumnToEdit": "Pilih_Vendor", "NewColumnValue": "=\\\"", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Pilih_Vendor
Set this column	Pilih_Vendor
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	FILTER
Does this action apply to the whole table?	No
To this value	=
Visible?	ALWAYS

Action name WhatsApp PIC

Action name	WhatsApp PIC
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\\\"https://wa.me/6\\\", [PIC CONTACT NUMBER], \\\"?text=Salam%20Sejahtera%20\\\", [PIC NAME], \\\"%20saya%20dari%20BSO%20ingin%20bertanya%20mengenai%20status%20mesin%20\\\", [BRAND], \\\"%20\\\", [MODEL], \\\"%20di%20\\\", [STATION])\", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_URL

Only if this condition is true

true

Disable automatic updates?

No

Action icon



For a record of this table

DATA COWAY CUCKOO

Does this action apply to the whole table?

No

Visible?

ALWAYS

Action name Hantar Notis Tunggakan

Action name

Hantar Notis Tunggakan

Bulk action?

No

Modifies data?

No

Needs confirmation?

No

Prominence

Display_Prominently

Action order

1

With these properties

```
{"NavigateTarget": "=CONCATENATE(\"https://wa.me/6\", [PIC CONTACT NUMBER], \"?text=PERINGATAN:%20Terdapat%20tunggakan%20bayaran%20sebanyak%20RM\", [TOTAL OUTSTANDING], \"%20bagi%20mesin%20\", [BRAND], \"%20di%20\", [STATION], \".%20Mohon%20maklum%20balas.%20Terima%20kasih.\")\", \"LaunchExternal\": false, \"Prominence\": \"Display_Prominently\", \"NeedsConfirmation\": false, \"ConfirmationMessage\": \"\", \"ModifiesData\": false, \"BulkApplicable\": false}
```

Do this

NAVIGATE_URL

Only if this condition is true

= [TOTAL OUTSTANDING] > 0

Disable automatic updates?

No

Action icon



For a record of this table

DATA COWAY CUCKOO

Does this action apply to the whole table?

No

Visible?

ALWAYS

Action name WhatsApp HOS

Action name	WhatsApp HOS
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"https://wa.me/6\", [HOS CONTACT NUMBER], \"?text=Salam%20\", [HOS NAME], \"%20mohon%20perhatian%20mengenai%20kontrak%20mesin%20\", [BRAND], \"%20di%20\", [STATION], \"%20(PO:%20\", [PO NUMBER], \")%20yang%20akan%20tamat%20pada%20\", [END DATE], \":%20Terima%20kasih.\")", "LaunchExternal": false, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_URL
Only if this condition is true	=[Days_To_Expiry] <= 60
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Buka Lokasi Google Maps

Action name	Buka Lokasi Google Maps
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre>{ "NavigateTarget": "CONCATENATE(\"https://www.google.com/maps/search/?api=1&query=\", ENCODEURL([LOCATION]))", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>

Do this	NAVIGATE_URL
Attach to column	LOCATION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Chart Data for COWAY & CUCKOO

Action name	Chart Data for COWAY & CUCKOO
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{ "NavigateTarget": "\#page=fastTable&table=DATA%20COWAY%20CUCKOO\"," "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "COWAY & CUCKOO"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
-------------	--------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Chart Data for CONTRACT STATUS

Action name	Chart Data for CONTRACT STATUS
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget": "\#page=fastTable&table=DATA%20COWAY%20CUCKOO\\", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "CONTRACT STATUS"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes

Visible?

ALWAYS

Action name Chart Data for EXPIRING SOON

Action name	Chart Data for EXPIRING SOON
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "NavigateTarget": "\#page=fastTable&table=DATA%20COWAY%20CUCKOO\","Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "EXPIRING SOON"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for MACHINE

Action name	Chart Data for MACHINE
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "NavigateTarget": "\#page=fastTable&table=DATA%20COWAY%20CUCKOO\","Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP

Only if this condition is true =CONTEXT("View") = "MACHINE"

Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for EXPIRED

Action name Chart Data for EXPIRED

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "NavigateTarget": "\#page=fastTable&table=DATA%20COWAY%20CUCKOO\\"", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "EXPIRED"
Disable automatic updates?	No
Display name	Data
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Hantar Maklum Balas

Action name Hantar Maklum Balas

Bulk action?	No
--------------	----

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "NavigateTarget": "\https://forms.gle/8JvzxXHoXAUNPzDY6\\", "LaunchExternal": false, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_URL
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Download

Action name	Download
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{ "CsvLocale": "en-US", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	EXPORT_VIEW
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	DATA COWAY CUCKOO

Does this action apply to
the whole table? Yes

Visible?	ALWAYS
----------	--------
