

Table 1: The evolution of GLINT

	Subaru, 2016-2018	AAT, 2016-2017 (“GLINT-South”)	Subaru, 2018-2023
Number of apertures/baselines	2/1	2/1	4/6
Baseline lengths	5.55 m	2.7 m	2.15-6.45 m
$\lambda/(2B)$	29 mas	59 mas	25-74 mas
Interference¹	DC	DC	DC
AO	AO188+SCExAO	Internal tip-tilt only	AO188+SCExAO
Detection	Photoreceivers (photometry)	Photodiodes (photometry)	CRD2 (spectra)
Remarks	Measured stellar diameters ~ 19 -31 mas	Measured stellar diameters ~ 39 -54 mas; instrumental $\mathcal{N} \sim 10^{-3}$ (off-sky) ² ; $\sim 10^{-3}$ contrast achieved without high-order AO	Measured stellar diameters ~ 11 -24 mas; instrumental $\mathcal{N} \sim 10^{-3}$ (off-sky) ² and $\mathcal{N} \sim 10^{-4}$ (on-sky, with postprocessing)
Refs	[?]	[?, ?]	[?, ?]

1: DC: directional couplers; TRI: tricouplers

2: Note null depth fluctuations and precision in the null depth are important for determining the astrophysical null