
network blog about Meraki, APIs, and other cool network stuff



Meraki API – Change SSID with PHP

By Lasse Bang / May 29, 2017 / Meraki API

Hi, Here is a example on how to change the SSID with Meraki API and PHP. <?php //API KEY \$apikey = 'API KEY HERE'; //THE NUMBER OF THE SSID YOU WANT TO CHANGE, the first have the nr 4 \$ssid number = 'SSID NUMBER'; 6 //NETWORK NUMBER, example L 9837438944354469994 \$network = 'NETWORK NUMBER'; 8 //ENTER NEW SSID NAME HERE 9 \$ssid = 'NEW SSID NAME': 10 \$url = "https://dashboard.meraki.com/api/v0//networks/".\$network.' 11 12 13 \$headr = array(); 14 \$headr[] = 'Content-Type: application/json'; 15 \$headr[] = 'X-Cisco-Meraki-API-Key: '.\$apikey; 16 17 \$curl = curl init(\$url); 18 \$data = array("name" => \$ssid); 19 20 \$json = json encode(\$data); curl\_setopt(\$\frac{\\$curl}{}, CURLOPT\_CUSTOMREQUEST, "PUT"); curl setopt(\$curl, CURLOPT HEADER, false); curl setopt(\$curl, CURLOPT RETURNTRANSFER, true); 24 curl setopt(\$curl, CURLOPT HTTPHEADER,\$headr); curl setopt(\$curl, CURLOPT POSTFIELDS, \$json); 27 curl setopt(\$curl, CURLOPT FOLLOWLOCATION, true); 28 // Make the REST call, returning the result \$response = curl\_exec(\$curl); if (!\$response) { 31 32 die("Connection Failure.n"); 33 34 ?> Facebook in LinkedIn




Lasse Bang
http://lassebang.com

< Previous Post</pre>

## **LEAVE A REPLY**

Write your comment...



## **ABOUT ME**



Im working as Solution Architect on Cisco at Tech Data Denmark / Azlan.

This is my own private blog where i am sharing some the things i'm finding interesting.

Im currently holding these Cisco certification:

CCDA - Cisco Certified Design Associate CMNP - Cisco Meraki Network Professional And working on: **CCNA Wireless** Find me on LinkedIn Search and hit enter... **RECENT POSTS**  Meraki API – Change SSID with PHP • Meraki API – With PHP for beginners • Meraki API – Where to find your organization number?

**CATEGORIES** 

**CCNA** Routing and Switching

Meraki API	