

FIRST AID



by MWANZA MISHECK (Mishcool)

HONORS(basic ,advanced, standard)

1. FIRST AID BASICS

What is First Aid?

First aid is the immediate care given to a person who is injured or suddenly ill before professional medical help arrives. The main purpose of first aid is to preserve life, prevent the condition from worsening, and promote recovery. First aid does not replace medical treatment, but it plays a critical role in saving lives and reducing complications.

Importance of First Aid

Saves lives in emergencies

Prevents injuries from becoming worse

Reduces pain and suffering

Promotes faster recovery

Builds confidence and responsibility in communities

Aims of First Aid (The 3 P's)

1. Preserve life – keeping the casualty alive
2. Prevent further harm – stopping the condition from worsening
3. Promote recovery – helping healing begin

Qualities of a Good First Aider

Calm and confident

Observant and quick-thinking

Gentle and reassuring

Knowledgeable and skilled

Responsible and hygienic



First Aid Kit

A first aid kit is a collection of essential supplies used to provide basic medical care in emergencies.

Contents of a First Aid Kit

Sterile gauze and bandages

Adhesive plasters

Antiseptic solution

Cotton wool

Scissors and tweezers

Safety pins

Disposable gloves

Pain relievers

Thermometer

Triangular bandage

Rules of First Aid

Ensure safety of yourself and the casualty

Do not panic

Get consent before helping (if possible)

Handle the casualty gently

Do not give food or drink to an unconscious person

Seek medical help when necessary

Primary Survey (DRABC)

D – Danger: Ensure the scene is safe

R – Response: Check if the casualty responds

A – Airway: Ensure airway is clear

B – Breathing: Check breathing

C – Circulation: Control bleeding

Secondary Survey

A head-to-toe examination to identify other injuries after life-threatening conditions are managed.

2. FIRST AID ADVANCED (DEEP)

Advanced first aid involves detailed assessment and management of more serious injuries and medical emergencies. It requires deeper understanding, practice, and correct decision-making.

Management of Severe Bleeding


1. Apply Pressure with Hands
EXPOSE to find where the bleeding is coming from and apply **FIRM, STEADY PRESSURE** to the bleeding site with both hands if possible.




2. Apply Dressing and Press
EXPOSE to find where the bleeding is coming from and apply **FIRM, STEADY PRESSURE** to the bleeding site with bandages or clothing.



3. Apply Tourniquet(s)
If the bleeding doesn't stop, place a tourniquet 2-3 inches closer to the torso from the bleeding. The tourniquet may be applied and secured over clothing.
PULL the strap through the buckle, **TWIST** the rod tightly, **CLIP** and **SECURE** the rod with the clasp or the Velcro strap.



If the bleeding still doesn't stop, place a second tourniquet closer to the torso from first tourniquet.



Apply direct pressure

Elevate the injured part (if no fracture)

Use pressure bandages

Treat for shock

Shock

Shock is a life-threatening condition where blood circulation is inadequate.

Causes of Shock

Severe bleeding

Burns

Severe infections

Heart problems

Signs and Symptoms

Pale, cold skin

Rapid pulse

Weakness

Confusion

First Aid Management

Lay casualty down

Elevate legs

Keep warm

Do not give food or drink

Seek urgent medical help

Fractures and Dislocations

Signs

Pain and swelling

Deformity

Inability to move limb

First Aid Management

Immobilize the injured part

Use splints

Apply cold compress

Do not attempt to realign bones

Burns and Scalds

Types of Burns

First-degree

Second-degree

Third-degree

Management

Cool burn with running water

Remove tight objects


Cover with sterile dressing

Do not apply grease or oils

3. FIRST AID STANDARD (DEEPEST)

This level focuses on critical, life-threatening emergencies and advanced response techniques.

Cardiopulmonary Resuscitation (CPR)



CPR is an emergency procedure used when breathing or heartbeat has stopped.

Steps of CPR (Basic)

Check responsiveness

Call for help

Open airway

Give chest compressions

Provide rescue breaths

Choking

Adult Choking Management

Encourage coughing

Perform abdominal thrusts

Continue until object is expelled or casualty becomes unconscious

Head and Spinal Injuries

Signs

Loss of consciousness

Severe headache

Bleeding from ears or nose

First Aid Care

Do not move the casualty unnecessarily

Support head and neck

Control bleeding gently

Call emergency services immediately

Poisoning

First Aid Management

Identify poison if possible

Do not induce vomiting unless instructed

Keep casualty calm

Seek urgent medical help

Unconscious Casualty

Recovery Position

Place casualty on their side

Keep airway open

Monitor breathing

CONCLUSION

First aid knowledge is a powerful life-saving skill. Mastery of basic, advanced, and deepest first aid levels enables individuals to respond effectively to emergencies, reduce suffering, and save lives.