

Operations Runbook

Full-Stack Architecture · Infrastructure · Credentials · Incident Response

Version 3.0 — Post-SRE Audit + UI Redesign

Generated: May 26, 2026 | CONFIDENTIAL — Internal Use Only

318 KB

BUNDLE (GZIP)

86 KB

CRITICAL PATH (GZIP)

0

WCAG AA VIOLATIONS

461

TESTS PASSING

CONTENTS

1. Infrastructure Overview

2. Data & Request Flows

3. Monitoring Stack

4. Key URLs & Dashboards

5. Credentials & Secrets

6. Supabase — Database & Edge Functions

7. GHL Integration
8. Email Notifications (SendGrid)

9. WordPress → Funnel Integration (Hammad)

10. Booking Funnel Route Map

11. AI Agent Workflow

12. Incident Runbook

13. Deployment Procedures


14. Performance & Security Baseline

1. INFRASTRUCTURE OVERVIEW

LAYER	TECHNOLOGY	PURPOSE	HOST	STATUS
Frontend	React + Vite + TypeScript + Tailwind	Landing pages, booking funnel, admin panel	Vercel	LIVE
Edge Functions		GHL proxy, lead intake, token exchange, Meta	Supabase	LIVE

	Deno / TypeScript (8 functions)	CAPI, email alerts, calendar sync, slot monitor		
Database	PostgreSQL + pg_cron + pg_net + RLS	Lead captures, calendar slot cache, booking events, tokens, rate limits	Supabase	LIVE
CRM	GoHighLevel (GHL)	Contact management, appointments, pipelines	GHL Cloud	LIVE
Email	SendGrid Web API v3	Lead notifications, failure alerts, slot monitoring alerts	SendGrid	LIVE
WordPress	WordPress + Fluent Forms	Marketing site, form collection, handoff to booking funnel	menswellnesscenters.com	LIVE
Source control	GitHub	Version control, CI/CD trigger for Vercel	mwcforme.org	ACTIVE
CI/CD	GitHub Actions	Lint, typecheck, test, build, secret scan, bundle size gate	GitHub	ACTIVE


DEPLOYMENT FLOW




Supabase edge functions do NOT auto-deploy on git push. Must run `npx supabase functions deploy` manually after any edge function change. A GitHub Action exists for this — see §13.

2. DATA & REQUEST FLOWS

A. WORDPRESS FORM → BOOKING FUNNEL






Parallel: lead-intake fires SendGrid email to eobrien@menswellnesscenters.com with full lead data, UTM attribution, and Call/GHL action buttons.

B. LANDING PAGE HERO FORM → BOOKING FUNNEL



C. CALENDAR SLOT LOADING



3. MONITORING STACK

TOOL	WHAT IT CATCHES	DASHBOARD	ID / KEY
Sentry	JS errors, crashes, slow loads, session replay (PHI-masked)	sentry.io	DSN: https://25e951c2...@o4511385905528832.ingest.us.sentry.io/4511447194468352
Clarity (funnel)	Session recordings, heatmaps, rage clicks	clarity.microsoft.com	wwba9yepnx
Clarity (WordPress)	Session recordings on marketing site	clarity.microsoft.com	vttwm0cuk9
UptimeRobot	Site downtime, SMS + email alert	dashboard.uptimerobot.com/monitors/803146043	Monitor #803146043
Vercel Analytics	Page views, Core Web Vitals (real users)	Vercel Dashboard → Analytics	@vercel/analytics
Vercel Speed Insights	LCP, INP, CLS per page	Vercel Dashboard → Speed Insights	@vercel/speed-insights
GA4		analytics.google.com	G-286547777

	Funnel events: booking_started → booking_completed		
GTM	Tag management	tagmanager.google.com	GTM-5X9DB23T
Slot Monitor	Zero slots for any location, stale sync (>2h)	Email alert to Eric	pg_cron every 30 min, 4h dedup

ALERT ROUTING

ALERT TYPE	DESTINATION	SOURCE
Site down	SMS + email (UptimeRobot contacts)	UptimeRobot
New lead captured	eobrien@menswellnesscenters.com (info folder)	SendGrid via lead-intake
GHL submission failed	eobrien@menswellnesscenters.com — red header "ACTION NEEDED"	SendGrid via lead-intake
Zero calendar slots / stale sync	eobrien@menswellnesscenters.com	SendGrid via slot-monitor (every 30 min)
JS errors / crashes	Sentry dashboard + email alerts	Sentry

4. KEY URLS & DASHBOARDS

RESOURCE	URL
Live booking funnel	https://book.menswellnesscenters.com
TRT landing page (primary ad destination)	https://book.menswellnesscenters.com/trt
ED landing page	https://book.menswellnesscenters.com/ed
Weight loss landing page	https://book.menswellnesscenters.com/wl
Admin panel	https://book.menswellnesscenters.com/admin — code: 1Menshealth
Booking funnel debug	https://book.menswellnesscenters.com/book/entry?t=TOKEN&debug=1
Vercel dashboard	vercel.com/men-s-wellness-centers/mwclanders
Supabase dashboard	supabase.com/dashboard/project/lapvqhmmgeduuedleyhf
GitHub repo	github.com/mwcfome/mwclanders
WordPress site	https://menswellnesscenters.com
GHL CRM	https://app.gohighlevel.com

Perf report	github.com/mwcforme/mwclanders/blob/main/perf/OPTIMIZATION_REPORT.md
SRE audit report	github.com/mwcforme/mwclanders/blob/main/audit/FINAL_REPORT.md
UX audit report	github.com/mwcforme/mwclanders/blob/main/ux/UX_REFINEMENT_REPORT.md

5. CREDENTIALS & SECRETS

SECURITY: Store all credentials in 1Password. Rotate GHL PIT, SendGrid key, and Supabase service role every 90 days. Never commit secrets to git — CI secret scan will block the push.

SUPABASE (ACTIVE PROJECT)

FIELD	VALUE
Project ID	lapvqhmmgeduuedleyhf
Project URL	https://lapvqhmmgeduuedleyhf.supabase.co
Anon / Publishable Key	eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6ImxhcHZxaG1tZ2Vkdx
DB Password	[DB-PASSWORD-REDACTED]
DB Connection	postgresql://postgres:[DB-PASSWORD-REDACTED]@db.lapvqhmmgeduuedleyhf.supabase.co:5432/
Access Token (CLI)	[REDACTED — supabase.com/dashboard/account/tokens]
Old project (decommissioned)	yvuwxaxnyxoejwzqfbdf — no longer active

VERCEL

Field	Value
Team	men-s-wellness-centers
Project	mwclanders
Access Token (CLI)	[REDACTED — vercel.com/account/tokens]

VERCEL ENVIRONMENT VARIABLES

VARIABLE	VALUE
VITE_SUPABASE_URL	https://lapvqhmmgeduedleyhf.supabase.co
VITE_SUPABASE_PROJECT_ID	lapvqhmmgeduedleyhf
VITE_SUPABASE_PUBLISHABLE_KEY	eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTJ5In0= (see Vercel dashboard)
VITE_WP_HANDOFF_SECRET	[INTAKE-TOKEN-REDACTED]

VITE_CLARITY_PROJECT_ID	wwba9yepnx
VITE_SENTRY_DSN	https:// 25e951c20fe3d87749ed4b2628b97553@o4511385905528832.ingest.us.sentry. 4511447194468352
VITE_ADMIN_PASSWORD	1Menshealth

SUPABASE SECRETS (EDGE FUNCTIONS)

SECRET	VALUE / NOTES
GHL_API_KEY	[GHL-PIT-REDACTED]
GHL_API_KEY_PROD_1	[GHL-PIT-REDACTED]
GHL_LOCATION_ID	Ghstz8eIsHWLeXek47dk
GHL_LOCATION_ID_PROD_1	Ghstz8eIsHWLeXek47dk
LEAD_INTAKE_TOKEN	[INTAKE-TOKEN-REDACTED]
WP_HANDOFF_SECRET	[INTAKE-TOKEN-REDACTED]
FUNNEL_BASE_URL	https://book.menswellnesscenters.com
SENDGRID_API_KEY	[SENDGRID-KEY-REDACTED]
META_PIXEL_ID	[Not yet configured]
META_CAPI_TOKEN	[Not yet configured]

WORDPRESS REST API

FIELD	VALUE
Site URL	https://menswellnesscenters.com
Username	opeclassz
Application Password	[WP-APP-PASSWORD-REDACTED]
User ID	17

ANALYTICS IDS

SERVICE	ID
GA4 (booking funnel)	G-286547777
Google Ads	AW-954193072
GTM Container	GTM-5X9DB23T
Clarity (funnel)	wwba9yepnx
Clarity (WordPress)	vttwm0cuk9
Sentry Org	o4511385905528832

UptimeRobot Monitor	803146043
SendGrid Verified Sender	info@menswellnesscenters.com

6. SUPABASE — DATABASE & EDGE FUNCTIONS

DATABASE TABLES

TABLE	PURPOSE	KEY COLUMNS
lead_captures	Every form submission — partial, full, failed	id, name, phone, email, location, service, source, crm_status, crm_contact_id, attribution, tags
ghl_free_slots	Cached calendar availability (refreshed every 30 min)	calendar_id, slot_start, fetched_at
wp_intake_tokens	Single-use 15-min tokens for WP → funnel handoff	token, capture_id, contact_id, first_name, phone, expires_at, used
booking_event_log	Appointment events, slot-monitor dedup state	event_type, meta, created_at
ghl_sync_runs	Sync job history, watchdog for stale sync	id, status, started_at, finished_at
lead_rate_limit	Phone-based rate limiting (3 attempts / 60 min)	phone_hash (SHA-256), count, window_start

EDGE FUNCTIONS

FUNCTION	TRIGGER	PURPOSE
lead-intake	POST from WordPress PHP	Persist lead → GHL contact → token → SendGrid notification. LEAD_INTAKE_TOKEN required.
ghl-proxy	React frontend	Proxies all GHL API calls server-side. Allowlisted routes only.
wp-token-exchange	BookEntry.tsx	Exchanges single-use token for identity → seeds booking store.
meta-capi	Frontend on lead submit	Server-side Meta Conversions API (hashed PII, deduplication).
lead-notify	DB trigger on lead_captures INSERT	Backup notification path (primary is direct call in lead-intake).
ghl-sync	pg_cron every 30 min	Fetches calendar free slots from GHL → caches in ghl_free_slots.
ghl-sync-validate	Manual / admin	Audits slot freshness and coverage across all 3 calendars.
slot-monitor	pg_cron every 30 min	

Checks for zero-slot conditions and stale sync →
SendGrid alert (4h dedup).

CRON SCHEDULE

```
ghl-sync: */30 * * * * -- refresh calendar slots from GHL API slot-monitor: */30 * * * * -- alert if zero slots or sync stale >2h
```

7. GHL INTEGRATION

FIELD	VALUE
Production Location ID	Ghstz8elsHWLeXek47dk
API Key (PIT)	[GHL-PIT-REDACTED]
Richmond Calendar ID	1Cfy5JnO2A4ggiZIMVvX
Virginia Beach Calendar ID	4xmnBGMWJ6TVUKcAPpPb
Newport News Calendar ID	lBaRbjUpEmesxEloFBME

LOCATION PHONE NUMBERS

LOCATION	DISPLAY	TEL LINK
Richmond / Glen Allen	(804) 346-4636	tel:8043464636
Newport News	(757) 806-6263	tel:7578066263
Virginia Beach	(757) 612-4428	tel:7576124428
Main line	(866) 344-4955	tel:+18663444955

GHL CUSTOM FIELDS WRITTEN BY FUNNEL

FIELD	VALUES	PURPOSE
mwc_symptom	energy sexual weight other	Intake reason
mwc_symptom_duration	lt6mo 6to12mo 1to2yr gt2yr	Duration
mwc_urgency_tier	early building overdue long_overdue	Sales prioritization
mwc_funnel_service	trt ed wl	Service booked for
mwc_lp_slug	URL path	Landing page source

8. EMAIL NOTIFICATIONS (SENDGRID)

EMAIL TYPE	SUBJECT FORMAT	TRIGGER
New lead		Every successful lead submission

	New TRT lead — Name · Location · Day, Date, Time ET	
Partial lead	Partial lead — Name left without booking	Form started but not completed
GHL failure	ACTION NEEDED — GHL failed for Name (Location)	GHL contact creation fails
Slot alert	[MWC Alert] N slot issue(s) detected	slot-monitor every 30 min (conditional, 4h dedup)

Inbox routing: Emails send from info@menswellnesscenters.com and arrive in the **info** subfolder at eobrien@menswellnesscenters.com. Create an Outlook rule to move to Inbox if needed.

9. WORDPRESS → FUNNEL INTEGRATION (HAMMAD)

CURRENT ISSUE: The Supabase project was migrated. Hammad must update MWC_INTAKE_URL to the new endpoint or the funnel redirect will not work.

THE FLOW

```
Fluent Form submit → PHP webhook POSTs to Supabase lead-intake → lead-intake:
persists lead + creates GHL contact + issues 15-min token → Returns: {
  "funnel_url": "https://book.menswellnesscenters.com/book/entry?t=TOKEN" } →
WordPress redirects user to funnel_url → BookEntry exchanges token → seeds
store → /book/symptom
```

REQUIRED PHP CONSTANTS

CONSTANT	CURRENT VALUE	NOTE
MWC_INTAKE_URL	https://lapvqhmmgeduuedleyhf.supabase.co/functions/v1/lead-intake	Updated — use this new URL
MWC_INTAKE_TOKEN	[INTAKE-TOKEN-REDACTED]	Unchanged
MWC_FUNNEL_BASE	https://book.menswellnesscenters.com	Unchanged

CONSENT FIELD FIX

```
// WRONG — sends empty string: 'consent' => $formData['terms-n-condition'], //
CORRECT — sends boolean true: 'consent' => isset($formData['terms-n-condition']) && $formData['terms-n-condition'] === 'on',
```

EXPECTED SUCCESS RESPONSE

Response must contain **funnel_url**. If it's missing, the redirect will not happen.
Check Supabase Edge Function logs: Dashboard → Edge Functions → lead-intake → Logs

```
{ "ok": true, "capture_id": "...", "crm_contact_id": "...", "funnel_url":  
"https://book.menswellnesscenters.com/book/entry?t=..." }
```

DEBUG MODE

```
# Add &debug=1 to the entry URL to see what failed: https://  
book.menswellnesscenters.com/book/entry?t=TOKEN&debug=1
```

10. BOOKING FUNNEL ROUTE MAP

ROUTE	COMPONENT	NOTES
/trt	TRTLandingPage	Primary paid traffic destination
/ed	NewED	ED landing page
/wl	NewWeightLoss	Weight loss landing page
/	NewLandingPage	Homepage — all 3 services
/book/entry	BookEntry	WordPress handoff — accepts ?t=token only
/book/symptom	BookSymptom	Step 1: what brings you in (full-bleed dark layout)
/book/duration	BookDuration	Step 2: how long (no calendar icons)
/book/location	BookLocation	Step 3: clinic picker with drive time
/book/schedule	BookSchedule	Step 4: GHL calendar (white card on dark bg)
/book/confirmed	BookConfirmed	Post-booking confirmation (dark sections)
/book/lets-talk	BookLetsTalk	"TALK TO US." — phone/text fallback
/admin	AdminLogin	Password gate — shared code: 1Menshealth

11. AI AGENT WORKFLOW

AGENT	BEST FOR	HOW TO ACCESS
OpenClaw	Strategy, audits, architecture decisions, orchestrating large tasks	WhatsApp +14257530838
Cursor	Primary editor, fast inline edits	Open github.com/mwcforme/mwclanders
Claude Code	Complex multi-file refactors, long context	Open repo directory
Antigravity (Google Ultra)	Autonomous background tasks, unattended runs	Point at GitHub repo

All agents read **AGENTS.md** at repo root automatically. Rules include: components ≤150 LOC, functions ≤30 LOC, no em-dashes, no "free", "Members" not "patients", no hardcoded hex outside tokens.

Supabase edge functions are separate from Vercel deploys. Git push does NOT deploy edge functions. Must run `npx supabase functions deploy --project-ref lapvqhmmgeduuedleyhf` manually, OR the GitHub Action will deploy automatically when files under `supabase/functions/` change on push to main.

12. INCIDENT RUNBOOK

SITE DOWN

```
1. Check UptimeRobot: https://dashboard.uptimerobot.com/monitors/803146043 2.
Check Vercel deployments: https://vercel.com/men-s-wellness-centers/
mwclanders/deployments 3. If bad deploy → Vercel → Deployments → previous →
Redeploy 4. Check Sentry for JS crashes causing blank screen
```

CALENDAR SHOWING "FULL" / ZERO SLOTS

```
1. You will receive a slot-monitor email alert within 30 min if this persists
2. Trigger manual sync: POST https://lapvqhmmgeduuedleyhf.supabase.co/
functions/v1/ghl-sync (Authorization: Bearer [anon key]) 3. Check GHL calendar
availability is configured for that location 4. Supabase Dashboard → Edge
Functions → ghl-sync → Logs for errors
```

WORDPRESS FORM NOT REDIRECTING TO FUNNEL

```
1. Check WP debug log for "FLUENT FORM - SUPABASE RESPONSE" 2. Response must
contain funnel_url – if missing, see §9 above 3. Verify MWC_INTAKE_URL =
https://lapvqhmmgeduuedleyhf.supabase.co/functions/v1/lead-intake 4. If
correct URL but still no funnel_url, check Supabase → Edge Functions → lead-
intake → Logs 5. Test with debug mode: https://book.menswellnesscenters.com/
book/entry?t=TOKEN&debug=1
```

LEADS NOT APPEARING IN GHL

```
1. Check email – GHL failure alert fires immediately with lead details +
manual action link 2. Check Supabase: lead_captures table → filter crm_status
= 'failed' 3. Verify GHL API key not expired: [GHL-PIT-REDACTED] 4. Supabase →
Edge Functions → lead-intake → Logs
```

NO LEAD NOTIFICATION EMAILS

```
1. Check info subfolder at eobrien@menswellnesscenters.com first 2. Check
SendGrid activity log for bounce or spam issues 3. Verify SENDGRID_API_KEY set
```

in Supabase secrets 4. Supabase → Edge Functions → lead-intake → Logs for SendGrid errors

CI PIPELINE FAILING

1. GitHub → mwcforme/mwclanders → Actions → latest run → see which step failed
2. Common causes: - TypeScript error: `npx tsc --noEmit` locally to reproduce - Lint error: `npm run lint -- --max-warnings 0` locally - Test failure: `npm test -- --run` locally - Bundle over 350 KB gzip: check `dist/assets` after `npm run build` - Secret scan: `grep -rn "pit-|SG\|.vcp_|sbp_" src/` – remove any matches

13. DEPLOYMENT PROCEDURES

FRONTEND (AUTOMATIC VIA CI)

```
git add -A && git commit -m "feat: ..." && git push origin main # GitHub
Actions runs → Vercel deploys in ~30 seconds if CI passes
```

SUPABASE EDGE FUNCTIONS (VIA GITHUB ACTION)

```
# Automatic: push changes to supabase/functions/** on main branch # The
deploy-functions.yml GitHub Action triggers automatically # Requires
SUPABASE_ACCESS_TOKEN in GitHub repository secrets
```

SUPABASE EDGE FUNCTIONS (MANUAL)

```
export SUPABASE_ACCESS_TOKEN=[your token from supabase.com/dashboard/account/
tokens] # Deploy all functions: npx supabase functions deploy --project-ref
lapvqhmmgeduuedleyhf # Deploy one function: npx supabase functions deploy
lead-intake --project-ref lapvqhmmgeduuedleyhf
```

DATABASE MIGRATIONS

```
npx supabase link --project-ref lapvqhmmgeduuedleyhf --password [DB-PASSWORD-
REDACTED] npx supabase db push --password [DB-PASSWORD-REDACTED]
```

VERCEL ENVIRONMENT VARIABLES (CLI)

```
export VERCEL_TOKEN=[your token] echo "value" | vercel env add VARIABLE_NAME
production
```

TRIGGER MANUAL CALENDAR SYNC

```
curl -X POST https://lapvqhmmgeduuedleyhf.supabase.co/functions/v1/ghl-sync \
-H "Authorization: Bearer [anon key]" \ -H "Content-Type: application/json" \
-d '{}'
```

14. PERFORMANCE & SECURITY BASELINE

PERFORMANCE (POST-OPTIMIZATION)

METRIC	BEFORE	AFTER	CHANGE
Bundle (gzip)	370 KB	318 KB	-14%
Critical path (gzip)	170 KB	86 KB	-49%
WCAG AA contrast violations	9	0	-100%
Tests passing	464	461	Stable

SECURITY (POST-SRE AUDIT)

CONTROL	STATUS
LEAD_INTAKE_TOKEN required	ENFORCED — 503 if not configured
Phone rate limiting	ACTIVE — 3 per 60 min, SHA-256 hashed phone, DB-backed
IP rate limiting	ACTIVE — in-memory, 10 per 60 min
CORS	ALLOWLIST — no wildcard origins
RLS on all tables	ENFORCED — anon denied on sensitive tables
CSP headers	SET — vercel.json
Secret scan in CI	ACTIVE — blocks push if secrets found in src/
Admin auth	SHARED PASSWORD — SSO planned by 2026-06-01
Meta CAPI secrets	NOT CONFIGURED — META_PIXEL_ID + META_CAPI_TOKEN needed