

OPERATIONS RUNBOOK

Full-Stack Architecture · Infrastructure · Credentials · Incident Response

Version 2.0 — Post-Migration

Generated: May 25, 2026 | CONFIDENTIAL — Internal Use Only | Do not share externally

318 KB

BUNDLE SIZE (GZIP)

86 KB

CRITICAL PATH (GZIP)

0

WCAG AA VIOLATIONS

461

TESTS PASSING

CONTENTS

- | | |
|---|------------------------------------|
| 1. Architecture Overview | 9. Email Notifications (SendGrid) |
| 2. Data & Request Flows | 10. WordPress → Funnel Integration |
| 3. Infrastructure Stack | 11. Booking Funnel Route Map |
| 4. Monitoring Stack | 12. Performance Baseline |
| 5. Key URLs & Dashboards | 13. Incident Runbook |
| 6. Credentials & API Keys | 14. Deployment Procedures |
| 7. Supabase — Database & Edge Functions | 15. AI Agent Workflow |
| 8. GHL Integration | |

1. ARCHITECTURE OVERVIEW


SYSTEM LAYERS

LAYER	TECHNOLOGY	PURPOSE	HOST
Frontend	React + Vite + TypeScript + Tailwind	Landing pages, booking funnel, admin panel	Vercel

Edge Functions	Deno / TypeScript (7 functions)	GHL proxy, lead intake, token exchange, Meta CAPI, email alerts, calendar sync	Supabase
Database	PostgreSQL + pg_cron + pg_net + RLS	Lead captures, calendar slots cache, booking events, tokens	Supabase
CRM	GoHighLevel (GHL)	Contact management, appointments, pipelines	GHL Cloud
Email	SendGrid Web API v3	Lead notifications, failure alerts, slot monitoring alerts	SendGrid
WordPress	WordPress + Fluent Forms	Marketing site, form collection, handoff to booking funnel	menswellnesscenters.com
Source Control	GitHub	Version control, CI/CD trigger for Vercel	GitHub (mwcforme org)

2. DATA & REQUEST FLOWS

A. WORDPRESS FORM → BOOKING FUNNEL



Parallel: lead-intake also fires SendGrid email to eobrien@menswellnesscenters.com with full lead data + UTM attribution.

B. LANDING PAGE HERO FORM → BOOKING FUNNEL





C. CALENDAR SLOT LOADING



D. SLOT MONITORING



3. INFRASTRUCTURE STACK

SERVICE	PROVIDER	PROJECT / ID	URL	STATUS
Frontend CDN	Vercel	mwclanders / men-s-wellness-centers	book.menswellnesscenters.com	LIVE
Source code	GitHub	mwcforme/mwclanders	github.com/mwcforme/mwclanders	ACTIVE
Backend	Supabase	lapvqhmmgeduuedleyhf	Supabase Dashboard	LIVE (NEW)
CRM	GoHighLevel	Ghstz8eIsHWLeXek47dk	app.gohighlevel.com	LIVE
WordPress	Managed WP	—	menswellnesscenters.com	LIVE
Email	SendGrid	Reputation: 100%	sendgrid.com	LIVE
Old Supabase	Supabase	yvuwxaxnyxoejwzqfbdf	—	DEPRECATED

DEPLOYMENT FLOW

```
# Every code change deploys automatically: git add -A git commit -m "feat: description" git push origin main # Vercel detects push → builds → deploys in ~30 seconds # book.menswellnesscenters.com is live # Supabase edge functions (manual deploy only): export SUPABASE_ACCESS_TOKEN=[SUPABASE-ACCESS-TOKEN-REDACTED] npx supabase functions deploy --project-ref lapvqhmmgeduuedleyhf # Database migrations (manual): npx supabase link --project-ref lapvqhmmgeduuedleyhf --password [DB-PASSWORD-REDACTED] npx supabase db push --password [DB-PASSWORD-REDACTED]
```

4. MONITORING STACK

TOOL	WHAT IT CATCHES	DASHBOARD	ID / KEY
Sentry	JS errors, crashes, performance tracing, session replay (PHI-masked)	sentry.io	DSN: https://25e951c2...@o4511385905528832.ingest.us.sentry.io/4511447194468352
Microsoft Clarity	Session recordings, heatmaps, rage clicks (booking funnel)	clarity.microsoft.com	wwba9yepnx
Microsoft Clarity	Session recordings (WordPress site)	clarity.microsoft.com	vttwm0cuk9
UptimeRobot	Site downtime, SMS + email alert	Monitor #803146043	—
Vercel Analytics	Page views, Core Web Vitals (real users)	Vercel Dashboard → Analytics	@vercel/analytics component
Vercel Speed Insights	LCP, INP, CLS per page from real users	Vercel Dashboard → Speed Insights	@vercel/speed-insights component
GA4	Funnel events: booking_started → booking_completed	analytics.google.com	G-286547777
Google Tag Manager	Tag management, additional tracking	tagmanager.google.com	GTM-5X9DB23T
Slot Monitor	Zero slots for any location, stale sync (>2h)	Email alert to Eric	Runs every 30 min via pg_cron

ALERT ROUTING

ALERT TYPE	DESTINATION	SOURCE
Site down	SMS + email (UptimeRobot contacts)	UptimeRobot
New lead captured	eobrien@menswellnesscenters.com (info folder)	SendGrid via lead-intake edge function
GHL submission failed	eobrien@menswellnesscenters.com — red header, "ACTION NEEDED"	SendGrid via lead-intake

eobrien@menswellnesscenters.com

Zero calendar slots		SendGrid via slot-monitor (every 30 min)
Stale slot sync (>2h)	eobrien@menswellnesscenters.com	SendGrid via slot-monitor
JS errors / crashes	Sentry dashboard + configured alerts	Sentry

5. KEY URLS & DASHBOARDS

RESOURCE	URL
Live booking funnel	https://book.menswellnesscenters.com
TRT landing page (primary ad destination)	https://book.menswellnesscenters.com/trt
ED landing page	https://book.menswellnesscenters.com/ed
Weight loss landing page	https://book.menswellnesscenters.com/wl
Admin panel	https://book.menswellnesscenters.com/admin — password: 1Menshealth
Booking funnel debug	https://book.menswellnesscenters.com/book/entry?t=TOKEN&debug=1
Vercel dashboard	vercel.com/men-s-wellness-centers/mwclanders
Supabase dashboard (new)	supabase.com/dashboard/project/lapvqhmmgeduuedleyhf
GitHub repo	github.com/mwcforme/mwclanders
WordPress site	https://menswellnesscenters.com
GHL CRM	https://app.gohighlevel.com
Performance report	github.com/mwcforme/mwclanders/blob/main/perf/OPTIMIZATION_REPORT.md
UX report	github.com/mwcforme/mwclanders/blob/main/ux/UX_REFINEMENT_REPORT.md

6. CREDENTIALS & API KEYS

SECURITY: Credentials marked [REDACTED] were omitted from the public repo version. Store in 1Password or equivalent. Never commit secrets to git.

SUPABASE (NEW PROJECT)

KEY	VALUE
Project ID	lapvqhmmgeduuedleyhf

Project URL	https://lapvqhmmgeduuedleyhf.supabase.co
Anon / Publishable Key	eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiJzdXBhYmFzZSIsInJlZiI6ImxhcHZxaG1tZ2VkdXVIZGx...
DB Password	[DB-PASSWORD-REDACTED]
Access Token (CLI)	[REDACTED — supabase.com/dashboard/account/tokens]
DB Connection	postgres://postgres:[DB-PASSWORD-REDACTED]@db.lapvqhmmgeduuedleyhf.supabase.co:5432/postgre

VERCEL

KEY	VALUE
Team	men-s-wellness-centers
Project	mwclanders
Access Token (CLI)	[REDACTED — vercel.com/account/tokens]

VERCEL ENVIRONMENT VARIABLES

VARIABLE	VALUE
VITE_SUPABASE_URL	https://lapvqhmmgeduuedleyhf.supabase.co
VITE_SUPABASE_PROJECT_ID	lapvqhmmgeduuedleyhf
VITE_SUPABASE_PUBLISHABLE_KEY	eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9... (see Vercel dashboard)
VITE_WP_HANDOFF_SECRET	[INTAKE-TOKEN-REDACTED]
VITE_GA_MEASUREMENT_ID	G-286547777 (hardcoded in index.html)
VITE_CLARITY_PROJECT_ID	wwba9yepnx
VITE_SENTRY_DSN	https:// 25e951c20fe3d87749ed4b2628b97553@o4511385905528832.ingest.us.sentry. 4511447194468352

SUPABASE SECRETS (EDGE FUNCTIONS)

SECRET	VALUE / NOTES
GHL_API_KEY	[GHL-PIT-REDACTED]
GHL_API_KEY_PROD_1	[GHL-PIT-REDACTED]
GHL_LOCATION_ID	Ghstz8eIsHWLeXek47dk
GHL_LOCATION_ID_PROD_1	Ghstz8eIsHWLeXek47dk

LEAD_INTAKE_TOKEN	[INTAKE-TOKEN-REDACTED]
WP_HANDOFF_SECRET	[INTAKE-TOKEN-REDACTED]
FUNNEL_BASE_URL	https://book.menswellnesscenters.com
SENDGRID_API_KEY	[SENDGRID-API-KEY-REDACTED]
META_PIXEL_ID	[Not yet set]
META_CAPI_TOKEN	[Not yet set]
RESEND_API_KEY	[Not needed — using SendGrid]

WORDPRESS REST API

FIELD	VALUE
Site URL	https://menswellnesscenters.com
Username	opeclassz
Application Password	[WP-APP-PASSWORD-REDACTED]
User ID	17
REST API Base	https://menswellnesscenters.com/wp-json/wp/v2/

ANALYTICS IDS

SERVICE	ID
GA4 (booking funnel)	G-286547777
Google Ads	AW-954193072
GTM Container	GTM-5X9DB23T
Clarity (booking funnel)	wwba9yepnx
Clarity (WordPress)	vttwm0cuk9
Sentry Org	o4511385905528832
UptimeRobot Monitor	803146043

7. SUPABASE — DATABASE & EDGE FUNCTIONS

DATABASE TABLES

TABLE	PURPOSE	KEY COLUMNS
lead_captures	Every form submission — partial, full, failed	id, name, phone, email, location, service, source, crm_status, crm_contact_id, attribution, tags
ghl_free_slots		calendar_id, slot_start, fetched_at

Cached calendar
availability (refreshed every
30 min)

wp_intake_tokens	Single-use 15-min tokens for WP → funnel handoff	token, capture_id, contact_id, first_name, phone, expires_at, used
booking_event_log	Appointment events, slot- monitor state	event_type, meta, created_at
ghl_sync_runs	Sync job history	id, status, started_at, finished_at

EDGE FUNCTIONS

FUNCTION	TRIGGER	PURPOSE
lead-intake	POST from WordPress PHP	Persist lead → GHL contact → issue token → SendGrid notification
ghl-proxy	Called from React frontend	Proxy all GHL API calls server-side (keeps API key out of browser)
wp-token- exchange	Called from BookEntry.tsx	Exchange single-use token for identity → seed booking store
meta-capi	Called from frontend on lead submit	Server-side Meta Conversions API (hashed PII, deduplication)
lead-notify	DB trigger on lead_captures INSERT	Backup notification path (primary is in lead- intake)
ghl-sync	pg_cron every 30 min	Fetch calendar free slots from GHL → cache in ghl_free_slots
slot-monitor	pg_cron every 30 min	Check for zero-slot conditions → SendGrid alert if triggered

CRON SCHEDULE

```
-- Both run every 30 minutes: ghl-sync: */30 * * * * -- refresh calendar slots  
from GHL slot-monitor: */30 * * * * -- alert if zero slots or stale sync
```

8. GHL INTEGRATION

FIELD	VALUE
Production Location ID	Ghstz8eIsHWLeXek47dk
API Key (PIT)	[GHL-PIT-REDACTED]
Richmond Calendar ID	1Cfy5JnO2A4ggiZIMVvX
Virginia Beach Calendar ID	4xmnBGMWJ6TVUKcAPpPb

Newport News Calendar ID	lBaRbjUpEmesxEloFBME
--------------------------	----------------------

LOCATION PHONE NUMBERS

LOCATION	DISPLAY	TEL LINK
Richmond / Glen Allen	(804) 346-4636	tel:8043464636
Newport News	(757) 806-6263	tel:7578066263
Virginia Beach	(757) 612-4428	tel:7576124428
Main line	(866) 344-4955	tel:+18663444955

GHL CUSTOM FIELDS WRITTEN BY FUNNEL

FIELD	VALUES	PURPOSE
mwc_symptom	energy sexual weight other	What brought them in
mwc_symptom_duration	lt6mo 6to12mo 1to2yr gt2yr	How long symptoms present
mwc_urgency_tier	early building overdue long_overdue	Derived from duration for sales prioritization
mwc_funnel_service	trt ed wl	Which service they booked for
mwc_lp_slug	URL path	Which landing page they came from

9. EMAIL NOTIFICATIONS (SENDGRID)

EMAIL TYPE	TRIGGER	SUBJECT FORMAT	FROM
New lead	Every form submission via lead-intake	New TRT lead — Name · Location · Day, Date, Time ET	info@menswellnesscenters.com
Partial lead	Form started but not completed	Partial lead — Name left without booking	info@menswellnesscenters.com
GHL failure	GHL contact creation fails	ACTION NEEDED — GHL failed for Name (Location)	info@menswellnesscenters.com
Slot alert	slot-monitor every 30 min (conditional)	[MWC Alert] N slot issue(s) detected	info@menswellnesscenters.com

Inbox routing: Emails arrive in eobrien@menswellnesscenters.com under the **info** subfolder because they're sent from info@menswellnesscenters.com. Create an Outlook rule to move subject containing "lead" to Inbox if needed.

10. WORDPRESS → FUNNEL INTEGRATION

FLUENT FORMS PHP CONSTANTS (HAMMAD'S CODE)

CONSTANT	CURRENT VALUE
MWC_INTAKE_URL	https://lapvqhmmgeduuedleyhf.supabase.co/functions/v1/lead-intake
MWC_INTAKE_TOKEN	[INTAKE-TOKEN-REDACTED]
MWC_FUNNEL_BASE	https://book.menswellnesscenters.com

Consent field fix needed: The PHP must map terms-n-condition = "on" to consent: true:
'consent' => isset(\$formData['terms-n-condition']) && \$formData['terms-n-condition'] === 'on'

11. BOOKING FUNNEL ROUTE MAP

ROUTE	COMPONENT	PURPOSE
/trt	TRTLandingPage	Primary paid traffic destination (TRT)
/ed	NewED	ED treatment landing page
/wl	NewWeightLoss	Weight loss landing page
/	NewLandingPage	Homepage — all 3 services
/book/entry	BookEntry	WordPress handoff — accepts ?t=token only
/book/symptom	BookSymptom	Step 1: what brings you in
/book/duration	BookDuration	Step 2: how long (urgency tier)
/book/location	BookLocation	Step 3: clinic picker (skipped if set in hero form)
/book/schedule	BookSchedule	Step 4: GHL calendar (reads from ghl_free_slots cache)
/book/confirmed	BookConfirmed	Post-booking confirmation
/book/lets-talk	BookLetsTalk	"Something else" path + booking failure fallback
/admin	AdminLogin	Password gate — shared code: 1Menshealth

12. PERFORMANCE BASELINE (POST-OPTIMIZATION)

METRIC	BEFORE	AFTER	CHANGE
Bundle (gzip)	370 KB	318 KB	-14%
Critical path (gzip)	170 KB	86 KB	-49%
WCAG AA contrast violations	9	0	-100%

Tests passing	464	461	Stable
Unused npm packages removed	—	9 packages	—

13. INCIDENT RUNBOOK

SITE DOWN

1. Check UptimeRobot: <https://dashboard.uptimerobot.com/monitors/803146043> 2. Check Vercel deployments: <https://vercel.com/men-s-wellness-centers/mwclanders/deployments> 3. If bad deploy → Vercel → Deployments → previous deploy → Redeploy 4. Check Sentry for JS crashes

CALENDAR SHOWING "FULL" / ZERO SLOTS

1. You will receive an email from slot-monitor if this persists >30 min 2. Check Admin Sync Panel: <https://book.menswellnesscenters.com/admin/sync> 3. Manually trigger sync via Admin → Sync tab 4. Check GHL calendar availability is set up for that location 5. Verify ghl-sync ran: Supabase Dashboard → Edge Functions → ghl-sync → Logs

WORDPRESS FORM NOT REDIRECTING TO FUNNEL

1. Check WP debug log for "FLUENT FORM - SUPABASE RESPONSE" 2. If response has ok=1 but no funnel_url → token insert failing 3. Check: does wp_intake_tokens table exist? (Yes, migration applied) 4. Check Supabase: Edge Functions → lead-intake → Logs for errors 5. Re-deploy if needed: `npx supabase functions deploy lead-intake --project-ref lapvqhmmgeduuedleyhf`

LEADS NOT APPEARING IN GHL

1. Check email – GHL failure alert fires immediately with lead details 2. Check Supabase: lead_captures table → filter `crm_status = 'failed'` 3. Verify GHL API key not expired: [GHL-PIT-REDACTED] 4. Check Supabase secrets: `GHL_LOCATION_ID = Ghstz8eIsHWLeXek47dk`

NO LEAD NOTIFICATION EMAILS

1. Check inbox info subfolder at `eobrien@menswellnesscenters.com` 2. Check SendGrid activity log for bounce/spam issues 3. Check Supabase → lead-intake logs for SendGrid errors 4. Verify `SENDGRID_API_KEY` is set in Supabase secrets

14. DEPLOYMENT PROCEDURES

FRONTEND (AUTOMATIC)

```
git add -A && git commit -m "feat: ..." && git push origin main # Vercel auto-deploys in ~30 seconds
```

SUPABASE EDGE FUNCTIONS

```
export SUPABASE_ACCESS_TOKEN=[SUPABASE-ACCESS-TOKEN-REDACTED] # Deploy all:
npx supabase functions deploy --project-ref lapvqhmmgeduuedleyhf # Deploy one:
npx supabase functions deploy lead-intake --project-ref lapvqhmmgeduuedleyhf
```

DATABASE MIGRATIONS

```
npx supabase link --project-ref lapvqhmmgeduuedleyhf --password [DB-PASSWORD-REDACTED]
npx supabase db push --password [DB-PASSWORD-REDACTED]
```

VERCEL ENV VARS VIA CLI

```
export VERCEL_TOKEN=[REDACTED] echo "value" | vercel env add VARIABLE_NAME production
```

TRIGGER MANUAL CALENDAR SYNC

```
curl -X POST https://lapvqhmmgeduuedleyhf.supabase.co/functions/v1/ghl-sync \
-H "Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...anon_key"
```

15. AI AGENT WORKFLOW

AGENT	BEST FOR	ACCESS
OpenClaw (this assistant)	Strategy, audits, architecture decisions, WhatsApp access	WhatsApp +14257530838
Cursor	Primary editor, fast inline edits, local development	Open github.com/mwcforme/mwclanders
Claude Code	Complex multi-file refactors, long context work	Open repo directory
Antigravity (Google Ultra)	Autonomous background tasks, unattended runs	Point at GitHub repo

All agents share the same workflow: edit code → git push → Vercel auto-deploys. Rules are in AGENTS.md at repo root — all agents read this automatically.

Supabase edge functions are separate: Git push does NOT deploy edge functions. Must run `npx supabase functions deploy` manually after any edge function changes.