

3.1—ELEMENT LISTING BY MATERIAL

3.1.1—Reinforced Concrete

DECKS AND SLABS						
12	Reinforced Concrete Deck		Classification	NBE	Unit of Measure	ft ²
	Description:	All reinforced concrete bridge decks regardless of the wearing surface or protection systems used.				
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.				
38	Reinforced Concrete Slab		Classification	NBE	Unit of Measure	ft ²
	Description:	All reinforced concrete bridge slabs regardless of the wearing surface or protection systems used.				
	Quantity Calculation:	Area of the slab from edge to edge, including any median areas and accounting for any flares or ramps present.				
16	Reinforced Concrete Top Flange		Classification:	NBE	Unit of Measure:	ft ²
	Description:	All reinforced concrete bridge girder top flanges where traffic rides directly on the structural element regardless of the wearing surface or protection systems used. These bridge types include tee-beams, box girders, and girders that require traffic to ride on the top flange.				
	Quantity Calculation:	Area of the top flange from edge to edge, including any median areas and accounting for any flares or ramps present. This quantity is for the top flange riding surface only. Girder web and bottom flange are to be evaluated by the appropriate girder element.				
RAILINGS						
331	Reinforced Concrete Bridge Railing		Classification:	NBE	Unit of Measure	ft
	Description	All types and shapes of reinforced concrete bridge railing. All elements of the railing must be concrete.				
	Quantity Calculation	Number of rows of bridge rail times the length of the bridge. The element quantity includes only the rail on the bridge.				
SUPERSTRUCTURE						
105	Reinforced Concrete Closed Web/Box Girder		Classification:	NBE	Unit of Measure:	ft
	Description:	All reinforced concrete box girders or closed web girders. For all box girders regardless of protective system.				
	Quantity Calculation:	Sum of all the length of each box girder section. This quantity can be determined by counting the visible web faces, dividing by two, and then multiplying by the appropriate length of the box section. Elements such as adjacent box girders are considered individual girders.				
110	Reinforced Concrete Open Girder/Beam		Classification:	NBE	Unit of Measure:	ft
	Description:	Mild steel reinforced concrete open web girders regardless of protective system.				
	Quantity Calculation:	Sum of all of the lengths of each girder.				
116	Reinforced Concrete Stringer		Classification:	NBE	Unit of Measure:	ft
	Description:	Mild steel reinforced concrete members that support the deck in a stringer floor beam system regardless of protective system.				
	Quantity Calculation:	Sum of all of the lengths of each stringer.				

144	Reinforced Concrete Arch	Classification:	NBE	Unit of Measure:	ft
	Description:	Only mild steel reinforced concrete arches regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each arch panel measured longitudinally along the travel way			
155	Reinforced Concrete Floor Beam	Classification:	NBE	Unit of Measure:	ft
	Description:	Mild steel reinforced concrete floor beams that typically support stringers regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each floor beam.			
SUBSTRUCTURE					
205	Reinforced Concrete Column	Classification:	NBE	Unit of Measure:	ea
	Description:	All reinforced concrete columns regardless of protective system.			
	Quantity Calculation:	Sum of the number of columns.			
210	Reinforced Concrete Pier Wall	Classification:	NBE	Unit of Measure:	ft
	Description:	Reinforced concrete pier walls regardless of protective systems.			
	Quantity Calculation:	Sum of the lengths of the pier walls measured along the skew angle.			
215	Reinforced Concrete Abutment	Classification:	NBE	Unit of Measure:	ft
	Description:	Reinforced concrete abutments, including the material retaining the embankment and monolithic wingwalls and abutment extensions. For all reinforced concrete abutments regardless of protective systems.			
	Quantity Calculation:	Sum of the width of the abutment with monolithic wingwalls and abutment extensions measured along the skew angle.			
220	Reinforced Concrete Pile Cap/Footing	Classification:	NBE	Unit of Measure:	ft
	Description:	Reinforced concrete pile caps/footings that are visible for inspection, including pile caps/footings exposed from erosion or scour or visible during an underwater inspection. The exposure may be intentional or caused by erosion or scour.			
	Quantity Calculation:	Sum of the length of footings or pile caps along the skew angle.			
227	Reinforced Concrete Pile	Classification:	NBE	Unit of Measure:	ea
	Description:	Reinforced concrete piles that are visible for inspection, including piles exposed from erosion or scour and piles visible during an underwater inspection. For all reinforced concrete piles regardless of protective system			
	Quantity Calculation:	Sum of the number of piles visible for inspection.			
234	Reinforced Concrete Pier Cap	Classification:	NBE	Unit of Measure:	ft
	Description:	Those reinforced concrete pier caps that support girders and transfer load into piles or columns. For all pier caps regardless of protective system.			
	Quantity Calculation:	Sum of the cap length measured along the skew angle.			

CULVERTS					
241	Reinforced Concrete Culvert	Classification:	NBE	Unit of Measure:	ft
	Description:	Reinforced concrete culverts, including box, arched, round, or elliptical shapes.			
	Quantity Calculation:	Flow line length of the barrel times the number of the barrels.			
APPROACH SLAB					
321	Reinforced Concrete Approach Slab	Classification:	BME	Unit of Measure:	ft
	Description:	Those structural sections between the abutment and the approach pavement that are constructed of mild steel reinforced concrete.			
	Quantity Calculation:	Area of the approach slab(s) from edge to edge including any median areas and accounting for any flares or ramps present.			

3.1.2—Prestressed Concrete

DECKS AND SLABS					
13	Prestressed Concrete Deck		Classification:	NBE	Unit of measure: ft ²
	Description:	All prestressed concrete bridge decks regardless of the wearing surface or protection systems used.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
15	Prestressed Concrete Top Flange		Classification:	NBE	Unit of measure: ft ²
	Description:	All prestressed bridge girder top flanges where traffic rides directly on the structural element regardless of the wearing surface or protection systems used. These bridge types include bulb-tees, box girders, and girders that require traffic to ride on the top flange.			
	Quantity Calculation:	Area of the top flange from edge to edge including any median areas and accounting for any flares or ramps present. This quantity is for the top flange riding surface only. Girder web and bottom flange are to be evaluated by the appropriate girder element.			
SUPERSTRUCTURE					
104	Prestressed Concrete Closed Web/Box Girder		Classification:	NBE	Unit of measure: ft
	Description:	All pretensioned or post-tensioned concrete closed web girders or box girders For all box girders regardless of protective system.			
	Quantity Calculation:	Sum of all the length of each box girder section. This quantity can be determined by counting the visible web faces, dividing by two, and then multiplying by the appropriate length of the box section. Elements such as adjacent box girders are considered individual girders.			
109	Prestressed Concrete Open Girder/Beam		Classification:	NBE	Unit of measure: ft
	Description:	Pretensioned or post-tensioned concrete open web girders regardless of protective system.			
	Quantity Calculation:	Sum of all the lengths of each girder.			
	Notes:	Where traffic rides directly on the structural element, regardless of the wearing surface, evaluation of the top flange above the fillet is considered with Element 15.			
115	Prestressed Concrete Stringer		Classification:	NBE	Unit of measure: ft
	Description:	Pretensioned or post-tensioned concrete members that support the deck in a stringer floor beam system regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each stringer.			
143	Prestressed Concrete Arch		Classification:	NBE	Unit of measure: ft
	Description:	Only pretensioned or post-tensioned concrete arches regardless of protective system.			
	Quantity Calculation:	Sum of the length of each arch panel measured longitudinally along the travel way.			
154	Prestressed Concrete Floor Beam		Classification:	NBE	Unit of measure: ft
	Description:	Prestressed concrete floor beams that typically support stringers regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each floor beam.			

SUPERSTRUCTURE					
204	Prestressed Concrete Column	Classification:	NBE	Unit of measure:	ea
	Description:	All prestressed concrete columns regardless of protective system.			
	Calculation:				
226	Prestressed Concrete Pile	Classification:	NBE	Unit of measure:	ea
	Description:	Prestressed concrete piles that are visible for inspection, including piles exposed from erosion or scour and piles visible during an underwater inspection. For all prestressed concrete piles regardless of protective system.			
	Quantity Calculation:	Sum of the number of piles visible for inspection.			
233	Prestressed Concrete Pier Cap	Classification:	NBE	Unit of measure:	ft
	Description:	Those prestressed concrete pier caps that support girders and transfer load into piles or columns. For all caps regardless of protective system.			
	Quantity Calculation:	Sum of the cap lengths measured along the skew angle.			
SUPERSTRUCTURE					
245	Prestressed Concrete Culvert	Classification:	NBE	Unit of measure:	ft
	Description:	All prestressed concrete culverts.			
	Quantity Calculation:	Flow line length of the barrel times the number of barrels.			
320	Prestressed Concrete Approach Slab	Classification:	NBE	Unit of measure:	ft ²
	Description:	Those structural sections between the abutment and the approach pavement that are constructed of prestressed (post-tensioned) reinforced concrete.			
	Quantity Calculation:	Area of the approach slab(s) from edge to edge including any median areas and accounting for any flares or ramps present.			

3.1.3—Steel

DECKS AND SLABS					
28	Steel Deck with Open Grid	Classification:	NBE	Unit of measure:	ft ²
	Description:	All open grid steel bridge decks with no fill.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
	Note:	When the steel grid deck has concrete fill in the wheel tracks only, use Element 29 for the concrete filled portion and Element 28 for the unfilled portion of the deck.			
29	Steel Deck with Concrete Filled Grid	Classification:	NBE	Unit of measure:	ft ²
	Description:	Steel bridge decks with concrete fill either in all of the openings or within the wheel tracks.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
	Note:	When the steel grid deck has concrete fill in the wheel tracks only, use Element 29 for the concrete filled portion and Element 28 for the unfilled portion of the deck.			
30	Steel Deck Corrugated/Orthotropic/Etc.	Classification:	NBE	Unit of measure:	ft ²
	Description:	Those bridge decks constructed of corrugated metal filled with portland cement, asphaltic concrete, or other riding surfaces. Orthotropic steel decks are also included.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
RAILINGS					
330	Metal Bridge Railing	Classification:	NBE	Unit of measure:	ft
	Description	All types and shapes of metal bridge railing. Steel, aluminum, metal beam, rolled shapes, etc. will all be considered part of this element. Included in this element are posts of metal, timber, or concrete; blocking; and curb.			
	Quantity Calculation	Number of rows of bridge rail times the length of the bridge. The element quantity includes only the rail on the bridge.			
SUPERSTRUCTURE					
102	Steel Closed Web/Box Girder	Classification:	NBE	Unit of measure:	ft
	Description:	All steel box girders or closed web girders. For all box girders regardless of protective system.			
	Quantity Calculation:	Sum of all the lengths of each box girder section; can be determined by counting the visible web faces, dividing by two, and then multiplying by the appropriate length.			
107	Steel Open Girder/Beam	Classification:	NBE	Unit of measure:	ft
	Description:	All steel open girders regardless of protective system.			
	Quantity Calculation:	Sum of all the lengths of each girder.			
113	Steel Stringer	Classification:	NBE	Unit of measure:	ft
	Description:	Steel members that support the deck in a stringer floor beam system regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each stringer.			

120	Steel Truss	Classification:	NBE	Unit of measure:	ft
	Description:	All steel truss elements, including all tension and compression members for through and deck trusses. For all trusses regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each truss panel measured longitudinally along the travel way.			
141	Steel Arch	Classification:	NBE	Unit of measure:	ft
	Description:	Steel arches regardless of type or protective system.			
	Quantity Calculation:	Sum of all of the lengths of each arch panel measured longitudinally along the travel way.			
152	Steel Floor Beam	Classification:	NBE	Unit of measure:	ft
	Description:	Steel floor beams that typically support stringers regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each floor beam.			
147	Steel Main Cables	Classification:	NBE	Unit of measure:	ft
	Description:	All steel main suspension or cable stay cables not embedded in concrete. For all cable groups regardless of protective systems.			
	Quantity Calculation:	Sum of all of the lengths of each main cable measured longitudinally along the travel way.			
	Note:	This element is intended for use on main cables in suspension bridges or main cable stays in cable stayed bridges. Suspender cables or other smaller cables shall be captured using Element 148.			
148	Secondary Steel Cables	Classification:	NBE	Unit of measure:	ft
	Description:	All steel suspender cables not embedded in concrete. For all individual or cable groups regardless of protective systems.			
	Quantity Calculation:	Sum of the individual cable or cable groups carrying the load from the superstructure to the main cable/arch elements.			
	Note:	This element is intended for use on suspender cables, other smaller cables, or groups of cables in one location acting as a system to carry loads from the superstructure to the main cable/arch. Suspension bridge main cables or cable stays shall be captured using Element 147.			
161	Steel Pin and Pin & Hanger Assembly or both	Classification:	NBE	Unit of measure:	ea
	Description:	Steel pins and pin and hanger assemblies regardless of protective system.			
	Quantity Calculation:	Sum of the number of pins, pin and hanger assemblies, or both.			
	Note:	Distress observed on either hanger assembly plate should be considered in the condition assessment.			
162	Steel Gusset Plate	Classification:	NBE	Unit of measure:	ea
	Description:	Only those steel gusset plate(s) connections that are on the main truss/arch panel(s). These connections can be constructed with one or more plates that may be bolted, riveted, or welded. For all gusset plates regardless of protective systems.			
	Quantity Calculation:	Sum of the number of primary load path gusset plate assemblies. For multiple-plate gusset connections at a single panel point, the quantity shall be one gusset plate regardless of the number of individual plates at the single connection point.			

SUBSTRUCTURE					
202	Steel Column	Classification:	NBE	Unit of measure:	ea
	Description:	All steel columns regardless of protective system.			
	Quantity Calculation:	Sum of the number of columns.			
207	Steel Tower	Classification:	NBE	Unit of measure:	ft
	Description:	Steel built-up or framed tower supports regardless of protective system.			
	Quantity Calculation:	Sum of the heights of built-up or framed tower supports.			
	Notes:	This element is intended to be used for truss-framed tower supports or built-up steel towers. It is intended to capture large supports and towers associated with suspension bridges, cable stayed bridges, movable bridges, or similar structural configurations.			
219	Steel Abutment	Classification:	NBE	Unit of measure:	ft
	Description:	Steel abutments, including the sheet material retaining the embankment, and monolithic wingwalls and abutment extensions. For all abutments regardless of protective systems.			
	Quantity Calculation:	Sum of the width of the abutment with monolithic wingwalls and abutment extensions measured along the skew angle.			
225	Steel Pile	Classification:	NBE	Unit of measure:	ea
	Description:	Steel piles that are visible for inspection, including piles exposed from erosion or scour and piles visible during an underwater inspection. For all steel piles regardless of protective system.			
	Quantity Calculation:	Sum of the number of piles visible for inspection.			
231	Steel Pier Cap	Classification:	NBE	Unit of measure:	ft
	Description:	Those steel pier caps that support girders and transfer load into piles or columns. For all steel pier caps regardless of protective system.			
	Quantity Calculation:	Sum of the cap lengths measured along the skew angle.			
CULVERTS					
240	Steel Culvert	Classification:	NBE	Unit of measure:	ft
	Description:	Steel culverts, including arched, round, or elliptical pipes.			
	Quantity Calculation:	Flow line length of the barrel times the number of barrels.			

3.1.4—Timber

DECKS AND SLABS					
31	Timber Deck	Classification	NBE	Unit of measure:	ft ²
	Description:	All timber bridge decks, regardless of the wearing surface or protection systems used.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
54	Timber Slab	Classification	NBE	Unit of measure:	ft ²
	Description:	All timber bridge slabs, regardless of the wearing surface or protection systems used.			
	Quantity Calculation:	Area of the slab from edge to edge, including any median areas and accounting for any flares or ramps present.			
RAILINGS					
332	Timber Bridge Railing	Classification	NBE	Unit of measure:	ft
	Description:	All types and shapes of timber bridge railing. Included in this element are posts of timber, metal, or concrete; blocking; and curb.			
	Quantity Calculation:	Number of rows of bridge rail times the length of the bridge; includes only the rail on the bridge.			
SUPERSTRUCTURE					
111	Timber Open Girder/Beam	Classification	NBE	Unit of measure:	ft
	Description:	All timber open girders, regardless of protection system.			
	Quantity Calculation:	Sum of all the lengths of each girder/beam.			
117	Timber Stringer	Classification	NBE	Unit of measure:	ft
	Description:	Timber members that support the deck in a stringer floor beam system, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each stringer.			
135	Timber Truss	Classification	NBE	Unit of measure:	ft
	Description:	All timber truss elements, including all tension and compression members for through and deck trusses. For all trusses, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each truss panel measured longitudinally along the travel way.			
146	Timber Arch	Classification	NBE	Unit of measure:	ft
	Description:	Only timber arches, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each arch panel measured longitudinally along the travel way.			
156	Timber Floor Beam	Classification	NBE	Unit of measure:	ft
	Description:	Timber floor beams that typically support stringers, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each floor beam.			

SUBSTRUCTURE					
206	Timber Column	Classification	NBE	Unit of measure:	ea
	Description:	All timber columns, regardless of protective system.			
	Quantity Calculation:	Number of columns.			
208	Timber Trestle	Classification	NBE	Unit of measure:	ft
	Description:	Framed timber supports. For all timber trestle/towers, regardless of protective system.			
	Quantity Calculation:	Sum of the heights of built-up or framed tower supports.			
	Notes	This element is intended to be used for truss framed trestle or towers. It is intended to capture large supports and towers associated with large deck truss bridges.			
212	Timber Pier Wall	Classification	NBE	Unit of measure:	ft
	Description:	Those timber pier walls that include pile, timber sheet material, and filler. For all pier walls regardless of protective systems.			
	Quantity Calculation:	Sum of the length of the pier walls measured along the skew angle.			
216	Timber Abutment	Classification	NBE	Unit of measure:	ft
	Description:	Timber abutments, including the sheet material retaining the embankment, integral wingwalls, and abutment extensions. For all abutments, regardless of protective systems.			
	Quantity Calculation:	Sum of the width of the abutment with integral wingwalls and abutment extensions measured along the skew angle.			
228	Timber Pile	Classification	NBE	Unit of measure:	ea
	Description:	Timber piles that are visible for inspection, including piles exposed from erosion or scour and piles visible during an underwater inspection. For all timber piles, regardless of protective system			
	Quantity Calculation:	Sum of the number of piles visible for inspection.			
235	Timber Pier Cap	Classification	NBE	Unit of measure:	ft
	Description:	Those timber pier caps that support girders that transfer load into piles, or columns. For all timber pier caps, regardless of protective system.			
	Quantity Calculation:	Sum of the pier cap lengths measured along the skew angle.			
CULVERTS					
242	Timber Culvert	Classification	NBE	Unit of measure:	ft
	Description:	All timber culverts.			
	Quantity Calculation:	Flow line length of the barrel times the number of barrels.			

3.1.5—Masonry

RAILINGS					
334	Masonry Bridge Railing	Classification	NBE	Unit of measure:	ft
	Description	All types and shapes of masonry block or stone bridge railing. All elements of the railing must be masonry block or stone.			
	Quantity Calculation	Number of rows of bridge rail times the length of the bridge; includes only the rail on the bridge.			
SUPERSTRUCTURE					
145	Masonry Arch	Classification	NBE	Unit of measure:	ft
	Description:	Masonry or stacked stone arches, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each arch section measured longitudinally along the travel way.			
SUBSTRUCTURE					
213	Masonry Pier Wall	Classification	NBE	Unit of measure:	ft
	Description:	Those pier walls constructed of block or stone. The block or stone may be placed with or without mortar. For all pier walls, regardless of protective systems.			
	Quantity Calculation:	Sum of the wall lengths measured along the skew angle.			
217	Masonry Abutment	Classification	NBE	Unit of measure:	ft
	Description:	Those abutments constructed of block or stone, including integral wingwalls and abutment extensions. The block or stone may be placed with or without mortar. For all abutments, regardless of protective systems.			
	Quantity Calculation:	Sum of the width of the abutment with integral wingwalls and abutment extensions measured along the skew angle.			
CULVERTS					
244	Masonry Culvert	Classification	NBE	Unit of measure:	ft
	Description:	Masonry block or stone culverts.			
	Quantity Calculation:	Flow line length of the barrel times the number of barrels.			

3.1.6—Other Materials

DECKS AND SLABS					
60	Other Deck	Classification	NBE	Unit of measure:	ft ²
	Description:	All bridge decks constructed of materials not covered by other elements, regardless of the wearing surface or protection systems used.			
	Quantity Calculation:	Area of the deck from edge to edge, including any median areas and accounting for any flares or ramps present.			
65	Other Slab	Classification	NBE	Unit of measure:	ft ²
	Description:	All slabs constructed of materials not covered by other elements, regardless of the wearing surface or protection systems used.			
	Quantity Calculation:	Area of the slab from edge to edge, including any median areas and accounting for any flares or ramps present.			
RAILINGS					
333	Other Bridge Railing	Classification	NBE	Unit of measure:	ft
	Description	All types and shapes of bridge railing, except those defined as metal, concrete, timber, or masonry.			
	Quantity Calculation	Number of rows of bridge rail times the length of the bridge; includes only the rail on the bridge.			
SUPERSTRUCTURE					
106	Other Closed Web/Box Girder	Classification	NBE	Unit of measure:	ft
	Description:	All box girders or closed web girders constructed of materials not covered by other elements. For all other material box girders, regardless of protective system.			
	Quantity Calculation:	Sum of all the length of each box girder section. This quantity can be determined by counting the visible web faces, dividing by two, and then multiplying by the appropriate length of the box section. Elements such as adjacent box girders are considered individual girders.			
112	Other Open Girder/Beam	Classification	NBE	Unit of measure:	ft
	Description:	All girders constructed of materials not covered by other elements, regardless of protection system.			
	Quantity Calculation:	Sum of all the lengths of each girder.			
118	Other Stringer	Classification	NBE	Unit of measure:	ft
	Description:	All stringers constructed of materials not covered by other elements, regardless of protection system.			
	Quantity Calculation:	Sum of all the lengths of each stringer.			
136	Other Truss	Classification	NBE	Unit of measure:	ft
	Description:	All truss elements constructed of materials not covered by other elements, including all tension and compression members, and through and deck trusses. For all other material trusses, regardless of protective system.			
	Quantity Calculation:	Sum of all of the lengths of each truss panel measured longitudinally along the travel way.			

142	Other Arch		Classification	NBE	Unit of measure:	ft
	Description:	Arches constructed of materials not covered by other elements, regardless of type or protective system				
	Quantity Calculation:	Sum of all of the lengths of each arch panel measured longitudinally along the travel way.				
157	Other Floor Beam		Classification	NBE	Unit of measure:	ft
	Description:	Floor beams constructed of materials not covered by other elements, that typically support stringers, regardless of protective system.				
	Quantity Calculation:	Sum of all of the lengths of each floor beam.				
149	Other Secondary Cable		Classification	NBE	Unit of measure:	ft
	Description:	All cables constructed of materials not covered by other elements and not embedded in concrete. For all individual other material cables or cable groups, regardless of protective systems.				
	Quantity Calculation:	Sum of the individual cable or cable groups carrying the load from the superstructure to the main cable/arch elements.				
	Note:	This element is intended for use on suspender cables, other smaller cables, or groups of cables in one location acting as a system to carry loads from the superstructure to the main cable/arch. Suspension bridge main cables or cable stays shall be captured using Element 147.				
SUBSTRUCTURE						
203	Other Column		Classification	NBE	Unit of measure:	ea
	Description:	All columns constructed of materials not covered by other elements, regardless of protective system.				
	Quantity Calculation:	Sum of the number of columns.				
	Notes:	This element is intended for columns constructed of composite materials, or other materials that cannot be classified using any other elements.				
211	Other Pier Wall		Classification	NBE	Unit of measure:	ft
	Description:	Those pier walls constructed of materials not covered by other elements, regardless of protective systems.				
	Quantity Calculation:	Sum of the lengths of the pier walls measured along the skew angle.				
218	Other Abutments		Classification	NBE	Unit of measure:	ft
	Description:	Abutment systems, including the sheet material retaining the embankment, and integral wingwalls and abutment extensions, constructed of materials not covered by other elements. For all abutments, regardless of protective systems.				
	Quantity Calculation:	Sum of the width of the abutment with integral wingwalls and abutment extensions measured along the skew angle.				
229	Other Pile		Classification	NBE	Unit of measure:	ea
	Description:	Piles that are visible for inspection, including piles exposed from erosion or scour and piles visible during an underwater inspection, constructed of materials not covered by other elements. For all other material piles, regardless of protective system.				
	Quantity Calculation:	Sum of the number of piles visible for inspection.				

236	Other Pier Cap	Classification	NBE	Unit of measure:	ft
	Description:	Pier caps constructed of materials not covered by other elements that support girders that transfer load into piles or columns. For all such pier caps, regardless of protective system.			
	Quantity Calculation:	Sum of the pier cap lengths measured along the skew angle.			
CULVERTS					
243	Other Culvert	Classification	NBE	Unit of measure:	ft
	Description:	Culverts constructed of materials not covered by other elements, including arches, or round or elliptical pipes.			
	Quantity Calculation:	Flow line length of the barrel times the number of barrels.			

3.1.7—Bearings

310	Elastomeric Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Bridge bearings that are constructed primarily of elastomers, with or without fabric or metal reinforcement.			
	Quantity Calculation:	Sum of each bearing of this type.			
311	Movable Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Bridge bearings that provide for both rotation and longitudinal movement by means of roller, rocker, or sliding mechanisms.			
	Quantity Calculation:	Sum of each bearing of this type.			
312	Enclosed/Concealed Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Bridge bearings that are enclosed so that they are not open for detailed inspection.			
	Quantity Calculation:	Sum of each bearing of this type.			
	Notes:	This element should be used for box girder hinges. In cases where the bearing material is not visible, the Inspector shall assess the condition based on alignment, grade across the joint, persistence of debris, or other indirect indicators of the condition.			
313	Fixed Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Bridge bearings that provide for rotation only (no longitudinal movement).			
	Quantity Calculation:	Sum of each bearing of this type.			
314	Pot Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Those high load bearings with confined elastomer. The bearing may be fixed against horizontal movement, guided to allow sliding in one direction, or floating to allow sliding in any direction.			
	Quantity Calculation:	Sum of each bearing of this type.			

315	Disk Bearing	Classification	NBE	Unit of measure:	ea
	Description:	Those high load bearings with a hard plastic disk. This bearing may be fixed against horizontal movement, guided to allow movement in one direction, or floating to allow sliding in any direction.			
	Quantity Calculation:	Sum of each bearing of this type.			
316	Other Bearing	Classification	NBE	Unit of measure:	ea
	Description:	All bridge bearings constructed of materials not covered by other elements, regardless of translation or rotation constraints.			
	Quantity Calculation:	Sum of each bearing of this type.			
	Notes	This element is intended for bearings constructed of materials that cannot be classified using any other bearing element.			

3.1.8—Joints

This Article covers expansion joints, pourable joints, compression joints, and assembly joints

300	Strip Seal Expansion Joint	Classification	BME	Unit of measure:	ft
	Description:	Those expansion joint devices which utilize a neoprene type waterproof gland with some type of metal extrusion or other system to anchor the gland.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
301	Pourable Joint Seal	Classification	BME	Unit of measure:	ft
	Description:	Those joints filled with a pourable seal with or without a backer.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
302	Compression Joint Seal	Classification	BME	Unit of measure:	ft
	Description:	Those joints filled with a preformed compression type seal. This joint may or may not have an anchor system to confine the seal.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
303	Assembly Joint with Seal	Classification	BME	Unit of measure:	ft
	Description:	Those joints filled with an assembly mechanism that has a seal.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
304	Open Expansion Joint	Classification	BME	Unit of measure:	ft
	Description:	Those joints that are open and not sealed.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
	Note:	This element is intended for joints designed as open joints, not for those joints that were designed to have a seal that is currently missing.			
305	Assembly Joint without Seal	Classification	BME	Unit of measure:	ft
	Description:	Those assembly joints that are open and not sealed, including finger and sliding plate joints.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			
	Notes:	This element shall include open joints with or without a drainage trough below the joint.			

306	Other Joint	Classification	BME	Unit of measure:	ft
	Description:	Those joints that are not defined by any other joint element.			
	Quantity Calculation:	Sum of all the lengths of the joint measured along the skew angle.			

3.1.9—Wearing Surfaces, Protective Coatings, and Concrete Reinforcing Steel Protective Systems

510	Wearing Surfaces		Classification	BME	Unit of measure:	ft ²
	Description:	All decks/slabs that have overlays made with flexible (asphaltic concrete), semi-rigid (epoxy and polyester material), and rigid (portland cement) materials; and timber running planks.				
	Quantity Calculation:	Should include the area of the deck/slab that is protected by this wearing surface.				
515	Steel Protective Coating		Classification	BME	Unit of measure:	ft ²
	Description:	Steel elements that have a protective coating such as paint, galvanization, weathering steel patina, or other top coat steel corrosion inhibitor.				
	Quantity Calculation:	Should include the entire protected surface of the steel element.				
	Notes:	This element shall describe all coating systems. This includes paint systems, oxide on weathering steel, and galvanization. Assess protective coatings based upon the defects that would apply.				
521	Concrete Protective Coating		Classification	BME	Unit of measure:	ft ²
	Description:	Concrete elements that have a protective coating applied to them. These coatings include silane/siloxane water proofers, crack sealers such as High Molecular Weight Methacrylate (HMWM), or any top coat barrier that protects concrete from deterioration and reinforcing steel from corrosion.				
	Quantity Calculation:	Should include the entire protected surface of the concrete element.				
520	Concrete Reinforcing Steel Protective System		Classification	BME	Unit of measure:	ft ²
	Description:	All types of protective systems used to protect reinforcing steel in concrete elements from corrosion.				
	Quantity Calculation:	Should include the entire surface area of the protected element.				
	Notes: This protection system element is intended to capture situations where the concrete element may be expected to deteriorate at a rate that is slower than unprotected situations. Protection systems may include rebar coatings, cathodic protection, or other similar protection methods. Wearing surfaces are addressed under Element 510 and not this element.					