

Results

Scatterplot

Descriptives

Descriptives

	nominal	ordinal
N	10	10
Missing	0	0

Frequencies

Frequencies of nominal


nominal	Counts	% of Total	Cumulative %
female	5	50.0 %	50.0 %
male	5	50.0 %	100.0 %

Frequencies of ordinal


ordinal	Counts	% of Total	Cumulative %
first	3	30.0 %	30.0 %
second	3	30.0 %	60.0 %
third	2	20.0 %	80.0 %
fourth	2	20.0 %	100.0 %

Plots

nominal



ordinal




Descriptives


Descriptives

	interval	ratio
N	10	10
Missing	0	0
Mean	37.4	69.2
Median	37.2	69.0
Standard deviation	0.704	5.15
IQR	0.825	4.88
Range	2.20	18.0
Minimum	36.8	63.0
Maximum	39.0	81.0
Skewness	1.44	1.27
Std. error skewness	0.687	0.687
Kurtosis	1.48	2.47
Std. error kurtosis	1.33	1.33


Plots


interval





ratio





References

- [1] The jamovi project (2022). *jamovi*. (Version 2.3) [Computer Software]. Retrieved from <https://www.jamovi.org>.
- [2] R Core Team (2021). *R: A Language and environment for statistical computing*. (Version 4.1) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from MRAN snapshot 2022-01-01).