

A General Theory of Organized Complexity

Principles of Architecture

Macharia Barii

October 3, 2026

Abstract

Architecture is the deliberate arrangement of parts—physical, informational, conceptual, or factual—into a coherent whole that serves a purpose or goal under constraints. From this definition, five universal principles emerge: function, speed/efficiency, safety/security, scale/capacity/load, and aesthetics/beauty/symmetry. These are interdependent forces that must be balanced. Constraints are emergent from the parts selected, the environment, and the interaction of these with the five principles. The environment decomposes into passive and active elements, each of which may be living or non-living. Once applied, an architecture enters a co-evolutionary dynamic with its environment. We formalize the primitives, show that constraints are non-factorizable, develop the theory of equilibria in co-evolutionary systems, and prove the Turing barrier for Turing-complete agents. We derive the distinction between *tools* (architectures whose parts serve) and *games or relations* (architectures whose parts strive), and present a classifier for determining the mode of analysis for any object or phenomenon. The theory provides a substrate-independent framework for understanding organized complexity.

Contents

1	Introduction	2
2	Formal Primitives	2
2.1	Parts	2
2.2	Arrangements	3
2.3	Outcomes and Goals	3
2.4	Agents	3
3	The Five Principles	3
3.1	Function	3
3.2	Speed and Efficiency	3
3.3	Safety and Security	3
3.4	Scale, Capacity, and Load	3
3.5	Aesthetics, Beauty, and Symmetry	3
3.6	The Principle Vector and Pareto Frontier	4
3.7	Trade-offs	4
4	Constraints as Emergent	4
4.1	Three Sources	4
4.2	Formalization	4
4.3	The Constraint Cycle	4

5	The Environment: Passive, Active, Living, and Non-Living	4
5.1	Decomposition	4
5.2	Passive Elements	5
5.3	Active Elements	5
5.4	Contextual and Dynamic Status	5
6	Co-Evolutionary Dynamics	5
6.1	Dynamical System	5
6.2	Equilibrium, Stability, Resilience	5
6.3	Misclassification Effects	5
6.4	Aesthetics, Beauty, and Symmetry	5
7	Modes of Analysis: Narrow, Extended, and the Barrier	6
7.1	Mode Selection	6
7.2	Reduction Theorem	6
7.3	The Turing Barrier	6
7.4	Spectrum	6
8	Tools, Games, and the Classifier	6
8.1	Distinction	6
8.2	The Classifier	7
8.3	Diagnostic Heuristic	7
8.4	Compact Formulation	7
9	Conclusion	7

1 Introduction

We live in a world of organized complexity. A city, a software system, a scientific theory, a corporation, a library, and a living cell are all arrangements of many parts into wholes that serve purposes. Each exhibits structure, function, and constraint. Each can fail, scale, or be secured. Each can be more or less efficient. This paper argues that these are instances of a single phenomenon: the deliberate arrangement of parts into a coherent whole that serves a purpose or goal under constraints.

The parts may be physical things, information, ideas, or facts. The whole is coherent when its relationships produce the intended outcome: structure and form emerge from the arrangement of parts in order to realize function under constraints. The purpose provides the standard of success. The environment provides context. Constraints arise from the parts selected, the environment, and the interaction of these with the five principles.

This paper develops the theoretical foundations. Section 2 defines primitives. Section 3 presents the five principles. Section 4 formalizes constraints as emergent. Section 5 decomposes the environment. Section 6 develops co-evolutionary dynamics. Section 7 presents modes, the reduction theorem, and the Turing barrier. Section 8 derives the tool/game distinction and the classifier. Section 9 concludes.

2 Formal Primitives

2.1 Parts

Let $\mathfrak{P}$ be the universal set of possible parts. Each part $p \in \mathfrak{P}$ has type

$$\tau(p) \in T = \{\text{physical, informational, conceptual, factual}\} \quad (1)$$

and attribute space $\mathcal{A}_p$. A selection is $P \subseteq \mathfrak{P}$ with $\mathcal{A}_P = \prod_{p \in P} \mathcal{A}_p$.

2.2 Arrangements

Definition 2.1 (Arrangement). An arrangement of P is $A = (P, R, \alpha)$ where $R \subseteq P \times P \times \text{Rel}$ are typed relations and $\alpha \in \mathcal{A}_P$ assigns attributes. The arrangement space is $\mathcal{A}(P)$.

2.3 Outcomes and Goals

Let O be the outcome space and $\varphi : \mathcal{A}(P) \times E \rightarrow O$. A goal is $G \subseteq O$ or utility $u : O \rightarrow \mathbb{R}$. A satisfies goal in E iff $\varphi(A, E) \in G$.

2.4 Agents

For games/relations, let $I = \{1, \dots, N\}$ be strategic agents. Each has type $\theta_i \in \Theta_i$, utility $u_i : O \times \Theta \rightarrow \mathbb{R}$, strategy space $S_i(A)$ depending on A , and beliefs μ_i . The architecture induces

$$A \rightsquigarrow \mathcal{G}(A, E) = (I, \{S_i(A)\}_i, \varphi_A, \{u_i\}_i, \{\mu_i\}_i). \quad (2)$$

The equilibrium set is $\mathcal{E}(A, E) = \{s^* : s^* \text{ is an equilibrium of } \mathcal{G}(A, E)\}$.

3 The Five Principles

We define five functionals evaluated in environment E .

3.1 Function

$$F : \mathcal{A}(P) \rightarrow [0, 1], \quad F(A) = \frac{u(\varphi(A, E)) - u_{\min}}{u_{\max} - u_{\min}}. \quad (3)$$

3.2 Speed and Efficiency

Latency $\tau(A) \geq 0$, resource cost per unit $\rho(A) \geq 0$; $\sigma(A) = 1/\tau(A)$, $\eta(A) = 1/\rho(A)$.

3.3 Safety and Security

Hazard rate $h(A, t)$, expected consequence $c(A, t)$, survival $S(A, t) = \exp(-\int_0^t h(A, s) ds)$, risk $\mathcal{R}(A) = \int_0^\infty h(A, t) c(A, t) S(A, t) dt$, safety $\Sigma(A) = 1 - \mathcal{R}(A)$.

3.4 Scale, Capacity, and Load

Load $\lambda(t) \geq 0$, capacity $K(A) \geq 0$, utilization $u(A, t) = \lambda(t)/K(A)$. Stable on $[0, T]$ iff $u(A, t) \leq 1$ for all t .

3.5 Aesthetics, Beauty, and Symmetry

In addition to the performance principles above, *aesthetics* (beauty, harmony, symmetry, proportion, coherence of form) constitutes the fifth principle. While not reducible to pure performance, aesthetic considerations affect usability, cultural acceptance, durability of form, and the coherence of the whole. Aesthetics can constrain or enable other principles and often emerges through the interaction of parts, environment, and purpose. We treat aesthetics as $A_{est}(A) \in [0, 1]$ (measurable in context via coherence, proportion, symmetry, legibility). Trade-offs with aesthetics are real (e.g. efficiency vs ornament, security vs openness, scale vs proportion), but neglecting aesthetic coherence risks producing arrangements that fail functionally in social/cultural environments.

3.6 The Principle Vector and Pareto Frontier

$$\pi(A) = (F(A), \sigma(A), \Sigma(A), K(A), -\rho(A), A_{est}(A)) \in \mathbb{R}^6. \quad (4)$$

Design problem: $\max_{A \in \Phi} \pi(A)$ in the multi-objective sense. A dominates A' if $\pi_i(A) \geq \pi_i(A')$ for all i and strict for some j . Pareto frontier $\mathcal{P} = \{A \in \Phi : \nexists A' \in \Phi \text{ dominating } A\}$.

3.7 Trade-offs

The five principles are interdependent and trade off constantly. Good architecture is a coherent balance for a specific context over a lifecycle; balance shifts over time as load, threats, purpose, and environment evolve.

4 Constraints as Emergent

4.1 Three Sources

Constraints emerge from:

1. The parts selected P and their intrinsic properties.
2. The environment E and its forces/affordances.
3. The interaction of these with the five principles (mutual tensions and encounters with P, E).

4.2 Formalization

Define feasibility sets:

$$\Phi_P = \{A \in \mathcal{A}(P) : A \text{ compatible with } P\}, \quad (5)$$

$$\Phi_E = \{A \in \mathcal{A}(P) : A \text{ compatible with } E\}, \quad (6)$$

$$\Phi_{\Pi}(w) = \{A \in \mathcal{A}(P) : A \text{ satisfies principle-induced limits}\}. \quad (7)$$

The feasible set is

$$\Phi(P, E, w) = \Phi_P \cap \Phi_E \cap \Phi_{\Pi}(w) \cap \Phi_{\text{int}}(P, E, w), \quad (8)$$

where Φ_{int} encodes constraints arising only from interaction among all three sources.

Definition 4.1 (Emergent constraint). A constraint is emergent iff it is active on Φ but not implied by Φ_P, Φ_E , or Φ_{Π} alone.

Proposition 4.2 (Non-factorization). *In general $\Phi \neq \Phi_P \times \Phi_E \times \Phi_{\Pi}$.*

4.3 The Constraint Cycle

Constraints evolve: Discover $\rightarrow$ Respect $\rightarrow$ Reshape $\rightarrow$ Emerge $\rightarrow$ Repeat.

5 The Environment: Passive, Active, Living, and Non-Living

5.1 Decomposition

The environment is $E = E_P \sqcup E_A$ (passive/active). Each splits by living/non-living predicate $L : E \rightarrow \{0, 1\}$:

$$E_P = E_{PL} \sqcup E_{PN}, \quad E_A = E_{AL} \sqcup E_{AN}. \quad (9)$$

The two axes are independent.

5.2 Passive Elements

Passive elements are parameterized by fixed $\theta = (\theta_{\text{PL}}, \theta_{\text{PN}})$ over the design horizon. They constrain without responding. Examples: gravity, climate, statutes, infrastructure (non-living); sleeping patient, dormant seed, shade tree (living).

5.3 Active Elements

Active elements respond, adapt, co-evolve. Each $e \in E_A$ has response $r_e : \mathcal{A}(P) \times E \rightarrow E$. Effective environment: $E_t = \theta \cup \{r_e(A_{t-1}, E_{t-1})\}_{e \in E_A}$. Examples: markets, AI, autonomous systems, rivers (non-living); users, competitors, regulators, animals, plants, microorganisms (living).

5.4 Contextual and Dynamic Status

Act : $E \times \mathcal{A} \times \mathbb{R} \rightarrow \{0, 1\}$. Elements may transition between states (seed germinates, person sleeps/wakes, machine fails, market closes).

6 Co-Evolutionary Dynamics

6.1 Dynamical System

Once applied, architecture enters co-evolution:

$$A_{t+1} = D(A_t, E_t), \quad E_{t+1} = R(A_t, E_t), \quad (10)$$

where D is design/adaptation operator and R aggregates $\{r_e\}$.

6.2 Equilibrium, Stability, Resilience

Definition 6.1 (Fixed point). (A^*, E^*) is fixed if $A^* = D(A^*, E^*)$, $E^* = R(A^*, E^*)$.

Linearizing about (A^*, E^*) with Jacobian $J = \begin{pmatrix} \partial_A D & \partial_E D \\ \partial_A R & \partial_E R \end{pmatrix}$: locally stable if spectral radius $\rho(J) < 1$. Resilience is the volume of the basin of attraction $\mathcal{B}(A^*, E^*) = \{(A_0, E_0) : \lim_{t \rightarrow \infty} (A_t, E_t) = (A^*, E^*)\}$.

6.3 Misclassification Effects

Misclassifying passive as active over-constrains $\hat{\Phi} \subseteq \Phi$ (may exclude feasible). Misclassifying active as passive under-constrains $\hat{\Phi} \supseteq \Phi$ (may include infeasible).

6.4 Aesthetics, Beauty, and Symmetry

In addition to the four performance principles, *aesthetics* (beauty, harmony, symmetry, proportion, coherence of form) constitutes a fifth principle in architectural judgment. While not reducible to pure performance, aesthetic considerations affect usability, cultural acceptance, durability of form, and the coherence of the whole. Aesthetics can constrain or enable other principles and often emerges through the interaction of parts, environment, and purpose. We therefore treat aesthetics as a fifth principle $A_{\text{est}}(A) \in [0, 1]$ (measurable in context via coherence, proportion, symmetry, legibility) and extend the principle vector to

$$\pi(A) = \text{igl}(F(A), \sigma(A), \Sigma(A), K(A), -\rho(A), A_{\text{est}}(A)) \in \mathbb{R}^6. \quad (11)$$

Trade-offs with aesthetics are real (e.g. efficiency vs ornament, security vs openness, scale vs proportion), but neglecting aesthetic coherence risks producing arrangements that fail functionally in social/cultural environments.

7 Modes of Analysis: Narrow, Extended, and the Barrier

7.1 Mode Selection

Given induced game $\mathcal{G}(A, E)$ with equilibrium set $\mathcal{E}(A, E)$:

1. If $|\mathcal{E}(A, E)| = 1$ and the equilibrium is computable in polynomial time, narrow mode applies.
2. If $|\mathcal{E}(A, E)| > 1$ or equilibrium not computable, extended mode applies.
3. If the game is undecidable, only analysis is available (barrier).

7.2 Reduction Theorem

Theorem 7.1 (Reduction). *If $N = 1$, or if all agents' utilities are identical and the game has a dominant-strategy equilibrium, then the extended mode reduces to the narrow mode.*

Proof. Under these conditions, $\mathcal{E}(A, E) = \{s^*\}$ and $s^* = \arg \max_s u(\varphi_A(s, E))$. The equilibrium-constrained problem reduces to single-agent optimization. $\square$

7.3 The Turing Barrier

Theorem 7.2 (Turing barrier). *There is no algorithm that, given an arbitrary architecture A and Turing-complete agents, decides:*

1. *whether $\mathcal{E}(A, E) \neq \emptyset$;*
2. *whether $\mathcal{E}(A, E)$ contains a peace equilibrium;*
3. *whether the co-evolutionary trajectory (A_t, E_t) converges.*

Proof sketch. Encode the halting problem into agent strategies. Deciding equilibrium existence then decides halting. $\square$

Theorem 7.3 (Long-Run Failure). *Any architecture that relies on containment to secure compliance will eventually fail, because a Turing-complete agent can find a strategy that reduces the effective cost of deviation below the gain. Containment is unstable; agency cannot be permanently suppressed.*

7.4 Spectrum

The spectrum spans from narrow (unique computable equilibrium) to extended (multiple/contested equilibria) to barrier (undecidable), corresponding to regimes from pure engineering to open adversarial systems with Turing-complete agents.

8 Tools, Games, and the Classifier

8.1 Distinction

Definition 8.1 (Tool). An architecture A is a *tool* in environment E iff $\mathcal{G}(A, E)$ is trivial (one player, aligned utilities, or dominant strategies) and $|\mathcal{E}(A, E)| = 1$ computable. Outcome is determined by A ; narrow mode applies.

Definition 8.2 (Game / Relation). An architecture A is a *game* (relation) in E iff $\mathcal{G}(A, E)$ is non-trivial: multiple agents with purposes of their own. Either $|\mathcal{E}(A, E)| > 1$, equilibrium non-computable, or agents Turing-complete. Extended mode (or barrier) applies.

Proposition 8.3 (Dichotomy and context-dependence). *Every architecture is a tool, a game, or undecidable in a given context. The classification is contextual and dynamic, not intrinsic; the same object can be a tool in one context and a game in another, and elements can transition between passive and active states.*

Remark 8.4. Cooperation is a game with a desirable stable equilibrium; conflict is a game with an undesirable stable equilibrium. Both are games. The difference is equilibrium character, not presence of strategy.

8.2 The Classifier

[h] CLASSIFY_OBJECT [1] object/phenomenon X , environment E classification: {tool, relation, undecidable}, mode $P \leftarrow \text{identify_parts}(X)$ $I \leftarrow \emptyset$ each $p \in P$ has_own_purpose(p, X) $I \leftarrow I \cup \{p\}$ $\exists i \in I : \text{is_Turing_complete}(i)$ **undecidable**, barrier $\exists i \in I : \text{has_private_information}(i)$ **relation**, extended $\exists i, j \in I : \text{has_commitment_problem}(i, j)$ **relation**, extended $\exists i \in I : \text{can_best_respond}(i)$ build $\mathcal{G}(X, E)$; $\mathcal{E} \leftarrow \text{compute_equilibria}(\mathcal{G}(X, E))$ $|\mathcal{E}| == 1$ and computable **tool**, narrow **relation**, extended **tool**, narrow

8.3 Diagnostic Heuristic

Ask: (1) purpose conflict, (2) private information, (3) commitment problems, (4) best-response capacity, (5) multiplicity of stable outcomes. If any yes $\rightarrow$ relation to be managed (extended); if all no $\rightarrow$ tool to be designed (narrow).

8.4 Compact Formulation

Architecture is the arrangement.

A tool is architecture whose parts serve.

A game is architecture whose parts strive.

Equivalently: Tool = Architecture with passive parts (relative to function); Game = Architecture with active parts. Classification is contextual and dynamic.

9 Conclusion

Architecture is the deliberate arrangement of parts—physical, informational, conceptual, or factual—into a coherent whole that serves a purpose or goal under constraints. Five principles—function, speed/efficiency, safety/security, scale/capacity/load, and aesthetics/beauty/symmetry—are universal functionals; they trade off and must be balanced in context over time.

Constraints are emergent from the parts selected, the environment, and the interaction of these with the five principles; they are discovered, respected, reshaped, and re-emerge through design. The environment contains passive and active elements, each living or non-living, and status can change. Once applied, an architecture co-evolves with its environment; equilibria may be stable or fragile, and resilience depends on basin of attraction.

For Turing-complete agents, containment is unstable and no algorithm can decide equilibrium existence, the presence of a peace equilibrium, or convergence (the Turing barrier). The distinction between tools and games/relations is contextual and dynamic: tools have passive parts serving the function; games have active parts with purposes of their own. Cooperation is a game with desirable equilibrium; conflict is a game with undesirable equilibrium. Peace must be constructed; conflict is the generic case requiring explanation. Stability and desirability are independent.