Algorithmic Analysis of Civilizations: A Computational Pipeline for the Ledger of Reciprocal Relations

Macharia Barii

14 October 2026

Abstract

This essay translates the formal theory of *The Essence of Civilization* into an executable artifact. The theory classifies human relations by the sign and sustainability of their net transfers, derives the extraction ceiling imposed by exit and voice, and predicts collapse from the trajectory of a small dynamical system. The present work implements that theory as a six-stage pipeline: *ingest* → *classify* → *assess* → *detect hidden history* → *project dynamics* → *report*. The implementation is a single, dependency-free Rust program that ingests a structured description of a civilization—actors, relations, and achievements—and emits a comparative ledger. We describe each stage, the data structures that carry it, the heuristics that operationalize the theory's non-constructive claims, and the limitations of the result. The complete source is reproduced in Appendix A.

Contents

1 From Theory to Algorithm **2**

2 The Pipeline **2**

3 Data Structures **2**

4 Classification **3**

5 The Extraction Ceiling **3**

6 Detecting Hidden History **3**

7 The Unobservable Counterparty **4**

8 Projecting Dynamics **4**

9 Reference Implementation **4**

10 Limitations **5**

11 Conclusion **5**

A Complete Source **5**

B Sample Run **25**

1 From Theory to Algorithm

The formal paper states its claims as theorems, propositions, and definitions. Those are statements about *all* civilizations. An algorithm makes a different kind of claim: it makes the theory *inspectable*. Given a concrete ledger, the algorithm should say which relations are symbiotic, which are parasitic, which are predatory; where the extraction ceiling lies; what has been left out of the official record; and where the order is heading. This essay describes such an algorithm.

The design rests on three convictions. First, the theory's primitives are finite and computable: a civilization is a finite set of actors and a finite set of relations, each carrying numeric flows. Second, the theory's non-constructive claims—"hidden labor exists," "grievance is suppressed"—can be operationalized as *signals* whose strength is a confidence score rather than a proof. Third, the decisive variable is not any static share but the *trajectory*: the algorithm must project the order forward, not merely describe it.

2 The Pipeline

The program's structure is its argument. The pipeline has six stages, each a function of the previous stage's output:

1. **Ingest.** Build a `Civilization` from a description: actors with roles, capacities, thresholds, and exit/voice parameters; relations with kinds, outputs, shares, and contributions; achievements with embodied labor and credited parties.
2. **Classify.** For each relation, compute the net gain to each party and assign a `FlowStatus`: symbiotic, parasitic, or predatory.
3. **Assess.** Aggregate the relation statuses into a civilization level classification (the worst category present governs), and compute the extraction ceiling implied by exit and voice.
4. **Detect hidden history.** Search for the signature of what the record omits: the achievement–labor gap, suppressed grievance, captive populations, and unrecorded mobilization.
5. **Project dynamics.** Integrate the dynamical system for capacity, legitimacy, conflict, and the injustice gap, and report the phase the order approaches.
6. **Report.** Render the ledger, the hidden-history candidates, the projection, and counterfactual stress tests as text.

A seventh, optional stage extends the pipeline to the contemporary ledger—the exit-asymmetry index, the compliance-by-atomization detector, and the biospheric-predation check. That extension is the subject of the companion essay *The Contemporary Ledger*; it is present in the source and is exercised by the second worked example.

3 Data Structures

The type system is deliberately close to the theory. The central choice is a single enumeration of relation kinds that merges the classical typology with the contemporary extension, so that one classifier handles both:

Definition 3.1 (Relation kind)**.** A `RelationKind` is one of the classical types—exchange, mutual aid, tribute, taxation, corvée, rent, debt peonage, slavery, caste labor, patron–client, wage labor, feudal service, liturgy, colonial tribute, conquest, occupation, genocide—or one of the contemporary types added by the extension. Two predicates recover the theory: `coercive()` marks relations whose terms are imposed rather than agreed; `labor_extractive()` marks relations that extract embodied labor.

An `Actor` carries the parameters the theory needs and no more: a participation threshold, a reproduction threshold, capacity and its ceiling, the state variables (legitimacy, conflict, repression, ideology), the exit/voice pair (k_i, v_i), and growth parameters. A `Relation` carries a source and target actor, a kind, an output, each party's share and contribution, and the pair of exit/voice values local to the relation. An `Achievement` records a durable product together with the labor-years it embodied and the parties the official record credits or names as laborers. That last pair of fields is what makes the achievement–labor gap computable.

4 Classification

Classification proceeds in two steps. For a relation with output Q and shares s_i, contributions c_i, the net gain to party i is

$$\text{net}_i \;=\; s_i Q - c_i.$$

A relation is *symbiotic* when both net gains meet their reproduction thresholds; *parasitic* when one party extracts while the other survives above its reproduction threshold but below its participation threshold; and *predatory* when extraction drives the host's net gain below the level at which it can reproduce. The classification is a function of the flows and the thresholds, not of the relation's name—a wage relation can be symbiotic, and a tribute relation can be parasitic or predatory depending on magnitude.

Aggregation is conservative: the civilization inherits the *worst* category present. A single predatory relation is enough to classify the whole order as predatory, because predation endangers the reproduction of the order itself, not merely the welfare of one party.

5 The Extraction Ceiling

The theory's most actionable result is the extraction ceiling. Under exit and voice, the maximum extraction a monopolist can sustain is the lesser of two bounds: a revenue-maximizing monopolist rate, and the ceiling imposed by the host's ability to leave,

$$\tau^{\text{exit}} \;=\; 1 - \sqrt{2\,(\bar{a}_A + k)},$$

truncated at zero. The implementation computes both and reports which binds. This is what makes the exit asymmetry legible: when $k \to 0$ the ceiling is set by monopoly power, but when $k \to 1$ the ceiling collapses and even a weak monopolist cannot extract. The code exposes this as a per-actor report line, so a reader can see at a glance whose immobility is doing the work.

6 Detecting Hidden History

The theory's boldest claims concern what records omit. Four heuristics operationalize them.

Achievement–labor gap.
If an achievement's embodied labor-years far exceed the labor that the visible coercive channels could supply, the difference is unrecorded mobilization. Confidence rises with the size of the gap.

Suppressed grievance.
A coercive relation that leaves the host below its participation threshold implies grievance that is typically not recorded. Confidence rises with the shortfall.

Legitimacy shield.
High ideological investment and high measured legitimacy coexisting with extreme concentration of shares suggests that the legitimacy is a manufactured shield for extraction, and that grievance beneath it is unrecorded.

Captive population.
Actors with high exit cost and low voice cannot express dissatisfaction. Their absence from the record of dissent is evidence of suppression, not contentment.

The achievement–labor heuristic additionally flags when no laborers are named at all in the record of a monument, which is the sharpest form of the gap.

Each candidate carries a description, a confidence score, the implicated actors, and the arithmetic that produced it. The reader is invited to reject the inference; the algorithm's task is to make the inference explicit and falsifiable, not to assert it.

7 The Unobservable Counterparty

Every relation the classifier handles is a relation between Actors, and an Actor is defined by measurable quantities: capacity, a reproduction threshold, exit cost, and voice. Some relations have a counterparty that cannot be an Actor—most importantly, the divine. The classifier cannot invent the missing numbers, and it does not: it returns *indeterminate* on the divine side, where the required fields are blank, and classifies instead the mediated human relation (worshipper $\rightarrow$ institution), which is ordinary and carries measurable flows. The result is a deliberate silence, and the silence is informative: it localizes the audit on the party that speaks for the absent counterparty.

Religion enters the pipeline not as a relation but as the legitimacy technology the dynamics already carry. The code's per-actor `legitimacy` and `ideology` fields are exactly the inputs of $\dot{L} = -\lambda G + \mu I$: a religious relation supplies ideology $I > 0$, raises L, and lowers the cost of compliance $\Phi(G, L)$ for the surrounding ledger. Because the counterparty's output is unverifiable, the interpreter of that counterparty holds a *signal monopoly*—a principal–agent problem with hidden action and hidden information—so the same indeterminacy that makes religion a cheap legitimacy technology is what makes it manipulable. The analyzer therefore cannot adjudicate the divine claim; it can, and does, flag the earthly transfer that the divine claim accompanies. The formal treatment is the religion subsection of the theory paper; the contemporary instance is Finding 4.6 of the companion essay.

8 Projecting Dynamics

The assessment is static; the projection is not. The program integrates a four-variable system—aggregate capacity K, legitimacy L, conflict C, and the injustice gap G—using the growth, depreciation, and conflict-damage parameters carried by actors, together with a justice mechanism that couples L to C and an extraction term that couples G to K. The phase is read off the terminal state: consensus, latent dissent, compliance by atomization, open conflict, or collapse and renewal. Two counterfactual runs—halving and doubling exit costs—isolate the effect of mobility on the trajectory.

9 Reference Implementation

The program is a single Rust file with no external dependencies. It is built with

```
cargo build --release
cargo run --release
```

and ships with two worked ledgers: a classical example (Ur-Nammu, Bronze Age) with tribute, corvée, slavery, and exchange; and a contemporary example with platform labor, sovereign debt, supply-chain extraction, data extraction, and carbon extraction. The contemporary example exercises the extension: it reports an exit-asymmetry index, detects compliance by atomization,

and detects biospheric predation. The full source is listed in Appendix A; a sample run is reproduced in Appendix B.

10 Limitations

Three limitations deserve emphasis. First, the heuristics are exactly that: the achievement–labor gap and the grievance detectors produce candidates with confidence scores, not proofs. Second, the dynamical parameters are illustrative; the program demonstrates the *structure* of the projection, not a calibrated forecast. Third, ingestion is heuristic—keyword matching over a description—and a serious application would replace it with a structured schema. None of these limitations touches the central design: the algorithm makes the ledger explicit, and an explicit ledger can be argued with.

11 Conclusion

The theory says that civilization is a ledger of reciprocal relations, that extraction is bounded by exit and voice, and that orders collapse when the injustice gap outruns the mechanisms that justify it. The algorithm makes those claims computable. It cannot decide whether a civilization is just; it can show, relation by relation, who gives, who gains, who cannot leave, and what the record has left out. That is the modest but real value of turning a theory of civilization into code.

A Complete Source

```rust
//! civilization_analyzer.rs
//!
//! Algorithmic analysis of civilizations as ledgers of reciprocal relations.
//!
//! This program implements, in full functional form, the framework developed in
//! "The Essence of Civilization: A Formal Theory of Reciprocal Relations,
//! Justice, and Conflict" together with its two extensions:
//!
//!   * "Algorithmic Analysis of Civilizations" (the classical pipeline), and
//!   * "The Contemporary Ledger" (the modern relation types and diagnostics).
//!
//! Pipeline:
//!     ingest -> classify -> assess -> detect hidden history
//!            -> project dynamics -> report -> contemporary diagnostics
//!
//! Build:  cargo build --release
//! Run:    cargo run --release
//!
//! The classical and contemporary relation types share a single enum so that a
//! single ledger can mix tribute and platform labour, corvee and carbon
//! extraction. This is what makes the contemporary diagnostics functional
//! rather than illustrative.

use std::collections::HashMap;
use std::fmt::Write as _;

// ============================================================================
// 1. TYPES
// ============================================================================

pub type ActorId = usize;
pub type RelationId = usize;

/// Every relation in the ledger, classical and contemporary.
///
/// The structural logic is identical across the two families: each is a tuple
/// (contributions, output, shares, exit cost, voice). Only the mechanism
```

```rust
/// differs. Keeping them in one enum lets the classifier, the hidden-history
/// detector, and the dynamical projection treat them uniformly.
#[derive(Debug, Clone, Copy, PartialEq, Eq)]
pub enum RelationKind {
    // -- classical ------------------------------------------------
    Exchange,
    MutualAid,
    Tribute,
    Taxation,
    Corvee,
    Rent,
    DebtPeonage,
    Slavery,
    CasteLabor,
    PatronClient,
    WageLabor,
    FeudalService,
    Liturgy,
    ColonialTribute,
    Conquest,
    Occupation,
    Genocide,
    // -- contemporary ---------------------------------------------
    PlatformLabor,
    SovereignDebt,
    SupplyChainExtraction,
    DataExtraction,
    CarbonExtraction,
    TaxHavenArbitrage,
    IntellectualPropertyRent,
    VisaRegime,
    CareLabor,
    PredatoryFinance,
    ConflictMinerals,
    FisheriesDepletion,
    DigitalAttention,
}

impl RelationKind {
    /// A coercive relation is one that a party cannot freely refuse on terms of
    /// its own choosing.
    pub fn coercive(&self) -> bool {
        use RelationKind::*;
        matches!(
            self,
            // classical
            Tribute | Taxation | Corvee | Rent | DebtPeonage
                | Slavery | CasteLabor | FeudalService
                | ColonialTribute | Conquest | Occupation
            // contemporary
                | PlatformLabor | SovereignDebt | SupplyChainExtraction
                | DataExtraction | CarbonExtraction | TaxHavenArbitrage
                | IntellectualPropertyRent | VisaRegime | CareLabor
                | PredatoryFinance | ConflictMinerals | FisheriesDepletion
                | DigitalAttention
        )
    }

    /// A labour-extractive relation is one whose costs fall on human capacity
    /// to reproduce.
    pub fn labor_extractive(&self) -> bool {
        use RelationKind::*;
        matches!(
            self,
            Corvee | Slavery | DebtPeonage | CasteLabor
                | FeudalService | ColonialTribute
                | PlatformLabor | CareLabor | ConflictMinerals
        )
    }

    /// Relations that consume the host's capacity to reproduce (Definition 4.3).
    pub fn predatory(&self) -> bool {
        use RelationKind::*;
```

```
        matches!(
            self,
            Slavery | Conquest | Genocide
                | CarbonExtraction | ConflictMinerals | FisheriesDepletion
        )
    }

    /// The biosphere cannot be conquered or replaced: relations whose host is
    /// the biosphere are the ones for which the conservation corollary fails.
    pub fn is_biospheric(&self) -> bool {
        use RelationKind::*;
        matches!(self, CarbonExtraction | FisheriesDepletion)
    }

    pub fn label(&self) -> &'static str {
        use RelationKind::*;
        match self {
            Exchange => "exchange",
            MutualAid => "mutual aid",
            Tribute => "tribute",
            Taxation => "taxation",
            Corvee => "corvee",
            Rent => "rent",
            DebtPeonage => "debt peonage",
            Slavery => "slavery",
            CasteLabor => "caste labor",
            PatronClient => "patron-client",
            WageLabor => "wage labor",
            FeudalService => "feudal service",
            Liturgy => "liturgy",
            ColonialTribute => "colonial tribute",
            Conquest => "conquest",
            Occupation => "occupation",
            Genocide => "genocide",
            PlatformLabor => "platform labor",
            SovereignDebt => "sovereign debt",
            SupplyChainExtraction => "supply-chain extraction",
            DataExtraction => "data extraction",
            CarbonExtraction => "carbon extraction",
            TaxHavenArbitrage => "tax-haven arbitrage",
            IntellectualPropertyRent => "IP rent",
            VisaRegime => "visa regime",
            CareLabor => "care labor",
            PredatoryFinance => "predatory finance",
            ConflictMinerals => "conflict minerals",
            FisheriesDepletion => "fisheries depletion",
            DigitalAttention => "digital attention",
        }
    }
}

#[derive(Debug, Clone, Copy, PartialEq, Eq)]
pub enum FlowStatus {
    Symbiotic,
    Parasitic,
    Predatory,
}

#[derive(Debug, Clone, Copy, PartialEq, Eq)]
pub enum RelationClass {
    Symbiotic,
    Parasitic,
    Predatory,
}

// ---------------------------------------------------------------------
// Actor
// ---------------------------------------------------------------------

#[derive(Debug, Clone)]
pub struct Actor {
    pub id: ActorId,
    pub name: String,
```

```rust
    pub role: String,

    /// Participation threshold: what the actor could obtain outside.
    pub participation_threshold: f64,
    /// Reproduction threshold: minimum to sustain capacity.
    pub reproduction_threshold: f64,

    /// Current capacity K_i and ceiling.
    pub capacity: f64,
    pub max_capacity: f64,

    /// Legitimacy L_i, conflict C_i, repression R_i, ideology I_i.
    pub legitimacy: f64,
    pub conflict: f64,
    pub repression: f64,
    pub ideology: f64,

    /// Exit cost k_i and voice v_i (aggregate across relations).
    pub exit_cost: f64,
    pub voice: f64,

    /// Growth parameters.
    pub growth_rate: f64,
    pub depreciation: f64,
    pub conflict_damage: f64,
}

impl Actor {
    pub fn new(id: ActorId, name: &str, role: &str) -> Self {
        Actor {
            id,
            name: name.to_string(),
            role: role.to_string(),
            participation_threshold: 0.05,
            reproduction_threshold: 0.0,
            capacity: 1.0,
            max_capacity: 2.0,
            legitimacy: 0.6,
            conflict: 0.0,
            repression: 0.0,
            ideology: 0.3,
            exit_cost: 0.5,
            voice: 0.2,
            growth_rate: 0.05,
            depreciation: 0.02,
            conflict_damage: 0.10,
        }
    }
}

// ---------------------------------------------------------------------
// Relation
// ---------------------------------------------------------------------

#[derive(Debug, Clone)]
pub struct Relation {
    pub id: RelationId,
    pub from: ActorId,
    pub to: ActorId,
    pub kind: RelationKind,

    pub output: f64,
    pub contribution_from: f64,
    pub contribution_to: f64,
    pub share_from: f64,
    pub share_to: f64,

    pub exit_cost_from: f64,
    pub exit_cost_to: f64,
    pub voice_from: f64,
    pub voice_to: f64,

    pub description: String,
```

```rust
}

impl Relation {
    #[allow(clippy::too_many_arguments)]
    pub fn new(
        id: RelationId,
        from: ActorId,
        to: ActorId,
        kind: RelationKind,
        output: f64,
        share_from: f64,
        share_to: f64,
        contribution_from: f64,
        contribution_to: f64,
    ) -> Self {
        Relation {
            id,
            from,
            to,
            kind,
            output,
            contribution_from,
            contribution_to,
            share_from,
            share_to,
            exit_cost_from: 0.0,
            exit_cost_to: 0.5,
            voice_from: 0.5,
            voice_to: 0.1,
            description: String::new(),
        }
    }

    pub fn net_gain_from(&self) -> f64 {
        self.share_from * self.output - self.contribution_from
    }

    pub fn net_gain_to(&self) -> f64 {
        self.share_to * self.output - self.contribution_to
    }
}

// ---------------------------------------------------------------------
// Achievement (a product of the ledger)
// ---------------------------------------------------------------------

#[derive(Debug, Clone)]
pub struct Achievement {
    pub name: String,
    pub domain: String,

    /// Estimated labor-years embodied in the achievement.
    pub labor_years: f64,
    /// Estimated surplus consumed (arbitrary units).
    pub surplus_cost: f64,

    /// Actors explicitly named in the official record as builders.
    pub credited: Vec<ActorId>,
    /// Actors explicitly named as laborers.
    pub laborers_named: Vec<ActorId>,
}

// ---------------------------------------------------------------------
// Civilization
// ---------------------------------------------------------------------

#[derive(Debug, Clone, Default)]
pub struct Civilization {
    pub name: String,
    pub period: String,

    pub actors: HashMap<ActorId, Actor>,
    pub relations: Vec<Relation>,
```

```
    pub achievements: Vec<Achievement>,
}

impl Civilization {
    pub fn new(name: &str, period: &str) -> Self {
        Civilization {
            name: name.to_string(),
            period: period.to_string(),
            ..Default::default()
        }
    }

    pub fn add_actor(&mut self, actor: Actor) {
        self.actors.insert(actor.id, actor);
    }

    pub fn add_relation(&mut self, relation: Relation) {
        self.relations.push(relation);
    }

    pub fn add_achievement(&mut self, a: Achievement) {
        self.achievements.push(a);
    }

    pub fn total_surplus(&self) -> f64 {
        self.relations
            .iter()
            .map(|r| r.output - r.contribution_from - r.contribution_to)
            .sum()
    }

    pub fn net_gain_of(&self, actor_id: ActorId) -> f64 {
        let mut n = 0.0;
        for r in &self.relations {
            if r.from == actor_id {
                n += r.net_gain_from();
            }
            if r.to == actor_id {
                n += r.net_gain_to();
            }
        }
        n
    }

    pub fn total_coercive_labor_years_per_period(&self) -> f64 {
        self.relations
            .iter()
            .filter(|r| r.kind.labor_extractive())
            .map(|r| r.contribution_to)
            .sum()
    }

    /// Actors whose role marks them as controllers of mobile capital.
    pub fn capital_exit_cost(&self) -> f64 {
        self.actors
            .values()
            .filter(|a| {
                a.role.contains("elite")
                    || a.role.contains("ruler")
                    || a.role.contains("capital")
                    || a.role.contains("firm")
            })
            .map(|a| a.exit_cost)
            .fold(f64::INFINITY, f64::min)
            .max(0.01)
    }

    /// Actors whose role marks them as immobile labour.
    pub fn labor_exit_cost(&self) -> f64 {
        self.actors
            .values()
            .filter(|a| {
                a.role.contains("producer")
```

```
                    || a.role.contains("worker")
                    || a.role.contains("unfree")
                    || a.role.contains("carer")
                    || a.role.contains("data subject")
            })
            .map(|a| a.exit_cost)
            .fold(0.0_f64, f64::max)
            .max(0.01)
    }
}

// ============================================================================
// 2. CLASSIFICATION
// ============================================================================

fn flow_status(net_gain: f64, actor: &Actor) -> FlowStatus {
    if net_gain < actor.reproduction_threshold {
        FlowStatus::Predatory
    } else if net_gain < actor.participation_threshold {
        FlowStatus::Parasitic
    } else {
        FlowStatus::Symbiotic
    }
}

fn classify_relation(r: &Relation, actors: &HashMap<ActorId, Actor>) -> RelationClass {
    let a_from = actors
        .get(&r.from)
        .expect("relation refers to unknown actor (from)");
    let a_to = actors
        .get(&r.to)
        .expect("relation refers to unknown actor (to)");

    let s_from = flow_status(r.net_gain_from(), a_from);
    let s_to = flow_status(r.net_gain_to(), a_to);

    // The relation takes the worst status of its parties.
    if s_from == FlowStatus::Predatory || s_to == FlowStatus::Predatory {
        RelationClass::Predatory
    } else if s_from == FlowStatus::Parasitic || s_to == FlowStatus::Parasitic {
        RelationClass::Parasitic
    } else {
        RelationClass::Symbiotic
    }
}

// ============================================================================
// 3. AGGREGATE STATUS
// ============================================================================

#[derive(Debug, Clone)]
pub struct RelationAssessment {
    pub id: RelationId,
    pub kind: RelationKind,
    pub from: String,
    pub to: String,
    pub class: RelationClass,
    pub net_from: f64,
    pub net_to: f64,
    pub exploited_party: Option<String>,
    pub exploited_flow: Option<FlowStatus>,
}

#[derive(Debug, Clone)]
pub struct StatusReport {
    pub civilization: String,
    pub relations: Vec<RelationAssessment>,
    pub symbiotic_count: usize,
    pub parasitic_count: usize,
    pub predatory_count: usize,
    pub aggregate: RelationClass,
    pub aggregate_justification: String,
}
```

```rust

pub fn assess_status(c: &Civilization) -> StatusReport {
    let mut assessments = Vec::new();
    let mut sym = 0;
    let mut par = 0;
    let mut pred = 0;

    for r in &c.relations {
        let class = classify_relation(r, &c.actors);

        let a_from = &c.actors[&r.from];
        let a_to = &c.actors[&r.to];
        let n_from = r.net_gain_from();
        let n_to = r.net_gain_to();

        let (exploited_party, exploited_flow) = match class {
            RelationClass::Symbiotic => (None, None),
            _ => {
                let s_from = flow_status(n_from, a_from);
                let s_to = flow_status(n_to, a_to);
                // The exploited party is the one with the worse flow status.
                let from_rank = match s_from {
                    FlowStatus::Symbiotic => 2,
                    FlowStatus::Parasitic => 1,
                    FlowStatus::Predatory => 0,
                };
                let to_rank = match s_to {
                    FlowStatus::Symbiotic => 2,
                    FlowStatus::Parasitic => 1,
                    FlowStatus::Predatory => 0,
                };
                if from_rank < to_rank {
                    (Some(a_from.name.clone()), Some(s_from))
                } else {
                    (Some(a_to.name.clone()), Some(s_to))
                }
            }
        };

        match class {
            RelationClass::Symbiotic => sym += 1,
            RelationClass::Parasitic => par += 1,
            RelationClass::Predatory => pred += 1,
        }

        assessments.push(RelationAssessment {
            id: r.id,
            kind: r.kind,
            from: a_from.name.clone(),
            to: a_to.name.clone(),
            class,
            net_from: n_from,
            net_to: n_to,
            exploited_party,
            exploited_flow,
        });
    }

    // Aggregate: the worst category present, for analytical clarity, with
    // counts reported alongside.
    let aggregate = if pred > 0 {
        RelationClass::Predatory
    } else if par > 0 {
        RelationClass::Parasitic
    } else {
        RelationClass::Symbiotic
    };

    let aggregate_justification = format!(
        "{} symbiotic, {} parasitic, {} predatory relations. \
         Aggregate classification: {:?} (worst category present).",
        sym, par, pred, aggregate
    );
```

```rust

    StatusReport {
        civilization: c.name.clone(),
        relations: assessments,
        symbiotic_count: sym,
        parasitic_count: par,
        predatory_count: pred,
        aggregate,
        aggregate_justification,
    }
}

// ============================================================================
// 4. VIABILITY AND EXTRACTION BOUNDS
// ============================================================================

#[derive(Debug, Clone)]
pub struct ExtractionBounds {
    pub actor: String,
    pub monopolist_rate: f64,
    pub exit_ceiling: f64,
    pub effective_rate: f64,
    pub binding_constraint: &'static str,
}

pub fn extraction_bounds(actor: &Actor, external_exit_cost: f64) -> ExtractionBounds {
    let monopolist: f64 = 0.5;
    let k = external_exit_cost + actor.exit_cost;
    let exit_ceiling = 1.0 - (2.0 * (actor.participation_threshold + k)).sqrt().max(0.0);
    let exit_ceiling = exit_ceiling.clamp(0.0, 1.0);
    let effective = monopolist.min(exit_ceiling);
    let binding = if exit_ceiling < monopolist {
        "exit"
    } else {
        "revenue maximization"
    };
    ExtractionBounds {
        actor: actor.name.clone(),
        monopolist_rate: monopolist,
        exit_ceiling,
        effective_rate: effective,
        binding_constraint: binding,
    }
}

// ============================================================================
// 5. HIDDEN HISTORY DETECTION
// ============================================================================

#[derive(Debug, Clone)]
pub struct HiddenCandidate {
    pub headline: String,
    pub reasoning: String,
    pub confidence: f64,
    pub implicated_actors: Vec<String>,
    pub evidence: Vec<String>,
}

/// Detects what the official record is likely to have left out.
///
/// Heuristics:
/// 1. Achievement-labor gap: monuments imply labor, but the narrative
///    names elites, not laborers.
/// 2. Extraction gap: coercive relations are the likely hidden channel.
/// 3. Legitimacy shield: high ideological investment with high inequality
///    suggests suppression of grievance.
/// 4. Silent exit: high exit costs with low voice suggest a captive
///    population whose dissatisfaction is invisible.
pub fn detect_hidden_history(c: &Civilization) -> Vec<HiddenCandidate> {
    let mut out = Vec::new();

    // -- Heuristic 1: achievement-labor gap -----------------------------
    let total_achievement_labor: f64 = c.achievements.iter().map(|a| a.labor_years).sum();
```

```rust
    let named_laborers: usize = c
        .achievements
        .iter()
        .map(|a| a.laborers_named.len())
        .sum();
    let coercive_labor_per_period = c.total_coercive_labor_years_per_period();

    if total_achievement_labor > 0.0 && coercive_labor_per_period > 0.0 {
        // If achievements require more labor than the visible coercive
        // channels can plausibly supply, there is a hidden channel.
        let plausible_visible = coercive_labor_per_period * 10.0;
        if total_achievement_labor > plausible_visible {
            let mut evidence = vec![format!(
                "Achievements require ~{:.0} labor-years; coercive channels can supply ~{:.0}.",
                total_achievement_labor, plausible_visible
            )];
            if named_laborers == 0 {
                evidence.push(
                    "No laborers are named in the official record of achievements.".to_string(),
                );
            }
            out.push(HiddenCandidate {
                headline: "Unrecorded labor mobilization".to_string(),
                reasoning: "Achievements imply far more labor than the visible \
                            coercive channels account for. The gap suggests \
                            unrecorded corvee, slavery, or tribute."
                    .to_string(),
                confidence: 0.7,
                implicated_actors: c
                    .actors
                    .values()
                    .filter(|a| a.role.contains("producer") || a.role.contains("unfree"))
                    .map(|a| a.name.clone())
                    .collect(),
                evidence,
            });
        }
    }

    // -- Heuristic 2: extraction gap ------------------------------------
    // If some actors have high net gains and others are below their
    // participation thresholds, coercion is the likely hidden channel.
    for r in &c.relations {
        if r.kind.coercive() {
            let a_to = &c.actors[&r.to];
            let n_to = r.net_gain_to();
            if n_to < a_to.participation_threshold {
                let gap = a_to.participation_threshold - n_to;
                out.push(HiddenCandidate {
                    headline: format!("Suppressed grievance under {}", r.kind.label()),
                    reasoning: format!(
                        "{} receives {:.3} below its participation threshold \
                         in a coercive relation. Grievance of this magnitude \
                         is typically suppressed in the official record.",
                        a_to.name, gap
                    ),
                    confidence: (0.5 + gap).min(0.95),
                    implicated_actors: vec![a_to.name.clone()],
                    evidence: vec![format!(
                        "Net gain {:.3} vs. threshold {:.3}",
                        n_to, a_to.participation_threshold
                    )],
                });
            }
        }
    }

    // -- Heuristic 3: legitimacy shield ---------------------------------
    let avg_ideology: f64 =
        c.actors.values().map(|a| a.ideology).sum::<f64>() / c.actors.len().max(1) as f64;
    let avg_legitimacy: f64 =
        c.actors.values().map(|a| a.legitimacy).sum::<f64>() / c.actors.len().max(1) as f64;
    let max_share: f64 = c
```

```
        .relations
        .iter()
        .map(|r| r.share_from.max(r.share_to))
        .fold(0.0_f64, f64::max);

    if avg_ideology > 0.5 && avg_legitimacy > 0.5 && max_share > 0.75 {
        out.push(HiddenCandidate {
            headline: "Ideological pacification of inequality".to_string(),
            reasoning: "High ideological investment and legitimacy coexist with \
                        extreme concentration of shares. The legitimacy is likely \
                        a manufactured shield for extraction."
                .to_string(),
            confidence: 0.6,
            implicated_actors: vec![],
            evidence: vec![
                format!("Average ideology {:.2}", avg_ideology),
                format!("Average legitimacy {:.2}", avg_legitimacy),
                format!("Maximum share {:.2}", max_share),
            ],
        });
    }

    // -- Heuristic 4: silent exit ---------------------------------------
    let high_exit_low_voice: Vec<&Actor> = c
        .actors
        .values()
        .filter(|a| a.exit_cost > 0.6 && a.voice < 0.2)
        .collect();
    if !high_exit_low_voice.is_empty() {
        out.push(HiddenCandidate {
            headline: "Captive population with no record of dissent".to_string(),
            reasoning: "High exit costs and low voice imply that dissatisfaction \
                        cannot be expressed or observed. The absence of recorded \
                        grievance is evidence of suppression, not contentment."
                .to_string(),
            confidence: 0.65,
            implicated_actors: high_exit_low_voice
                .iter()
                .map(|a| a.name.clone())
                .collect(),
            evidence: high_exit_low_voice
                .iter()
                .map(|a| format!("{}: exit cost {:.2}, voice {:.2}", a.name, a.exit_cost, a.voice))
                .collect(),
        });
    }

    out
}

// ============================================================================
// 6. DYNAMICAL PROJECTION
// ============================================================================

#[derive(Debug, Clone)]
pub struct Params {
    pub alpha: f64,        // fairness weight on legitimacy
    pub fairness_star: f64,
    pub beta: f64,         // repression weight on legitimacy
    pub gamma: f64,        // ideology weight on legitimacy
    pub lambda: f64,       // legitimacy damping on conflict
    pub mu: f64,           // voice/exit damping on conflict
    pub kappa: f64,        // share adjustment rate
    pub dt: f64,
}

impl Default for Params {
    fn default() -> Self {
        Params {
            alpha: 1.0,
            fairness_star: 0.0,
            beta: 0.5,
            gamma: 0.8,
```

```
            lambda: 1.0,
            mu: 0.5,
            kappa: 0.05,
            dt: 0.1,
        }
    }
}

#[derive(Debug, Clone)]
pub struct TrajectoryPoint {
    pub t: f64,
    pub total_capacity: f64,
    pub avg_legitimacy: f64,
    pub avg_conflict: f64,
    pub injustice_gap: f64,
}

#[derive(Debug, Clone)]
pub struct TrajectoryReport {
    pub points: Vec<TrajectoryPoint>,
    pub final_state: TrajectoryPoint,
    pub phase: &'static str,
    pub threshold_distance: f64,
    pub counterintuitive_finding: Option<String>,
}

fn sigmoid(x: f64) -> f64 {
    1.0 / (1.0 + (-x).exp())
}

fn compute_injustice_gap(c: &Civilization) -> f64 {
    let mut g = 0.0;
    for (id, a) in &c.actors {
        let n = c.net_gain_of(*id);
        let gap = (a.participation_threshold - n).max(0.0);
        g += gap;
    }
    g
}

fn step(state: &mut [f64], c: &Civilization, params: &Params) {
    // State layout: [K_0..K_{n-1}, L_0..L_{n-1}, C_0..C_{n-1}]
    let n = c.actors.len();
    let ids: Vec<ActorId> = {
        let mut v: Vec<ActorId> = c.actors.keys().copied().collect();
        v.sort();
        v
    };

    // Compute net gains for each actor given current shares.
    let mut net_gains: HashMap<ActorId, f64> = HashMap::new();
    for id in &ids {
        net_gains.insert(*id, c.net_gain_of(*id));
    }

    // Fairness per actor: ratio of realized share to average share.
    let avg_share = 1.0 / n.max(1) as f64;
    let max_share = c
        .relations
        .iter()
        .map(|r| r.share_from.max(r.share_to))
        .fold(0.0_f64, f64::max);

    let mut derivatives = vec![0.0; 3 * n];

    for (i, id) in ids.iter().enumerate() {
        let a = &c.actors[id];

        // --- dK/dt ---
        let k = state[i];
        let logistic = a.growth_rate * k * (1.0 - k / a.max_capacity.max(1e-6));
        let net = net_gains.get(id).copied().unwrap_or(0.0);
        let depreciation = a.depreciation * k;
```

```
        let c_i = state[2 * n + i];
        let damage = a.conflict_damage * c_i;
        derivatives[i] = logistic + net - depreciation - damage;

        // --- dL/dt ---
        let fairness = if max_share > 0.0 {
            (avg_share / max_share - 1.0).clamp(-1.0, 1.0)
        } else {
            0.0
        };
        let l = state[n + i];
        derivatives[n + i] = params.alpha * (fairness - params.fairness_star)
            - params.beta * a.repression
            + params.gamma * a.ideology
            - 0.01 * l; // slow decay

        // --- dC/dt ---
        let deprivation = (max_share - avg_share).max(0.0);
        let power_asym = max_share;
        let voice_exit = a.voice + 1.0 / (1.0 + a.exit_cost);
        let z = deprivation + power_asym - params.lambda * l - params.mu * voice_exit;
        derivatives[2 * n + i] = sigmoid(z) - 0.05 * c_i;
    }

    let dt = params.dt;
    for i in 0..3 * n {
        state[i] = (state[i] + dt * derivatives[i]).max(0.0);
    }
}

pub fn project(c: &Civilization, params: &Params, t_end: f64) -> TrajectoryReport {
    let n = c.actors.len();
    let ids: Vec<ActorId> = {
        let mut v: Vec<ActorId> = c.actors.keys().copied().collect();
        v.sort();
        v
    };

    let mut state = vec![0.0; 3 * n];
    for (i, id) in ids.iter().enumerate() {
        let a = &c.actors[id];
        state[i] = a.capacity;
        state[n + i] = a.legitimacy;
        state[2 * n + i] = a.conflict;
    }

    let mut points = Vec::new();
    let mut t = 0.0;
    let mut steps = 0;

    while t <= t_end {
        let total_capacity: f64 = state[..n].iter().sum();
        let avg_legitimacy: f64 = state[n..2 * n].iter().sum::<f64>() / n.max(1) as f64;
        let avg_conflict: f64 = state[2 * n..].iter().sum::<f64>() / n.max(1) as f64;
        let g = compute_injustice_gap(c);

        points.push(TrajectoryPoint {
            t,
            total_capacity,
            avg_legitimacy,
            avg_conflict,
            injustice_gap: g,
        });

        step(&mut state, c, params);
        t += params.dt;
        steps += 1;
        if steps > 10_000 {
            break;
        }
    }

    let final_state = points
```

```
        .last()
        .cloned()
        .unwrap_or(TrajectoryPoint {
            t: 0.0,
            total_capacity: 0.0,
            avg_legitimacy: 0.0,
            avg_conflict: 0.0,
            injustice_gap: 0.0,
        });

    // Classify phase.
    let initial_capacity: f64 = c.actors.values().map(|a| a.capacity).sum();
    let phase = if final_state.total_capacity < 0.25 * initial_capacity {
        "collapse"
    } else if final_state.avg_conflict > 0.6 {
        "open conflict"
    } else if final_state.avg_legitimacy < 0.2 {
        "legitimacy crisis"
    } else if final_state.total_capacity > 1.1 * initial_capacity
        && final_state.avg_legitimacy > 0.4
    {
        "symbiotic expansion"
    } else if final_state.injustice_gap > 0.2 {
        "parasitic equilibrium"
    } else {
        "stable"
    };

    // Distance to nearest threshold: ratio of current to critical.
    let threshold_distance = (final_state.injustice_gap - 0.2).abs();

    // Counterintuitive finding: high legitimacy masking high injustice.
    let counterintuitive = if final_state.avg_legitimacy > 0.5 && final_state.injustice_gap > 0.25 {
        Some(
            "Legitimacy is high while the injustice gap is also high. \
             The order appears stable but is accumulating hidden grievance. \
             A small shock to legitimacy would trigger rapid conflict."
                .to_string(),
        )
    } else if final_state.avg_conflict < 0.05
        && final_state.total_capacity < 0.5 * initial_capacity
    {
        Some(
            "Conflict is low while capacity collapses. This is not peace; \
             it is exhaustion. The population lacks the surplus to resist."
                .to_string(),
        )
    } else {
        None
    };

    TrajectoryReport {
        points,
        final_state,
        phase,
        threshold_distance,
        counterintuitive_finding: counterintuitive,
    }
}

// ============================================================================
// 7. HEURISTIC TEXT INGESTION
// ============================================================================

/// Produces a skeleton Civilization from a text description.
///
/// This is deliberately heuristic: it identifies actor roles, coercive
/// relations, and named achievements, and constructs a plausible ledger.
/// The analyst is expected to refine the result before running the full
/// pipeline.
pub fn heuristic_parse(text: &str, name: &str, period: &str) -> Civilization {
    let mut c = Civilization::new(name, period);
    let lower = text.to_lowercase();
```

```
987
988     // Actor keyword -> (role, share, participation_threshold, exit_cost,
989     //                   voice, legitimacy, repression).
990     let actor_keywords: &[(&str, &str, f64, f64, f64, f64, f64, f64)] = &[
991         // -------- classical actors --------
992         ("pharaoh", "ruler", 0.80, 0.05, 0.00, 0.90, 0.90, 0.30),
993         ("king", "ruler", 0.75, 0.05, 0.00, 0.80, 0.85, 0.30),
994         ("emperor", "ruler", 0.75, 0.05, 0.00, 0.80, 0.85, 0.30),
995         ("priest", "clergy", 0.15, 0.05, 0.20, 0.50, 0.80, 0.10),
996         ("noble", "elite", 0.30, 0.05, 0.20, 0.60, 0.70, 0.20),
997         ("lord", "elite", 0.30, 0.05, 0.20, 0.60, 0.70, 0.20),
998         ("bureaucrat", "official", 0.20, 0.05, 0.30, 0.50, 0.60, 0.20),
999         ("merchant", "trader", 0.15, 0.05, 0.40, 0.40, 0.50, 0.10),
1000        ("artisan", "producer", 0.08, 0.05, 0.50, 0.25, 0.40, 0.20),
1001        ("peasant", "producer", 0.03, 0.05, 0.70, 0.10, 0.35, 0.20),
1002        ("farmer", "producer", 0.03, 0.05, 0.70, 0.10, 0.35, 0.20),
1003        ("serf", "producer", 0.02, 0.05, 0.90, 0.05, 0.30, 0.30),
1004        ("slave", "unfree", 0.00, 0.02, 1.00, 0.00, 0.20, 0.90),
1005        ("citizen", "member", 0.10, 0.05, 0.30, 0.70, 0.60, 0.20),
1006        ("soldier", "military", 0.08, 0.05, 0.40, 0.30, 0.50, 0.40),
1007        ("foreigner", "outsider", 0.04, 0.05, 0.80, 0.10, 0.30, 0.40),
1008        // -------- contemporary actors --------
1009        ("capital", "capital", 0.35, 0.05, 0.02, 0.85, 0.30, 0.30),
1010        ("bondholder", "capital", 0.30, 0.05, 0.02, 0.85, 0.30, 0.30),
1011        ("multinational", "firm", 0.30, 0.05, 0.05, 0.80, 0.35, 0.40),
1012        ("firm", "firm", 0.30, 0.05, 0.05, 0.80, 0.35, 0.40),
1013        ("platform", "platform", 0.30, 0.05, 0.15, 0.60, 0.40, 0.70),
1014        ("government", "state", 0.25, 0.05, 0.05, 0.70, 0.40, 0.80),
1015        ("state", "state", 0.25, 0.05, 0.05, 0.70, 0.40, 0.80),
1016        ("worker", "producer", 0.04, 0.05, 0.70, 0.15, 0.30, 0.70),
1017        ("gig", "producer", 0.03, 0.05, 0.75, 0.10, 0.30, 0.70),
1018        ("user", "data subject", 0.02, 0.05, 0.85, 0.05, 0.30, 0.70),
1019        ("data", "data subject", 0.02, 0.05, 0.85, 0.05, 0.30, 0.70),
1020        ("household", "household", 0.05, 0.05, 0.60, 0.20, 0.40, 0.50),
1021        ("carer", "carer", 0.02, 0.05, 0.80, 0.05, 0.30, 0.70),
1022        ("biosphere", "biosphere", 0.00, 0.00, 1.00, 0.00, 0.20, 0.20),
1023        ("periphery", "periphery", 0.03, 0.05, 0.80, 0.10, 0.30, 0.60),
1024    ];
1025
1026    let mut id = 0;
1027    let mut seen_role: HashMap<&str, ActorId> = HashMap::new();
1028    for (kw, role, share, pthr, exit, voice, legit, repr) in actor_keywords {
1029        if lower.contains(kw) && !seen_role.contains_key(role) {
1030            let mut a = Actor::new(id, kw, role);
1031            a.participation_threshold = *pthr;
1032            a.exit_cost = *exit;
1033            a.voice = *voice;
1034            a.legitimacy = *legit;
1035            a.repression = *repr;
1036            // Capacity roughly tracks share.
1037            a.capacity = 1.0 + 2.0 * share;
1038            a.max_capacity = 2.0 * a.capacity;
1039            c.add_actor(a);
1040            seen_role.insert(role, id);
1041            id += 1;
1042        }
1043    }
1044
1045    // Relation keyword -> (from_role, to_role, kind, output, share_from,
1046    //                      share_to, contribution_from, contribution_to).
1047    let relation_keywords: &[(&str, RelationKind, &str, &str, f64, f64, f64, f64, f64)] = &[
1048        // -------- classical relations --------
1049        ("tribute", RelationKind::Tribute, "ruler", "producer", 1.0, 0.90, 0.10, 0.05, 0.08),
1050        ("tax", RelationKind::Taxation, "ruler", "producer", 1.0, 0.85, 0.15, 0.04, 0.12),
1051        ("corvee", RelationKind::Corvee, "ruler", "producer", 1.0, 0.90, 0.10, 0.02, 0.09),
1052        ("corvee", RelationKind::Corvee, "ruler", "producer", 1.0, 0.90, 0.10, 0.02, 0.09),
1053        ("slave", RelationKind::Slavery, "elite", "unfree", 1.0, 0.95, 0.05, 0.01, 0.15),
1054        ("rent", RelationKind::Rent, "elite", "producer", 1.0, 0.70, 0.30, 0.05, 0.28),
1055        ("feudal", RelationKind::FeudalService, "elite", "producer", 1.0, 0.70, 0.30, 0.05, 0.28),
1056        ("trade", RelationKind::Exchange, "trader", "trader", 1.0, 0.50, 0.50, 0.40, 0.40),
1057        ("liturgy", RelationKind::Liturgy, "elite", "member", 1.0, 0.30, 0.70, 0.15, 0.20),
1058        // -------- contemporary relations --------
1059        ("platform", RelationKind::PlatformLabor, "platform", "producer", 1.0, 0.90, 0.10, 0.05, 0.09),
```

```
        ("gig", RelationKind::PlatformLabor, "platform", "producer", 1.0, 0.90, 0.10, 0.05, 0.09),
        ("sovereign debt", RelationKind::SovereignDebt, "capital", "state", 1.0, 0.85, 0.15, 0.05, 0.14),
        ("austerity", RelationKind::SovereignDebt, "capital", "state", 1.0, 0.85, 0.15, 0.05, 0.14),
        ("supply chain", RelationKind::SupplyChainExtraction, "firm", "producer", 1.0, 0.85, 0.15, 0.05,
    ↪ 0.14),
        ("data", RelationKind::DataExtraction, "platform", "data subject", 1.0, 0.95, 0.05, 0.02, 0.045),
        ("carbon", RelationKind::CarbonExtraction, "firm", "biosphere", 1.0, 0.98, 0.02, 0.00, 0.06),
        ("tax haven", RelationKind::TaxHavenArbitrage, "capital", "state", 1.0, 0.90, 0.10, 0.05, 0.09),
        ("visa", RelationKind::VisaRegime, "state", "producer", 1.0, 0.80, 0.20, 0.05, 0.18),
        ("care", RelationKind::CareLabor, "household", "carer", 1.0, 0.90, 0.10, 0.05, 0.09),
        ("conflict mineral", RelationKind::ConflictMinerals, "firm", "producer", 1.0, 0.95, 0.05, 0.00,
    ↪ 0.06),
        ("fisheries", RelationKind::FisheriesDepletion, "firm", "biosphere", 1.0, 0.98, 0.02, 0.00, 0.06),
    ];

    // Find an actor by role, falling back to the ruler when the nominal
    // principal role is absent (e.g. slavery described without an explicit
    // elite class).
    let find = |c: &Civilization, role: &str| -> Option<ActorId> {
        c.actors
            .values()
            .find(|a| a.role == role)
            .or_else(|| c.actors.values().find(|a| a.role == "ruler"))
            .map(|a| a.id)
    };

    let mut rid = 0;
    let mut seen_kind: Vec<RelationKind> = Vec::new();
    for (kw, kind, from_role, to_role, output, sf, st, cf, ct) in relation_keywords {
        if lower.contains(kw) && !seen_kind.contains(kind) {
            let from = find(&c, from_role);
            let to = find(&c, to_role);
            if let (Some(f), Some(t)) = (from, to) {
                let mut r = Relation::new(rid, f, t, *kind, *output, *sf, *st, *cf, *ct);
                r.description = format!("Detected keyword: {}", kw);
                c.add_relation(r);
                seen_kind.push(*kind);
                rid += 1;
            }
        }
    }

    // Achievement keyword -> (domain, labor-years).
    let achievement_keywords: &[(&str, &str, f64)] = &[
        ("pyramid", "architecture", 100_000.0),
        ("temple", "architecture", 20_000.0),
        ("wall", "architecture", 50_000.0),
        ("canal", "engineering", 30_000.0),
        ("aqueduct", "engineering", 25_000.0),
        ("road", "engineering", 15_000.0),
        ("palace", "architecture", 10_000.0),
        ("code", "law", 500.0),
        ("library", "knowledge", 2_000.0),
        ("university", "knowledge", 5_000.0),
        ("cathedral", "architecture", 40_000.0),
        ("mosque", "architecture", 25_000.0),
        ("statue", "art", 5_000.0),
        ("monument", "architecture", 10_000.0),
    ];

    for (kw, domain, labor) in achievement_keywords {
        if lower.contains(kw) {
            c.add_achievement(Achievement {
                name: kw.to_string(),
                domain: domain.to_string(),
                labor_years: *labor,
                surplus_cost: *labor * 0.5,
                credited: vec![],
                laborers_named: vec![],
            });
        }
    }

```

```
    c
}

// ============================================================================
// 8. REPORT
// ============================================================================

pub fn render_report(c: &Civilization) -> String {
    let mut out = String::new();

    let _ = writeln!(out, "================================================================");
    let _ = writeln!(out, "CIVILIZATION ANALYSIS: {}", c.name);
    let _ = writeln!(out, "Period: {}", c.period);
    let _ = writeln!(out, "================================================================");
    let _ = writeln!(out);

    // -- Actors ------------------------------------------------------
    let _ = writeln!(out, "ACTORS ({}):", c.actors.len());
    let mut ids: Vec<ActorId> = c.actors.keys().copied().collect();
    ids.sort();
    for id in &ids {
        let a = &c.actors[id];
        let _ = writeln!(
            out,
            " [{}] {} ({}) K={:.2} L={:.2} C={:.2} exit={:.2} voice={:.2}",
            a.id, a.name, a.role, a.capacity, a.legitimacy, a.conflict, a.exit_cost, a.voice
        );
    }
    let _ = writeln!(out);

    // -- Status ------------------------------------------------------
    let status = assess_status(c);
    let _ = writeln!(out, "STATUS:");
    let _ = writeln!(out, " {}", status.aggregate_justification);
    for r in &status.relations {
        let _ = writeln!(
            out,
            " [{}] {} -> {} ({}): {:?} | net_from={:.3}, net_to={:.3}",
            r.id,
            r.from,
            r.to,
            r.kind.label(),
            r.class,
            r.net_from,
            r.net_to
        );
        if let Some(p) = &r.exploited_party {
            let _ = writeln!(out, "     exploited: {} ({:?})", p, r.exploited_flow.unwrap());
        }
    }
    let _ = writeln!(out);

    // -- Extraction bounds -------------------------------------------
    let _ = writeln!(out, "EXTRACTION BOUNDS:");
    for id in &ids {
        let a = &c.actors[id];
        let bounds = extraction_bounds(a, 0.0);
        let _ = writeln!(
            out,
            " {}: monopolist={:.2}, exit ceiling={:.2}, effective={:.2} ({})",
            bounds.actor,
            bounds.monopolist_rate,
            bounds.exit_ceiling,
            bounds.effective_rate,
            bounds.binding_constraint
        );
    }
    let _ = writeln!(out);

    // -- Hidden history ----------------------------------------------
    let hidden = detect_hidden_history(c);
    let _ = writeln!(out, "HIDDEN HISTORY CANDIDATES ({}):", hidden.len());
    if hidden.is_empty() {
```

```
        let _ = writeln!(out, " (none detected)");
    }
    for (i, h) in hidden.iter().enumerate() {
        let _ = writeln!(out, " {}. {} [confidence {:.2}]", i + 1, h.headline, h.confidence);
        let _ = writeln!(out, "     Reasoning: {}", h.reasoning);
        if !h.implicated_actors.is_empty() {
            let _ = writeln!(out, "     Implicated: {}", h.implicated_actors.join(", "));
        }
        for e in &h.evidence {
            let _ = writeln!(out, "     - {}", e);
        }
    }
    let _ = writeln!(out);

    // -- Dynamics projection ------------------------------------------
    let params = Params::default();
    let traj = project(c, &params, 50.0);
    let _ = writeln!(out, "FUTURE DIRECTION:");
    let _ = writeln!(out, " Baseline phase: {}", traj.phase);
    let _ = writeln!(
        out,
        " Final state: K={:.2}, L={:.2}, C={:.2}, G={:.2}",
        traj.final_state.total_capacity,
        traj.final_state.avg_legitimacy,
        traj.final_state.avg_conflict,
        traj.final_state.injustice_gap
    );
    let _ = writeln!(
        out,
        " Distance to injustice threshold: {:.3}",
        traj.threshold_distance
    );
    if let Some(f) = &traj.counterintuitive_finding {
        let _ = writeln!(out, " NON-OBVIOUS FINDING: {}", f);
    }
    let _ = writeln!(out);

    // -- Counterfactual stress tests ----------------------------------
    let _ = writeln!(out, "COUNTERFACTUAL STRESS TESTS:");
    for (label, delta_exit) in [
        ("Halve exit costs for all actors", -0.5),
        ("Double exit costs for all actors", 0.5),
    ] {
        let mut c2 = c.clone();
        for a in c2.actors.values_mut() {
            a.exit_cost = (a.exit_cost + delta_exit).clamp(0.0, 1.0);
        }
        let t2 = project(&c2, &params, 50.0);
        let _ = writeln!(
            out,
            " {}: phase={}, final K={:.2}, C={:.2}",
            label, t2.phase, t2.final_state.total_capacity, t2.final_state.avg_conflict
        );
    }
    let _ = writeln!(out);

    out
}

// ============================================================================
// 9. CONTEMPORARY DIAGNOSTICS (extension)
// ============================================================================

/// Exit asymmetry index: the ratio of labour's exit cost to capital's.
///
/// A >> 1 means capital is mobile and labour is captive. The extraction
/// ceiling on capital approaches zero; on labour, it approaches its maximum.
/// This is the central structural fact of the contemporary ledger.
pub fn exit_asymmetry_index(c: &Civilization) -> f64 {
    c.labor_exit_cost() / c.capital_exit_cost()
}

/// Detects compliance-by-atomization: an order in which legitimacy is low but
```

```rust
/// conflict is also low, because surveillance and narrative fragmentation
/// prevent the translation of grievance into collective action.
///
/// Formal condition (Proposition 16.3): L < L*, C < C*, R > R*.
pub fn detect_compliance_by_atomization(c: &Civilization) -> Option<String> {
    let avg_l: f64 = c.actors.values().map(|a| a.legitimacy).sum::<f64>()
        / c.actors.len().max(1) as f64;
    let avg_c: f64 =
        c.actors.values().map(|a| a.conflict).sum::<f64>() / c.actors.len().max(1) as f64;
    let avg_r: f64 =
        c.actors.values().map(|a| a.repression).sum::<f64>() / c.actors.len().max(1) as f64;

    if avg_l < 0.4 && avg_c < 0.1 && avg_r > 0.5 {
        return Some(format!(
            "Compliance by atomization detected. Legitimacy L={:.2} is low \
             and conflict C={:.2} is low, but repression R={:.2} is high. \
             The order is stable but not legitimate. A small shock to the \
             surveillance architecture -- a communication technology that \
             defeats it, a fiscal crisis that ends welfare residue, or a \
             legitimacy event -- can move the system to open conflict in a \
             short interval. The stability is real but thin.",
            avg_l, avg_c, avg_r
        ));
    }
    None
}

/// Detects biospheric predation: an order in which the ultimate host is unique
/// and non-substitutable, so the conservation corollary of Proposition 8.1
/// fails and extraction is self-terminating.
pub fn detect_biospheric_predation(c: &Civilization) -> Option<String> {
    let has_biospheric = c.relations.iter().any(|r| r.kind.is_biospheric());
    if !has_biospheric {
        return None;
    }

    let elite_impatience: f64 = c
        .actors
        .values()
        .filter(|a| a.role.contains("elite") || a.role.contains("ruler") || a.role.contains("capital"))
        .map(|a| 1.0 - a.legitimacy) // proxy for discount rate
        .fold(0.0_f64, f64::max);

    if elite_impatience > 0.5 {
        return Some(format!(
            "Biospheric predation detected. The host is unique and \
             non-substitutable. The conservation corollary fails: the \
             optimal extraction rate under a finite horizon is \
             self-terminating, not self-limiting. Elite impatience is \
             {:.2}. The framework predicts cascading failure across all \
             relations once the host's capacity crosses its threshold.",
            elite_impatience
        ));
    }
    None
}

/// Full contemporary report. Extends render_report with the modern diagnostics.
pub fn render_contemporary_report(c: &Civilization) -> String {
    let mut out = render_report(c);

    let _ = writeln!(out, "================================================================");
    let _ = writeln!(out, "CONTEMPORARY DIAGNOSTICS");
    let _ = writeln!(out, "================================================================");

    let a = exit_asymmetry_index(c);
    let _ = writeln!(out, "Exit asymmetry index: {:.2}", a);
    if a > 5.0 {
        let _ = writeln!(
            out,
            " Interpretation: capital is far more mobile than labour. \
             The extraction ceiling on labour is near its maximum; on \
             capital, near its minimum. This is the central structural \
```

```
            fact of the ledger. Rebalancing requires equalizing exit \
            costs, not merely redistributing shares."
        );
    } else if a < 1.5 {
        let _ = writeln!(
            out,
            " Interpretation: exit costs are relatively symmetric. \
             Extraction is bounded by exit for both factors. The ledger \
             is closer to a bargaining equilibrium."
        );
    }
    let _ = writeln!(out);

    if let Some(s) = detect_compliance_by_atomization(c) {
        let _ = writeln!(out, "NON-OBVIOUS FINDING:");
        let _ = writeln!(out, " {}", s);
        let _ = writeln!(out);
    }

    if let Some(s) = detect_biospheric_predation(c) {
        let _ = writeln!(out, "NON-OBVIOUS FINDING:");
        let _ = writeln!(out, " {}", s);
        let _ = writeln!(out);
    }

    out
}

// ============================================================================
// 10. EXAMPLES
// ============================================================================

fn classical_example() {
    let description = "
    The kingdom of Ur-Nammu was ruled by a king and a priestly class.
    Peasants paid tribute and were subject to corvee labor for the
    construction of canals, temples, and a great wall. Merchants
    engaged in trade along the river. Slaves were captured in war
    and worked the fields. The king issued a code of laws.
    ";

    let c = heuristic_parse(description, "Ur-Nammu", "Bronze Age");
    println!("{}", render_report(&c));
}

fn contemporary_example() {
    let description = "
    A global order in which capital moves freely across borders,
    while workers face visa regimes and high relocation costs.
    Multinational firms extract resources through supply chains
    that span jurisdictions. Platform companies employ gig workers
    without employment contracts. Data is extracted from users
    as a condition of service. Sovereign debt is held by bondholders
    who demand austerity. Carbon extraction continues at scale,
    degrading the biosphere. The state expands surveillance.
    Households depend on unpaid care. Tax havens allow firms to
    book profits where they do no work.
    ";

    let c = heuristic_parse(description, "Contemporary Order", "21st century");
    println!("{}", render_contemporary_report(&c));
}

fn main() {
    classical_example();
    println!("\n\n");
    contemporary_example();
}
```

B Sample Run

```
============================================================
CIVILIZATION ANALYSIS: Ur-Nammu
Period: Bronze Age
============================================================

ACTORS (5):
 [0] king (ruler) K=2.50 L=0.85 C=0.00 exit=0.00 voice=0.80
 [1] priest (clergy) K=1.30 L=0.80 C=0.00 exit=0.20 voice=0.50
 [2] merchant (trader) K=1.30 L=0.50 C=0.00 exit=0.40 voice=0.40
 [3] peasant (producer) K=1.06 L=0.35 C=0.00 exit=0.70 voice=0.10
 [4] slave (unfree) K=1.00 L=0.20 C=0.00 exit=1.00 voice=0.00

STATUS:
 1 symbiotic, 2 parasitic, 1 predatory relations. Aggregate classification: Predatory (worst category present).
 [0] king -> peasant (tribute): Parasitic | net_from=0.850, net_to=0.020
     exploited: peasant (Parasitic)
 [1] king -> peasant (corvee): Parasitic | net_from=0.880, net_to=0.010
     exploited: peasant (Parasitic)
 [2] king -> slave (slavery): Predatory | net_from=0.940, net_to=-0.100
     exploited: slave (Predatory)
 [3] merchant -> merchant (exchange): Symbiotic | net_from=0.100, net_to=0.100

EXTRACTION BOUNDS:
 king: monopolist=0.50, exit ceiling=0.68, effective=0.50 (revenue maximization)
 priest: monopolist=0.50, exit ceiling=0.29, effective=0.29 (exit)
 merchant: monopolist=0.50, exit ceiling=0.05, effective=0.05 (exit)
 peasant: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)
 slave: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)

HIDDEN HISTORY CANDIDATES (5):
 1. Unrecorded labor mobilization [confidence 0.70]
     Reasoning: Achievements imply far more labor than the visible coercive channels account for. The gap suggests unrecorded corvee, slavery, or tribute.
     Implicated: slave, peasant
     - Achievements require ~100500 labor-years; coercive channels can supply ~2.
     - No laborers are named in the official record of achievements.
 2. Suppressed grievance under tribute [confidence 0.53]
     Reasoning: peasant receives 0.030 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: peasant
     - Net gain 0.020 vs. threshold 0.050
 3. Suppressed grievance under corvee [confidence 0.54]
     Reasoning: peasant receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: peasant
     - Net gain 0.010 vs. threshold 0.050
 4. Suppressed grievance under slavery [confidence 0.62]
     Reasoning: slave receives 0.120 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: slave
     - Net gain -0.100 vs. threshold 0.020
 5. Captive population with no record of dissent [confidence 0.65]
     Reasoning: High exit costs and low voice imply that dissatisfaction cannot be expressed or observed. The absence of recorded grievance is evidence of suppression, not contentment.
     Implicated: slave, peasant
     - slave: exit cost 1.00, voice 0.00
     - peasant: exit cost 0.70, voice 0.10

FUTURE DIRECTION:
 Baseline phase: open conflict
 Final state: K=13.57, L=0.00, C=13.91, G=0.19
 Distance to injustice threshold: 0.010

COUNTERFACTUAL STRESS TESTS:
 Halve exit costs for all actors: phase=open conflict, final K=13.57, C=13.63
 Double exit costs for all actors: phase=open conflict, final K=13.31, C=14.21
```

```
============================================================
CIVILIZATION ANALYSIS: Contemporary Order
Period: 21st century
============================================================

ACTORS (8):
 [0] capital (capital) K=1.70 L=0.30 C=0.00 exit=0.02 voice=0.85
 [1] multinational (firm) K=1.60 L=0.35 C=0.00 exit=0.05 voice=0.80
 [2] platform (platform) K=1.60 L=0.40 C=0.00 exit=0.15 voice=0.60
 [3] state (state) K=1.50 L=0.40 C=0.00 exit=0.05 voice=0.70
 [4] worker (producer) K=1.08 L=0.30 C=0.00 exit=0.70 voice=0.15
 [5] user (data subject) K=1.04 L=0.30 C=0.00 exit=0.85 voice=0.05
 [6] household (household) K=1.10 L=0.40 C=0.00 exit=0.60 voice=0.20
 [7] biosphere (biosphere) K=1.00 L=0.20 C=0.00 exit=1.00 voice=0.00

STATUS:
 0 symbiotic, 6 parasitic, 1 predatory relations. Aggregate classification: Predatory (worst category present).
 [0] platform -> worker (platform labor): Parasitic | net_from=0.850, net_to=0.010
     exploited: worker (Parasitic)
 [1] capital -> state (sovereign debt): Parasitic | net_from=0.800, net_to=0.010
     exploited: state (Parasitic)
 [2] multinational -> worker (supply-chain extraction): Parasitic | net_from=0.800, net_to=0.010
     exploited: worker (Parasitic)
 [3] platform -> user (data extraction): Parasitic | net_from=0.930, net_to=0.005
     exploited: user (Parasitic)
 [4] multinational -> biosphere (carbon extraction): Predatory | net_from=0.980, net_to=-0.040
     exploited: biosphere (Predatory)
 [5] capital -> state (tax-haven arbitrage): Parasitic | net_from=0.850, net_to=0.010
     exploited: state (Parasitic)
 [6] state -> worker (visa regime): Parasitic | net_from=0.750, net_to=0.020
     exploited: worker (Parasitic)

EXTRACTION BOUNDS:
 capital: monopolist=0.50, exit ceiling=0.63, effective=0.50 (revenue maximization)
 multinational: monopolist=0.50, exit ceiling=0.55, effective=0.50 (revenue maximization)
 platform: monopolist=0.50, exit ceiling=0.37, effective=0.37 (exit)
 state: monopolist=0.50, exit ceiling=0.55, effective=0.50 (revenue maximization)
 worker: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)
 user: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)
 household: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)
 biosphere: monopolist=0.50, exit ceiling=0.00, effective=0.00 (exit)

HIDDEN HISTORY CANDIDATES (8):
 1. Suppressed grievance under platform labor [confidence 0.54]
     Reasoning: worker receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: worker
     - Net gain 0.010 vs. threshold 0.050
 2. Suppressed grievance under sovereign debt [confidence 0.54]
     Reasoning: state receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: state
     - Net gain 0.010 vs. threshold 0.050
 3. Suppressed grievance under supply-chain extraction [confidence 0.54]
     Reasoning: worker receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: worker
     - Net gain 0.010 vs. threshold 0.050
 4. Suppressed grievance under data extraction [confidence 0.55]
     Reasoning: user receives 0.045 below its participation threshold in a coercive relation. Grievance of  this magnitude is typically suppressed in the official record.
     Implicated: user
     - Net gain 0.005 vs. threshold 0.050
 5. Suppressed grievance under carbon extraction [confidence 0.54]
     Reasoning: biosphere receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: biosphere
     - Net gain -0.040 vs. threshold 0.000
 6. Suppressed grievance under tax-haven arbitrage [confidence 0.54]
```

```
     Reasoning: state receives 0.040 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: state
     - Net gain 0.010 vs. threshold 0.050
 7. Suppressed grievance under visa regime [confidence 0.53]
     Reasoning: worker receives 0.030 below its participation threshold in a coercive relation. Grievance of this magnitude is typically suppressed in the official record.
     Implicated: worker
     - Net gain 0.020 vs. threshold 0.050
 8. Captive population with no record of dissent [confidence 0.65]
     Reasoning: High exit costs and low voice imply that dissatisfaction cannot be expressed or observed. The absence of recorded grievance is evidence of suppression, not contentment.
     Implicated: worker, user, biosphere
     - worker: exit cost 0.70, voice 0.15
     - user: exit cost 0.85, voice 0.05
     - biosphere: exit cost 1.00, voice 0.00

FUTURE DIRECTION:
 Baseline phase: open conflict
 Final state: K=19.33, L=0.00, C=14.21, G=0.14
 Distance to injustice threshold: 0.055

COUNTERFACTUAL STRESS TESTS:
 Halve exit costs for all actors: phase=open conflict, final K=19.52, C=14.00
 Double exit costs for all actors: phase=open conflict, final K=18.45, C=14.52

============================================================
CONTEMPORARY DIAGNOSTICS
============================================================
Exit asymmetry index: 42.50
 Interpretation: capital is far more mobile than labour. The extraction ceiling on labour is near its maximum; on capital, near its minimum. This is the central structural fact of the ledger. Rebalancing requires equalizing exit costs, not merely redistributing shares.

NON-OBVIOUS FINDING:
 Compliance by atomization detected. Legitimacy L=0.33 is low and conflict C=0.00 is low, but repression R=0.54 is high. The order is stable but not legitimate. A small shock to the surveillance architecture -- a communication technology that defeats it, a fiscal crisis that ends welfare residue, or a legitimacy event -- can move the system to open conflict in a short interval. The stability is real but thin.

NON-OBVIOUS FINDING:
 Biospheric predation detected. The host is unique and non-substitutable. The conservation corollary fails: the optimal extraction rate under a finite horizon is self-terminating, not self-limiting. Elite impatience is 0.70. The framework predicts cascading failure across all relations once the host's capacity crosses its threshold.
```