
strategy-to-ea-v2-mwlai.zocomputer.io ↗

Your trading idea, written once and rendered three ways

Ten questions decide the strategy. One constraint engine checks that the answers agree. The same decisions are then emitted as a technical specification, an MQL5 expert advisor and a Pine Script strategy — with no setting left behind.



Verified across 13,856 configurations · no setting reaches one artefact and not the others · no contradictory pair is reachable

The framework is a cascade, not a form

1

MARKET LENS

What regime must the market be in?

Trend · Range · Volatility · Session bias

2

FAMILY

Which edge suits that regime?

A Range lens rules Breakout and Momentum out entirely

3

MECHANIC

Which exact algorithm is emitted?

Breakout offers Donchian channel or opening range only

4

PARAMETERS

Which numbers does that algorithm need?

the mechanic decides which of the 60 settings exist at all

GATE 01

APPLICABILITY · when does a field exist?

A field is only in play if its parent choice is on. Turn the session window off and both clock fields leave all three artefacts — they do not linger as ignored inputs.

GATE 02

AVAILABILITY · which options can be picked?

Options outside the current chain stay visible but blocked, with the reason attached. You cannot select a mechanic that belongs to another family.

GATE 03

CONTRADICTION · what changes when you change course?

Moving the lens re-seats the family and the mechanic. Both adjustments are reported, so nothing silently disagrees with what you asked for.

Result: a short, lawful decision path from idea to running code.

A consistency engine, a risk gate, a teaching tool

01

Three engines, one answer

Spec, MT5 expert advisor and TradingView strategy are built from one set of decisions, so they cannot describe different systems.

02

No setting that does nothing

Every control either changes the generated code or is greyed out with its reason. Dead inputs are the commonest way a backtest lies.

03

An audit trail you can hand over

The spec reads as a document — reviewable by a partner, a prop firm or a risk committee without opening a chart.

04

Risk rules are compiled, not promised

Daily loss cap, peak-to-trough halt, exposure ceiling and one-position-per-direction ship inside both engines.

05

A checklist for judging any strategy

The ten aspects double as an interrogation order for someone else's system — or a vendor's black box.

06

Variants in minutes, not weekends

Change the lens or the mechanic and everything downstream re-derives; the report names what that invalidated.

What it does not do: choose the edge for you. It makes the arithmetic behind your choice explicit and repeatable.

Ten questions, answered in order

1 **Scope it**

Instrument, timeframe and the trading session you actually trade.

2 **Name the regime**

Pick the lens. It sets the regime gate and limits the families below it.

3 **Choose the edge**


Family first, then the exact mechanic that will be coded.

4 **Set entry, exit, size**

Trigger, confirmation, stop, target, trailing, exposure.

5 **Generate and read the report**

All three artefacts at once, with warnings and what changed.



Nothing is hidden: blocked options stay on screen with the reason, and every choice is written into all three outputs.

D · EXAMPLE OUTPUT

The same trade, described three ways

Trend lens · Breakout family · Donchian channel · EURUSD H1 · 41 of 60 settings active — all 41 present in all three files

TECHNICAL SPEC

the document

§5 Filters

Trend filter	only with trend
Trend reference	SMA(50)
Session filter	8:00 – 16:00

§6 Exit logic

Stop distance	2 × ATR(14)
Target method	Risk multiple (R)
Reward : risk	1 : 3
Trailing	ATR trail, 1.5 × ATR

§7 Risk & position size

Sizing	Risk-based %
Risk per trade	1% of equity

MQL5 EXPERT ADVISOR

the executable

```
input double Inp_SlAtr      = 2;
input double Inp_TrailAtr   = 1.5;
input double Inp_RrTarget   = 3;
input double Inp_RiskPercent = 1;
input double Inp_MaxDailyLoss = 3;
input double Inp_MaxDrawdown = 20;
input int    Inp_MaxOpenTrades = 1;

bool regimeOK = adxBuf[1] >= Inp_AdxMin
          && atrPctNow >= Inp_AtrPct;

if(Inp_OnlyTrend)
  trendOK = close > trendSMA;
```

PINE SCRIPT v6

the backtest

```
strategy('EURUSD H1 · Donchian channel',
       overlay=true, ...)
lookback    = input.int(55, ...)
slAtrMult   = input.float(2, ...)
trailAtrMult = input.float(1.5, ...)
rrTarget    = input.float(3, ...)

donHi   = ta.highest(high, lookback)[1]
longSig = close > donHi

plotshape(goLong and
  strategy.position_size == 0, ...)
```

One pass, no manual translation. The stop, the target, the trailing distance and the risk figure are the same numbers in all three artefacts — so the backtest and the live EA cannot drift apart.