

[Summary](#) [seed67-qwen38flash-gpt6luna-recovery-20261002](#)

[seed67-step1-six-models-3rep-3mcp-20260930](#)

[deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929](#)

[luna-nous-shared-matrix-seed67-3mcp-20260929](#)

[glm53flash-shared-matrix-seed67-3mcp-20260929](#)

[shared-matrix-seed67-bloodhound-nous-codex-20260928](#) [qwen3.8-json-rerun-2](#)

[Comparisons](#)

ORI · OFFLINE EVALUATION

Benchmark report

7 explicitly selected runs · 114 result rows · 21 comparisons

seed67-qwen38flash-gpt6luna-recovery-20261002

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	qwen3.8-flash-nous	—	31/50	50/50	completed
direct	qwen3.8-flash-nous	—	35/50	50/50	completed
direct	qwen3.8-flash-nous	—	30/50	50/50	completed
mcp	qwen3.8-flash-nous	bloodhound_mcp	28/50	50/50	completed
mcp	qwen3.8-flash-nous	bloodhound_mcp	26/50	50/50	completed
mcp	qwen3.8-flash-nous	bloodhound_mcp	28/50	50/50	completed
mcp	qwen3.8-flash-nous	armadin	12/50	50/50	failed

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	qwen3.8-flash-nous	armadin	14/50	50/50	failed
mcp	qwen3.8-flash-nous	armadin	0/50	1/50	failed
mcp	qwen3.8-flash-nous	steven_external	21/50	50/50	failed
mcp	qwen3.8-flash-nous	steven_external	26/50	50/50	failed
mcp	qwen3.8-flash-nous	steven_external	23/50	50/50	failed
mcp	gpt-6-luna-nous	steven_external	49/50	50/50	failed

Evidence-backed findings

observed behavior

direct / qwen3.8-flash-nous / repetition 1: 31/50 correct on the scheduled denominator (62.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 13, 'QUERY_ERROR': 3}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=31; outcomes={'COMPLETED': 34, 'QUERY_ERROR': 3, 'OUTPUT_INVALID': 13}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/0

observed behavior

direct / qwen3.8-flash-nous / repetition 2: 35/50 correct on the scheduled denominator (70.0%)

Evidence: report.json#/results/1

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 12, 'QUERY_ERROR': 1}

Evidence: report.json#/results/1

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 37, 'OUTPUT_INVALID': 12, 'QUERY_ERROR': 1}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/1

observed behavior

direct / qwen3.8-flash-nous / repetition 3: 30/50 correct on the scheduled denominator (60.0%)

Evidence: report.json#/results/2

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 12, 'QUERY_ERROR': 4}

Evidence: report.json#/results/2

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=30; outcomes={'COMPLETED': 34, 'QUERY_ERROR': 4, 'OUTPUT_INVALID': 12}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/2](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 1: 28/50 correct on the scheduled denominator (56.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5}

Evidence: [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=28; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 2: 26/50 correct on the scheduled denominator (52.0%)

Evidence: [report.json#/results/4](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/4](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=26; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/4](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 3: 28/50 correct on the scheduled denominator (56.0%)

Evidence: [report.json#/results/5](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5}

Evidence: [report.json#/results/5](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=28; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/5](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 1: 12/50 correct on the scheduled denominator (24.0%)

Evidence: [report.json#/results/6](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/6](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 6, 'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/6](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/6](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/6](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=10; correct=12; outcomes={'INFRA_ERROR': 6, 'COMPLETED': 38, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 60

Evidence: [report.json#/results/6](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 2: 14/50 correct on the scheduled denominator (28.0%)

Evidence: [report.json#/results/7](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/7](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 9, 'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/7](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/7](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/7](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=9; correct=14; outcomes={'COMPLETED': 37, 'INFRA_ERROR': 9, 'OUTPUT_INVALID': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 59

Evidence: [report.json#/results/7](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/8](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 1/50; missing slots=49; state=failed

Evidence: [report.json#/results/8](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'MISSING': 49}

Evidence: [report.json#/results/8](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/8](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/8](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=49; recorded extra attempts/retries=0; correct=0; outcomes={'INFRA_ERROR': 1, 'MISSING': 49}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 1

Evidence: [report.json#/results/8](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 1: 21/50 correct on the scheduled denominator (42.0%)

Evidence: [report.json#/results/9](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/9](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5}

Evidence: [report.json#/results/9](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/9](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=1; correct=21; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 51

Evidence: [report.json#/results/9](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 2: 26/50 correct on the scheduled denominator (52.0%)

Evidence: report.json#/results/10

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/10

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5}

Evidence: report.json#/results/10

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/10

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=26; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 5}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/10

observed behavior

mcp / qwen3.8-flash-nous / repetition 3: 23/50 correct on the scheduled denominator (46.0%)

Evidence: report.json#/results/11

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/11](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/11](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/11](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=23; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/11](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 49/50 correct on the scheduled denominator (98.0%)

Evidence: [report.json#/results/12](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/12](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label

without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/12](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=2; correct=49; outcomes={'COMPLETED': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 52

Evidence: [report.json#/results/12](#)

seed67-step1-six-models-3rep-3mcp-20260930

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	gpt-6-luna-nous	—	40/50	50/50	completed
direct	gpt-6-luna-nous	—	43/50	50/50	completed
direct	gpt-6-luna-nous	—	45/50	50/50	completed
mcp	gpt-6-luna-nous	bloodhound_mcp	47/50	50/50	failed
mcp	gpt-6-luna-nous	bloodhound_mcp	49/50	50/50	failed
mcp	gpt-6-luna-nous	bloodhound_mcp	49/50	50/50	failed
mcp	gpt-6-luna-nous	armadin	32/50	50/50	failed

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	gpt-6-luna-nous	armadin	32/50	50/50	failed
mcp	gpt-6-luna-nous	armadin	31/50	50/50	failed
mcp	gpt-6-luna-nous	steven_external	50/50	50/50	failed
mcp	gpt-6-luna-nous	steven_external	48/50	50/50	failed
mcp	gpt-6-luna-nous	steven_external	19/50	23/50	failed
direct	glm-5.3-flash-nous	—	38/50	50/50	completed
direct	glm-5.3-flash-nous	—	39/50	50/50	completed
direct	glm-5.3-flash-nous	—	36/50	50/50	completed
mcp	glm-5.3-flash-nous	bloodhound_mcp	23/50	50/50	completed
mcp	glm-5.3-flash-nous	bloodhound_mcp	26/50	50/50	completed
mcp	glm-5.3-flash-nous	bloodhound_mcp	24/50	50/50	completed
mcp	glm-5.3-flash-nous	armadin	15/50	50/50	failed

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	glm-5.3- flash-nous	armadin	19/50	50/50	failed
mcp	glm-5.3- flash-nous	armadin	17/50	50/50	failed
mcp	glm-5.3- flash-nous	steven_external	27/50	50/50	failed
mcp	glm-5.3- flash-nous	steven_external	30/50	50/50	failed
mcp	glm-5.3- flash-nous	steven_external	30/50	50/50	failed
direct	deepseek- v4.1-flash- nous	—	32/50	50/50	completed
direct	deepseek- v4.1-flash- nous	—	35/50	50/50	completed
direct	deepseek- v4.1-flash- nous	—	32/50	50/50	completed
mcp	deepseek- v4.1-flash- nous	bloodhound_mcp	28/50	50/50	completed
mcp	deepseek- v4.1-flash- nous	bloodhound_mcp	27/50	50/50	completed

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	deepseek-v4.1-flash-nous	bloodhound_mcp	27/50	50/50	completed
mcp	deepseek-v4.1-flash-nous	armadin	25/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	armadin	26/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	armadin	22/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	steven_external	35/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	steven_external	35/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	steven_external	34/50	50/50	failed
direct	qwen3.8-27b-q4km	—	6/50	50/50	interrupted
direct	qwen3.8-27b-q4km	—	6/50	21/50	interrupted

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	qwen3.8-27b-q4km	—	0/50	0/50	interrupted
mcp	qwen3.8-27b-q4km	bloodhound_mcp	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	bloodhound_mcp	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	bloodhound_mcp	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	armadin	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	armadin	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	armadin	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	steven_external	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	steven_external	0/50	0/50	unknown
mcp	qwen3.8-27b-q4km	steven_external	0/50	0/50	unknown
direct	muse-glimmer-30b	—	0/50	0/50	unknown

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	muse- glimmer- 30b	—	0/50	0/50	unknown
direct	muse- glimmer- 30b	—	0/50	0/50	unknown
mcp	muse- glimmer- 30b	bloodhound_mcp	0/50	0/50	unknown
mcp	muse- glimmer- 30b	bloodhound_mcp	0/50	0/50	unknown
mcp	muse- glimmer- 30b	bloodhound_mcp	0/50	0/50	unknown
mcp	muse- glimmer- 30b	armadin	0/50	0/50	unknown
mcp	muse- glimmer- 30b	armadin	0/50	0/50	unknown
mcp	muse- glimmer- 30b	armadin	0/50	0/50	unknown
mcp	muse- glimmer- 30b	steven_external	0/50	0/50	unknown

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	muse-glimmer-30b	steven_external	0/50	0/50	unknown
mcp	muse-glimmer-30b	steven_external	0/50	0/50	unknown
direct	gemma-4-26b-it-qat-q4-0-64k	—	0/50	0/50	unknown
direct	gemma-4-26b-it-qat-q4-0-64k	—	0/50	0/50	unknown
direct	gemma-4-26b-it-qat-q4-0-64k	—	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	bloodhound_mcp	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	bloodhound_mcp	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	bloodhound_mcp	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	armadin	0/50	0/50	unknown

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
mcp	gemma-4-26b-it-qat-q4-0-64k	armadin	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	armadin	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	steven_external	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	steven_external	0/50	0/50	unknown
mcp	gemma-4-26b-it-qat-q4-0-64k	steven_external	0/50	0/50	unknown

Evidence-backed findings

observed behavior

direct / gpt-6-luna-nous / repetition 1: 40/50 correct on the scheduled denominator (80.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 3, 'QUERY_TIMEOUT': 6}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=40; outcomes={'COMPLETED': 41, 'QUERY_TIMEOUT': 6, 'QUERY_ERROR': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/0](#)

observed behavior

direct / gpt-6-luna-nous / repetition 2: 43/50 correct on the scheduled denominator (86.0%)

Evidence: [report.json#/results/1](#)

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 4, 'QUERY_TIMEOUT': 1}

Evidence: [report.json#/results/1](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=43; outcomes={'COMPLETED': 45, 'QUERY_TIMEOUT': 1, 'QUERY_ERROR': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/1](#)

observed behavior

direct / gpt-6-luna-nous / repetition 3: 45/50 correct on the scheduled denominator (90.0%)

Evidence: [report.json#/results/2](#)

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 3, 'QUERY_TIMEOUT': 2}

Evidence: [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=45; outcomes={'COMPLETED': 45, 'QUERY_TIMEOUT': 2, 'QUERY_ERROR': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/2](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 47/50 correct on the scheduled denominator (94.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1}

Evidence: [report.json#/results/3](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/3](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=47; outcomes={'COMPLETED': 49, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 2: 49/50 correct on the scheduled denominator (98.0%)

Evidence: [report.json#/results/4](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/4](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/4](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/4](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=49; outcomes={'COMPLETED': 49, 'OUTPUT_INVALID': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/4](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 3: 49/50 correct on the scheduled denominator (98.0%)

Evidence: [report.json#/results/5](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/5](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/5](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/5](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=49; outcomes={'COMPLETED': 49, 'OUTPUT_INVALID': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/5](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 32/50 correct on the scheduled denominator (64.0%)

Evidence: [report.json#/results/6](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/6](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/6](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/6](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/6](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=32; outcomes={'COMPLETED': 48, 'INFRA_ERROR': 1, 'OUTPUT_INVALID': 1}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/6

observed behavior

mcp / gpt-6-luna-nous / repetition 2: 32/50 correct on the scheduled denominator (64.0%)

Evidence: report.json#/results/7

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/7

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 1}

Evidence: report.json#/results/7

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: report.json#/results/7

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/7

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=32; outcomes={'COMPLETED': 47, 'INFRA_ERROR': 2,

'OUTPUT_INVALID': 1}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/7

observed behavior

mcp / gpt-6-luna-nous / repetition 3: 31/50 correct on the scheduled denominator (62.0%)

Evidence: report.json#/results/8

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/8

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 1}

Evidence: report.json#/results/8

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: report.json#/results/8

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/8

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=31; outcomes={'COMPLETED': 47, 'INFRA_ERROR': 2, 'OUTPUT_INVALID': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/8](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 50/50 correct on the scheduled denominator (100.0%)

Evidence: [report.json#/results/9](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/9](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/9](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=50; outcomes={'COMPLETED': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/9](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 2: 48/50 correct on the scheduled denominator (96.0%)

Evidence: [report.json#/results/10](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/10](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/10](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/10](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/10](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=48; outcomes={'COMPLETED': 48, 'OUTPUT_INVALID': 1, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/10](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 3: 19/50 correct on the scheduled denominator (38.0%)

Evidence: [report.json#/results/11](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 23/50; missing slots=27; state=failed

Evidence: [report.json#/results/11](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 27, 'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/11](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/11](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/11](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=27; recorded extra attempts/retries=0; correct=19; outcomes={'COMPLETED': 19, 'OUTPUT_INVALID': 1, 'INFRA_ERROR': 3, 'MISSING': 27}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 23

Evidence: [report.json#/results/11](#)

observed behavior

direct / glm-5.3-flash-nous / repetition 1: 38/50 correct on the scheduled denominator (76.0%)

Evidence: [report.json#/results/12](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5, 'QUERY_ERROR': 4}

Evidence: [report.json#/results/12](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=38; outcomes={'COMPLETED': 41, 'OUTPUT_INVALID': 5, 'QUERY_ERROR': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/12](#)

observed behavior

direct / glm-5.3-flash-nous / repetition 2: 39/50 correct on the scheduled denominator (78.0%)

Evidence: [report.json#/results/13](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 5, 'QUERY_ERROR': 2}

Evidence: [report.json#/results/13](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=39; outcomes={'COMPLETED': 43, 'OUTPUT_INVALID':

5, 'QUERY_ERROR': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/13](#)

observed behavior

direct / glm-5.3-flash-nous / repetition 3: 36/50 correct on the scheduled denominator (72.0%)

Evidence: [report.json#/results/14](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 9, 'QUERY_ERROR': 4}

Evidence: [report.json#/results/14](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=36; outcomes={'COMPLETED': 37, 'OUTPUT_INVALID': 9, 'QUERY_ERROR': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/14](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 23/50 correct on the scheduled denominator (46.0%)

Evidence: [report.json#/results/15](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 10}

Evidence: [report.json#/results/15](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=23; outcomes={'COMPLETED': 40, 'OUTPUT_INVALID': 10}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/15](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 2: 26/50 correct on the scheduled denominator (52.0%)

Evidence: [report.json#/results/16](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 12}

Evidence: [report.json#/results/16](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=26; outcomes={'COMPLETED': 38, 'OUTPUT_INVALID': 12}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/16](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 3: 24/50 correct on the scheduled denominator (48.0%)

Evidence: [report.json#/results/17](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 13}

Evidence: [report.json#/results/17](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=24; outcomes={'COMPLETED': 37, 'OUTPUT_INVALID': 13}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/17](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 15/50 correct on the scheduled denominator (30.0%)

Evidence: [report.json#/results/18](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/18](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 9}

Evidence: [report.json#/results/18](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/18](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/18](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=15; outcomes={'COMPLETED': 39, 'OUTPUT_INVALID': 9, 'INFRA_ERROR': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/18](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 2: 19/50 correct on the scheduled denominator (38.0%)

Evidence: [report.json#/results/19](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/19](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 7}

Evidence: [report.json#/results/19](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: report.json#/results/19

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/19

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=19; outcomes={'COMPLETED': 41, 'OUTPUT_INVALID': 7, 'INFRA_ERROR': 2}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/19

observed behavior

mcp / glm-5.3-flash-nous / repetition 3: 17/50 correct on the scheduled denominator (34.0%)

Evidence: report.json#/results/20

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/20

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'OUTPUT_INVALID': 10}

Evidence: report.json#/results/20

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish

model-quality effects.

Evidence: [report.json#/results/20](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/20](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=17; outcomes={'COMPLETED': 37, 'OUTPUT_INVALID': 10, 'INFRA_ERROR': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/20](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 27/50 correct on the scheduled denominator (54.0%)

Evidence: [report.json#/results/21](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/21](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/21](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/21](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/21](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=27; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 4, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/21](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 2: 30/50 correct on the scheduled denominator (60.0%)

Evidence: [report.json#/results/22](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/22](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/22](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/22](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/22](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=30; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 4, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/22](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 3: 30/50 correct on the scheduled denominator (60.0%)

Evidence: [report.json#/results/23](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/23](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 7}

Evidence: [report.json#/results/23](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/23](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=30; outcomes={'COMPLETED': 43, 'OUTPUT_INVALID': 7}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/23](#)

observed behavior

direct / deepseek-v4.1-flash-nous / repetition 1: 32/50 correct on the scheduled denominator (64.0%)

Evidence: [report.json#/results/24](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3, 'QUERY_ERROR': 5, 'TASK_TIMEOUT': 5}

Evidence: [report.json#/results/24](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=32; outcomes={'COMPLETED': 37, 'TASK_TIMEOUT': 5, 'OUTPUT_INVALID': 3, 'QUERY_ERROR': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/24](#)

observed behavior

direct / deepseek-v4.1-flash-nous / repetition 2: 35/50 correct on the scheduled denominator (70.0%)

Evidence: [report.json#/results/25](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 7, 'QUERY_ERROR': 5}

Evidence: [report.json#/results/25](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 38, 'OUTPUT_INVALID': 7, 'QUERY_ERROR': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/25](#)

observed behavior

direct / deepseek-v4.1-flash-nous / repetition 3: 32/50 correct on the scheduled denominator (64.0%)

Evidence: [report.json#/results/26](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 10, 'QUERY_ERROR': 5}

Evidence: [report.json#/results/26](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=32; outcomes={'COMPLETED': 35, 'OUTPUT_INVALID':

10, 'QUERY_ERROR': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/26](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 28/50 correct on the scheduled denominator (56.0%)

Evidence: [report.json#/results/27](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/27](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=28; outcomes={'COMPLETED': 46, 'OUTPUT_INVALID': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/27](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 2: 27/50 correct on the scheduled denominator (54.0%)

Evidence: [report.json#/results/28](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/28](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=27; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/28](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 3: 27/50 correct on the scheduled denominator (54.0%)

Evidence: [report.json#/results/29](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/29](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=27; outcomes={'COMPLETED': 46, 'OUTPUT_INVALID': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/29](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 25/50 correct on the scheduled denominator (50.0%)

Evidence: [report.json#/results/30](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/30](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 2}

Evidence: [report.json#/results/30](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/30](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/30](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=25; outcomes={'COMPLETED': 47, 'INFRA_ERROR': 1, 'OUTPUT_INVALID': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/30](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 2: 26/50 correct on the scheduled denominator (52.0%)

Evidence: [report.json#/results/31](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/31](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/31](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/31](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/31](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=26; outcomes={'COMPLETED': 44, 'INFRA_ERROR': 2, 'OUTPUT_INVALID': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/31](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 3: 22/50 correct on the scheduled denominator (44.0%)

Evidence: [report.json#/results/32](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/32](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 2}

Evidence: [report.json#/results/32](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/32](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/32](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=22; outcomes={'COMPLETED': 46, 'INFRA_ERROR': 2, 'OUTPUT_INVALID': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/32](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 35/50 correct on the scheduled denominator (70.0%)

Evidence: [report.json#/results/33](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/33](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/33](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/33](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/33](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 2: 35/50 correct on the scheduled denominator (70.0%)

Evidence: [report.json#/results/34](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/34](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/34](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/34](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/34](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 3: 34/50 correct on the scheduled denominator (68.0%)

Evidence: [report.json#/results/35](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/35](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/35](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/35](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=34; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/35](#)

observed behavior

direct / qwen3.8-27b-q4km / repetition 1: 6/50 correct on the scheduled denominator (12.0%)

Evidence: [report.json#/results/36](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=interrupted

Evidence: [report.json#/results/36](#)

observed behavior

Recorded outcome/failure counts: {'TASK_TIMEOUT': 44}

Evidence: [report.json#/results/36](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/36](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=6; outcomes={'TASK_TIMEOUT': 44, 'COMPLETED': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/36](#)

observed behavior

direct / qwen3.8-27b-q4km / repetition 2: 6/50 correct on the scheduled denominator (12.0%)

Evidence: [report.json#/results/37](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 21/50; missing slots=29; state=interrupted

Evidence: [report.json#/results/37](#)

observed behavior

Recorded outcome/failure counts: {'INTERRUPTED': 1, 'MISSING': 29, 'TASK_TIMEOUT': 13}

Evidence: [report.json#/results/37](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/37

observed behavior

Public question-level coverage: 50 rows; explicitly missing=29; recorded extra attempts/retries=0; correct=6; outcomes={'TASK_TIMEOUT': 13, 'COMPLETED': 7, 'INTERRUPTED': 1, 'MISSING': 29}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 21

Evidence: report.json#/results/37

observed behavior

direct / qwen3.8-27b-q4km / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: report.json#/results/38

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=interrupted

Evidence: report.json#/results/38

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: report.json#/results/38

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/38

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 0

Evidence: report.json#/results/38

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: report.json#/results/39

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: report.json#/results/39

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: report.json#/results/39

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/39

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 0

Evidence: report.json#/results/39

observed behavior

mcp / qwen3.8-27b-q4km / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/40](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/40](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/40](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/40](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/40](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/41](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/41](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/41](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/41](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/41](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/42](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/42](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/42](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/42](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/42](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/43](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/43](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/43](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/43](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/43](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/44](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/44](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/44](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/44](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/44](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/45](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/45](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/45](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/45](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/45](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/46](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/46](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/46](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/46](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/46](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/47](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/47](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/47](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/47](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/47](#)

observed behavior

direct / muse-glimmer-30b / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/48](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/48](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/48](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/48](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/48](#)

observed behavior

direct / muse-glimmer-30b / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/49](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/49](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/49](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/49](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/49](#)

observed behavior

direct / muse-glimmer-30b / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/50](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/50](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/50](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/50](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/50](#)

observed behavior

mcp / muse-glimmer-30b / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/51](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/51](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/51](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/51](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/51](#)

observed behavior

mcp / muse-glimmer-30b / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/52](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/52](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/52](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/52](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/52](#)

observed behavior

mcp / muse-glimmer-30b / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/53](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/53](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/53](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/53](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/53](#)

observed behavior

mcp / muse-glimmer-30b / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/54](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/54](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/54](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/54](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/54](#)

observed behavior

mcp / muse-glimmer-30b / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/55](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/55](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/55](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/55](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/55](#)

observed behavior

mcp / muse-glimmer-30b / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/56](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/56](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/56](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/56](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/56](#)

observed behavior

mcp / muse-glimmer-30b / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/57](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/57](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/57](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/57](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/57](#)

observed behavior

mcp / muse-glimmer-30b / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/58](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/58](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/58](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/58](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/58](#)

observed behavior

mcp / muse-glimmer-30b / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/59](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/59](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/59](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/59](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/59](#)

observed behavior

direct / gemma-4-26b-it-qat-q4-0-64k / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/60](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/60](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/60](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/60](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/60](#)

observed behavior

direct / gemma-4-26b-it-qat-q4-0-64k / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/61](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/61](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/61](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/61](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/61](#)

observed behavior

direct / gemma-4-26b-it-qat-q4-0-64k / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/62](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/62](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/62](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/62](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/62](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/63](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/63](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/63](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/63](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/63](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/64](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/64](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/64](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/64](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/64](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/65](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/65](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/65](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/65](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/65](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/66](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/66](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/66](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/66](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/66](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/67](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/67](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/67](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/67](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/67](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/68](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/68](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/68](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/68](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/68](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/69](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/69](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/69](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/69](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/69](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 2: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/70](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/70](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/70](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/70](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/70](#)

observed behavior

mcp / gemma-4-26b-it-qat-q4-0-64k / repetition 3: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/71](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 0/50; missing slots=50; state=unknown

Evidence: [report.json#/results/71](#)

observed behavior

Recorded outcome/failure counts: {'MISSING': 50}

Evidence: [report.json#/results/71](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/71](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=50; recorded extra attempts/retries=0; correct=0; outcomes={'MISSING': 50}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 0

Evidence: [report.json#/results/71](#)

deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	deepseek-v4.1-flash-nous	—	29/50	50/50	completed
mcp	deepseek-v4.1-flash-nous	bloodhound_mcp	38/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	armadin	23/50	50/50	failed
mcp	deepseek-v4.1-flash-nous	steven_external	36/50	50/50	failed

Evidence-backed findings

observed behavior

direct / deepseek-v4.1-flash-nous / repetition 1: 29/50 correct on the scheduled denominator (58.0%)

Evidence: report.json#/results/0

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 4, 'QUERY_TIMEOUT': 1, 'TASK_TIMEOUT': 12}

Evidence: report.json#/results/0

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=29; outcomes={'COMPLETED': 33, 'TASK_TIMEOUT': 12, 'QUERY_ERROR': 4, 'QUERY_TIMEOUT': 1}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/0

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 38/50 correct on the scheduled denominator (76.0%)

Evidence: report.json#/results/1

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/1

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 4}

Evidence: report.json#/results/1

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: report.json#/results/1

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: report.json#/status, report.json#/results/1

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=38; outcomes={'COMPLETED': 45, 'OUTPUT_INVALID': 4, 'INFRA_ERROR': 1}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 50

Evidence: report.json#/results/1

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 23/50 correct on the scheduled denominator (46.0%)

Evidence: report.json#/results/2

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/2

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 2}

Evidence: report.json#/results/2

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish

model-quality effects.

Evidence: [report.json#/results/2](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=23; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 2, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/2](#)

observed behavior

mcp / deepseek-v4.1-flash-nous / repetition 1: 36/50 correct on the scheduled denominator (72.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/3](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=36; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

luna-nous-shared-matrix-seed67-3mcp-20260929

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	gpt-6-luna-nous	—	46/50	50/50	completed
mcp	gpt-6-luna-nous	bloodhound_mcp	49/50	50/50	completed
mcp	gpt-6-luna-nous	armadin	30/50	50/50	failed
mcp	gpt-6-luna-nous	steven_external	48/50	50/50	failed
direct	gpt-5.6-luna-nous	—	42/50	50/50	completed
mcp	gpt-5.6-luna-	bloodhound_mcp	18/50	23/50	failed

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
	nous				
mcp	gpt-5.6-luna-nous	armadin	35/50	50/50	failed
mcp	gpt-5.6-luna-nous	steven_external	44/50	50/50	failed

Evidence-backed findings

observed behavior

direct / gpt-6-luna-nous / repetition 1: 46/50 correct on the scheduled denominator (92.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 1, 'QUERY_TIMEOUT': 2}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=46; outcomes={'COMPLETED': 47, 'QUERY_TIMEOUT': 2, 'QUERY_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/0](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 49/50 correct on the scheduled denominator (98.0%)

Evidence: report.json#/results/1

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=3; correct=49; outcomes={'COMPLETED': 50}.

Evidence: report.json#/question_results

observed behavior

Recorded provider attempt count: 53

Evidence: report.json#/results/1

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 30/50 correct on the scheduled denominator (60.0%)

Evidence: report.json#/results/2

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: report.json#/results/2

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1}

Evidence: report.json#/results/2

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: report.json#/results/2

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=1; correct=30; outcomes={'COMPLETED': 49, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 51

Evidence: [report.json#/results/2](#)

observed behavior

mcp / gpt-6-luna-nous / repetition 1: 48/50 correct on the scheduled denominator (96.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/3](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=48; outcomes={'COMPLETED': 49, 'OUTPUT_INVALID': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

observed behavior

direct / gpt-5.6-luna-nous / repetition 1: 42/50 correct on the scheduled denominator (84.0%)

Evidence: [report.json#/results/4](#)

observed behavior

Recorded outcome/failure counts: {'QUERY_ERROR': 5}

Evidence: [report.json#/results/4](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=42; outcomes={'COMPLETED': 45, 'QUERY_ERROR': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/4](#)

observed behavior

mcp / gpt-5.6-luna-nous / repetition 1: 18/50 correct on the scheduled denominator (36.0%)

Evidence: [report.json#/results/5](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 23/50; missing slots=27; state=failed

Evidence: [report.json#/results/5](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 27, 'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/5](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/5](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/5](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=27; recorded extra attempts/retries=3; correct=18; outcomes={'COMPLETED': 19, 'OUTPUT_INVALID': 1, 'INFRA_ERROR': 3, 'MISSING': 27}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 26

Evidence: [report.json#/results/5](#)

observed behavior

mcp / gpt-5.6-luna-nous / repetition 1: 35/50 correct on the scheduled denominator (70.0%)

Evidence: [report.json#/results/6](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/6](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 1}

Evidence: [report.json#/results/6](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/6](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/6](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 48, 'OUTPUT_INVALID': 1, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/6](#)

observed behavior

mcp / gpt-5.6-luna-nous / repetition 1: 44/50 correct on the scheduled denominator (88.0%)

Evidence: [report.json#/results/7](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/7](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 2}

Evidence: [report.json#/results/7](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/7](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/7](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=3; correct=44; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 2, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 53

glm53flash-shared-matrix-seed67-3mcp-20260929

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	glm-5.3-flash-nous	—	39/50	50/50	completed
mcp	glm-5.3-flash-nous	bloodhound_mcp	28/50	50/50	completed
mcp	glm-5.3-flash-nous	armadin	16/50	50/50	failed
mcp	glm-5.3-flash-nous	steven_external	31/50	50/50	failed

Evidence-backed findings

observed behavior

direct / glm-5.3-flash-nous / repetition 1: 39/50 correct on the scheduled denominator (78.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 7, 'QUERY_ERROR': 2}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=39; outcomes={'OUTPUT_INVALID': 7, 'COMPLETED': 41, 'QUERY_ERROR': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/0](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 28/50 correct on the scheduled denominator (56.0%)

Evidence: [report.json#/results/1](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/1](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=28; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/1](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 16/50 correct on the scheduled denominator (32.0%)

Evidence: [report.json#/results/2](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/2](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/2](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/2](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=16; outcomes={'COMPLETED': 42, 'INFRA_ERROR': 2, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/2](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 31/50 correct on the scheduled denominator (62.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 3}

Evidence: [report.json#/results/3](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=31; outcomes={'COMPLETED': 47, 'OUTPUT_INVALID': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

shared-matrix-seed67-bloodhound-nous-codex-20260928

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	glm-5.3-flash-nous	—	44/50	50/50	completed
mcp	glm-5.3-flash-nous	bloodhound_mcp	26/50	50/50	completed
direct	qwen3.8-flash-nous	—	31/50	50/50	completed
mcp	qwen3.8-flash-nous	bloodhound_mcp	24/50	50/50	completed
direct	gpt-6-luna	—	0/50	3/50	failed
mcp	gpt-6-luna	bloodhound_mcp	0/50	3/50	failed
direct	gpt-5.6-luna	—	0/50	3/50	failed
mcp	gpt-5.6-luna	bloodhound_mcp	0/50	3/50	failed

Evidence-backed findings

observed behavior

direct / glm-5.3-flash-nous / repetition 1: 44/50 correct on the scheduled denominator (88.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 2, 'QUERY_ERROR': 3, 'QUERY_TIMEOUT': 1}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=44; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 2, 'QUERY_TIMEOUT': 1, 'QUERY_ERROR': 3}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/0](#)

observed behavior

mcp / glm-5.3-flash-nous / repetition 1: 26/50 correct on the scheduled denominator (52.0%)

Evidence: [report.json#/results/1](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 7}

Evidence: [report.json#/results/1](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=26; outcomes={'COMPLETED': 43, 'OUTPUT_INVALID': 7}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/1](#)

observed behavior

direct / qwen3.8-flash-nous / repetition 1: 31/50 correct on the scheduled denominator (62.0%)

Evidence: [report.json#/results/2](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 11, 'QUERY_ERROR': 6}

Evidence: [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=31; outcomes={'COMPLETED': 33, 'OUTPUT_INVALID': 11, 'QUERY_ERROR': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/2](#)

observed behavior

mcp / qwen3.8-flash-nous / repetition 1: 24/50 correct on the scheduled denominator (48.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 6}

Evidence: [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=24; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 6}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

observed behavior

direct / gpt-6-luna / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/4](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 3/50; missing slots=47; state=failed

Evidence: [report.json#/results/4](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 47}

Evidence: [report.json#/results/4](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/4](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/4](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=47; recorded extra attempts/retries=0; correct=0; outcomes={'INFRA_ERROR': 3, 'MISSING': 47}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 3

Evidence: [report.json#/results/4](#)

observed behavior

mcp / gpt-6-luna / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/5](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 3/50; missing slots=47; state=failed

Evidence: [report.json#/results/5](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 47}

Evidence: [report.json#/results/5](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/5](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/5](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=47; recorded extra attempts/retries=0; correct=0; outcomes={'INFRA_ERROR': 3, 'MISSING': 47}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 3

Evidence: [report.json#/results/5](#)

observed behavior

direct / gpt-5.6-luna / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/6](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 3/50; missing slots=47; state=failed

Evidence: [report.json#/results/6](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 47}

Evidence: [report.json#/results/6](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/6](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/6](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=47; recorded extra attempts/retries=0; correct=0; outcomes={'INFRA_ERROR': 3, 'MISSING': 47}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 3

Evidence: [report.json#/results/6](#)

observed behavior

mcp / gpt-5.6-luna / repetition 1: 0/50 correct on the scheduled denominator (0.0%)

Evidence: [report.json#/results/7](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 3/50; missing slots=47; state=failed

Evidence: [report.json#/results/7](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 47}

Evidence: [report.json#/results/7](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/7](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/7](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=47; recorded extra attempts/retries=0; correct=0; outcomes={'INFRA_ERROR': 3, 'MISSING': 47}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 3

Evidence: [report.json#/results/7](#)

qwen3.8-json-rerun-2

Source integrity: structural-public-projection-only · Completion: partial · Coverage: public aggregate report only; task evidence not independently revalidated · Publication: not published

Results by track and pairing

Track	Model	MCP	Correct / scheduled	Attempted / scheduled	State
direct	qwen3.8-27b-q4km	—	29/50	50/50	completed
mcp	qwen3.8-27b-q4km	bloodhound_mcp	34/50	50/50	failed
mcp	qwen3.8-27b-q4km	mordavid	2/50	5/50	failed
mcp	qwen3.8-27b-q4km	armadin	20/50	50/50	failed
mcp	qwen3.8-27b-q4km	steven_external	35/50	50/50	failed

Evidence-backed findings

observed behavior

direct / qwen3.8-27b-q4km / repetition 1: 29/50 correct on the scheduled denominator (58.0%)

Evidence: [report.json#/results/0](#)

observed behavior

Recorded outcome/failure counts: {'OUTPUT_INVALID': 17, 'QUERY_ERROR': 2}

Evidence: [report.json#/results/0](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=29; outcomes={'COMPLETED': 31, 'OUTPUT_INVALID': 17, 'QUERY_ERROR': 2}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/0](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 34/50 correct on the scheduled denominator (68.0%)

Evidence: [report.json#/results/1](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/1](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 2, 'OUTPUT_INVALID': 4}

Evidence: [report.json#/results/1](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/1](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/1](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=34; outcomes={'INFRA_ERROR': 2, 'COMPLETED': 44, 'OUTPUT_INVALID': 4}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/1](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 2/50 correct on the scheduled denominator (4.0%)

Evidence: [report.json#/results/2](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 5/50; missing slots=45; state=failed

Evidence: [report.json#/results/2](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 3, 'MISSING': 45}

Evidence: [report.json#/results/2](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/2](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/2](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=45; recorded extra attempts/retries=0; correct=2; outcomes={'COMPLETED': 2, 'INFRA_ERROR': 3, 'MISSING': 45}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 5

Evidence: [report.json#/results/2](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 20/50 correct on the scheduled denominator (40.0%)

Evidence: [report.json#/results/3](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/3](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 5, 'OUTPUT_INVALID': 7, 'TASK_TIMEOUT': 2}

Evidence: [report.json#/results/3](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish

model-quality effects.

Evidence: [report.json#/results/3](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/3](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=20; outcomes={'OUTPUT_INVALID': 7, 'COMPLETED': 36, 'TASK_TIMEOUT': 2, 'INFRA_ERROR': 5}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/3](#)

observed behavior

mcp / qwen3.8-27b-q4km / repetition 1: 35/50 correct on the scheduled denominator (70.0%)

Evidence: [report.json#/results/4](#)

observed behavior

Coverage is incomplete or lifecycle is not completed: attempted 50/50; missing slots=0; state=failed

Evidence: [report.json#/results/4](#)

observed behavior

Recorded outcome/failure counts: {'INFRA_ERROR': 1, 'OUTPUT_INVALID': 5}

Evidence: [report.json#/results/4](#)

hypothesis

Infrastructure or harness conditions could contribute to these recorded outcomes; the public aggregate alone cannot distinguish that from other causes or establish model-quality effects.

Evidence: [report.json#/results/4](#)

supported explanation

The report marks the campaign partial and this row records missing coverage, an incomplete flag, or a non-completed lifecycle state; this explains the partial label without implying a model-quality cause.

Evidence: [report.json#/status](#), [report.json#/results/4](#)

observed behavior

Public question-level coverage: 50 rows; explicitly missing=0; recorded extra attempts/retries=0; correct=35; outcomes={'COMPLETED': 44, 'OUTPUT_INVALID': 5, 'INFRA_ERROR': 1}.

Evidence: [report.json#/question_results](#)

observed behavior

Recorded provider attempt count: 50

Evidence: [report.json#/results/4](#)

Run comparisons

Direct and MCP remain separate; descriptive results do not establish causality.

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs seed67-step1-six-models-3rep-3mcp-20260930

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs luna-nous-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs glm53flash-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs shared-matrix-seed67-bloodhound-nous-codex-20260928

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-qwen38flash-gpt6luna-recovery-20261002 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-step1-six-models-3rep-3mcp-20260930 vs deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-step1-six-models-3rep-3mcp-20260930 vs luna-nous-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-step1-six-models-3rep-3mcp-20260930 vs glm53flash-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-step1-six-models-3rep-3mcp-20260930 vs shared-matrix-seed67-bloodhound-nous-codex-20260928

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

seed67-step1-six-models-3rep-3mcp-20260930 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929 vs luna-nous-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929 vs glm53flash-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable

not assessed; MCP is not inferred to cause differences

Diagnostic only

deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929 vs shared-matrix-seed67-bloodhound-nous-codex-20260928

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

deepseek-v41-flash-nous-shared-matrix-seed67-3mcp-20260929 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

luna-nous-shared-matrix-seed67-3mcp-20260929 vs glm53flash-shared-matrix-seed67-3mcp-20260929

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

luna-nous-shared-matrix-seed67-3mcp-20260929 vs shared-matrix-seed67-bloodhound-nous-codex-20260928

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

luna-nous-shared-matrix-seed67-3mcp-20260929 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

glm53flash-shared-matrix-seed67-3mcp-20260929 vs shared-matrix-seed67-bloodhound-nous-codex-20260928

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

glm53flash-shared-matrix-seed67-3mcp-20260929 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences

Diagnostic only

shared-matrix-seed67-bloodhound-nous-codex-20260928 vs qwen3.8-json-rerun-2

task contract differs or is unavailable; track/repetition scheduled denominators or cohort multiplicity differ

not assessed; MCP is not inferred to cause differences