The Use of Computational Methods for Investigating Potential Offtarget Bindings and Their Implications in the Treatment of Spinal Muscular Atrophy

Xiaolong Qiu July 20, 2011

University of California, San Diego., U.S.A.

Monash University, Caulfield Campus., Australia

Project Goal

To identify potential off-target bindings and their implications in the treatment of spinal muscular atrophy through computational methods

To investigate these off-targets and their intrinsic ligands through their ligand chemistry and binding activities

Progress to Date

- Chose sequences selected by PSI-BLAST for further analysis based on their e-values
- Ran selected sequences in SMAP successfully, and compared these sequences with 3BL7_A, 3BL9_A, and 3BLA_A, which are PDB IDs for DcpS
- Ranked the results generated by SMAP according to the p-value and raw score of each pair-wise comparison

Tentative Plans

- Continue reading literature regarding off-target bindings
- Keep reading research papers about SMAP
- Further analyze the preliminary off-targets list by checking if there are any biological significance present in the selected pair-wise comparisons
- Discuss my project and problems that I might encounter with my UCSD mentors



Sydney Opera House, Sydney, New South Wales



Albert Park, Melbourne, Victoria



Shrine of Remembrance, Melbourne, Victoria



The Esplanade, Cairns, Queensland

Acknowledgements

- UCSD
 - Dr. Philip Bourne, Dr. Lei Xie, and Dr. Li Xie
 - Dr. Gabriele Wienhausen, Dr. Peter Arzberger, Teri Simas, and Tricia Taylor
- Monash
 - Dr. David Abramson, Blair Bethwaite, Slavisa Garic, and Colin Enticott
 - Rob Gray
- National Science Foundation, IOSE-0710726