

Telegram Bot — To'liq Python kodi

Zayafka, narxlar va YouTube musiqa qidirish/yuklash funksiyalari bilan.

```
import asyncio
import os
import tempfile

import yt_dlp
from aiogram import Bot, Dispatcher, types, F
from aiogram.filters import Command
from aiogram.fsm.context import FSMContext
from aiogram.fsm.state import State, StatesGroup
from aiogram.fsm.storage.memory import MemoryStorage
from aiogram.types import (
    ReplyKeyboardMarkup, KeyboardButton, ReplyKeyboardRemove,
    InlineKeyboardMarkup, InlineKeyboardButton, FSInputFile,
)

API_TOKEN = 'YANGI_TOKEN'
ADMIN_ID = 123456789

bot = Bot(token=API_TOKEN)
dp = Dispatcher(storage=MemoryStorage())

PLATFORMALAR = {
    "Instagram": "1000 ta obunachi: 15 000 so'm",
    "YouTube": "1000 ta obunachi: 50 000 so'm",
    "TikTok": "1000 ta obunachi: 20 000 so'm",
    "Telegram": "1000 ta obunachi: 10 000 so'm",
}

NARXLAR = "■ Xizmatlarimiz narxi:\n\n" + "\n".join(
    f"• {nom}: {narx}" for nom, narx in PLATFORMALAR.items()
)

asosiy_menu = ReplyKeyboardMarkup(
    keyboard=[
        [KeyboardButton(text="Zayafka qoldirish")],
        [KeyboardButton(text="Narxlar bilan tanishish")],
        [KeyboardButton(text="■ Musiqa qidirish")],
    ],
    resize_keyboard=True,
)

nomlar = list(PLATFORMALAR.keys())
platforma_menu = ReplyKeyboardMarkup(
    keyboard=[
        [KeyboardButton(text=nomlar[0]), KeyboardButton(text=nomlar[1])],
        [KeyboardButton(text=nomlar[2]), KeyboardButton(text=nomlar[3])],
        [KeyboardButton(text="Bekor qilish")],
    ],
    resize_keyboard=True,
)

bekor_menu = ReplyKeyboardMarkup(
    keyboard=[[KeyboardButton(text="Bekor qilish")]],
    resize_keyboard=True,
)

class Zayafka(StatesGroup):
    platforma = State()
    ism = State()
    telefon = State()

class Musiqa(StatesGroup):
    nom = State()

# ----- Musiqa funksiyalari -----
def qidir(soz):
    opts = {
        "quiet": True,
        "extract_flat": True,
        "skip_download": True,
    }

    with yt_dlp.YoutubeDL(opts) as ydl:
        info = ydl.extract_info(
            f"ytsearch5:{soz}",
            download=False
        )

    natijalar = []

    for e in info.get("entries", []):
        if e and e.get("id"):
            natijalar.append(
                (e["id"], e.get("title", "Nomsiz"))
            )
```

```

return natijalar

def yukla(video_id, papka):
    opts = {
        "format": "bestaudio[ext=m4a]/bestaudio",
        "outtmpl": os.path.join(papka, "%(id)s.%(ext)s"),
        "quiet": True,
        "noplaylist": True,
        "max_filesize": 48 * 1024 * 1024,
    }

    with yt_dlp.YoutubeDL(opts) as ydl:
        info = ydl.extract_info(
            f"https://www.youtube.com/watch?v={video_id}",
            download=True
        )

        fayl = ydl.prepare_filename(info)

        # Ba'zi formatlarda kengaytma o'zgarishi mumkin.
        if not os.path.exists(fayl):
            video_id = info.get("id")
            for nom in os.listdir(papka):
                if nom.startswith(video_id + "."):
                    fayl = os.path.join(papka, nom)
                    break

    return fayl, info.get("title", "Nomsiz")

# ----- /start -----
@dp.message(Command("start"))
async def start(message: types.Message, state: FSMContext):
    await state.clear()

    await message.answer(
        "■ Assalomu alaykum!\n\n"
        "Botimizga xush kelibsiz.\n"
        "Kerakli bo'limni tanlang:",
        reply_markup=asosiy_menyu
    )

# ----- Narxlar -----
@dp.message(F.text == "Narxlar bilan tanishish")
async def narxlar(message: types.Message):
    await message.answer(NARXLAR, reply_markup=asosiy_menyu)

# ----- Zayafka -----
@dp.message(F.text == "Zayafka qoldirish")
async def zayafka_boshlash(message: types.Message, state: FSMContext):
    await state.set_state(Zayafka.platforma)

    await message.answer(
        "■ Qaysi platforma uchun xizmat kerak?",
        reply_markup=platforma_menyu
    )

@dp.message(Zayafka.platforma, F.text == "Bekor qilish")
async def zayafka_bekor(message: types.Message, state: FSMContext):
    await state.clear()

    await message.answer(
        "■ Zayafka bekor qilindi.",
        reply_markup=asosiy_menyu
    )

@dp.message(Zayafka.platforma)
async def platforma_tanlash(message: types.Message, state: FSMContext):
    platforma = message.text

    if platforma not in PLATFORMALAR:
        await message.answer(
            "Iltimos, menyudagi platformalardan birini tanlang."
        )
    return

    await state.update_data(platforma=platforma)
    await state.set_state(Zayafka.ism)

    await message.answer(
        "■ Ismingizni kiriting:",
        reply_markup=bekor_menyu
    )

@dp.message(Zayafka.ism, F.text == "Bekor qilish")
async def ism_bekor(message: types.Message, state: FSMContext):
    await state.clear()

```

```

await message.answer(
    "■ Zayafka bekor qilindi.",
    reply_markup=asosiy_menyu
)

@dp.message(Zayafka.ism)
async def ism_qabul(message: types.Message, state: FSMContext):
    ism = message.text.strip()

    if len(ism) < 2:
        await message.answer("Iltimos, ismingizni to'g'ri kiriting.")
        return

    await state.update_data(ism=ism)
    await state.set_state(Zayafka.telefon)

    await message.answer(
        "■ Telefon raqamingizni kiriting:\n"
        "Masalan: +998901234567",
        reply_markup=bekor_menyu
    )

@dp.message(Zayafka.telefon, F.text == "Bekor qilish")
async def telefon_bekor(message: types.Message, state: FSMContext):
    await state.clear()

    await message.answer(
        "■ Zayafka bekor qilindi.",
        reply_markup=asosiy_menyu
    )

@dp.message(Zayafka.telefon)
async def telefon_qabul(message: types.Message, state: FSMContext):
    telefon = message.text.strip()

    if len(telefon) < 7:
        await message.answer(
            "Telefon raqamini to'g'ri kiriting.\n"
            "Masalan: +998901234567"
        )
        return

    data = await state.get_data()

    platforma = data["platforma"]
    ism = data["ism"]

    admin_xabar = (
        "■ Yangi zayafka!\n\n"
        f"■ Ism: {ism}\n"
        f"■ Telefon: {telefon}\n"
        f"■ Platforma: {platforma}\n"
        f"■ Narx: {PLATFORMALAR[platforma]}"
    )

    try:
        await bot.send_message(ADMIN_ID, admin_xabar)

    await message.answer(
        "■ Zayavkangiz qabul qilindi!\n\n"
        "Tez orada siz bilan bog'lanamiz.",
        reply_markup=asosiy_menyu
    )

except Exception:
    await message.answer(
        "■ Zayavkani yuborishda xatolik yuz berdi. "
        "Keyinroq urinib ko'ring.",
        reply_markup=asosiy_menyu
    )

finally:
    await state.clear()

# ----- Musiqa qidirish -----
@dp.message(F.text == "■ Musiqa qidirish")
async def musiqa_boshlash(message: types.Message, state: FSMContext):
    await state.set_state(Musiqa.nom)

    await message.answer(
        "■ Qo'shiq yoki ijrochi nomini yozing:",
        reply_markup=bekor_menyu
    )

@dp.message(Musiqa.nom, F.text == "Bekor qilish")
async def musiqa_bekor(message: types.Message, state: FSMContext):
    await state.clear()

```

```

await message.answer(
    "■ Qidiruv bekor qilindi.",
    reply_markup=asosiy_menyu
)

@dp.message(Musiqi.nom)
async def musiqa_qidirish(message: types.Message, state: FSMContext):
    soz = message.text.strip()

    if not soz:
        await message.answer("Qo'shiq nomini yozing.")
        return

    await message.answer("■ Qidirayman, biroz kuting...")

    try:
        natijalar = await asyncio.to_thread(qidir, soz)

    except Exception as e:
        await message.answer(
            "■ Qidirishda xatolik yuz berdi.\n"
            "Keyinroq qayta urinib ko'ring."
        )
        return

    if not natijalar:
        await message.answer(
            "■ Hech qanday natija topilmadi.",
            reply_markup=asosiy_menyu
        )
        await state.clear()
        return

    keyboard = []

    for video_id, title in natijalar:
        keyboard.append([
            InlineKeyboardButton(
                text=f"■ {title[:45]}",
                callback_data=f"music:{video_id}"
            )
        ])

    keyboard.append([
        InlineKeyboardButton(
            text="■ Bekor qilish",
            callback_data="music_cancel"
        )
    ])

    await message.answer(
        "■ Natijalardan birini tanlang:",
        reply_markup=InlineKeyboardMarkup(inline_keyboard=keyboard)
    )

# ----- Tanlangan musiqani yuklash -----
@dp.callback_query(F.data.startswith("music:"))
async def musiqa_yuklash(callback: types.CallbackQuery):
    video_id = callback.data.split(":", 1)[1]

    await callback.answer("Yuklanmoqda...")

    await callback.message.edit_text(
        "■ Musiqa yuklanmoqda. Biroz kuting..."
    )

    papka = tempfile.mkdtemp(prefix="music_")

    try:
        fayl, title = await asyncio.to_thread(
            yukla,
            video_id,
            papka
        )

    if not os.path.exists(fayl):
        raise FileNotFoundError("Audio fayl topilmadi.")

    await callback.message.answer_audio(
        audio=FSInputFile(fayl),
        title=title[:64],
        caption=f"■ {title}"
    )

    except Exception:
        await callback.message.answer(
            "■ Musiqani yuklashda xatolik yuz berdi.\n"
            "Boshqa natijani tanlab ko'ring."
        )

    finally:
        try:

```

```

for nom in os.listdir(papka):
yol = os.path.join(papka, nom)
if os.path.isfile(yol):
os.remove(yol)

os.rmdir(papka)
except Exception:
pass

@dp.callback_query(F.data == "music_cancel")
async def musiqa_callback_bekor(callback: types.CallbackQuery):
await callback.answer("Bekor qilindi.")

await callback.message.edit_text(
"■ Musiqa qidirish bekor qilindi."
)

# ----- Botni ishga tushirish -----
async def main():
print("Bot ishga tushdi...")
await dp.start_polling(bot)

if __name__ == "__main__":
asyncio.run(main())

```