


MXCuBE site report

ALBA Synchrotron

ALBA beamlines summary

- BL13 – XALOC
 - High-throughput tunable beamline
 - IRELEC HiDiff-X (to be delivered); Dectris Pilatus 3X 6M; IRELEC ISARA² sample-changer robot
- BL06 – XAIRA
 - Microfocus beamline, Helium-chamber endstation
 - In-house diffractometer (Aerotech+Smaract); Dectris Eiger 9M; IRELEC ISARA² s.c. robot
- Controls software stack:
 - TANGO and Sardana, Taurus GUIs
 - LImA for cameras and detectors



MXCuBE status

- BL13 – XALOC
 - MXCuBE-Qt; Python 3.9, Qt5
 - Context: ISPyB and EDNA
 - (“somewhat” diverged from community code...)
- BL06 – XAIRA
 - In production:
 - MXCuBE-Web; backend v1.45.0, frontend v1.113.0
 - Context: ICAT and internal processing scripts
 - In pre-production:
 - Backend v1.162.0, frontend v4.192.0

Developments since last meeting

- BL13 – XALOC
 - Software maintenance to better deal with hardware “hiccups”
- BL06 – XAIRA
 - Updated to a newer version (to-be-deployed)
 - Migrated hardware-repository configuration files to YAML
 - Improved X-ray centring: better integration with ICAT

Plans for the next six months

- BL13 – XALOC
 - Develop support for the new diffractometer
 - (while in the current MXCuBE-Qt code...)
 - TANGO support for the HiDiff-X, LImA for the sample-camera
 - Start migration to MXCuBE-Web
- BL06 – XAIRA
 - Deploy version currently in pre-production
 - Improve ICAT integration
 - (add missing metadata on raw data...)

Experiences

- Beamline scientists, users, software engineers
 - Everybody likes MXCuBE 😊