

# References

- Aguirre, L. A. and Letellier, C. (2009). Modeling nonlinear dynamics and chaos: A review. *Mathematical Problems in Engineering*, 11(12):1–22.
- Amato, I. (1992). Chaos breaks out at nih, but order may come of it. *Science*, 256(5065):1763–1764.
- Anguita, D., Ghio, A., Oneto, L., Parra, X., and Reyes-Ortiz, J. L. (2013). A public domain dataset for human activity recognition using smartphones. In *21th European Symposium on Artificial Neural Networks, Computational Intelligence and Machine Learning, ESANN 2013*.
- Azami, H. and Escudero, J. (2016). Amplitude-aware permutation entropy: Illustration in spike detection and signal segmentation. *Computer Methods and Programs in Biomedicine*, 128:40 – 51.
- Bandt, C. and Pompe, B. (2002). Permutation entropy: A natural complexity measure for time series. *Phys. Rev. Lett.*, 88:174102.
- Bartlett, R., Wheat, J., and Robins, M. (2007). Is movement variability important for sports biomechanists? *Sports Biomechanics*, 6(2):224–243. PMID: 17892098.
- Benzeghiba, M., Mori, R. D., Deroo, O., Dupont, S., Erbes, T., Jouvet, D., Fissore, L., Laface, P., Mertins, A., Ris, C., Rose, R., Tyagi, V., and Wellekens, C. (2007). Automatic speech recognition and speech variability: A review. *Speech Communication*, 49(10):763 – 786. Intrinsic Speech Variations.
- Bernstein, N. (1967). *The co-ordination and regulation of movements*. Pergamon-Press.
- Bonnet, V., Ramdani, S., Azevedo-Coste, C., Fraisse, P., Mazzà, C., and Cappozzo, A. (2014). Integration of human walking gyroscopic data using empirical mode decomposition. *Sensors*, 14(1):370–381.
- Bradley, E. and Kantz, H. (2015). Nonlinear time-series analysis revisited. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 25(9):097610.
- Bruijn, S. M., van Dieën, J. H., Meijer, O. G., and Beek, P. J. (2009). Is slow walking more stable? *Journal of Biomechanics*, 42(10):1506 – 1512.
- Bryce, R. and Sprague, K. (2012). Revisiting detrended fluctuation analysis. *Scientific reports*, 2:315.

## References

---

- Caballero, C., Barbado, D., and Moreno, F. (2013). El procesado del desplazamiento del centro de presiones para el estudio de la relación complejidad/rendimiento observada en el control postural en bipedestación. *Revista Andaluza de Medicina del Deporte*, 6(3):101 – 107.
- Caballero, C., Barbado, D., and Moreno, F. J. (2014). Non-linear tools and methodological concerns measuring human movement variability: An overview. *European Journal of Human Movement*, 32:31–81.
- Cao, L. (1997). Practical method for determining the minimum embedding dimension of a scalar time series. *Physica D: Nonlinear Phenomena*, 110:43–50.
- Carroll, J. P. and Freedman, W. (1993). Nonstationary properties of postural sway. *Journal of biomechanics*, 26(4):409–416.
- Casdagli, M., Eubank, S., Farmer, J., and Gibson, J. (1991). State space reconstruction in the presence of noise. *Physica D: Nonlinear Phenomena*, 51(1):52 – 98.
- Cavanaugh, J. T., Kochi, N., and Stergiou, N. (2010). Nonlinear analysis of ambulatory activity patterns in community-dwelling older adults. *The Journals of Gerontology: Series A*, 65A(2):197–203.
- Chen, W., Wang, Z., Xie, H., and Yu, W. (2007). Characterization of surface emg signal based on fuzzy entropy. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 15(2):266–272.
- Chen, W., Zhuang, J., Yu, W., and Wang, Z. (2009). Measuring complexity using fuzzyen, apen, and sampen. *Medical Engineering and Physics*, 31(1):61 – 68.
- Chiari, L., Rocchi, L., and Cappello, A. (2002). Stabilometric parameters are affected by anthropometry and foot placement. *Clinical Biomechanics*, 17(9):666 – 677.
- Coffey, N., Harrison, A., Donoghue, O., and Hayes, K. (2011). Common functional principal components analysis: A new approach to analyzing human movement data. *Human Movement Science*, 30(6):1144 – 1166.
- Comotti, D., Galizzi, M., and Vitali, A. (2014). nememsi: One step forward in wireless attitude and heading reference systems. In *2014 International Symposium on Inertial Sensors and Systems (ISISS)*, pages 1–4.
- Corso, G., Prado, T. L., Lima, G. Z. d. S., and Lopes, S. R. (2017). A novel entropy recurrence quantification analysis. *ArXiv e-prints*.
- Costa, M., Goldberger, A. L., and Peng, C.-K. (2002). Multiscale entropy analysis of complex physiologic time series. *Phys. Rev. Lett.*, 89:068102.
- Costa, M., Priplata, A. A., Lipsitz, L. A., Wu, Z., Huang, N. E., Goldberger, A. L., and Peng, C.-K. (2007). Noise and poise: Enhancement of postural complexity in the elderly with a stochastic-resonance-based therapy. *EPL (Europhysics Letters)*, 77(6):68008.

- Daubechies, I., Lu, J., and Wu, H.-T. (2011). Synchrosqueezed wavelet transforms: An empirical mode decomposition-like tool. *Applied and Computational Harmonic Analysis*, 30(2):243 – 261.
- Davids, K., Glazier, P., Araújo, D., and Bartlett, R. (2003). Movement systems as dynamical systems. *Sports Medicine*, 33(4):245–260.
- de Vries, J., Visser, G., and Prechtl, H. (1982). The emergence of fetal behaviour. i. qualitative aspects. *Early Human Development*, 7(4):301 – 322.
- Delignères, D., Deschamps, T., Legros, A., and Caillou, N. (2003). A methodological note on nonlinear time series analysis: Is the open-and closed-loop model of collins and de luca (1993) a statistical artifact? *Journal of Motor Behavior*, 35(1):86–96. PMID: 12724102.
- Dhingra, R. R., Jacono, F. J., Fishman, M., Loparo, K. A., Rybak, I. A., and Dick, T. E. (2011). Vagal-dependent nonlinear variability in the respiratory pattern of anesthetized, spontaneously breathing rats. *Journal of Applied Physiology*, 111(1):272–284. PMID: 21527661.
- Dingwell, J. B. and Cusumano, J. P. (2000). Nonlinear time series analysis of normal and pathological human walking. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 10(4):848–863.
- Dingwell, J. B. and Kang, H. G. (2007). Differences between local and orbital dynamic stability during human walking. *Journal of biomechanical engineering*, 129(4):586—593.
- Donker, S. F., Roerdink, M., Greven, A. J., and Beek, P. J. (2007). Regularity of center-of-pressure trajectories depends on the amount of attention invested in postural control. *Experimental Brain Research*, 181(1):1–11.
- Duarte, M. and Sternad, D. (2008). Complexity of human postural control in young and older adults during prolonged standing. *Experimental Brain Research*, 191(3):265–276.
- Eager, D., Pendrill, A.-M., and Reistad, N. (2016). Beyond velocity and acceleration: jerk, snap and higher derivatives. *European Journal of Physics*, 37(6):065008.
- Eckmann, J.-P., Kamphorst, S. O., and Ruelle, D. (1987). Recurrence plots of dynamical systems. *EPL (Europhysics Letters)*, 4(9):973.
- Emrani, S., Gentimis, T., and Krim, H. (2014). Persistent homology of delay embeddings and its application to wheeze detection. *IEEE Signal Processing Letters*, 21(4):459–463.
- Ferdenzi, C., Roberts, S. C., Schirmer, A., Delplanque, S., Cekic, S., Porcherot, C., Cayeux, I., Sander, D., and Grandjean, D. (2013). Variability of affective responses to odors: Culture, gender, and olfactory knowledge. *Chemical Senses*, 38(2):175–186.

## References

---

- Flandrin, P., Gonçalves, P., and Rilling, G. (2004). Detrending and denoising with empirical mode decompositions. In *2004 12th European Signal Processing Conference*, pages 1581–1584.
- Flash, T. and Hogan, N. (1985). The coordination of arm movements: an experimentally confirmed mathematical model. *Journal of Neuroscience*, 5(7):1688–1703.
- Frank, J., Mannor, S., and Precup, D. (2010). Activity and gait recognition with time-delay embeddings. *AAAI Conference on Artificial Intelligence*, pages 407–408.
- Fraser, A. M. and Swinney, H. L. (1986). Independent coordinates for strange attractors from mutual information. *Phys. Rev. A*, 33:1134–1140.
- Garcia, C. A. and Sawitzki, G. (2016). *nonlinearTseries: Nonlinear Time Series Analysis*. R package version 0.2.4 — For new features, see the ‘Changelog’ file (in the package source).
- Garcia, S. P. and Almeida, J. S. (2005). Nearest neighbor embedding with different time delays. *Phys. Rev. E*, 71:037204.
- Garland, J., Bradley, E., and Meiss, J. D. (2016). Exploring the topology of dynamical reconstructions. *Physica D: Nonlinear Phenomena*, 334:49 – 59. Topology in Dynamics, Differential Equations, and Data.
- Gates, D. H. and Dingwell, J. B. (2007). Peripheral neuropathy does not alter the fractal dynamics of stride intervals of gait. *Journal of Applied Physiology*, 102(3):965–971. PMID: 17110519.
- Gates, D. H. and Dingwell, J. B. (2008). The effects of neuromuscular fatigue on task performance during repetitive goal-directed movements. *Experimental Brain Research*, 187(4):573–585.
- Gibson, J. F., Farmer, J. D., Casdagli, M., and Eubank, S. (1992). An analytic approach to practical state space reconstruction. *Physica D: Nonlinear Phenomena*, 57(1):1 – 30.
- Goldberger, A. (1996). Non-linear dynamics for clinicians: chaos theory, fractals, and complexity at the bedside. *The Lancet*, 347(9011):1312 – 1314.
- Goldberger, A. L., Peng, C.-K., and Lipsitz, L. A. (2002). What is physiologic complexity and how does it change with aging and disease? *Neurobiology of Aging*, 23(1):23 – 26.
- Goldberger, A. L., Rigney, D. R., and West, B. J. (1990). Chaos and fractals in human physiology. *Scientific American*, 262(2):42–49.
- Görer, B., Salah, A. A., and Akın, H. L. (2013). A robotic fitness coach for the elderly. In Augusto, J. C., Wichert, R., Collier, R., Keyson, D., Salah, A. A., and Tan, A.-H., editors, *Ambient Intelligence*, pages 124–139, Cham. Springer International Publishing.

- Gouaillier, D., Hugel, V., Blazevic, P., Kilner, C., Monceaux, J., Lafourcade, P., Marnier, B., Serre, J., and Maisonnier, B. (2009). Mechatronic design of nao humanoid. In *Proceedings of the 2009 IEEE International Conference on Robotics and Automation*, ICRA'09, pages 2124–2129, Piscataway, NJ, USA. IEEE Press.
- Guastello, S. J. and Gregson, R. A. M. (2011). *Nonlinear Dynamical Systems Analysis for the Behavioral Science Using Real Data*. CRC Press.
- Guneyusu, A., Arnrich, B., and Ersoy, C. (2015). Children’s rehabilitation with humanoid robots and wearable inertial measurement units. In *Proceedings of the 9th International Conference on Pervasive Computing Technologies for Healthcare*, PervasiveHealth '15, pages 249–252, ICST, Brussels, Belgium, Belgium. ICST (Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering).
- Guneyusu, A., Siyli, R. D., and Salah, A. A. (2014). Auto-evaluation of motion imitation in a child-robot imitation game for upper arm rehabilitation. In *The 23rd IEEE International Symposium on Robot and Human Interactive Communication*, pages 199–204.
- Gómez-García, J. A., Godino-Llorente, J. I., and Castellanos-Dominguez, G. (2014). Non uniform embedding based on relevance analysis with reduced computational complexity: Application to the detection of pathologies from biosignal recordings. *Neurocomputing*, 132(Supplement C):148 – 158. Innovations in Nature Inspired Optimization and Learning Methods Machines learning for Non-Linear Processing.
- Harbourne, R. T. and Stergiou, N. (2009). Movement variability and the use of nonlinear tools: Principles to guide physical therapist practice. *Physical Therapy*, 89(3):267–282.
- Hatze, H. (1986). Motion variability—its definition, quantification, and origin. *Journal of Motor Behavior*, 18(1):5–16. PMID: 15136282.
- Hausdorff, J. M. (2009). Gait dynamics in parkinson’s disease: Common and distinct behavior among stride length, gait variability, and fractal-like scaling. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 19(2):026113.
- Hausdorff, J. M., Peng, C. K., Ladin, Z., Wei, J. Y., and Goldberger, A. L. (1995). Is walking a random walk? evidence for long-range correlations in stride interval of human gait. *Journal of Applied Physiology*, 78(1):349–358. PMID: 7713836.
- Herzfeld, D. J. and Shadmehr, R. (2014). Motor variability is not noise, but grist for the learning mill. *nature neuroscience*, 17(2):149.
- Huang, N. E., Shen, Z., Long, S. R., Wu, M. C., Shih, H. H., Zheng, Q., Yen, N.-C., Tung, C. C., and Liu, H. H. (1998). The empirical mode decomposition and the hilbert spectrum for nonlinear and non-stationary time series analysis. *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 454(1971):903–995.
- Huffaker, R., Bittelli, M., and Rosa, R. (2017). *Nonlinear Time Series Analysis with R*. Oxford University Press.

## References

---

- Ioffe, S. and Szegedy, C. (2015). Batch normalization: Accelerating deep network training by reducing internal covariate shift. *CoRR*, abs/1502.03167.
- Iwanski, J. S. and Bradley, E. (1998). Recurrence plots of experimental data: To embed or not to embed? *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 8(4):861–871.
- Kabiraj, L., Saurabh, A., Wahi, P., and Sujith, R. I. (2012). Route to chaos for combustion instability in ducted laminar premixed flames. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 22(2):023129.
- Kanai, R. and Rees, G. (2011). The structural basis of inter-individual differences in human behaviour and cognition. *Nature Reviews Neuroscience*, 12(4):231.
- Kantz, H. and Schreiber, T. (2003). *Nonlinear Time Series Analysis*. Cambridge University Press, New York, NY, USA.
- Kennel, M. B., Brown, R., and Abarbanel, H. D. I. (1992). Determining embedding dimension for phase-space reconstruction using a geometrical construction. *Phys. Rev. A*, 45:3403–3411.
- Kitagawa, G. and Gersch, W. (1984). A smoothness priors–state space modeling of time series with trend and seasonality. *Journal of the American Statistical Association*, 79(386):378–389.
- Klonowski, W. (2002). Chaotic dynamics applied to signal complexity in phase space and in time domain. *Chaos, Solitons and Fractals*, 14(9):1379 – 1387.
- Klonowski, W. (2007). From conformons to human brains: an informal overview of nonlinear dynamics and its applications in biomedicine. *Nonlinear Biomedical Physics*, 1(1):5.
- Klonowski, W. (2009). Everything you wanted to ask about eeg but were afraid to get the right answer. *Nonlinear Biomedical Physics*, 3(1):2.
- Krakovská, A., Mezeiová, K., and I, H. B. (2015). Use of False Nearest Neighbours for Selecting Variables and Embedding Parameters for State Space Reconstruction. *Journal of Complex Systems*, 2015.
- Krüger, M., Eggert, T., and Straube, A. (2013). Age-related differences in the stabilization of important task variables in reaching movements. *Motor Control*, 17(3):313–320.
- Kurz, M. J. and Hou, J. G. (2010). Levodopa influences the regularity of the ankle joint kinematics in individuals with parkinson’s disease. *Journal of Computational Neuroscience*, 28(1):131–136.
- Kurz, M. J., Markopoulou, K., and Stergiou, N. (2010). Attractor divergence as a metric for assessing walking balance. *Nonlinear dynamics, psychology, and life sciences*, 14(2):151—164.

- Lake, D. E. and Moorman, J. R. (2011). Accurate estimation of entropy in very short physiological time series: the problem of atrial fibrillation detection in implanted ventricular devices. *American Journal of Physiology-Heart and Circulatory Physiology*, 300(1):H319–H325. PMID: 21037227.
- Letellier, C. (2006). Estimating the shannon entropy: Recurrence plots versus symbolic dynamics. *Phys. Rev. Lett.*, 96:254102.
- Liao, F., Wang, J., and He, P. (2008). Multi-resolution entropy analysis of gait symmetry in neurological degenerative diseases and amyotrophic lateral sclerosis. *Medical Engineering and Physics*, 30(3):299 – 310.
- MacDonald, S. W., Nyberg, L., and Bäckman, L. (2006). Intra-individual variability in behavior: links to brain structure, neurotransmission and neuronal activity. *Trends in Neurosciences*, 29(8):474 – 480.
- Madeleine, P. and Madsen, T. (2009). Changes in the amount and structure of motor variability during a deboning process are associated with work experience and neck–shoulder discomfort. *Applied Ergonomics*, 40(5):887 – 894.
- Madeleine, P., Mathiassen, S. E., and Arendt-Nielsen, L. (2008). Changes in the degree of motor variability associated with experimental and chronic neck–shoulder pain during a standardised repetitive arm movement. *Experimental Brain Research*, 185(4):689–698.
- Mandic, D. P., u. Rehman, N., Wu, Z., and Huang, N. E. (2013). Empirical mode decomposition-based time-frequency analysis of multivariate signals: The power of adaptive data analysis. *IEEE Signal Processing Magazine*, 30(6):74–86.
- Marwan, N. (2008). A historical review of recurrence plots. *The European Physical Journal Special Topics*, 164(1):3–12.
- Marwan, N. (2011). How to Avoid Potential Pitfalls in Recurrence Plot Based Data Analysis. *International Journal of Bifurcation and Chaos*, 21:1003.
- Marwan, N., Romano, M. C., Thiel, M., and Kurths, J. (2007). Recurrence plots for the analysis of complex systems. *Physics Reports*, 438(5):237 – 329.
- Marwan, N. and Webber, C. L. (2015). Mathematical and computational foundations of recurrence quantifications. In Webber, C. L. and Marwan, N., editors, *Recurrence Quantification Analysis: Theory and Best Practices*, chapter 1, pages 3–43. Springer, Cham, 1 edition.
- Mathiassen, S. E. (2006). Diversity and variation in biomechanical exposure: What is it, and why would we like to know? *Applied Ergonomics*, 37(4):419 – 427. Special Issue: Meeting Diversity in Ergonomics.
- Mert, A. and Akan, A. (2018). Emotion recognition from eeg signals by using multivariate empirical mode decomposition. *Pattern Analysis and Applications*, 21(1):81–89.
- Miller, D. J., Stergiou, N., and Kurz, M. J. (2006). An improved surrogate method for detecting the presence of chaos in gait. *Journal of Biomechanics*, 39(15):2873 – 2876.

## References

---

- Mori, H. and Kuniyoshi, Y. (2012). Is the developmental order of fetal behaviors self-organized in an uterine environment? In *2012 IEEE International Conference on Development and Learning and Epigenetic Robotics (ICDL)*, pages 1–2.
- Müller, H. and Sternad, D. (2004). Decomposition of variability in the execution of goal-oriented tasks: three components of skill improvement. *Journal of Experimental Psychology: Human Perception and Performance*, 30(1):212.
- Newell, K. and Corcos, D. (1993). *Variability and Motor Control*. Human Kinetics Publishers.
- Newell, K. M. and Slifkin, A. B. (1998). The nature of movement variability. In Piek, J. P., editor, *Motor behavior and human skill : a multidisciplinary approach*, chapter 7, pages 143–160. Champaign, IL : Human Kinetics.
- Packard, N. H., Crutchfield, J. P., Farmer, J. D., and Shaw, R. S. (1980). Geometry from a time series. *Phys. Rev. Lett.*, 45:712–716.
- Pecora, L. M., Moniz, L., Nichols, J., and Carroll, T. L. (2007). A unified approach to attractor reconstruction. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 17(1):013110.
- Pellecchia, G. L. and Shockley, K. (2015). Application of recurrence quantification analysis: Influence of cognitive activity on postural fluctuations. In Riley, M., Van Orden, G., and (U.S.), N. S. F., editors, *Tutorials in Contemporary Nonlinear Methods for the Behavioral Sciences*, chapter 3, pages 95–141. National Science Foundation.
- Peng, C., Havlin, S., Stanley, H. E., and Goldberger, A. L. (1995). Quantification of scaling exponents and crossover phenomena in nonstationary heartbeat time series. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 5(1):82–87.
- Peng, H., Zhou, C., Hu, H., Chao, F., and Li, J. (2015). Robotic dance in social robotics – a taxonomy. *IEEE Transactions on Human-Machine Systems*, 45(3):281–293.
- Pincus, S. (1995). Approximate entropy (apen) as a complexity measure. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 5(1):110–117.
- Pincus, S. M. (1991). Approximate entropy as a measure of system complexity. *Proceedings of the National Academy of Sciences of the United States of America*, 88(6):2297–2301.
- Preatoni, E. (2007). *Innovative methods for the analysis of sports movements and for the longitudinal monitoring of individual motor skills*. PhD thesis, Politecnico di Milano.
- Preatoni, E., Ferrario, M., Donà, G., Hamill, J., and Rodano, R. (2010). Motor variability in sports: A non-linear analysis of race walking. *Journal of Sports Sciences*, 28(12):1327–1336. PMID: 20853204.



- Preatoni, E., Hamill, J., Harrison, A. J., Hayes, K., Emmerik, R. E. V., Wilson, C., and Rodano, R. (2013). Movement variability and skills monitoring in sports. *Sports Biomechanics*, 12(2):69–92. PMID: 23898682.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T., and Flannery, B. P. (1992). *Numerical Recipes in C (2Nd Ed.): The Art of Scientific Computing*. Cambridge University Press, New York, NY, USA.
- Quetzalcoatl (2018). Quetzalcoatl—Wikipedia, the free encyclopedia. <https://en.wikipedia.org/wiki/Quetzalcoatl> [Online; accessed 06-June-2018].
- Quintana-Duque, J. and Saupe, D. (2013). *Evidence of Chaos in Indoor Pedaling Motion using Non-linear Methods*. Number July in Performance Analysis of Sport. Routledge.
- Quintana-Duque, J. C. (2012). Non-linear dynamic invariants based on embedding reconstruction of systems for pedaling motion. In Byshko, R., editor, *Sportinformatik 2012 : 9. vom 12.- 14. Sept. 2012 in Konstanz : Beiträge*, pages 28–38. Universität.
- Quintana-Duque, J. C. (2016). *Non-linear methods for the quantification of cyclic motion*. PhD dissertation, University of Konstanz, Konstanz, Germany.
- Rajendra Acharya, U., Paul Joseph, K., Kannathal, N., Lim, C. M., and Suri, J. S. (2006). Heart rate variability: a review. *Medical and Biological Engineering and Computing*, 44(12):1031–1051.
- Rangarajan, G. and Ding, M. (2000). Integrated approach to the assessment of long range correlation in time series data. *Phys. Rev. E*, 61:4991–5001.
- Rehman, N. and Mandic, D. P. (2010). Multivariate empirical mode decomposition. *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 466(2117):1291–1302.
- Rhea, C. K., Silver, T. A., Hong, S. L., Ryu, J. H., Studenka, B. E., Hughes, C. M. L., and Haddad, J. M. (2011). Noise and complexity in human postural control: Interpreting the different estimations of entropy. *PLOS ONE*, 6(3):1–9.
- Richman, J. S. and Moorman, J. R. (2000). Physiological time-series analysis using approximate entropy and sample entropy. *American Journal of Physiology-Heart and Circulatory Physiology*, 278(6):H2039–H2049. PMID: 10843903.
- Riley, M., Balasubramaniam, R., and Turvey, M. (1999). Recurrence quantification analysis of postural fluctuations. *Gait and Posture*, 9(1):65 – 78.
- Rosenstein, M. T., Collins, J. J., and Luca, C. J. D. (1993). A practical method for calculating largest lyapunov exponents from small data sets. *Physica D: Nonlinear Phenomena*, 65(1):117 – 134.
- Rosenstein, M. T., Collins, J. J., and Luca, C. J. D. (1994). Reconstruction expansion as a geometry-based framework for choosing proper delay times. *Physica D: Nonlinear Phenomena*, 73(1):82 – 98.

## References

---

- Samà, A., Ruiz, F. J., Agell, N., Pérez-López, C., Català, A., and Cabestany, J. (2013). Gait identification by means of box approximation geometry of reconstructed attractors in latent space. *Neurocomputing*, 121:79–88.
- Sandlund, J., Röijezon, U., Björklund, M., and Djupsjöbacka, M. (2008). Acuity of goal-directed arm movements to visible targets in chronic neck pain. *Journal of Rehabilitation Medicine*, 40(5):366–374.
- Sandlund, J., Srinivasan, D., Heiden, M., and Mathiassen, S. E. (2017). Differences in motor variability among individuals performing a standardized short-cycle manual task. *Human Movement Science*, 51:17 – 26.
- Savitzky, A. and Golay, M. J. E. (1964). Smoothing and differentiation of data by simplified least squares procedures. *Analytical Chemistry*, 36:1627–1639.
- Schafer, R. W. (2011). On the frequency-domain properties of savitzky-golay filters. In *2011 Digital Signal Processing and Signal Processing Education Meeting (DSP/SPE)*, pages 54–59.
- Schreiber, T. and Schmitz, A. (2000). Surrogate time series. *Physica D: Nonlinear Phenomena*, 142(3):346 – 382.
- Schumacher, A. (2004). Linear and nonlinear approaches to the analysis of r-r interval variability. *Biological Research For Nursing*, 5(3):211–221. PMID: 14737922.
- Seifert, L., Leblanc, H., Herault, R., Komar, J., Button, C., and Chollet, D. (2011). Inter-individual variability in the upper-lower limb breaststroke coordination. *Human Movement Science*, 30(3):550 – 565.
- Shoaib, M., Bosch, S., Incel, O. D., Scholten, H., and Havinga, P. J. M. (2016). Complex human activity recognition using smartphone and wrist-worn motion sensors. *Sensors*, 16(4).
- signal R developers (2014). *signal: Signal processing*.
- Small, M. and Tse, C. (2002). Applying the method of surrogate data to cyclic time series. *Physica D: Nonlinear Phenomena*, 164(3):187 – 201.
- Sosnoff, J. J., Valantine, A. D., and Newell, K. M. (2006). Independence between the amount and structure of variability at low force levels. *Neuroscience Letters*, 392(3):165 – 169.
- Sosnoff, J. J. and Voudrie, S. J. (2009). Practice and age-related loss of adaptability in sensorimotor performance. *Journal of Motor Behavior*, 41(2):137–146. PMID: 19201684.
- Srinivasan, D. and Mathiassen, S. E. (2012). Motor variability in occupational health and performance. *Clinical Biomechanics*, 27(10):979 – 993.
- Stam, C., Pijn, J., and Pritchard, W. (1998). Reliable detection of nonlinearity in experimental time series with strong periodic components. *Physica D: Nonlinear Phenomena*, 112(3):361 – 380.

- Stergiou, N. (2016). *Nonlinear Analysis for Human Movement Variability*. CRC Press.
- Stergiou, N. and Decker, L. M. (2011). Human movement variability, nonlinear dynamics, and pathology: Is there a connection? *Human Movement Science*, 30(5):869 – 888. EWOMS 2009: The European Workshop on Movement Science.
- Stergiou, N., Harbourne, R., and Cavanaugh, J. (2006). Optimal movement variability: a new theoretical perspective for neurologic physical therapy. *Journal of neurologic physical therapy : JNPT*, 30(3):120–129.
- Stergiou, N., Kent, J. A., and McGrath, D. (2016). Human movement variability and aging. *Kinesiology Review*, 5(1):15–22.
- Stins, J., Michielsen, M., Roerdink, M., and Beek, P. (2009). Sway regularity reflects attentional involvement in postural control: Effects of expertise, vision and cognition. *Gait and Posture*, 30(1):106 – 109.
- Svendsen, J. H. and Madeleine, P. (2010). Amount and structure of force variability during short, ramp and sustained contractions in males and females. *Human Movement Science*, 29(1):35 – 47.
- Takens, F. (1981). Detecting strange attractors in turbulence. *Dynamical Systems and Turbulence, Warwick 1980: Proceedings of a Symposium Held at the University of Warwick 1979/80*, pages 366–381.
- Tononi, G., Edelman, G. M., and Sporns, O. (1998). Complexity and coherency: integrating information in the brain. *Trends in Cognitive Sciences*, 2(12):474 – 484.
- Trulla, L., Giuliani, A., Zbilut, J., and Webber, C. (1996). Recurrence quantification analysis of the logistic equation with transients. *Physics Letters A*, 223(4):255 – 260.
- Tsuchida, S., Terada, T., and Tsukamoto, M. (2013). A system for practicing formations in dance performance supported by self-propelled screen. In *Proceedings of the 4th Augmented Human International Conference, AH '13*, pages 178–185, New York, NY, USA. ACM.
- Uzal, L. C., Grinblat, G. L., and Verdes, P. F. (2011). Optimal reconstruction of dynamical systems: A noise amplification approach. *Phys. Rev. E*, 84:016223.
- Uzal, L. C. and Verdes, P. F. (2010). Optimal Irregular Delay Embeddings. In *Dynamics Days South America 2010*. National Institute for Space Research.
- Vaillancourt, D. E. and Newell, K. M. (2002). Changing complexity in human behavior and physiology through aging and disease. *Neurobiology of Aging*, 23(1):1 – 11.
- Vaillancourt, D. E. and Newell, K. M. (2003). Aging and the time and frequency structure of force output variability. *Journal of Applied Physiology*, 94(3):903–912. PMID: 12571125.
- Vaillancourt, D. E., Slifkin, A. B., and Newell, K. M. (2001). Regularity of force tremor in parkinson’s disease. *Clinical Neurophysiology*, 112(9):1594 – 1603.

## References

---

- Vaillancourt, D. E., Sosnoff, J. J., and Newell, K. M. (2004). Age-related changes in complexity depend on task dynamics. *Journal of Applied Physiology*, 97(1):454–455. PMID: 15220326.
- Vakharia, V., Gupta, V., and Kankar, P. (2015). A multiscale permutation entropy based approach to select wavelet for fault diagnosis of ball bearings. *Journal of Vibration and Control*, 21(16):3123–3131.
- van Dieën, J. H., Koppes, L. L., and Twisk, J. W. (2010). Postural sway parameters in seated balancing; their reliability and relationship with balancing performance. *Gait and Posture*, 31(1):42 – 46.
- Wagner, H., Pfusterschmied, J., Klous, M., von Duvillard, S. P., and Müller, E. (2012). Movement variability and skill level of various throwing techniques. *Human Movement Science*, 31(1):78 – 90.
- Webber, C. L. (2018). *Introduction to Recurrence Quantification Analysis. RQA Version 15.1 README.PDF*. <http://cwebber.sites.luc.edu/>.
- Webber, C. L. and Zbilut, J. P. (1994). Dynamical assessment of physiological systems and states using recurrence plot strategies. *Journal of Applied Physiology*, 76(2):965–973. PMID: 8175612.
- Webber, C. L. and Zbilut, J. P. (2005). Recurrence quantification analysis of nonlinear dynamical systems. In Riley, M. A. and Orden, G. C. V., editors, *Tutorials in contemporary nonlinear methods for behavioral science*, chapter 2, pages 26–94. National Science Foundation.
- Wijnants, M. L., Bosman, A. M., Hasselman, F., Cox, R. F., and Van Orden, G. C. (2009). 1/f scaling in movement time changes with practice in precision aiming. *Nonlinear Dynamics, Psychology, and Life Sciences*, 13(1):79–98. cited By 88.
- Wolf, A., Swift, J. B., Swinney, H. L., and Vastano, J. A. (1985). Determining lyapunov exponents from a time series. *Physica D: Nonlinear Phenomena*, 16(3):285 – 317.
- Wu, H. G., Miyamoto, Y. R., Castro, L. N. G., Ölveczky, B. P., and Smith, M. A. (2014). Temporal structure of motor variability is dynamically regulated and predicts motor learning ability. *Nature neuroscience*, 17(2):312.
- Wu, M.-C. and Hu, C.-K. (2006). Empirical mode decomposition and synchrogram approach to cardiorespiratory synchronization. *Phys. Rev. E*, 73:051917.
- Wu, Z. and Huang, N. E. (2004). A study of the characteristics of white noise using the empirical mode decomposition method. *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 460(2046):1597–1611.
- Wu, Z. and Huang, N. E. (2009). Ensemble empirical mode decomposition: A noise-assisted data analysis method. *Advances in Adaptive Data Analysis*, 01(01):1–41.
- Xochicale, M. (2018). *Github repository for code and data of PhD thesis: Nonlinear Analysis to Quantify Movement Variability in Human-Humanoid Interaction*. <https://github.com/mxochicale/phd-thesis>.

- Yang, C. and Wu, C. Q. (2011). A robust method on estimation of lyapunov exponents from a noisy time series. *Nonlinear Dynamics*, 64(3):279–292.
- Yao, C.-Z. and Lin, Q.-W. (2017). Recurrence plots analysis of the cny exchange markets based on phase space reconstruction. *The North American Journal of Economics and Finance*, 42:584 – 596.
- Zbilut, J. P. and Webber, C. L. (1992). Embeddings and delays as derived from quantification of recurrence plots. *Physics Letters A*, 171(3):199 – 203.
- Zunino, L., Zanin, M., Tabak, B. M., Pérez, D. G., and Rosso, O. A. (2009). Forbidden patterns, permutation entropy and stock market inefficiency. *Physica A: Statistical Mechanics and its Applications*, 388(14):2854 – 2864.

