




AP • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.

BM • native GEF 942d3c4 (uniform K=32,000) vs competitors











ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd


Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



BP • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



BT • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



BW • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



CT • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



DP • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



DU • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.


ECG • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



GE • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



LAT • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.



LON • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.


UK • native GEF 942d3c4 (uniform K=32,000) vs competitors
Compression (MiB/s) — higher is better
Decompression (MiB/s) — higher is better
Random access (million values/s) — higher is better
Compressed / original size (%) — lower is better
ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd
Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.

WD • native GEF 942d3c4 (uniform K=32,000) vs competitors







ALP
B*-GEF approx. [942]
BUFF †
Brotli
Camel
Chimp
Chimp128
DAC
DeXOR
Elf
Elf*
FLEA
Falcon
Fauna †
Gorilla
LeCo
Lz4
MacaqueV †
NeaTS
Pcodec
Pcodec (int64)
RLE-GEF [942]
SElf*
Snappy
TSXor
Xz
Zstd

Preliminary: different timing harnesses. Reported compressed size, not total resident memory.
† BUFF: bounded precision; Fauna/MacaqueV: float32 conversion. Hollow points excluded from dashed frontier.