

LP-IV Sample Problem Statement

1

Implementing Feedforward neural networks with Keras and TensorFlow for classification of hand-written MNIST dataset using below steps:

- a. Import the necessary packages
- b. Load the training and testing data
- c. Define the network architecture using Keras
- d. Train the model using SGD with 11 epochs
- e. Evaluate the network
- f. Plot the training loss and accuracy

2

Implement the Image classification CNN model for classifying hand-written MNIST dataset by dividing the model into following 4 stages:

- a. Loading and preprocessing the image data
- b. Defining the model's architecture
- c. Training the model
- d. Estimating the model's performance

3

Build Feedforward neural networks with Keras and TensorFlow for classification of CIFAR10 image dataset using the following steps:

- a. Import the necessary packages
- b. Load the training and testing data
- c. Define the network architecture using Keras
- d. Train the model using SGD/Adam optimizer
- e. Evaluate the network
- f. Plot the training loss and accuracy

4

Implement the CNN model for classifying CIFAR10 image dataset by dividing the model into following 4 stages:

- a. Loading and preprocessing the image data
- b. Defining the model's architecture
- c. Training the model
- d. Estimating the model's performance

- 5 Implement anomaly detection for given credit card dataset using Autoencoder and build the model by using the following steps:
 - a. Import required libraries
 - b. Upload / access the dataset
 - c. Encoder converts it into latent representation
 - d. Decoder networks convert it back to the original input
 - e. Compile the models with Optimizer, Loss, and Evaluation Metrics

- 6 Implement the Continuous Bag of Words (CBOW) Model for the given (textual document 1) using the below steps:
 - a. Data preparation
 - b. Generate training data
 - c. Train model
 - d. Output

- 7 Implement the Continuous Bag of Words (CBOW) Model for the given (textual document 2) using the below steps:
 - a. Data preparation
 - b. Generate training data
 - c. Train model
 - d. Output

- 8 Implement the Continuous Bag of Words (CBOW) Model for the given (textual document 3) using the below steps:
 - a. Data preparation
 - b. Generate training data
 - c. Train model
 - d. Output

- 9 Object detection using Transfer Learning of CNN architectures for the given (image dataset 1) using the below steps:
- a. Load in a pre-trained CNN model trained on a large dataset
 - b. Freeze parameters (weights) in model's lower convolutional layers
 - c. Add custom classifier with several layers of trainable parameters to model
 - d. Train classifier layers on training data available for task
 - e. Fine-tune hyper parameters and unfreeze more layers as needed
- 10 Object detection using Transfer Learning of CNN architectures for the given (image dataset 2) using the below steps:
- a. Load in a pre-trained CNN model trained on a large dataset
 - b. Freeze parameters (weights) in model's lower convolutional layers
 - c. Add custom classifier with several layers of trainable parameters to model
 - d. Train classifier layers on training data available for task
 - e. Fine-tune hyper parameters and unfreeze more layers as needed
- 11 Object detection using Transfer Learning of CNN architectures for the given (image dataset 3) using the below steps:
- a. Load in a pre-trained CNN model trained on a large dataset
 - b. Freeze parameters (weights) in model's lower convolutional layers
 - c. Add custom classifier with several layers of trainable parameters to model
 - d. Train classifier layers on training data available for task
 - e. Fine-tune hyper parameters and unfreeze more layers as needed

12

- Implementing Feedforward neural networks with Keras and TensorFlow
- a. Import the necessary packages
 - b. Load the training and testing data (MNIST/CIFAR10)

- c. Define the network architecture using Keras
- d. Train the model using SGD
- e. Evaluate the network
- f. Plot the training loss and accuracy

13 Build the Image classification model by dividing the model into following 4 stages:

- a. Loading and preprocessing the image data
- b. Defining the model's architecture
- c. Training the model
- d. Estimating the model's performance

14 Use Autoencoder to implement anomaly detection. Build the model by using:

- a. Import required libraries
- b. Upload / access the dataset
- c. Encoder converts it into latent representation
- d. Decoder networks convert it back to the original input
- e. Compile the models with Optimizer, Loss, and Evaluation Metrics

15 Implement the Continuous Bag of Words (CBOW) Model. Stages can be:

- a. Data preparation
- b. Generate training data
- c. Train model
- d. Output

16 Object detection using Transfer Learning of CNN architectures

- a. Load in a pre-trained CNN model trained on a large dataset
- b. Freeze parameters (weights) in model's lower convolutional layers
- c. Add custom classifier with several layers of trainable parameters to model
- d. Train classifier layers on training data available for task
- e. Fine-tune hyper parameters and unfreeze more layers as needed