Technical Documentation

This document describes how to configure the entire datawarehouse on a local machine.

Required Software

The following list of software need to be installed before proceeding with the installation of the solution:

- 1. Git v. 2.44.0
- 2. SQL Server (install and configure a local instance) v. 2017 (14.0.1000)
- 3. SQL Server Management Studio (SSMS) v. 2024 (20.0).
- 4. Visual Studio v. 16.11.34
- 5. Data Tools Integration Services for Visual Studio 2019
- 6. Draw IO v24.1.0

To install SSIS, we can do it via executables or if it doesn't work, directly on Visual Studio by using extensions. It depends on the Visual Studio version.

7. Power BI Desktop


Note the project is generic so also newer versions can be used like SQL Server 2022, Visual Studio latest version and so on.

Installation procedure


• Clone the public repository with the following instruction:

git clone https://github.com/myDelevop/ForeignExchangeRateDWH.git

 Open SSMS and Connect to the local installed instance of DB. Then, right click on DB name, go to Properties, go to Security tab and choose "SQL Server and Windows authentication mode"



 Then, open SQL Server Configuration Manager, open protocols and go to properties on TCP/IP protocol. Set Enabled Yes and TCP port equals to the default SQL Server Port: 1433



- Restart the database service this will allow us to connect by using 127.0.0.1 (localhost)
- Run the script in README.md on the localhost (or servername) instance in the SQL Server DB. This allows us to create the databases in SQL Server that will contain our datawarehouse


```
SQLQuery1.sql - I...CO-CO\cosimo (61))* + X
     CREATE DATABASE IM_FX_EXCHANGE;
CREATE DATABASE SA_FX_EXCHANGE;
     CREATE DATABASE DM_FX_EXCHANGE;
    USE [master]
     CREATE LOGIN [fxUserDWH] WITH PASSWORD=N'fxUserDWH', DEFAULT_DATABASE=[master], CHECK_EXPIRATION=OFF, CHECK_POLICY=OFF
     ALTER SERVER ROLE [sysadmin] ADD MEMBER [fxUserDWH]
     use [tempdb];
     USE [DM_FX_EXCHANGE]
     CREATE USER [fxUserDWH] FOR LOGIN [fxUserDWH]
     use [DM_FX_EXCHANGE];
     USE [IM_FX_EXCHANGE]
     GO
CREATE USER [fxUserDWH] FOR LOGIN [fxUserDWH]
     use [IM_FX_EXCHANGE];
GO
100 % ▼ ◀ ■

    Messages

   Commands completed successfully
  Completion time: 2024-04-09T09:35:31.3937882+02:00
                                                                                   â localhost (14.0 RTM) | CO-CO\cosimo (61) | IM_FX_EXCHANGE

    Query executed successfully.
```

- Now it is possible to open the file *ForeingExchangeRate.sln* with Visual Studio and run the solution.
- To be honest, this is not a good choice, but we need to modify the connection string for the flat CSV data source. Open the solution as explained in the previous step, then go to Connection Manager, double click on Rates Sample CSV and change the path for the file.



It seems that it's not possible to configure flat files in CSV by using relative paths. So, we need to insert the absolute path of the file