



Jira User Stories + RAG-Based Test Case Generation

Fetching the user stories from jira rest api



The selected Jira story is saved into MongoDB as an embedding.



After saving the user story as embedding MongoDB, we finds similar old tests, and the LLM writes 6 new test cases

Generated Test Cases with RAG Pipeline

Mode: With RAG

Model: openai/gpt-oss-120b

50 MongoDB Matches

4,847 / 8000 Tok (61% Budget Safe)

Export CSV

Generated Test Cases (6)

Retrieved MongoDB Context (7)

Linked User Stories (10)

ID	Title	Module	Priority	Type	Preconditions	Test Steps	Expected Results
TC_6355	Positive – Consultant Dashboard loads My Inpatients list for authorized user	Doctors-Wards	P1	Functional	User is assigned the 'Consultant' role with permission to view Doctors-Wards dashboard. At least one inpatient is admitted in the system. Browser cache cleared.	(UHID/Password). 3. Select the Patient Service tab → Doctors-Wards from the drop-down. 4. Navigate to Functions → Transactions → Consultant Dashboard. 5. Click the "My Inpatients" tab. 6. Record the time from click to full rendering of the patient grid. 7. Verify that each row displays UHID, PRN, patient name, ward, and admission date.	≤2 seconds. All in-patients present in the database for the consultant's service appear with correct UHID, PRN, name, ward, and admission date. No PHI is exposed in browser console logs.
	Negative – Unauthorized				User account exists with role 'Nurse' (no	1. Launch the HMS web portal. 2. Login with the nurse credentials. 3. Attempt to navigate to Functions → Transactions → Consultant Dashboard.	User is presented with a clear "Access Denied – insufficient privileges" message. No