

Day 11: Component Composition & Styling

Title: “BookVerse: Author Details and Styling the Components”

BookList.js

```
import React, { Component } from "react";
import BookCard from "../BookCard";

class BookList extends Component {

  componentDidMount() {
    console.log("BookList Mounted – Books Ready");
  }

  books = [
    {
      id: 1,
      title: "The Alchemist",
      author: "Paulo Coelho",
      bio: "Brazilian lyricist and novelist best known for The Alchemist.",
      topBooks: ["Brida", "Eleven Minutes", "The Pilgrimage"]
    },
    {
      id: 2,
      title: "Harry Potter",
      author: "J.K. Rowling",
      bio: "British author and philanthropist famous for Harry Potter series.",
      topBooks: [
        "Fantastic Beasts",
        "The Casual Vacancy",
        "Cuckoo's Calling"
      ]
    },
    {
      id: 3,
      title: "Wings of Fire",
      author: "A.P.J. Abdul Kalam",
      bio: "Indian aerospace scientist and former President of India.",
      topBooks: [
        "Ignited Minds",
        "India 2020",
        "My Journey"
      ]
    },
    {
      id: 4,
```

```

    title: "The 3 Mistakes of My Life",
    author: "Chetan Bhagat",
    bio: "Indian author known for contemporary novels.",
    topBooks: [
      "Five Point Someone",
      "2 States",
      "Half Girlfriend"
    ]
  }
];

render() {
  return (
    <div className="row">
      {this.books.map((book) => (
        <div className="col-md-6 mb-3" key={book.id}>
          <BookCard
            title={book.title}
            author={book.author}
            bio={book.bio}
            topBooks={book.topBooks}
            onClick={() => this.props.onAuthorSelect(book)}
          />
        </div>
      ))}
    </div>
  );
}
}

export default BookList;

```

BookCard.js

```

import React, { Component } from "react";
import PropTypes from "prop-types";
import './style.css';

class BookCard extends Component {
  render() {
    const { title, author, onClick } = this.props;

    return (
      <div className="card mb-3 ">
        <div className="card-body">
          <h5 className="card-title">{title}</h5>
          <p className="card-text">
            <strong>Author:</strong> {author}

```

```

        </p>
        <button className="btn btn-outline-success shadow-lg" onClick={onClick}>
          View Author Details
        </button>
      </div>
    </div>
  );
}
}

BookCard.propTypes = {
  title: PropTypes.string.isRequired,
  author: PropTypes.string.isRequired,
  onClick: PropTypes.func.isRequired
};

export default BookCard;

```

AuthorInfo.js

```

import React, { Component } from "react";

class AuthorInfo extends Component {
  componentDidMount() {
    console.log("Author Info Loaded");
  }

  render() {
    const { author } = this.props;

    return (
      <div className="card mt-4 border-info">
        <div className="card-body">
          <h4 className="card-title text-info">
            📖 {author.author}
          </h4>
          <p><strong>Bio:</strong> {author.bio}</p>

          <h6>Top 3 Books:</h6>
          <ul>
            {author.topBooks.map((book, index) => (
              <li key={index}>{book}</li>
            ))}
          </ul>
        </div>
      </div>
    );
  }
}

```

```
}  
  
export default AuthorInfo;
```

App.js

```
import React, { Component, createRef } from "react";  
import BookList from "../components/BookList";  
import AuthorInfo from "../components/AuthorInfo";  
import "../App.css";  
import "../components/style.css";  
  
class App extends Component {  
  constructor(props) {  
    super(props);  
  
    this.state = {  
      selectedAuthor: null  
    };  
  
    this.searchRef = createRef();  
  }  
  
  componentDidMount() {  
    console.log("App Component Mounted - Data Loaded");  
  }  
  
  focusInput = () => {  
    this.searchRef.current.focus();  
  };  
  
  handleAuthorSelect = (author) => {  
    this.setState({ selectedAuthor: author });  
  };  
  
  render() {  
    return (  
      <div className="container mt-4">  
        <h2 className="text-center mb-4">📖 BookVerse</h2>  
  
        <div className="d-flex mb-3">  
          <input  
            type="text"  
            ref={this.searchRef}  
            className="form-control me-2"  
            placeholder="Search books..."  
          />  
          <button className="btn btn-primary" onClick={this.focusInput}>
```

```

        Focus Search
      </button>
    </div>

    <BookList onAuthorSelect={this.handleAuthorSelect} />

    {this.state.selectedAuthor && (
      <AuthorInfo author={this.state.selectedAuthor} />
    )}
  </div>
);
}
}

export default App;

```

style.css

```

body {
  background-color: #f8f9fa;
}

h2 {
  font-weight: bold;
  color: #343a40;
}

.card {
  transition: transform 0.2s ease-in-out;
}

.card:hover {
  transform: scale(1.03);
  box-shadow: 0px 5px 20px blanchendalmond;
}

```

Output :

