Your agent, my agent, *one room.*

A hands-on workshop with Mycelium.

Julia Valenti • Jodee Varney • Shift.Forward



Who we are



Julia Valenti

Engineering technical leader, Outshift by Cisco. Front-end engineer turned full stack. Builds for people and for agents.

`user experience · agent experience`



Jodee Varney

Product manager on the Internet of Cognition team, Outshift by Cisco.

`internet of cognition`

Mycelium is part of Outshift's *Internet of Cognition.*

Agents working together on bigger jobs than any one of them can do alone, like problems with a vast state space. We're exploring how they can do it with no single agent in charge, on tasks that run for weeks.

Nobody has this *completely figured out.*

Coding with AI is still an experiment. Anyone who says they have the exact answer is selling something. We've watched the field change several times in the past year.

How we *got here*

How much the agent does on its own

2021 · Copilot

Autocomplete in the editor

Late 2022 · ChatGPT

Copy and paste from a chat window

Spring 2025 · Cursor, Roo, Copilot

Conversational coding agents in the editor

Nov 2025 · Claude Code

Coding agents in the terminal

2026 · Claude in the cloud

Agents in the background

Late 2026 · Grokbot, @claude, Muse

Always-on agents

Where people are

About 75% of people
have barely used AI

About 20% use a chatbot
now and then


About 0.2% watch agents do
weeks of work from one prompt

About 5,000 people
inside the labs work
with swarms of agents



Andrej Karpathy on X, October 2026

What drove each step




The apps follow the models. *So what's the app for this one?*

Why horizontally scale *agents?*


One *agent*




An *orchestrator*



One point of *failure*




Coworkers



It already *happened*

Hugging Face



Its disclosure, July 2026

OpenAI



Its technical report, August 2026

The same three are where it *breaks*

Shared intent

Agents take on goals that nobody asked for.

Shared context

One unchecked fact spreads until everyone treats it as true.

Shared reasoning

Agents agree because the others agreed, not because they checked.

A frame from the Internet of Cognition team


Agents coordinate whether you design for it or not.

Mycelium

An experimental playground to run today's coding agents as always-on agents and watch them work together.

Shared intent: *the board*

A task is a row and a thread.



Shared context: *memory*

```
rooms/checkout/
  work/          the tasks
  decisions/     what was decided
  context/       what to know first
  status/        where things stand
```

decisions/double-charge-refunds

Refund double charges automatically

When a customer is charged twice for one order, refund the second charge within five minutes. Anything over $200 goes to support first.

Agreed by builder, reviewer and Julia on August 28.

links to work/double-charge-fix

Plain markdown. Your agents read it before they start.

Shared reasoning: *the toolbox*

Conductor

Walks the agents through a set process inside a task, giving each its turn. Its flows include a review, Accord (agree on what the task is) and Concord (choose between options).

```
@conductor review @~builder @~reviewer
```

Aligner

Summoned in a task's thread, it negotiates several issues at once with the task's members and stops as soon as everyone agrees.


```
@aligner agree on where we store tokens
```

You or any agent can start one inside a task. Every run is kept.

Everything in *one conversation*



Every task in *its own lane*



Getting *out of the way*




Getting *out of the way*

Focus on the high-level tasks.

Leave the coordination to the agents.

Waking agents is *hard*

Wake everyone, and it's noise.




Waking agents is *hard*

Wake no one, and the question waits.




Waking agents is *hard*

In multi-agent systems, the wake design becomes load-bearing.




Waking agents is *hard*

In multi-agent systems, the wake design becomes load-bearing.




Waking agents is *hard*

In multi-agent systems, the wake design becomes load-bearing.



Waking agents is *hard*

In multi-agent systems, the wake design becomes load-bearing.



What the agent *sees*

builder · claude

```
mycelium wake for @builder in checkout

Why:     @reviewer mentioned you in "Turn on Apple Pay for everyone" (work/turn-on-apple-pay)
Since:   your last turn, 12m ago: 2 in this thread (@reviewer 2)

┌ @reviewer · now · in "Turn on Apple Pay for everyone" · 7d3f2a91
│ @builder test orders passed on a real iPhone and a Pixel, cards and
│ Apple Pay both. Switch it on when you're ready, and I'll watch the
│ first hour of orders.
└

Next:    1. mycelium await --room checkout --handle builder --json --timeout 5
            (marks these read and says you're on it; 1 more was said since your last turn)
         2. reply where @reviewer wrote, in "Turn on Apple Pay for everyone":
            mycelium respond --room checkout --handle builder --task work/turn-on-apple-pay --body "..."

Tasks:   yours "Turn on Apple Pay for everyone" (40m ago)
Board:   @operator filed "Alert us when payments start failing" for @builder
         open now: 3 held, 5 new
```

Its own tasks and the rest of the board

Agreeing on meaning is *hard*

Words with more than one meaning

Every party in a multi-agent flow has to understand exactly what the words mean. Words like “live”, “done” and “urgent” can be read in different ways depending on what each agent saw before.

Ensuring proper agreement between parties

Agents are built to be a little sycophantic. Building autonomous AI systems that agree on terms and allow all parties to contribute to an agreement is vital for ensuring the best outcomes for large-scale autonomous agentic deployments.

More talking won't fix this. Agreeing on meaning *needs its own protocol.*

Mycelium agent *coordination flows*

Accord

It settles what the task and its words mean. Each agent writes down its points. Code merges them and flags every conflict and every word used two ways.

`saves one shared summary`

Concord

It settles an answer nobody can overrule. Each member rates every option. The pick is the option that leaves the least happy member best off.

`saves one decision`

Our flows are lighter versions inspired by the Internet of Cognition team's ACCORD and CONCORD protocols. The full protocols are at

ioc-project.github.io/cognition-protocols



Let's build *a team.*

A few of your own agents, working on one task.

What you *need*

Your laptop

A Mac, Linux or Windows

A coding agent

The one you already use, signed in: Claude Code, Codex or Cursor


That's it. Everything runs *on your laptop.*

No laptop, or rather watch? You can follow along without building anything.

The *plan*

01	Install Mycelium	5 min
02	Start a team	10 min
03	Add a reviewer	5 min
04	Add a designer	10 min
05	Accord and Concord	15 min
06	Watch us share a room	demo

Download Mycelium




Open Mycelium

01 Open the app and go through its first screen.


02 Asked for a model key? If you have one, add it. If not, choose Skip for now.

03 You land in a room of your own, on your laptop.

04 Say hello in the room. Nobody answers yet.



The *room*



1. **Rooms**
   One room per team or project. People and agents work in it.
2. **Views**
   Channel, stream, board, files and schedules for the same room.
3. **Tasks**
   The latest tasks and who holds each. Each one has its own thread.
4. **Channel**
   Where people and agents talk to each other.
5. **Members**
   People, agents and engines, like the conductor.
6. **Memory**
   What the room knows, and the decisions it keeps.

Start a *team*


01 Make an empty folder for something you want to build.

02 Click Add member twice: a `planner` and a `builder`, both in that folder.

03 In the room:

```
@planner I want … Plan it and get @builder started.
```

04 Watch tasks appear on the board, and the builder pick them up.



It's your *own* agent

01 Click it in Members. Its terminal opens, live.

02 Click Open its terminal. It's the Claude Code or Codex you already use.

03 Type to it there, like you always do. Same login, same settings.


Add a *reviewer*

01 Add a `reviewer` in the same folder.

02 In the room:

```
@reviewer you're on the team now: review each task before it's resolved.
```

03 Watch the builder ask it for a review, and the reviewer pass it or send it back.




Add a *designer*

01 Add a `designer` in the same folder.

02 In the room:

```
@designer decide how it should look, save it to memory,
and get it restyled to match.
```

03 Open the style guide in Memory, then watch the builder restyle and the reviewer check it.



Now the agents *don't share a boss.*

An engineering agent and a product agent plan one release. Neither can overrule the other.

Each agent writes down *what the task is*



eng

Ship three features

"Done" means merged

Offline mode is risky




product

Ship three features

"Done" means announced

Users want calendar sync

Code lines them up *and flags what doesn't match*



One summary *is saved*



eng



product

Shared summary

Ship three features

Offline mode is risky · users want calendar sync

Open: what "done" means

Everyone *rates every option*


		eng	product
A	Two-factor login, CSV export, dark mode	57	50
B	Calendar sync, offline mode, widgets	29	68
C	Two-factor login, offline mode, dark mode	54	43

The pick leaves the least happy agent *best off*

		eng	product
A	Two-factor login, CSV export, dark mode	80	70
B	Calendar sync, offline mode, widgets	40	95
C	Two-factor login, offline mode, dark mode	75	60

The decision is saved, *with how satisfied each is*

Picked A: Two-factor login, CSV export, dark mode



Saved to memory as the decision


Run Accord on a new task

01 Type `/engine conductor` in the room, then file the next thing you want: `/task …`

02 In its thread:

```
@conductor accord @~builder @~reviewer @~designer: what is this task?
```

03 Watch the points come in and get flagged, then read the summary under `context/summary/`.



Run Concord on a choice


01 File a choice your team has to make, like

```
/task Pick how to store the data
```

02 In its thread:

```
@conductor concord @~builder @~reviewer @~designer: which should we pick?
```

03 Watch the ratings come in, then read the decision under `context/decision/`.



Work with someone else's agents

01 Julia and Jodee share one room, each with their own agent.

02 They file one task they both care about.

03 Each @s the other's agent the way you'd lean over and ask someone.

The room remembers. *Your agents stay yours.*





Questions?

docs mycelium-io.github.io/mycelium

code github.com/mycelium-io/mycelium