

```
1 <?PHP
2 /**
3  * Startpage for TD with full Smarty support
4  *
5  * @author Werner Huysmans
6  * @access public
7  * @version 4.0 201106
8  * @package mycmms40
9  * @subpackage framework
10 * @filesource
11 * @tpl framework_index.tpl
12 * @txid No DATABASE action
13 */
14 $nosecurity_check=true;
15 $rootfile=true;
16 require("../includes/config_mycmms.inc.php");    # direct path
17 require("../libraries/setup.php");
18 if(!empty($_GET['nav']))
19 {   $_SESSION['nav']=$_GET['nav'];
20     $_SESSION['system']="td"; 
21 } else {
22     $_SESSION['nav']="work_orders";
23     $_SESSION['system']="td";
24 }
25 // Retrieve the Tabs and their default actions
26 $DB=DBC::get();
27 $result=$DB->query("SELECT tab,tabdefault FROM sys_mainwindow WHERE system='td' ORDER BY taborder");
28 foreach ($result->fetchAll(PDO::FETCH_ASSOC) AS $tab_action) {
29     $action[$tab_action['tab']]=$tab_action['tabdefault'];
30 }
31 $tpl=new smarty_mycmms();
32 $tpl->debugging=false;
33 $tpl->caching=false;
34 $tpl->assign("page_title",CMMS_TITLE);
35 $tpl->assign("nav",$_SESSION['nav']);
36 $tpl->assign("query",$action[$_SESSION['nav']]);
37 $tpl->assign("title","title.php");
38 $tpl->display("framework_index.tpl");
39 ?>
40
```

```
1 <?PHP
2 /**
3  * Startpage for Production with full Smarty support
4  *
5  * @author Werner Huysmans
6  * @version 4.0 201106
7  * @package mycmms40
8  * @subpackage framework
9  * @filesource
10 * @tpl framework_index.tpl
11 * @txid No DATABASE action
12 */
13 $nosecurity_check=true;
14 $rootfile=true;
15 require("../includes/config_mycmms.inc.php");    # direct path
16 require("setup.php");
17 if(!empty($_GET['nav']))
18 {     $_SESSION['nav']=$_GET['nav'];
19     $_SESSION['system']="production";
20 } else {
21     $_SESSION['nav']="production";
22     $_SESSION['system']="production";
23 }
24 // Retrieve the Tabs and their default actions
25 $DB=DBC::get();
26 $result=$DB->query("SELECT tab,tabdefault FROM sys_mainwindow WHERE system='production' ORDER BY taborder");
27 foreach ($result->fetchAll(PDO::FETCH_ASSOC) AS $tab_action) {
28     $default_action[$tab_action['tab']]=$tab_action['tabdefault'];
29 }
30 $tpl=new smarty_mycmms();
31 $tpl->debugging=true;
32 $tpl->caching=false;
33 $tpl->assign("page_title",CMMS_TITLE);
34 $tpl->assign("nav",$_SESSION['nav']);
35 $tpl->assign("query",$default_action[$_SESSION['nav']]);
36 $tpl->assign("title","title.php");
37 $tpl->display("framework_index.tpl");
38 ?>
39
```

```
1 <?PHP
2 /**
3  * Startpage for Production with full Smarty support
4  *
5  * @author Werner Huysmans
6  * @version 4.0 201106
7  * @package mycmms40
8  * @subpackage framework
9  * @filesource
10 * @tpl framework_index.tpl
11 * @txid No DATABASE action
12 */
13 $nosecurity_check=true;
14 $rootfile=true;
15 require("../includes/config_mycmms.inc.php");    # direct path
16 require("setup.php");
17 if(!empty($_GET['nav']))
18 {     $_SESSION['nav']=$_GET['nav'];
19     $_SESSION['system']="oe";
20 } else {
21     $_SESSION['nav']="technicien";
22     $_SESSION['system']="oe";
23 }
24 // Retrieve the Tabs and their default actions
25 $DB=DBC::get();
26 $result=$DB->query("SELECT tab,tabdefault FROM sys_mainwindow WHERE system='oe' ORDER BY taborder");
27 foreach ($result->fetchAll(PDO::FETCH_ASSOC) AS $tab_action) {
28     $default_action[$tab_action['tab']]=$tab_action['tabdefault'];
29 }
30 $tpl=new smarty_mycmms();
31 $tpl->debugging=true;
32 $tpl->caching=false;
33 $tpl->assign("page_title",CMMS_TITLE);
34 $tpl->assign("nav",$_SESSION['nav']);
35 $tpl->assign("query",$default_action[$_SESSION['nav']]);
36 $tpl->assign("title","title.php");
37 $tpl->display("framework_index.tpl");
38 ?>
39
```

```
1 <?PHP
2 /**
3  * @author Werner Huysmans <werner.huysmans@skynet.be>
4  * @access public
5  * @version 4.0
6  * @package mycmms40
7  * @subpackage framework
8  * @filesource
9  */
10 $nosecurity_check=true;
11 require("../includes/config_mycmms.inc.php"); // Get Logo
12 require("setup.php");
13 $system=$_SESSION['system'];    # system can be td, production, oee
14 $DB=DBC::get();
15
16 $tpl=new smarty_mycmms();
17 $tpl->debugging=false;
18 $tpl->assign('stylesheet',STYLE_PATH."/".CSS_TITLE);
19 $tpl->assign('logo',LOGO_TD);
20 $tpl->assign('tabs',$DB->query("SELECT tab,tabheader FROM sys_mainwindow WHERE system='{ $system }' ORDER BY
    taborder",PDO::FETCH_ASSOC));
21 $tpl->assign('nav',$_SESSION['nav']);    // Selected Tab
22 $tpl->assign('user',$_SESSION['user']); // Logged in as
23 $tpl->assign('DB',$_SESSION['db']);     // Active DB
24 switch ($system) {
25     case 'td':
26         $tpl->assign('index',"index.php");    // Default
27         $tpl->assign('auth',"auth.php");    // Default
28         break;
29     case 'production':
30         $tpl->assign('index',"index_prod.php");
31         $tpl->assign('auth',"auth.php");
32         break;
33     case 'oee':
34         $tpl->assign('index',"index_". $system. ".php");
35         $tpl->assign('auth',"auth.php");
36         break;
37     default:
38         $tpl->assign('index',"index.php");    // Default
39         $tpl->assign('auth',"auth.php");    // Default
40         break;
41 }
42 $tpl->display("framework_title.tpl");
43 ?>
```

```
1  <?PHP
2  /** The list.php manages the content of the Maintmain window
3  * LIST retrieves the SQL query and then manipulates the query:
4  * - replaces the parameters
5  * - shows the fields with an alias
6  * - handles LIMIT and ORDER
7  *
8  * @author Werner Huysmans <werner.huysmans@skynet.be>
9  * @access public
10 * @package mycmms40
11 * @version 4.0
12 * @subpackage framework
13 * @filesource
14 * @todo Move Login Screen to Smarty Template
15 */
16 $nosecurity_check=true;
17 require("../includes/config_mycmms.inc.php");
18 require(CMMS_LIB."/class_listPageSmarty.php");
19
20 class mainlistPage extends ListPageSmarty {
21     public function DisplayLogin() {
22         require("setup.php");
23         $DB=DBC::get();
24
25         $tpl=new smarty_mycmms();
26         $tpl->assign('stylesheet',STYLE_PATH."/".CSS_LISTS);
27         $tpl->assign('stylesheet_exception',STYLE_PATH."/".CSS_LOGIN);
28         $tpl->assign('authorisation_script',"../_main/auth.php");
29         # $tpl->assign('names',$DB->query("SELECT uname,longname FROM sys_groups",PDO::FETCH_NUM));
30         $tpl->display("framework_tdlogin.tpl");
31     }
32     public function DisplayLoginList() {
33         require("setup.php");
34         $DB=DBC::get();
35
36         $tpl=new smarty_mycmms();
37         $tpl->assign('stylesheet',STYLE_PATH."/".CSS_LISTS);
38         $tpl->assign('stylesheet_exception',STYLE_PATH."/".CSS_LOGIN);
39         $tpl->assign('authorisation_script',"../_main/auth.php");
40         $tpl->assign('names',$DB->query("SELECT uname,longname FROM sys_groups",PDO::FETCH_NUM));
41         $tpl->display("framework_productionlogin.tpl");
42     }
43     public function DisplayOEELogin() {
44         require("setup.php");
45         $DB=DBC::get();
46
47         $tpl=new smarty_mycmms();
48         $tpl->assign('stylesheet',STYLE_PATH."/".CSS_LISTS);
49         $tpl->assign('stylesheet_exception',STYLE_PATH."/".CSS_LOGIN);
50         $tpl->assign('authorisation_script',"../_main/auth.php");
51         $tpl->assign('names',$DB->query("SELECT uname,longname FROM sys_groups",PDO::FETCH_NUM));
52         $tpl->display("framework_oelogin.tpl");
53     }
54 } // EO mainlistPage
55 $list=new mainlistPage();
56 $list->rootdirs=$rootdirs;
57
58 /**
59 * If no profile is set, the user must login
60 */
61 if(!isset($_SESSION['profile'])) {
62     switch ($_SESSION['system']) {
63     case 'td':
64         $list->DisplayLogin();
65         break;
66     case 'production':
67         $list->DisplayLoginList();
68         break;
69     case 'oe':
```

```
70     $list->DisplayOEELogin();
71     break;
72     case 'home':
73         $list->DisplayHomeLogin();
74         break;
75     }
76 } else {
77 /**
78  * Show the list...
79  */
80     $DB=DBC::get();
81     /**
82     * If this is the first launch of the query ($_REQUEST), reset the ORDER BY SQL
83     * If this is a refresh ($_SESSION)
84     */
85     if (empty($_REQUEST['query_name'])) {
86         $result=$DB->query("SELECT * FROM sys_queries WHERE name='{$_SESSION['query_name']}'");
87         $template=$result->fetch(PDO::FETCH_ASSOC);
88     } else {
89         unset($_SESSION['order_by']);
90         $result=$DB->query("SELECT * FROM sys_queries WHERE name='{$_REQUEST['query_name']}'",PDO::
FETCH_ASSOC);
91         $template=$result->fetch(PDO::FETCH_ASSOC);
92     }
93     switch ($_SESSION['system']) {
94     case 'td':
95         $list->DisplayPageSmarty($template['template_section']);
96         break;
97     case 'tdO':
98         $list->stylesheet_exc=CSS_EMPTY;
99         if ($production_format!="STANDARD") {
100             $list->stylesheet_exc=CSS_LIST_TD;
101         }
102         $list->title="title_td.php";
103         $list->DisplayPage();
104         break;
105     case 'production':
106         $list->DisplayPageSmarty($template['template_section']);
107         break;
108     case 'oe':
109         $list->DisplayPageSmarty($template['template_section']);
110         break;
111     case 'asco':
112         $list->DisplayPageSmarty($template['template_section']);
113         break;
114     } // EO switch system
115 }
116 ?>
117
118
119
```

```
1 <?PHP
2 /**
3  * Authorisation Production: Check if the logged user is allowed to use this program
4  * - Check if the user is known in the database, in Production we use a simple login system.
5  * - (In some cases the authorisation is abandoned)
6  * - Save user relevant data in the Session
7  * - Reloads LIST
8  * @author Werner Huysmans <werner.huysmans@skynet.be>
9  * @access public
10 * @package mycmms40
11 * @version 4.0
12 * @subpackage framework
13 * @filesource
14 */
15 $nosecurity_check=true;
16 require("../includes/config_mycmms.inc.php");
17 $return_url = $HTTP_REFERER;
18
19 if(!empty($_POST['uid'])) // && !empty($_POST['passwd']))
20 {   $DB=DBC::get();
21     $result=$DB->query("SELECT profile AS 'profile',uname,longname,last_login,approver,locale,dept FROM
sys_groups WHERE uname='".$_POST["uid"]."');
22     $users=$result->fetch();
23     if($users) //if the login matched 1 user...
24     {   $_SESSION['last_login'] = $users['last_login'];
25         $_SESSION['profile']    = $users['profile'];
26         $_SESSION['user']       = $users['uname'];
27         $_SESSION['username']   = $users['longname'];
28         $_SESSION['db']         =DBC::$database;
29         $_SESSION['locale']     =$users['locale'];
30         $_SESSION['dept']       =$users['dept'];
31         $_SESSION['APPROVER']   =$users['approver'];
32         // Record the login time in the database. This is used for showing new WOs
33         $DB->query("UPDATE sys_groups SET last_login = NOW()+0 WHERE uname LIKE '$users->uname'");
34     } else {   //if the login failed...
35         $verified = "Login Failed<br><a href='../list.php'>Go Back</a></BODY></html>";
36         exit;
37     }
38 } else {   //if no username or password was submitted...
39     session_destroy();
40 }
41 $system=$_SESSION['system'];
42 ?>
43 <script type=text/javascript>
44 function reload(system)
45 {   switch(system) {
46     case 'td':
47         top.location = "../index.php?nav=work_orders";
48         break;
49     case 'production':
50         top.location = "../index_prod.php?nav=production2";
51         break;
52     case 'oe':
53         top.location = "../index_oe.php?nav=technicien";
54         break;
55     }
56 }
57 setTimeout("reload('<?php echo $system; ?>');", 500)
58 </script>
59
60
```