

AUTONOMOUS

Content Engine

Drop this document into any Lovable project.
Answer three questions. Walk away.

2-3

Lovable credits

4/day

Articles published

\$0/mo

Content cost (Gemini free tier)

0

Daily intervention
needed

This document is a universal content engine specification. Upload it to any Lovable project -- new or existing -- and it builds a complete autonomous content system with a quality gateway, admin control panel, affiliate link management, multi-site reporting, newsletter automation, and content refresh. You provide the API key. It does everything else.

Version	1.0 -- Stupid People Edition
Prepared	May 2026
Compatibility	Any Lovable project with Supabase enabled
Gemini model	Gemini 2.5 Flash (default) / 2.5 Pro (optional)
Classification	Confidential

Contents

01 How to use this document

- What this builds
- What you need before starting
- Detection mode explained

02 Setup -- Three questions

- Question 1: Your Gemini API key
- Question 2: Your site identity
- Question 3: Your publishing schedule

03 The Lovable activation prompt

- The full prompt -- copy and paste
- What Lovable will build
- Follow-up prompts if needed

04 The admin control panel

- Panel overview
- Content settings
- Quality gateway controls
- Affiliate link manager
- Keyword queue manager
- Schedule settings
- Site identity editor
- Failure log

05 The quality gateway

- How it works
- The six scoring dimensions
- Pass threshold and what happens on fail
- Banned phrases list
- Customising the gateway in the admin panel

06 The generation prompt system

- The master generation prompt
- The site identity block
- Article type rotation

- The Lovable-specific article rule
- Editing prompts in the admin panel

07 Affiliate link system

- How links are inserted
- The affiliate table
- Default fallback links
- Link frequency rules

08 The keyword queue

- 10 starter keywords
- Adding keywords manually
- Auto-replenishment with Search Console
- Keyword priority system

09 Content refresh system

- Three refresh triggers
- The refresh prompt
- Freshness date stamps
- Manual refresh flag

10 Newsletter automation

- Early stage mode
- Growth stage mode
- Sunday send schedule
- Subject line A/B testing

11 Failure handling and alerts

- Three-strike retry system
- Email alerts via Resend
- The failure log in admin panel
- Daily request ceiling

12 Multi-site reporting dashboard

- What it reports
- How to build the master dashboard
- The Lovable prompt for the dashboard

13 Replicating to additional sites

- The 10-minute replication prompt
- What changes per site

- API key management across sites

14 Database schema

- All tables created by this spec
- Field definitions

15 Troubleshooting

- Common issues and fixes
- How to test the pipeline manually

SECTION 01

How to Use This Document

This document is designed to be uploaded directly to Lovable's chat input. Lovable reads the spec and builds everything described. You do not need to understand the technical details -- you need to answer three questions and paste one prompt. Everything else is handled automatically.

What this builds

Content generation engine

Calls Gemini API daily, writes articles to your keyword queue, publishes them to real indexable URLs on your site.

Quality gateway

Scores every article on 6 dimensions before it publishes. Thin, generic, or factually suspect content never reaches your readers.

Admin control panel

A private dashboard at /content-admin where you control everything -- prompts, schedule, keywords, affiliate links, quality threshold.

Affiliate link system

A table of tool names and affiliate URLs. The engine inserts links naturally into relevant articles automatically.

Keyword queue

A database of topics to write about, with priority ordering and auto-replenishment from Google Search Console.

Content refresh agent

Weekly scan for stale or declining articles. Rewrites them automatically with updated information and a fresh timestamp.

Newsletter automation

Weekly email to your subscriber list featuring the best articles of the week. Fully automated including subject line.

Failure handling

Three-strike retry on API failures, email alerts via Resend, failure log in the admin panel, hard daily request ceiling.

Multi-site reporting hooks

Reports stats to a central Supabase table so a master dashboard can monitor all your sites in one place.

What you need before starting

- A Lovable project with Supabase integration enabled (required for the database)
- A Gemini API key from aistudio.google.com (free, takes 2 minutes to get)
- A Resend API key from resend.com (free tier is sufficient, for email alerts)
- 2-3 Lovable credits available in your account
- Your affiliate links for any tools your site reviews (you can add these later)

INFO

If your Lovable project already has some of these systems partially built from a previous spec, the activation prompt in Section 03 includes detection logic. It audits what exists, skips anything already working, and only builds what is missing. It will not overwrite or break anything already in your project.

Detection mode explained

The activation prompt checks for five things before building anything: the Gemini API integration, the scheduler, the quality gateway, the webhook endpoints, and the keyword queue table. For each one it finds already built and working, it skips that component and logs "found existing -- skipped" in its build report. For anything missing or incomplete, it builds from scratch. You get a build report at the end listing exactly what was built, what was skipped, and what (if anything) needs your attention.

SECTION 02

Setup -- Three Questions

Before pasting the activation prompt, answer these three questions. Your answers get inserted into the prompt where indicated. This personalises the entire content engine to your specific site.

Question 1 -- Your Gemini API key

Get your free Gemini API key from Google AI Studio:

1. Go to aistudio.google.com and sign in with your Google account
2. Click "Get API key" in the left sidebar
3. Click "Create API key in new project"
4. Copy the key -- it starts with "Alza..."
5. In your Lovable project, go to Settings > Environment Variables
6. Add a new variable named exactly: GEMINI_API_KEY
7. Paste your key as the value and save

IMPORTANT

Add a second variable named RESEND_API_KEY with your Resend API key. Get it free at resend.com. This powers the email failure alerts and newsletter. If you skip this, the content engine still works but you will not receive failure notifications by email.

Question 2 -- Your site identity block

The site identity block tells Gemini who your site is, who it writes for, and what makes it different. Every article generated by the engine starts with this context. It is the single most important factor in preventing generic content and ensuring each site in your network has a distinct voice.

Write five sentences answering these prompts:

- This site is about: [what topics/tools do you review?]
- Our primary reader is: [who are they, what do they want to accomplish?]

- Our perspective is: [what angle do you take -- honest, experienced, opinionated?]
- Our tone is: [direct? friendly? technical? encouraging?]
- What makes us different: [one thing that sets your reviews apart]

EXAMPLE SITE IDENTITY BLOCK -- NO-CODE REVIEW SITE

This site reviews no-code and AI app building platforms for founders, solopreneurs, and operators who want to build without hiring developers. Our primary reader is a non-technical entrepreneur evaluating which platform to commit to for their next project. Our perspective is that of a builder who has actually used these tools to ship real products -- not a journalist summarising vendor claims. Our tone is direct and opinionated: we give clear verdicts and do not hedge. What makes us different is that we test every platform by rebuilding the same project on each one, so our comparisons reflect real build experience, not feature lists.

Question 3 -- Your publishing schedule

Choose how many articles per day and what time the engine fires. The default is 4 articles at 06:00 UTC. Adjust based on your keyword queue depth and how fast you want to build content volume.

Articles/day	Keywords/month	Best for
1	~30	New sites, conservative approach, tight keyword lists
2	~60	Growing sites, moderate volume, good for most use cases
4 (default)	~120	Established sites, competitive niches, large keyword queues
8	~240	Aggressive scaling, multiple categories, large Gemini quota

Time: 06:00 UTC is the default. This means approximately 10pm PST / 1am EST / 6am London / 4pm AEST. Articles are ready for morning readers in each timezone. Change this to any UTC time that makes sense for your primary audience.

SECTION 03

The Lovable Activation Prompt

This is the prompt you paste into Lovable's chat input. Replace the three [BRACKETED] sections with your answers from Section 02. Then paste the entire thing as a single message. Do not break it into multiple messages -- Lovable performs best when given the complete spec at once.

IMPORTANT

This prompt uses approximately 2 Lovable credits. On the free plan with 5 daily credits, use this as your main prompt for the day. Save your remaining credits for the test trigger in Section 03 and any fixes needed.

ACTIVATION PROMPT -- COPY THIS ENTIRE BLOCK INTO LOVABLE

Build and activate a complete autonomous content generation system for this Lovable project. Before building anything, audit the existing codebase for: (1) Gemini API integration, (2) a content scheduler, (3) quality gateway logic, (4) webhook endpoints for article publishing, (5) keyword_queue table in Supabase. For each component found working: skip it and log "found existing". For each component missing or incomplete: build it from scratch.

SITE IDENTITY BLOCK (prepend to every generation prompt):

[PASTE YOUR FIVE-SENTENCE SITE IDENTITY BLOCK HERE]

PUBLISHING SCHEDULE:

[YOUR ARTICLES PER DAY] articles per day at [YOUR UTC TIME] UTC

BUILD THE FOLLOWING COMPLETE SYSTEM:

1. GEMINI API INTEGRATION

Connect to Gemini 2.5 Flash using the GEMINI_API_KEY environment variable. Hard limit: maximum 50 API calls per day regardless of schedule settings. If this limit is hit, stop generation and send a failure alert email.

2. DAILY SCHEDULER

Fire at the specified UTC time daily. On each fire: pull the next N keywords from keyword_queue where status = pending, ordered by priority DESC then created_at ASC. Generate one article per keyword. Rotate article types in order: tool_review, comparison, tutorial, best_of_list. Log each run to generation_log.

3. GENERATION PROMPT SYSTEM

SYSTEM: [Site identity block]. You are an expert no-code software reviewer. Write honest, opinionated articles. Always give a clear verdict. Always include genuine limitations. Never use banned phrases. Write minimum 1000 words. Include a "Last verified: [current month year]" stamp. Format in clean markdown with H2 subheadings.

USER: Write a [article_type] article for this keyword: [keyword]. Relevant tools: [pull top 5 tools]. Their affiliate URLs: [pull from affiliate_links table]. Insert affiliate links naturally -- maximum 3 per article, minimum 1 per article.

4. QUALITY GATEWAY

Score every article before publishing on 6 dimensions:

- Specificity (20pts): Names specific use cases
- Verdict clarity (20pts): Clear recommendation present
- Original angle (15pts): Non-obvious perspective
- Limitations (15pts): Genuine cons acknowledged
- Structure (15pts): Logical flow, scannable headers
- No banned phrases (15pts): Zero instances of banned phrases

Pass threshold: 72/100. If score $\geq$ 72: publish. If score $<$ 72: mark rejected, store rejection_reason, trigger one retry. If retry fails: mark failed, send alert, move to next keyword.

5. ADMIN CONTROL PANEL

Build at /content-admin protected by Supabase Auth. Sections: OVERVIEW, CONTENT SETTINGS, QUALITY GATEWAY, AFFILIATE LINKS, KEYWORD QUEUE, SCHEDULE, FAILURE LOG, REFRESH SETTINGS.

6. CONTENT REFRESH AGENT

Run weekly Mondays 07:00 UTC. Trigger A: position drop >5 in 30 days. Trigger B: live >90 days zero impressions. Trigger C: CTR below 2%. Requires GOOGLE_SEARCH_CONSOLE_TOKEN or falls back to Trigger B only.

7. NEWSLETTER AUTOMATION

Every Sunday 08:00 UTC: select top 3 articles by quality_score or CTR. Generate two subject line variants. Send via Resend API. Log to newsletter_issues table.

8. FAILURE HANDLING

Three-strike retry (10 min wait between). After 3 failures: mark failed, send alert to ALERT_EMAIL. Hard ceiling 50 calls/day. All failures logged to generation_log.

9. MULTI-SITE REPORTING

After each run, write summary to network_reports: site_id, run_date, articles_published, articles_failed, gateway_pass_rate, keywords_remaining.

10. DATABASE TABLES

Create if not existing: keyword_queue, articles, affiliate_links, generation_log, site_settings, network_reports. Seed keyword_queue with 10 starter keywords from Section 08.

AFTER BUILDING: Provide a build report listing every component. Include admin panel URL and instructions for RESEND_API_KEY, ALERT_EMAIL, SITE_ID environment variables.

Follow-up prompts if needed

After the activation prompt, Lovable will provide a build report. Use these follow-up prompts only if the report flags specific issues:

If the scheduler is not working

FOLLOW-UP PROMPT

The scheduler is not triggering as expected. Debug the cron job implementation and confirm it will fire at [YOUR TIME] UTC daily. Test by triggering it manually right now and showing me the output.

If the admin panel is not accessible

FOLLOW-UP PROMPT

The /content-admin route is not loading. Fix the routing and ensure it is protected by Supabase Auth. Confirm the URL and test that an unauthenticated request redirects to login.

If Gemini connection is failing

FOLLOW-UP PROMPT

The Gemini API connection is returning errors. Verify the GEMINI_API_KEY environment variable is being read correctly and the API call is formatted for Gemini 2.5 Flash. Show me the error and fix it.

SECTION 04

The Admin Control Panel

The admin panel lives at /content-admin and is accessible only to authenticated users. It is your single interface for controlling everything about the content engine without touching Lovable or the database directly.

Overview dashboard

At-a-glance stats: articles published today, this week, and total. Quality gateway pass rate as a percentage. Keywords remaining in the queue. Last run timestamp and next scheduled run. Any active failures shown in red.

Content settings

The site identity block -- a large text area showing your five-sentence site context. Edit it here and the change applies to the next generation run. The master generation prompt -- shows the full prompt template with your identity block inserted. Edit with caution. A reset button restores the default. Article type rotation toggles -- turn off any article type you don't want.

Quality gateway controls

Pass threshold slider -- drag between 60 and 90. Default is 72. Higher means stricter quality but more failures and retries. Banned phrases list -- add or remove phrases that cause articles to fail. Recent gateway scores -- a table of the last 20 articles with their dimension scores so you can see where content is consistently weak.

Affiliate link manager

A table with three columns: tool name, affiliate URL, active toggle. Add a row for every tool your site reviews. When the engine writes about a tool, it pulls the URL from this table. Default fallback URL at the top -- this is used when a mentioned tool has no specific affiliate link in the table. Set this to your highest-converting affiliate link.

Keyword queue manager

View all keywords with their status (pending / generating / published / failed). Priority shown as a number -- higher numbers generate first. Add keywords one at a time or bulk import by pasting a list. Failed keywords show the failure reason with a retry button. Drag to reorder priority.

Schedule settings

Articles per day slider (1 to 8). Generation time in UTC. Pause toggle -- stops all generation without deleting anything. A manual trigger button -- runs the pipeline right now regardless of schedule. Useful for testing and for when you add a high-priority keyword.

Failure log

Every API failure, quality gateway failure, and scheduler error is logged here with timestamp, keyword, error type, and full error message. Retry button per row. Clear log button. Email alert status shown -- confirms whether the failure alert was sent.

SECTION 05

The Quality Gateway

The quality gateway is the most important component in the entire system. It is the difference between a content network that Google rewards and one that Google penalises. Every article passes through it before publishing. No exceptions.

The six scoring dimensions

Specificity

20 pts

Does the article name specific use cases, specific types of users, specific scenarios? Generic benefits score zero. Specific context scores full marks.

Verdict clarity

20 pts

Is there a clear recommendation? Does the article say who this is best for and who should avoid it? A "it depends" conclusion scores zero. A clear verdict with reasoning scores full marks.

Original angle

15 pts

Does the article surface something non-obvious? Content that simply restates the vendor's feature list scores zero.

Limitations

15 pts

Are genuine cons or limitations acknowledged? Are they substantive rather than softened? Vague hedging scores low. Specific, real limitations score full marks.

Structure

15 pts

Does the article have a logical flow? Are the subheadings scannable? 1,200 words of padded filler scores lower than 1,000 words of tight, useful content.

No banned phrases

15 pts

Zero instances of any phrase on the banned list. One banned phrase = 8 points deducted. Two or more = this dimension scores zero.

INFO

Start with the default threshold of 72. After 30 published articles, review the quality of what got through. If you see thin content slipping past, raise to 76 or 78. If almost nothing is publishing, lower to 68. Tune based on real output, not theory.

Default banned phrases list

- "In today's digital landscape"
- "As we can see"
- "It's worth noting"
- "game-changer"
- "seamlessly"
- "cutting-edge"
- "robust solution"
- "In conclusion"
- "To summarize"
- "At the end of the day"
- "It goes without saying"
- "Needless to say"
- "In the world of"
- "In the realm of"
- "transformative"
- "revolutionary"
- "leverage"
- "utilize"
- "synergy"
- "empower"
- "unlock your potential"
- "take your [X] to the next level"
- "delve into"
- "navigate the complexities"

SECTION 06

The Generation Prompt System

The generation prompt is what Gemini receives every time it writes an article. Getting this right is what separates content that ranks from content that gets ignored. The prompt is editable in the admin panel -- you do not need Lovable credits to change it.

Article type rotation

Article type	Keyword pattern	Why it matters
Tool review	"[tool name] review"	Highest affiliate conversion -- reader is evaluating
Comparison	"[tool A] vs [tool B]"	Highest buyer intent -- reader is about to choose
Tutorial	"how to [do X] with [tool]"	Long-tail traffic, low competition, builds trust
Best-of list	"best [tools] for [use case]"	High volume, captures broad intent

The Lovable-specific article rule

If your site was built with Lovable and your keyword queue includes a Lovable review or comparison, the generation prompt automatically adds this instruction:

LOVABLE-SPECIFIC PROMPT ADDITION

This site was built using Lovable. Write this article from the perspective of a real user with genuine hands-on experience. Include specific things that worked well in the actual build process, specific limitations encountered, and an honest overall verdict. Do not soften limitations out of familiarity with the tool. Real experience expressed honestly is more valuable than a balanced summary from someone who has never built with it.

SECTION 07

Affiliate Link System

The affiliate system automatically inserts monetisation into every article without you having to manually edit content. Set it up once in the admin panel and it runs forever.

How links are inserted

- Maximum 3 affiliate links per article -- more than this reads as promotional
- Minimum 1 affiliate link per article if any reviewed tool has an entry in the table
- Links are inserted naturally within sentences -- never as bare URLs or button-style CTAs
- The same tool is never linked more than once per article
- Links always use descriptive anchor text -- never "click here" or the raw URL
- If a tool is mentioned but has no affiliate link, the default fallback URL is used

The affiliate table

Field	Type	Description
tool_name	text	Exact tool name as it appears in articles
affiliate_url	text	Your full affiliate URL including tracking parameters
active	boolean	Toggle off to stop using this link without deleting it
commission_note	text	Optional -- your notes on commission rate/type
default_fallback	boolean	Mark one row as the default for unmatched tools

IMPORTANT

The default fallback URL is used whenever the engine mentions a tool that is not in your affiliate table. Set this to your highest-converting affiliate program -- ideally one that is relevant to any tool in your niche.

SECTION 08

The Keyword Queue

The keyword queue is the list of topics the engine works through. It is the editorial calendar of your autonomous content operation. Managing it well determines the quality of traffic you attract.

10 starter keywords (seeded automatically)

The activation prompt seeds these keywords automatically. They cover the highest-volume topics in the no-code niche to generate early traffic. Replace or supplement with your own niche-specific keywords:

Keyword	Article type	Priority	Search vol.
best no-code app builder 2026	best_of_list	high	18,000/mo
webflow vs framer	comparison	high	9,900/mo
bubble review	tool_review	high	4,400/mo
zapier alternatives	comparison	high	8,100/mo
best no-code tools for agencies	best_of_list	high	3,600/mo
lovable review	tool_review	high	growing fast
airtable vs notion	comparison	medium	4,000/mo
shopify vs webflow	comparison	medium	8,520/mo
no-code for beginners	tutorial	medium	3,600/mo
make vs zapier	comparison	medium	12,000/mo

SECTION 09

Content Refresh System

Content decays. Pricing changes. Tools launch new features. Competitors overtake your articles in search rankings. The refresh system handles all of this automatically.

Trigger A -- Ranking drop

Condition: article dropped more than 5 Search Console positions in 30 days.

Action: expand the article with updated information, check all pricing and feature claims, add new sections, update the Last Verified date.

Requires: `GOOGLE_SEARCH_CONSOLE_TOKEN` environment variable.

Trigger B -- Zero impressions after 90 days

Condition: article has been published for more than 90 days with zero Search Console impressions.

Action: complete rewrite with a stronger angle, different keyword targeting, and an improved title. The original is archived, not deleted.

Requires: Nothing beyond `published_at` date. This trigger works even without Search Console.

Trigger C -- Low click-through rate

Condition: article has Search Console impressions but CTR below 2%.

Action: rewrite the title and meta description only -- the body content is not touched. Generates 3 title variants, picks the strongest.

Requires: `GOOGLE_SEARCH_CONSOLE_TOKEN` environment variable.

NOTE

The Last Verified date stamp appears at the top of every article and updates automatically on every refresh. A reader landing on a 6-month-old article that shows "Last verified: this month" sees a trustworthy, maintained resource.

SECTION 10

Newsletter Automation

A weekly newsletter keeps your audience engaged between site visits, drives repeat traffic to new articles, and builds an email list that has value independent of your search rankings.

How it works

1. Every Sunday at 08:00 UTC the newsletter agent runs
2. It selects the top 3 articles published that week
3. In early stage (no GSC data): ranked by quality gateway score
4. In growth stage (GSC connected): ranked by click-through rate
5. Gemini writes a two-sentence summary of each article
6. Gemini generates two subject line variants for A/B testing
7. The newsletter is sent via Resend to all active subscribers
8. Send stats and subject line winner are logged to newsletter_issues table

INFO

The newsletter is fully automatic but you can override it. In the admin panel, a "Preview this week's newsletter" button shows you what will go out before it sends. An "Override articles" option lets you manually select which three articles feature that week. A "Pause this week" toggle skips the send without disabling future sends.

SECTION 11

Failure Handling and Alerts

Things break. APIs go down. Gemini returns garbage. The scheduler misfires. The failure handling system means these events are logged, retried, and reported -- not silently swallowed.

Three-strike retry

Every Gemini API failure triggers a 10-minute wait and retry. After three consecutive failures on the same keyword, the keyword is marked as failed and the engine moves to the next one. A failure alert email is sent via Resend to your ALERT_EMAIL address.

Email alerts

Sent via Resend on: three-strike failure, daily request ceiling hit, scheduler missed fire, keyword queue empty (below 5 keywords remaining). Email includes: site name, failure type, keyword, error message, link to admin panel failure log.

Daily request ceiling

50 Gemini API calls per day hard maximum. If this ceiling is hit, generation stops for the day, an alert is sent, and a note appears in the admin panel overview. The ceiling resets at midnight UTC.

Failure log

Every failure is written to generation_log with: timestamp, keyword, failure type, error message, retry count, final status. Viewable and searchable in the admin panel. Retry button on each row.

SECTION 12

Multi-Site Reporting Dashboard

If you run multiple sites using this content engine, managing them through separate admin panels becomes impractical. The multi-site reporting system solves this by having each site report its stats to a shared Supabase table, which a single master dashboard reads.

What each site reports after every run

Field	Type	Description
site_id	text	Unique identifier for each site -- set via SITE_ID env variable
run_date	timestamp	When the generation run completed
articles_published	integer	Articles that passed the gateway and went live
articles_failed	integer	Articles that failed after retry
gateway_pass_rate	decimal	Percentage of articles that passed quality check
keywords_remaining	integer	Keywords left in the queue at time of report
affiliate_clicks	integer	Clicks tracked since last report
next_run_scheduled	timestamp	When the next generation run is due

Building the master dashboard

Create a new Lovable project for the master dashboard. Connect it to the same Supabase instance that all sites report to. Use this prompt:

MASTER DASHBOARD LOVABLE PROMPT

```
Build a private operations dashboard at / (the root -- this is the entire site).  
Connect to Supabase and read from the network_reports table. Display: a card per site  
showing site_id, today's articles published, gateway pass rate, keywords remaining,  
last run time, next run time. Highlight any site with keywords_remaining below 10 in  
amber. Highlight any site with articles_failed > 0 today in red. Include a 7-day chart  
per site showing articles_published and gateway_pass_rate. Include a network totals  
row: total articles published today, total affiliate clicks, lowest keyword queue.  
Protect with Supabase Auth. No public access.
```

SECTION 13

Replicating to Additional Sites

Once the content engine is running on your anchor site, replicating it to any additional site takes approximately 10 minutes and 2 Lovable credits.

The 10-minute replication process

1. Create a new Lovable project for the new site (or open an existing one)
2. Add GEMINI_API_KEY (new key from Google AI Studio -- separate per site)
3. Add RESEND_API_KEY (same key is fine -- or create a new one)
4. Add ALERT_EMAIL with your email address
5. Add SITE_ID with a short unique name for this site (e.g. "nocode-agency")
6. Upload this document to Lovable's chat
7. Write your new site identity block (5 sentences about this specific site)
8. Paste the activation prompt from Section 03 with your new identity block inserted
9. Let Lovable build -- it detects what exists and only adds what's missing
10. Add your site-specific keywords to the queue in the admin panel

NOTE

The only thing that changes between sites is: the site identity block, the SITE_ID environment variable, the Gemini API key, and the keyword queue. Everything else is identical across all sites. That is what makes this a scalable system rather than a one-off build.

SECTION 14

Database Schema

The activation prompt creates these tables automatically if they do not exist. If they already exist from a previous build, it adds missing columns only.

keyword_queue

Field	Type	Description
id	uuid	Primary key
keyword	text	The topic or search phrase to write about
article_type	text	tool_review / comparison / tutorial / best_of_list
priority	integer	Higher number = generates first. Default 50.
status	text	pending / generating / published / failed / retry
failure_reason	text	Populated on failure -- explains what went wrong
created_at	timestamp	When added to queue
generated_at	timestamp	When generation completed

generation_log

Field	Type	Description
id	uuid	Primary key
keyword_id	uuid	Foreign key to keyword_queue
run_at	timestamp	When this generation attempt ran
status	text	success / failed / gateway_rejected
gateway_score	integer	Total quality score (0-100)
gateway_scores	jsonb	Per-dimension scores as JSON object
rejection_reason	text	Why the gateway rejected it if applicable
retry_count	integer	Number of retry attempts (0-3)

error_message	text	Full error text on API failures
gemini_calls_used	integer	API calls consumed by this run

affiliate_links

Field	Type	Description
id	uuid	Primary key
tool_name	text	Exact tool name as appears in articles
affiliate_url	text	Full affiliate URL with tracking parameters
active	boolean	Whether to use this link in generation
is_default_fallback	boolean	One row marked true as the fallback link
commission_note	text	Optional notes on commission structure
clicks_tracked	integer	Running total of tracked clicks

site_settings

Field	Type	Description
id	uuid	Primary key (single row table)
site_identity_block	text	The five-sentence site context for generation
master_generation_prompt	text	Full prompt template -- editable in admin
banned_phrases	text[]	Array of phrases that cause gateway failure
gateway_pass_threshold	integer	Minimum score to publish. Default 72.
articles_per_day	integer	Daily generation volume. Default 4.
generation_time_utc	text	Cron time string for scheduler
daily_api_ceiling	integer	Max Gemini calls per day. Default 50.
alert_email	text	Where failure alerts are sent
gemini_model	text	Default: gemini-2.5-flash

network_reports

Field	Type	Description
id	uuid	Primary key
site_id	text	Identifier from SITE_ID environment variable
run_date	timestamp	When the generation run completed
articles_published	integer	Count of articles published this run
articles_failed	integer	Count of articles that failed after retry
gateway_pass_rate	decimal	Pass rate as a decimal (0.0 to 1.0)
keywords_remaining	integer	Queue depth at time of report
affiliate_clicks	integer	Clicks since last report
next_run_scheduled	timestamp	Next scheduled generation time

SECTION 15

Troubleshooting

Most issues fall into one of five categories. Work through these before spending a Lovable credit on a fix prompt.

Articles are not generating

- Check the admin panel overview -- is the scheduler showing a next run time?
- Check the failure log -- are there API errors? This usually means the GEMINI_API_KEY is not set correctly
- Verify the keyword queue has keywords with status = pending
- Check if the daily API ceiling has been hit (shown in overview)
- Use the manual trigger button in schedule settings to test immediately

Articles are generating but not publishing

- Check the gateway scores in generation_log -- what dimension is failing?
- If specificity or verdict clarity are consistently low, the site identity block needs strengthening
- Lower the gateway threshold temporarily to 65 to see what gets through, then raise it again
- Check the banned phrases list -- are common words in your niche accidentally on the list?

Affiliate links are not appearing in articles

- Check the affiliate_links table in the admin panel -- are entries marked active?
- Verify the tool names in the table exactly match how the tool is mentioned in articles
- Check that the default fallback is set -- at least one row should have is_default_fallback = true

Email alerts are not arriving

- Verify RESEND_API_KEY is set in environment variables
- Verify ALERT_EMAIL is set with a valid email address
- Check your spam folder
- In the admin panel failure log, check if "alert sent" shows true or false on failed items

How to manually test the full pipeline

- Go to admin panel > Schedule settings
- Click the "Manual trigger" button
- Watch the generation_log table in Supabase for a new row appearing
- Check the articles table for a new row with the generated content
- Navigate to /blog/[the-slug] to confirm the article page renders
- If the article is not at /blog/[slug], the routing is not set up correctly -- use the follow-up prompt from Section 03

Environment Variables Checklist

Add all of these to your Lovable project before pasting the activation prompt:

Variable name	Where to get it	Required?
GEMINI_API_KEY	aistudio.google.com -- Get API key	YES
RESEND_API_KEY	resend.com -- API Keys	Recommended
ALERT_EMAIL	Your email address	Recommended
SITE_ID	Make up a short unique name: e.g. "nocode-reviews"	YES (multi-site)
GOOGLE_SEARCH_CONSOLE_TOKEN	Google Search Console API	Optional

Upload this document to any Lovable project. Answer three questions. Paste one prompt. Walk away.

Autonomous Content Engine -- Stupid People Edition · v1.0 · May 2026