

Site 1 of 10

No-Code Platform Reviews

Complete Autonomous Site Build Specification

Every page · Every database table · Every automation · Every API call · Every webhook ·
Every interactive tool · Full Lovable prompt · n8n workflows · Supabase schema · SEO config

Prepared May 2026 · Confidential

12

site pages

8

database tables

4/day

articles/day

6

agent systems

3

revenue streams

What this document contains

This is the complete build specification for the anchor site of the No-Code Empire network. It covers every single thing required to build, launch, and run the site autonomously — from the first Lovable prompt through to the n8n automation workflows, Supabase schema SQL, API integrations, webhook contracts, SEO configuration, and monetisation setup. A developer, an AI agent, or a no-code builder following this document should be able to produce a fully operational site with zero ambiguity.

Build order within this document

Follow sections in order: (1) Set up Supabase database first. (2) Paste the Lovable prompt. (3) Connect Supabase to Lovable. (4) Configure environment variables. (5) Set up n8n workflows. (6) Configure Resend email. (7) Connect affiliate programs. (8) Configure SEO. (9) Go live.

Contents

1.	Site Overview & Strategy	Purpose, audience, positioning, domain strategy
2.	Design System	Colours, typography, spacing, component spec
3.	Full Site Architecture	All 12 pages, URL structure, navigation
4.	Supabase Database Schema	Every table, column, type, index, and RLS policy
5.	Complete Lovable Build Prompt	Full prompt to paste into Lovable Agent Mode
6.	Lovable Follow-Up Prompts	10 refinement prompts for post-build polish
7.	Environment Variables	Every env var required, where to get each value
8.	API Integrations	Gemini, Resend, Google APIs, IndexNow — full specs
9.	Webhook Contracts	Every endpoint: method, payload, auth, response
10.	n8n Automation Workflows	All 6 workflows with full node configurations
11.	Content Generation System	Gemini prompts, quality gateway, publishing pipeline
12.	Interactive Tools Specification	4 tools: inputs, logic, outputs, API calls
13.	SEO Configuration	Meta tags, schema markup, sitemap, IndexNow
14.	Email System	Resend setup, all email templates, sequences
15.	Affiliate Program Setup	Programs, links, tracking, disclosure
16.	Admin Dashboard Specification	Every section, every data view, every action
17.	Monetisation Configuration	Sponsored slots, ad networks, pricing tiers
18.	Performance & Security	Caching, rate limits, auth, GDPR compliance
19.	Launch Checklist	Pre-launch, launch day, post-launch actions
20.	Ongoing Operations	Weekly, monthly tasks — what the swarm handles vs you

1. Site Overview & Strategy

Anchor Site

Site name	No-Code Reviews (placeholder — choose final brand name)
Domain strategy	Target: nocode-reviews.com / nocodereviews.io / bestnocode tools.com
Purpose	The authoritative comparison hub for no-code building platforms. Primary affiliate revenue engine. Anchor of 10
Position	Honest, in-depth reviews with real ratings — not sponsored content disguised as reviews. Editorial independen
Differentiator	Autonomous daily content at scale + genuinely useful interactive tools. Competitors publish 4–8 articles/month
Network role	All 9 companion sites link back to this as the primary platform reference. It is the highest-authority domain in the
Monetisation	Affiliate links (primary), sponsored listings (3 slots), newsletter sponsorships, display ads (Mediavine at 50k ses
Content volume	4 articles/day automated = 120/month = 1,440 in year one. Types: tool reviews, comparisons, tutorials, best-of
Launch state	8 tools currently listed. Target: 50 tools within 60 days of launch. 200+ by month 6.

Target audience segments

Segment	Description
First-time builders	Entrepreneurs and small business owners choosing a platform for the first time. High research intent. Will read
Platform switchers	Existing no-code users frustrated with their current tool. Read comparison content heavily. Searching 'X alterna
Agency owners	Evaluating tools for client work. Higher budget. Will click affiliate links for agency-plan pricing. Feeds companio
Developer evaluators	Technical people considering no-code for speed/prototyping. High quality bar for content. Will catch errors. Trus
Students/learners	Top of funnel. Build email list. Convert to paying affiliate clicks over time via nurture sequence.

Expired domain strategy

Before building, purchase an expired domain with DR 30+ in the no-code / software / tech space. This bypasses the Google sandbox (3–6 month new-domain penalty) and can compress ranking timelines from 6 months to 4–6 weeks. Check: ExpiredDomains.net (free, filter by DR + keyword relevance), ODYS Global (\$2,000–5,000 pre-vetted), or GoDaddy Auctions. Requirements: DR 30+, backlinks from tech/software sites, no manual penalty history, Moz spam score under 5%, age 3+ years.

2. Design System

Colours · Typography ·
Spacing · Components

Colour palette

CSS Variable	Hex	Usage
--color-ink	#0f0e0d	Primary text, headings, dark backgrounds
--color-ink-2	#4a4845	Secondary text
--color-ink-3	#9a9590	Muted/placeholder text
--color-cream	#faf8f4	Page background
--color-mid	#f3ede4	Card backgrounds, callout boxes
--color-border	#e8e4dc	All borders, dividers
--color-accent	#e8541a	Primary accent — CTAs, links, highlights
--color-accent-2	#f7a349	Secondary accent — badges, warm highlights
--color-white	#ffffff	Card backgrounds, modal backgrounds
--color-success	#166534	Success states, positive badges
--color-success-bg	#f0fdf4	Success badge backgrounds
--color-error	#dc2626	Error states
--color-code-bg	#1e1e2e	Code block backgrounds
--color-code-fg	#cdd6f4	Code block text

Typography

Role	Family	Weight	Size	Line-height	Use
Display / Hero H1	Instrument Serif	Italic variant	clamp(32px, 5vw, 152px)	1.2	Hero headings only
Section H1	DM Sans	Bold 700	28px	1.2	Page-level headings
Card/Content H2	DM Sans	SemiBold 600	20px	1.3	Section headings
H3	DM Sans	SemiBold 600	16px	1.4	Card titles, subsections
Body	DM Sans	Regular 400	16px	1.65	All body copy
Small / Caption	DM Sans	Regular 400	13px	1.5	Labels, captions, badges
Code	JetBrains Mono	Regular 400	13px	1.6	Code snippets

■ ■ Import both fonts from Google Fonts. Instrument Serif: weights 400 italic. DM Sans: weights 400, 500, 600, 700. JetBrains Mono: weight 400.

Spacing system (8px base)

Variable	Value	Usage
--space-1	4px	Tight gaps (badge padding, icon margins)
--space-2	8px	Small internal padding
--space-3	12px	Button padding vertical, list item gaps
--space-4	16px	Card padding, form field gaps
--space-5	24px	Section sub-spacing
--space-6	32px	Card grid gaps
--space-7	48px	Section vertical padding
--space-8	64px	Large section breaks
--space-9	96px	Hero padding, page-level breathing room

Border radius

Variable	Value	Usage
--radius-sm	4px	Badges, chips, small buttons
--radius-md	8px	Buttons, input fields
--radius-lg	12px	Cards
--radius-xl	16px	Modal dialogs, featured cards
--radius-full	9999px	Pills, avatar circles

Component specifications

Component	Specification
Tool card	White background, 1.5px border (--color-border), --radius-lg, 20px padding. On hover: translateY(-2px), box-shadow
Comparison card	Same as tool card but wider layout. Shows two tool logos side-by-side with 'vs' separator. Winner badge in top-right
Affiliate CTA button	Background: --color-accent. White text. DM Sans SemiBold 14px. Padding: 10px 20px. --radius-md. Hover: darker
Category chip/badge	Background: --color-mid. DM Sans 11px. Padding: 3px 10px. --radius-full. Text: --color-ink-2.

Component	Specification
Sponsored badge	Background: #fff7ed. Text: #c2460a. Border: 1px solid #fcd9b3. 'SPONSORED' label. Top-right corner of card. 10
Star rating	5 stars rendered as SVG. Filled: --color-accent-2. Empty: --color-border. Shows numeric rating alongside (e.g. '4.7
Newsletter signup	--color-ink background. White headline. Muted subtext. Email input (dark bg #2a2825, white text) + submit button
Navigation	Sticky top. White bg, 1px border-bottom (--color-border). Logo left. Nav links centre (desktop). CTA button right ('C

Page inventory & URL structure

URL	Page Name	Type & Notes
/	Homepage	Static + dynamic (tool grid from DB, latest articles from DB)
/tools	All Tools Index	Paginated tool grid, filter by category, sort by rating/price/new
/tools/[slug]	Tool Review Page	Dynamic — generated from tools table
/compare/[slug-vs-slug]	Comparison Page	Dynamic — generated from comparisons table or on-demand
/category/[slug]	Category Index	Dynamic — filtered tool grid for one category
/best/[slug]	Best-Of List Page	Dynamic — article from articles table with type='best-of'
/blog	Blog / Tutorials Index	Paginated article grid, filter by tag
/blog/[slug]	Article Page	Dynamic — generated from articles table
/submit	Submit a Tool	Static form — submissions stored in tool_submissions table
/advertise	Sponsored Listings Info	Static page with live slot availability from sponsored_slots table
/newsletter	Newsletter Archive	Dynamic — grid of all past newsletter issues
/about	About & Methodology	Static — editorial policy, affiliate disclosure, team
/admin	Admin Dashboard	Protected — Supabase Auth required
/admin/*	Admin sub-pages	Protected — all routes under /admin require auth

Navigation structure

Primary nav (desktop)	Logo Tools Compare Categories ▀ Blog Submit a Tool [Get Free Guide CTA]
Categories dropdown	Website Builders / App Builders / Ecommerce / Automation / Database / AI Tools / Form Builders / No-Code
Footer col 1	Site logo + tagline + social links (Twitter/X, LinkedIn, YouTube)
Footer col 2	Top Tools: [6 most-visited tools, dynamic from DB]
Footer col 3	Popular Comparisons: [6 most-visited comparisons, dynamic]
Footer col 4	Company: About · Methodology · Advertise · Submit a Tool · Privacy Policy · Affiliate Disclosure
Mobile nav	Hamburger → full-screen overlay. Same links as desktop. Email signup at bottom of overlay.
Breadcrumbs	All tool, comparison, category, and article pages. Schema: Home > Category > Page Name. JSON-LD Brea

Homepage section layout (top to bottom)

Section	Content
1. Hero	Dark background (--color-ink). Serif italic headline. Subheadline. Search bar (searches tools). Stats strip: [N]+ t
2. Featured comparison	Horizontal card — 'Most compared this week' — pulled from DB by comparison_views. Links to compare page.
3. Category filter tabs	8 category tabs. All Website Builders App Builders Ecommerce Automation Database AI Tools Forms.
4. Tool grid	12 cards per page. Default sorted by rating DESC. Load more button (fetches next 12 from Supabase). Spons
5. Trending comparisons	Horizontal scroll strip. 6 comparison cards. Pulled from comparisons table ordered by views DESC.
6. Email signup	Full-width dark section. 'Get the weekly no-code digest' headline. Email input. Stores to subscribers table via P
7. Latest articles	3-column grid of most recent articles. Pulled from articles table WHERE status='published' ORDER BY publish
8. Footer	4-column grid as spec'd above.

4. Supabase Database Schema

Every table · column · type ·
index · RLS policy

■ ■ Create all tables in this exact order to satisfy foreign key dependencies. Run each SQL block in Supabase SQL Editor.

Table: tools

SQL — tools table

```

CREATE TABLE tools (
  id                UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  name              TEXT NOT NULL,
  slug              TEXT NOT NULL UNIQUE,
  tagline           TEXT,
  logo_url          TEXT,
  website_url       TEXT,
  affiliate_url     TEXT,
  category          TEXT[] NOT NULL DEFAULT '{}',
  rating_overall    NUMERIC(3,1) CHECK (rating_overall BETWEEN 1 AND 5),
  rating_ease       NUMERIC(3,1) CHECK (rating_ease BETWEEN 1 AND 5),
  rating_features   NUMERIC(3,1) CHECK (rating_features BETWEEN 1 AND 5),
  rating_pricing    NUMERIC(3,1) CHECK (rating_pricing BETWEEN 1 AND 5),
  rating_support    NUMERIC(3,1) CHECK (rating_support BETWEEN 1 AND 5),
  verdict           TEXT,
  review_body       TEXT,
  pros              TEXT[] DEFAULT '{}',
  cons              TEXT[] DEFAULT '{}',
  pricing_tiers     JSONB DEFAULT '[]',
  best_for          TEXT[] DEFAULT '{}',
  featured          BOOLEAN DEFAULT false,
  sponsored         BOOLEAN DEFAULT false,
  sponsored_until   DATE,
  meta_title        TEXT,
  meta_description  TEXT,
  created_at        TIMESTAMPTZ DEFAULT now(),
  updated_at        TIMESTAMPTZ DEFAULT now()
);

-- pricing_tiers JSONB structure:
-- [{"name":"Free","price_monthly":0,"price_annual":0,"features":["feat1","feat2"]},
--  {"name":"Pro","price_monthly":29,"price_annual":290,"features":["feat1","feat2","feat3"]}
-- ]

CREATE INDEX idx_tools_slug      ON tools(slug);
CREATE INDEX idx_tools_category ON tools USING GIN(category);

```

```

CREATE INDEX idx_tools_featured    ON tools(featured) WHERE featured = true;
CREATE INDEX idx_tools_sponsored  ON tools(sponsored, sponsored_until);
CREATE INDEX idx_tools_rating     ON tools(rating_overall DESC);

-- Auto-update updated_at
CREATE OR REPLACE FUNCTION update_updated_at()
RETURNS TRIGGER AS $$
BEGIN NEW.updated_at = now(); RETURN NEW; END;
$$ LANGUAGE plpgsql;

CREATE TRIGGER tools_updated_at
  BEFORE UPDATE ON tools
  FOR EACH ROW EXECUTE FUNCTION update_updated_at();

-- RLS
ALTER TABLE tools ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Public read" ON tools FOR SELECT USING (true);
CREATE POLICY "Admin write" ON tools FOR ALL USING (auth.role() = 'authenticated');

```

Table: articles

SQL — articles table

```

CREATE TABLE articles (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  slug        TEXT NOT NULL UNIQUE,
  title       TEXT NOT NULL,
  body        TEXT NOT NULL,
  excerpt     TEXT,
  article_type TEXT CHECK (article_type IN
    ('review', 'comparison', 'tutorial', 'best-of', 'guide', 'news')),
  category    TEXT,
  tags        TEXT[] DEFAULT '{}',
  seo_title   TEXT,
  seo_description TEXT,
  featured_image_url TEXT,
  author      TEXT DEFAULT 'Editorial Team',
  word_count  INTEGER,
  reading_time_mins INTEGER GENERATED ALWAYS AS (GREATEST(1, word_count / 200)) STORED,
  status      TEXT DEFAULT 'draft' CHECK (status IN ('draft', 'published', 'archived')),
  published_at TIMESTAMPTZ,
  updated_at  TIMESTAMPTZ DEFAULT now(),
  view_count  INTEGER DEFAULT 0,
  featured    BOOLEAN DEFAULT false
);

CREATE INDEX idx_articles_slug      ON articles(slug);
CREATE INDEX idx_articles_status   ON articles(status, published_at DESC);
CREATE INDEX idx_articles_category ON articles(category);
CREATE INDEX idx_articles_tags     ON articles USING GIN(tags);
CREATE INDEX idx_articles_type     ON articles(article_type);

CREATE TRIGGER articles_updated_at
  BEFORE UPDATE ON articles
  FOR EACH ROW EXECUTE FUNCTION update_updated_at();

ALTER TABLE articles ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Public read published"
  ON articles FOR SELECT USING (status = 'published');
CREATE POLICY "Admin all"
  ON articles FOR ALL USING (auth.role() = 'authenticated');

```

Table: comparisons

SQL — comparisons table

```

CREATE TABLE comparisons (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  slug        TEXT NOT NULL UNIQUE,
  title       TEXT NOT NULL,
  tool_ids    UUID[] NOT NULL,
  body        TEXT,
  winner_overall UUID REFERENCES tools(id),
  seo_title   TEXT,
  seo_description TEXT,
  view_count  INTEGER DEFAULT 0,
  status      TEXT DEFAULT 'draft' CHECK (status IN ('draft','published','archived')),
  published_at TIMESTAMPTZ,
  updated_at  TIMESTAMPTZ DEFAULT now()
);

CREATE INDEX idx_comparisons_slug    ON comparisons(slug);
CREATE INDEX idx_comparisons_tools  ON comparisons USING GIN(tool_ids);
CREATE INDEX idx_comparisons_views  ON comparisons(view_count DESC);

CREATE TRIGGER comparisons_updated_at
  BEFORE UPDATE ON comparisons
  FOR EACH ROW EXECUTE FUNCTION update_updated_at();

ALTER TABLE comparisons ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Public read published"
  ON comparisons FOR SELECT USING (status = 'published');
CREATE POLICY "Admin all"
  ON comparisons FOR ALL USING (auth.role() = 'authenticated');

```

Table: subscribers

SQL — subscribers table

```

CREATE TABLE subscribers (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  email       TEXT NOT NULL UNIQUE,
  confirmed   BOOLEAN DEFAULT false,
  confirm_token TEXT UNIQUE DEFAULT gen_random_uuid()::TEXT,
  subscribed_at TIMESTAMPTZ DEFAULT now(),
  confirmed_at TIMESTAMPTZ,
  unsubscribed_at TIMESTAMPTZ,
  active      BOOLEAN DEFAULT false,
  source      TEXT,
  tags        TEXT[] DEFAULT '{} '
);

CREATE INDEX idx_subscribers_email ON subscribers(email);
CREATE INDEX idx_subscribers_active ON subscribers(active) WHERE active = true;

ALTER TABLE subscribers ENABLE ROW LEVEL SECURITY;
CREATE POLICY "No public read" ON subscribers FOR SELECT USING (auth.role() = 'authenticated');
CREATE POLICY "Insert allowed" ON subscribers FOR INSERT WITH CHECK (true);
CREATE POLICY "Admin all" ON subscribers FOR ALL USING (auth.role() = 'authenticated');

```

Table: affiliate_clicks

SQL — affiliate_clicks table

```

CREATE TABLE affiliate_clicks (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  tool_id     UUID REFERENCES tools(id) ON DELETE SET NULL,
  article_id  UUID REFERENCES articles(id) ON DELETE SET NULL,
  page_url    TEXT,
  clicked_at  TIMESTAMPTZ DEFAULT now(),
  user_agent  TEXT,
  referrer    TEXT
);

CREATE INDEX idx_affiliate_clicks_tool ON affiliate_clicks(tool_id, clicked_at DESC);
CREATE INDEX idx_affiliate_clicks_article ON affiliate_clicks(article_id, clicked_at DESC);
CREATE INDEX idx_affiliate_clicks_date ON affiliate_clicks(clicked_at DESC);

ALTER TABLE affiliate_clicks ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Insert only" ON affiliate_clicks FOR INSERT WITH CHECK (true);
CREATE POLICY "Admin read" ON affiliate_clicks FOR SELECT USING (auth.role() = 'authenticated');

```

Table: sponsored_slots

SQL — sponsored_slots table

```
CREATE TABLE sponsored_slots (  
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  tool_id     UUID REFERENCES tools(id),  
  slot_name   TEXT NOT NULL,  
  slot_position TEXT CHECK (slot_position IN  
( 'homepage-1', 'homepage-4', 'category-top', 'sidebar', 'newsletter' )),  
  start_date  DATE NOT NULL,  
  end_date    DATE NOT NULL,  
  monthly_fee NUMERIC(10,2),  
  contact_name TEXT,  
  contact_email TEXT,  
  active      BOOLEAN DEFAULT true,  
  notes       TEXT,  
  created_at  TIMESTAMPTZ DEFAULT now()  
);  
  
CREATE INDEX idx_sponsored_active ON sponsored_slots(active, end_date);  
  
ALTER TABLE sponsored_slots ENABLE ROW LEVEL SECURITY;  
CREATE POLICY "Public read active"  
  ON sponsored_slots FOR SELECT USING (active = true AND end_date >= CURRENT_DATE);  
CREATE POLICY "Admin all"  
  ON sponsored_slots FOR ALL USING (auth.role() = 'authenticated');
```

Table: newsletter_issues

SQL — newsletter_issues table

```

CREATE TABLE newsletter_issues (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  issue_number INTEGER UNIQUE NOT NULL,
  subject     TEXT NOT NULL,
  preview_text TEXT,
  body_html   TEXT NOT NULL,
  sent_at     TIMESTAMPTZ,
  subscriber_count INTEGER,
  open_rate   NUMERIC(5,2),
  click_rate  NUMERIC(5,2)
);

CREATE INDEX idx_newsletter_number ON newsletter_issues(issue_number DESC);

ALTER TABLE newsletter_issues ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Public read sent"
  ON newsletter_issues FOR SELECT USING (sent_at IS NOT NULL);
CREATE POLICY "Admin all"
  ON newsletter_issues FOR ALL USING (auth.role() = 'authenticated');

```

Table: user_ratings

SQL — user_ratings table

```

CREATE TABLE user_ratings (
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  tool_id     UUID REFERENCES tools(id) ON DELETE CASCADE,
  rating      INTEGER CHECK (rating BETWEEN 1 AND 5),
  review_text TEXT,
  reviewer_name TEXT,
  submitted_at TIMESTAMPTZ DEFAULT now(),
  approved    BOOLEAN DEFAULT false
);

CREATE INDEX idx_user_ratings_tool      ON user_ratings(tool_id, approved);
CREATE INDEX idx_user_ratings_approved ON user_ratings(approved, submitted_at DESC);

ALTER TABLE user_ratings ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Read approved" ON user_ratings FOR SELECT USING (approved = true);
CREATE POLICY "Insert allowed" ON user_ratings FOR INSERT WITH CHECK (true);
CREATE POLICY "Admin all" ON user_ratings FOR ALL USING (auth.role() = 'authenticated');

```

Tables: keyword_queue and link_map

SQL — keyword_queue and link_map tables

```
CREATE TABLE keyword_queue (  
    id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
    keyword     TEXT NOT NULL,  
    search_volume INTEGER,  
    difficulty  INTEGER,  
    article_type TEXT CHECK (article_type IN  
(  
'review','comparison','tutorial','best-of','guide'))),  
    priority    INTEGER DEFAULT 5,  
    status      TEXT DEFAULT 'pending' CHECK (status IN  
(  
'pending','in-progress','done','skipped')),  
    tool_slugs  TEXT[],  
    created_at  TIMESTAMPTZ DEFAULT now(),  
    processed_at TIMESTAMPTZ  
);  
  
CREATE INDEX idx_keyword_queue_status ON keyword_queue(status, priority DESC);  
CREATE INDEX idx_keyword_queue_priority ON keyword_queue(priority DESC) WHERE status =  
'pending';  
  
ALTER TABLE keyword_queue ENABLE ROW LEVEL SECURITY;  
CREATE POLICY "Admin all" ON keyword_queue FOR ALL USING (auth.role() = 'authenticated');  
  
-- ████████████████████████████████████████████████████████████████████████████  
  
CREATE TABLE link_map (  
    id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
    source_article_id UUID REFERENCES articles(id),  
    source_site  TEXT DEFAULT 'site-1',  
    destination_url TEXT NOT NULL,  
    destination_site TEXT,  
    anchor_text  TEXT,  
    created_at  TIMESTAMPTZ DEFAULT now()  
);  
  
CREATE INDEX idx_link_map_source ON link_map(source_site, created_at DESC);  
CREATE INDEX idx_link_map_dest ON link_map(destination_site, created_at DESC);  
  
ALTER TABLE link_map ENABLE ROW LEVEL SECURITY;  
  
CREATE POLICY "Admin all" ON link_map FOR ALL USING (auth.role() = 'authenticated');
```

Table: tool_submissions

SQL — tool submissions table

```
CREATE TABLE tool_submissions (  
  id          UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  tool_name   TEXT NOT NULL,  
  tool_url    TEXT NOT NULL,  
  category    TEXT,  
  description TEXT,  
  pricing_info TEXT,  
  affiliate_url TEXT,  
  contact_email TEXT,  
  submitted_at TIMESTAMPTZ DEFAULT now(),  
  status      TEXT DEFAULT 'pending' CHECK (status IN ('pending','accepted','rejected'))  
);  
  
ALTER TABLE tool_submissions ENABLE ROW LEVEL SECURITY;  
CREATE POLICY "Insert allowed" ON tool_submissions FOR INSERT WITH CHECK (true);  
CREATE POLICY "Admin all" ON tool_submissions FOR ALL USING (auth.role() = 'authenticated');
```

5. Complete Lovable Build Prompt

Paste this into Lovable
Agent Mode

How to use this prompt

1. Open Lovable. 2. Start a new project. 3. Enable Agent Mode. 4. Connect your Supabase project (Project URL + Anon Key — get from Supabase Dashboard > Settings > API). 5. Copy the entire prompt below and paste it as your first message. 6. Replace [SITE NAME] and [SITE TAGLINE] with your actual brand name before pasting. Lovable will build the full site. Expect 3–5 minutes for Agent Mode to complete. Use the follow-up prompts in Section 6 to refine specific areas.

COMPLETE LOVABLE PROMPT — COPY EVERYTHING BELOW THIS LINE

Build a no-code platform review and comparison website called [SITE NAME].
Tagline: [SITE TAGLINE]

■■■■■■■■■■ DESIGN SYSTEM ■■■■■■■■■■

Colors (apply as CSS variables in :root):

```
--color-ink: #0f0e0d
--color-ink-2: #4a4845
--color-ink-3: #9a9590
--color-cream: #faf8f4
--color-mid: #f3ede4
--color-border: #e8e4dc
--color-accent: #e8541a
--color-accent-2: #f7a349
--color-white: #ffffff
--color-code-bg: #1e1e2e
```

Typography (import from Google Fonts):

- Instrument Serif: 400, 400 italic (hero headings only)
- DM Sans: 400, 500, 600, 700 (all body + UI text)
- JetBrains Mono: 400 (code blocks)

Spacing: 8px base system. Generous white space. Never cramped.

Border radius: cards 12px, buttons 8px, badges 9999px.

Shadows: cards hover only – 0 8px 24px rgba(0,0,0,0.08).

Dark mode: yes, toggle in header, persists to localStorage.

■■■■■■■■■■ SUPABASE TABLES (already created) ■■■■■■■■■■

Connect to my Supabase project. Tables already exist:

tools, articles, comparisons, subscribers, affiliate_clicks,
sponsored_slots, newsletter_issues, user_ratings,
keyword_queue, link_map, tool_submissions

■■■■■■■■■■ PAGE 1: HOMEPAGE (/) ■■■■■■■■■■

HERO SECTION:

- Full-width dark background (#0f0e0d)
- Instrument Serif italic headline: "The honest guide to no-code platforms"
- Subheadline (DM Sans regular): "In-depth reviews, real ratings, and side-by-side comparisons – so you build on the right platform from day one."
- Search bar: searches tool names and review titles. Fetches from tools and articles tables. Shows typeahead results (max 8) as dropdown.
- Stats strip below search: pulls live counts from DB:
[COUNT(tools)] tools reviewed · [COUNT(subscribers WHERE active=true)]k readers · Free forever

CATEGORY FILTER TABS (below hero):

Tabs: All | Website Builders | App Builders | Ecommerce |
Automation | Database | AI Tools | Form Builders

Clicking a tab filters the tool grid WITHOUT page reload.

Active tab: accent underline + bold text.

Fetch: `SELECT * FROM tools WHERE $category = ANY(category) ORDER BY rating_overall DESC`

TOOL GRID:

- 12 cards per page in responsive grid (1 col mobile, 2 tablet, 3 desktop, 4 wide)
- Each card contains:
 - * Tool logo (40x40, rounded-lg bg in --color-mid, fallback initials)
 - * Tool name (H3, DM Sans 600)
 - * Tagline (13px muted)
 - * Category badges (chips, max 2 shown)
 - * Star rating (5 stars, filled = accent-2 color) + numeric rating
 - * "SPONSORED" badge (top-right, orange tint) if sponsored=true AND sponsored_until >= today
 - * "Read Review" button (accent color, full width) → /tools/[slug]
 - * Affiliate link icon (small external link icon) → affiliate_url, tracked via /api/log-affiliate-click
- Load More button below grid: fetches next 12 via Supabase pagination
- Sponsored slot: if active sponsored_slot exists for 'homepage-1', that tool card always renders in position 1 regardless of sort. Same for 'homepage-4' → position 4.

TRENDING COMPARISONS STRIP:

- Heading: "Most compared this week"

- Horizontal scroll on mobile, 3-col grid on desktop
- Fetch: `SELECT * FROM comparisons WHERE status='published'`
`ORDER BY view_count DESC LIMIT 6`
- Each card: both tool logos with "vs" separator, comparison title, view count, "Compare" button → `/compare/[slug]`

EMAIL SIGNUP SECTION:

- Dark background section
- Headline: "Get the weekly no-code digest"
- Subtext: "New tool reviews, comparison breakdowns, and early access to our guides. Every Tuesday. Free forever."
- Email input + "Subscribe" button
- On submit: `POST /api/add-subscriber` with `{email, source: "homepage"}`
- Success state: "You're in! Check your inbox to confirm."
- Error state: "Something went wrong. Try again." (never show DB errors)

LATEST ARTICLES (below signup):

- 6 cards in 3-col grid (1 mobile, 2 tablet, 3 desktop)
- Fetch: `SELECT * FROM articles WHERE status='published'`
`ORDER BY published_at DESC LIMIT 6`
- Each card: article type badge, title, excerpt (truncate 120 chars), category tag, reading time, published date, "Read" link

FOOTER:

4 columns on desktop, stacked on mobile:

Col 1: [SITE NAME] logo + tagline + social links (Twitter/X icon, LinkedIn icon)

Col 2: "Top Tools" – fetch top 6 tools by view count from tools table

Col 3: "Popular Comparisons" – fetch top 6 comparisons by view_count from comparisons table

Col 4: Company links: About · Methodology · Advertise · Submit a Tool · Privacy Policy ·

Affiliate Disclosure

Bottom bar: "© 2026 [SITE NAME] · All reviews are editorially independent ·

Some links are affiliate links – see our disclosure"

■■■■■■■■■■■■■■■■ PAGE 2: ALL TOOLS (/tools) ■■■■■■■■■■■■■■■■

- Same category filter tabs as homepage

- Sort controls: Best Rated | Newest | Price: Low to High | Price: High to Low
- Fetch all tools with filters applied. 12 per page. Pagination.
- Same tool card layout as homepage grid.
- Sidebar (desktop only): filter checkboxes by category, free plan toggle, price range slider (\$0-\$500/month).

■■■■■■■■■■■■■■■■ PAGE 3: TOOL REVIEW PAGE (/tools/[slug]) ■■■■■■■■■■■■■■■■

Fetch tool by slug. If not found: 404 page.

HERO:

- Tool logo (80x80) + tool name (H1) + tagline
- Overall star rating (large, prominent) + numeric score + "(X reviews)"
- Category badges
- "Visit [Tool Name]" button (accent, large) → affiliate_url
On click: POST /api/log-affiliate-click with {tool_id, page_url}
- "SPONSORED" label if sponsored

RATING BREAKDOWN (below hero):

5 individual ratings as progress bars:

Ease of Use | Features | Pricing | Support | Overall

Each shows: label, score (e.g. 4.2), filled progress bar (accent-2 color)

TABBED CONTENT (Overview | Pricing | Pros & Cons | Best For | Verdict):

Tab 1 - Overview:

Full review_body rendered as markdown/rich text.

Tab 2 - Pricing:

Render pricing_tiers JSONB as a pricing table.

Each tier: name, monthly price, annual price (show savings %), feature checklist.

Affiliate CTA button under each tier.

Tab 3 - Pros & Cons:

Two columns: green checkmarks for pros[], red X for cons[].

Tab 4 - Best For:

Render best_for[] as tagged badges with brief descriptions.

Tab 5 - Verdict:

Verdict text + final star rating + prominent affiliate CTA.

STICKY SIDEBAR (desktop, fixed on scroll):

- Tool logo + name
- Overall rating
- "Visit [Tool Name]" affiliate button (prominent, full width)
- Quick specs: Free plan? | Starting price | Category

USER RATINGS SECTION (below tabs):

- Average rating from user_ratings WHERE tool_id = X AND approved = true
- List of approved user reviews (name, rating stars, text, date)
- "Submit your rating" form:
 - Star selector (1-5, interactive), review text textarea,
 - reviewer name input, submit button
 - On submit: INSERT into user_ratings. Show: "Thanks! Your review is pending approval."

RELATED COMPARISONS:

- "Compare [Tool Name] with..." section
- Fetch comparisons WHERE tool_id = ANY(tool_ids) AND status='published' LIMIT 4

RELATED TOOLS (same category):

- 3 tool cards in horizontal row
- Fetch: SELECT * FROM tools WHERE category && \$tool_category
AND id != \$tool_id LIMIT 3

SEO (auto-set on this page):

- : {meta_title} OR "{Tool Name} Review 2026 – Is It Worth It? | [SITE NAME]"
- : {meta_description} OR excerpt from review_body (160 chars)
- JSON-LD SoftwareApplication schema (see Section 13)
- Canonical: /tools/[slug]
- OG image: tool logo + site name on dark background

■■■■■■■■■■ PAGE 4: COMPARISON PAGE (/compare/[slug]) ■■■■■■■■■■

Fetch comparison by slug. Fetch both tools from tool_ids array.

HERO:

- Two tool logos side-by-side with large "VS" separator
- Page title: "[Tool A] vs [Tool B] – Full Comparison"
- Winner badge on winning tool logo (if winner_overall is set): "■ Winner"
- Subtitle: "Last updated [updated_at date]"

COMPARISON TABLE (full feature matrix):

Rows: Overall Rating | Ease of Use | Features | Pricing | Support |
Free Plan | Starting Price | Best For | Our Pick
Each row: Tool A value | Row label | Tool B value
Winner cell highlighted in green tint.

PRICING COMPARISON TABLE:

Shows all tiers from both tools' pricing_tiers JSONB.
Columns: Plan Name | Tool A Price | Tool B Price | Key Differences

WRITTEN COMPARISON (body from comparisons.body):

Rendered as rich text with internal H2/H3 headings.
Includes: intro, feature-by-feature breakdown,
pricing analysis, who should choose which, final verdict.

AFFILIATE CTAs:

Both tools get prominent CTA buttons at end of each major section.
Track clicks via /api/log-affiliate-click.

RELATED COMPARISONS:

"Also compare:" – 4 other comparison cards involving either tool.

■■■■■■■■■■ PAGE 5: CATEGORY INDEX (/category/[slug]) ■■■■■■■■■■

- H1: "Best [Category Name] Tools – Reviewed & Ranked"
- Intro paragraph (2-3 sentences about the category)
- Tool grid: same as /tools but pre-filtered to this category
- Sort: default Best Rated. Controls for other sorts.

- SEO: H1 + intro text optimised for "[category] tools" keyword

■■■■■■■■■■ PAGE 6: BEST-OF LIST (/best/[slug]) ■■■■■■■■■■

Fetch article by slug WHERE article_type = 'best-of'.

- H1: article title
- Published date + last updated date
- Table of contents (auto-generated from H2 headings in body)
- Body rendered as rich text with numbered list sections
- Each tool mentioned: inline tool card (compact – logo, name, rating, affiliate CTA)
- Email signup CTA in the middle of the article (after item 3)
- "Full Review" link for each tool → /tools/[slug]

■■■■■■■■■■ PAGE 7: BLOG INDEX (/blog) ■■■■■■■■■■

- Search bar (searches article titles and tags)
- Filter by tag (tag cloud, fetched from all articles.tags)
- Filter by type: All | Reviews | Comparisons | Tutorials | Best-Of Lists
- Article cards grid: 3 cols desktop, 2 tablet, 1 mobile
- Each card: type badge, title, excerpt, tags (max 3), reading time, date
- Pagination: 12 per page

■■■■■■■■■■ PAGE 8: ARTICLE PAGE (/blog/[slug]) ■■■■■■■■■■

Fetch article by slug WHERE status = 'published'.

- Breadcrumb: Home > Blog > [Article Title]
- Article type badge (Review / Comparison / Tutorial / Best-Of)
- H1: article title
- Meta: author + published date + reading time + word count
- Reading progress bar (thin accent-colored line at top of viewport, fills on scroll)
- Table of contents (auto-generated from H2 headings, sticky on desktop)
- Body rendered as rich text
- Inline tool cards where tool names are mentioned (cross-reference tools table by name)

- Related articles (same category, 3 cards at bottom)
- Social share buttons: Twitter/X | LinkedIn | Copy link (fixed right side on desktop)

■■■■■■■■■■ PAGE 9: SUBMIT A TOOL (/submit) ■■■■■■■■■■

Form fields:

- Tool Name (text, required)
- Tool URL (url, required)
- Category (multi-select: the 8 categories)
- Short Description (textarea, max 200 chars, required)
- Pricing Info (textarea – describe all tiers)
- Do you have an affiliate program? (Yes/No toggle)
 - If Yes: Affiliate URL (url input appears)
- Contact Email (email, required – for follow-up)
- How did you find us? (select: Google / Reddit / Twitter / Friend / Other)
- Submit button

On submit: INSERT into tool_submissions table.

Success: "Thanks! We review new tool submissions weekly.

We'll email you at [email] if we decide to include it."

■■■■■■■■■■ PAGE 10: ADVERTISE (/advertise) ■■■■■■■■■■

Static page. Content:

- H1: "Reach [N] no-code builders every month"
- Traffic stats strip: Monthly Readers | Avg Time on Page | Newsletter Subscribers (static numbers, update manually every quarter)
- Slot availability: fetch from sponsored_slots table.
 - Show 3 slot cards: Homepage Position 1 | Homepage Position 4 | Newsletter Sponsor
 - Each card: slot name, description, traffic context, price, "Available" or "Booked until [date]" badge
- Pricing table: 3 tiers based on traffic milestones
- Contact form: Name, Company, Email, Website, Which slot (select), Message
 - On submit: email via Resend to admin address

■■■■■■■■■■ PAGE 11: NEWSLETTER ARCHIVE (/newsletter) ■■■■■■■■■■

```
Fetch: SELECT * FROM newsletter_issues WHERE sent_at IS NOT NULL
      ORDER BY issue_number DESC
```

Grid of issue cards:

- Issue number + date
- Subject line (used as title)
- Preview text
- "Read Issue" button → /newsletter/[issue_number] (renders body_html)

■■■■■■■■■■ PAGE 12: ABOUT (/about) ■■■■■■■■■■

Static content page. Sections:

- Our mission (why honest no-code reviews matter)
- How we review tools (our methodology – 5 criteria explained)
- Editorial independence statement
- Affiliate disclosure (required by FTC – must be on this page AND in footer)
- Contact info

■■■■■■■■■■ ADMIN DASHBOARD (/admin) ■■■■■■■■■■

Protected by Supabase Auth. Redirect to /admin/login if not authenticated.

Login page (/admin/login):

- Email + password form
- Uses Supabase Auth signInWithPassword()
- On success: redirect to /admin

Dashboard home (/admin):

- Stats cards: Total Tools | Published Articles | Active Subscribers | Affiliate Clicks (30d) | Sponsored Revenue (active slots)
- Recent activity feed: last 10 articles published, last 5 subscribers, last 5 affiliate clicks
- Quick actions: "Add Tool" | "Publish Article" | "View Keyword Queue"

Article Management (/admin/articles):

- Table: title | type | status | published_at | word_count | view_count | actions
- Filter by status (draft/published/archived)
- Actions: Edit | Publish/Unpublish | Delete
- "Add Article" button → form with all article fields
- Status toggle updates articles.status in Supabase

Tool Management (/admin/tools):

- Table: logo | name | category | rating | featured | sponsored | updated_at | actions
- Actions: Edit | Toggle Featured | Toggle Sponsored | Delete
- "Add Tool" button → form with all tool fields
- Featured toggle updates tools.featured boolean
- Sponsored toggle + sponsored_until date picker

Keyword Queue (/admin/keywords):

- Table of all keywords with status, priority, article_type
- Filter by status (pending/in-progress/done/skipped)
- "Add Keyword" form
- Bulk actions: mark done, skip, change priority
- "Trigger Generation" button: sends top pending keyword to n8n webhook

Subscriber Management (/admin/subscribers):

- Count of active/pending/unsubscribed
- Table: email | subscribed_at | confirmed | active | source | tags
- Filter by active/pending
- "Export CSV" button: downloads all active subscribers
- Delete individual subscribers

Affiliate Analytics (/admin/analytics):

- Date range picker (default: last 30 days)
- Total clicks chart (line chart, daily)
- Top 10 tools by clicks (bar chart)
- Top 10 articles by clicks (bar chart)
- Click-through table: tool name | clicks | affiliate_url

Sponsored Slots (/admin/sponsored):

- Current slots table: slot | tool | start | end | fee | status
- Add/edit/delete slots
- Renewal alerts: highlight slots expiring within 7 days in yellow

User Ratings (/admin/ratings):

- Table: tool | reviewer | rating | text | submitted_at | approved
- Approve / reject buttons
- Filter: pending only (default view)

Tool Submissions (/admin/submissions):

- Table: tool_name | url | category | submitted_at | status
- Mark as accepted (creates tool draft) / rejected
- Quick view of submission details

■■■■■■■■■■■■■■■■■■■■ WEBHOOK API ENDPOINTS ■■■■■■■■■■■■■■■■■■■■

All endpoints require header: X-Webhook-Secret: [env: WEBHOOK_SECRET]

Return 401 if header missing or wrong. Return 200 on success, 400 on validation error.

POST /api/publish-article

Body: {title, slug, body, excerpt, article_type, category, tags[],
seo_title, seo_description, featured_image_url, author}

Action: INSERT into articles with status='published', published_at=now()
Update sitemap. Ping IndexNow.

POST /api/add-tool

Body: {name, slug, tagline, logo_url, website_url, affiliate_url,
category[], verdict, review_body, pros[], cons[], pricing_tiers,
rating_overall, rating_ease, rating_features, rating_pricing, rating_support}

Action: INSERT into tools table.

POST /api/update-tool

Body: {slug, fields: {field: value, ...}}

Action: UPDATE tools WHERE slug = \$slug SET \$fields, updated_at = now()

```

POST /api/add-subscriber
Body: {email, source}
Action: UPSERT into subscribers (ignore if email exists).
      If new: send confirmation email via Resend.
      Return: {status: "added"} or {status: "already_subscribed"}

POST /api/send-newsletter
Body: {subject, preview_text, body_html, issue_number}
Action: Get all subscribers WHERE active=true AND confirmed=true.
      Send via Resend batch. INSERT into newsletter_issues.

POST /api/log-affiliate-click
Body: {tool_id, article_id, page_url, user_agent, referrer}
Action: INSERT into affiliate_clicks. Non-blocking (respond 200 immediately, insert async).

GET /api/keyword-queue
Query params: limit (default 10), type (optional filter)
Action: SELECT from keyword_queue WHERE status='pending' ORDER BY priority DESC LIMIT $limit
Return: JSON array of keyword objects.

POST /api/update-keyword-status
Body: {keyword_id, status}
Action: UPDATE keyword_queue SET status=$status, processed_at=now() WHERE id=$keyword_id

POST /api/add-cross-link
Body: {source_article_id, source_site, destination_url, destination_site, anchor_text}
Action: INSERT into link_map.
      Check: SELECT COUNT(*) FROM link_map WHERE destination_site=$dest
            AND created_at > now() - interval '30 days'
      If count >= 3: return {status: "limit_reached"}, do not insert.

```

■■■■■■■■■■ INTERACTIVE TOOLS (React components) ■■■■■■■■■■

```

TOOL 1 – Platform Comparison Wizard (/tools/quiz):
Multi-step form (10 steps, progress bar at top):

```

Step 1: "What are you building?" (cards: Website / App / Online Store / Automation / Database / Something else)

Step 2: "What's your technical level?" (No coding / Basic HTML / Comfortable with code)

Step 3: "How big is your team?" (Just me / 2-5 people / 6-20 / 20+)

Step 4: "What's your monthly budget for tools?" (Free only / Under \$50 / \$50-200 / \$200+)

Step 5: "Do you need a free plan to start?" (Yes definitely / Prefer free / Paid is fine)

Step 6: "Most important to you?" (Ease of use / Design quality / Features / Integrations / Price / Support)

Step 7: "Do you need ecommerce?" (Yes, selling products / Maybe later / No)

Step 8: "Do you need a mobile app?" (Yes, iOS/Android / Web only / Both would be nice)

Step 9: "Timeline to launch?" (This week / This month / 3+ months / Just exploring)

Step 10: "Any tools you've already tried?" (multi-select from tools table)

Result page:

- "Your top matches" heading
- Top 3 tools with: match score (%), why it matches (generated from answers), rating, "Read Full Review" link, "Visit [Tool]" affiliate CTA
- "See all tools" link to /tools

TOOL 2 – Pricing Calculator (/tools/pricing-calculator):

Inputs:

- Expected monthly active users (slider: 0 – 100,000)
- Team members needing access (slider: 1 – 50)
- Features needed (checkboxes): Custom domain / Ecommerce / API access / White label / Priority support / Unlimited pages
- Show tools (multi-select from tools WHERE pricing_tiers is not empty)

Real-time output:

- Table with columns: Tool | Recommended Plan | Monthly Cost | Annual Cost | Savings
- Pulls from pricing_tiers JSONB and applies logic to select cheapest fitting plan
- Cheapest overall highlighted in green
- "Visit [Tool]" affiliate CTA in each row

TOOL 3 – Feature Matrix Builder (/tools/compare):

- Dropdown to select 2-4 tools from tools table
- "Build Matrix" button

- Renders full feature comparison table from DB data
- Export as image button (html2canvas)
- "Full Comparison" link to /compare/[slug-vs-slug] if that comparison exists

TOOL 4 – Should I Switch? Tool (/tools/should-i-switch):

- Step 1: "What tool are you currently using?" (select from tools table)
- Step 2: "What's frustrating you?" (multi-select: Too expensive / Too complex / Missing features / Poor support / Scaling issues / Better option exists)
- Step 3: "What matters most in a new tool?" (rank by drag-drop: Price / Ease / Features / Design / Support / Integrations)
- Step 4: "What's your switch timeline?" (ASAP / Within 3 months / Just evaluating)

Result:

- "Stay or Switch?" verdict (generated from inputs)
- If switch: Top 3 alternatives with match score, review links, affiliate CTAs
- Migration difficulty badge (Easy / Medium / Hard) per alternative
- "Your full migration guide" article link (if relevant article exists in DB)

■■■■■■■■■■ SEO REQUIREMENTS ■■■■■■■■■■

Auto-generate on every page:

- tag: page-specific formula (see Section 13)
- : 150-160 chars
-
-
- : 1200x630 generated card (tool logo + site name + dark bg)
-
- : summary_large_image
- Canonical URL tag
- JSON-LD structured data (type varies by page – see Section 13)

Sitemap: auto-regenerate at /sitemap.xml on every article/tool publish.

Robots.txt: allow all, disallow /admin.

■■■■■■■■■■ PERFORMANCE REQUIREMENTS ■■■■■■■■■■

- All images: lazy loading + explicit width/height attributes
- Tool grid: client-side pagination, no full-page reload on filter/sort
- Supabase queries: implement 5-minute cache on tool list queries
- Core Web Vitals targets: LCP < 2.5s, CLS < 0.1, INP < 200ms
- Mobile-first responsive: test at 375px, 768px, 1024px, 1440px breakpoints
- All interactive tools: loading states, error states, empty states

■■■■■■■■■■■■■■■■■■■■ ACCESSIBILITY ■■■■■■■■■■■■■■■■■■■■

- All images: alt text (tool name + "logo" or "screenshot")
- All interactive elements: keyboard navigable
- Color contrast: WCAG AA minimum on all text
- Form labels: properly associated with inputs
- ARIA labels on icon-only buttons
- Skip navigation link at top of page

6. Lovable Follow-Up Prompts

Run these after the main
build completes

Use these prompts in order after the main build. Each addresses a specific area.

Follow-up #1: Polish mobile navigation

FOLLOW-UP PROMPT #1

The mobile hamburger menu needs improvement:

1. Slide in from left with 300ms ease transition
2. Dark overlay behind it (bg rgba(0,0,0,0.6)), clicking overlay closes menu
3. Menu items: 18px, 48px tap height minimum
4. Email signup form at bottom of mobile nav overlay
5. Close button (X) top-right of menu panel
6. Lock body scroll when menu is open

Follow-up #2: Add exit-intent email capture modal

FOLLOW-UP PROMPT #2

Add an email capture modal that triggers on exit intent:

1. Desktop: fires when mouse moves above viewport (mouseleave on document)
2. Mobile: fires after 60 seconds on page
3. Show maximum once per 7 days per device (store in localStorage)
4. Never show on /admin pages or /submit page
5. Modal design: dark overlay, centered white card, headline 'Before you go – get our free weekly no-code digest', email input + subscribe button
6. On submit: POST /api/add-subscriber with source='exit-intent'
7. Success: replace form with 'You are in! Check your inbox.' + close button

Follow-up #3: Add reading progress bar and social sharing

FOLLOW-UP PROMPT #3

Add to all article pages (/blog/[slug] and /tools/[slug]):

1. Reading progress bar: fixed 3px line at very top of viewport.
Width = $\text{scrollY} / (\text{documentHeight} - \text{viewportHeight}) * 100\%$.
Color: `--color-accent`. Smooth transition.
2. Social share sidebar (desktop only): fixed right side, vertically centered.
3 icons: Twitter/X (tweet with page title + URL), LinkedIn (share),
Copy Link (copies URL to clipboard, shows 'Copied!' tooltip for 2s).
3. Share bar bottom (mobile only): fixed bottom strip with same 3 share options.
Show/hide on scroll direction (hide on scroll down, show on scroll up).

Follow-up #4: Add comparison page dynamic generation

FOLLOW-UP PROMPT #4

If a user visits /compare/[tool-a-slug]-vs-[tool-b-slug] and no comparison exists in the database for those two tools, dynamically generate one:

1. Fetch both tools from the tools table by their slugs
2. If either tool not found: show 404
3. If comparison exists in DB: render it normally
4. If no comparison in DB: render a live-generated comparison using the tools data
Show both tools side-by-side with all available DB data (ratings, pricing, pros, cons)
Add a banner: 'Full written comparison coming soon – subscribe for the alert'
Do NOT make an API call to generate content on the fly for this page
5. Increment `view_count` on the comparisons record if it exists

Follow-up #5: Improve admin analytics dashboard

FOLLOW-UP PROMPT #5

Upgrade the /admin/analytics section:

1. Stats row: Total Affiliate Clicks (30d) | Top Tool by Clicks | Active Subscribers | Articles Published This Month (4 cards with trend arrows vs previous 30d)
2. Line chart: daily affiliate clicks for last 30 days. Use `recharts` library.
3. Bar chart: top 10 tools by affiliate clicks in date range.
4. Table: each tool row showing clicks, article that drove most clicks, affiliate URL
5. Date range picker: preset options (7d / 30d / 90d) + custom range
6. Export button: downloads the filtered data as CSV

Follow-up #6: Add JSON-LD structured data to all tool and article pages

FOLLOW-UP PROMPT #6

Add the following JSON-LD to the of each page type:

Tool review pages (/tools/[slug]):

```
{
  "@context": "https://schema.org",
  "@type": "SoftwareApplication",
  "name": "[tool.name]",
  "url": "[tool.website_url]",
  "description": "[tool.tagline]",
  "applicationCategory": "WebApplication",
  "offers": { "@type": "Offer", "price": "[lowest tier price]", "priceCurrency": "USD" },
  "aggregateRating": {
    "@type": "AggregateRating",
    "ratingValue": "[tool.rating_overall]",
    "bestRating": "5", "worstRating": "1", "ratingCount": "[user_ratings count]"
  }
}
```

Article pages (/blog/[slug]):

```
{
  "@context": "https://schema.org",
  "@type": "Article",
  "headline": "[article.title]",
  "datePublished": "[article.published_at]",
  "dateModified": "[article.updated_at]",
  "author": { "@type": "Organization", "name": "[SITE NAME]" },
  "publisher": { "@type": "Organization", "name": "[SITE NAME]" }
}
```

Homepage – add BreadcrumbList + WebSite with SearchAction for sitelinks searchbox.

Follow-up #7: Add tool pricing update banner

FOLLOW-UP PROMPT #7

On tool review pages, if tools.updated_at is more than 90 days ago, show a yellow banner below the hero:

'Heads up: this review was last updated [date]. Pricing and features may have changed. Check the latest on [Tool Name]'s website.' with a link to tools.website_url.

The banner should be dismissible (X button, hides for this session via sessionStorage). Style: warning yellow background, dark text, rounded, full-width below hero.

Follow-up #8: Add sitemap.xml auto-generation and IndexNow ping

FOLLOW-UP PROMPT #8

Create a dynamic /sitemap.xml endpoint that:

1. Fetches all published articles (slug, updated_at) from articles table
2. Fetches all tools (slug, updated_at) from tools table
3. Fetches all comparisons (slug, updated_at) from comparisons table
4. Generates a valid XML sitemap with all URLs
5. Includes: loc, lastmod, changefreq (weekly for tools/comparisons, daily for blog), priority
6. Static pages included: /, /tools, /blog, /about, /advertise, /newsletter, /submit

After any new article or tool is published (via webhook), call:

POST https://api.indexnow.org/IndexNow

Body: {

```
"host": "[YOUR DOMAIN]",
"key": "[INDEXNOW_KEY from env]",
"keyLocation": "https://[YOUR DOMAIN]/[INDEXNOW_KEY].txt",
"urlList": ["https://[YOUR DOMAIN]/[new-page-url]"]
```

}

Follow-up #9: Polish tool card hover and loading states

FOLLOW-UP PROMPT #9

Improve micro-interactions throughout:

1. Tool cards: on hover, show a subtle 'Compare' button that appears at bottom of card. Clicking it adds the tool to a comparison sidebar (max 3 tools).
Comparison sidebar: fixed bottom bar on mobile, fixed right sidebar on desktop.
'Compare X tools' button appears when 2+ tools selected →
/tools/compare?tools=slug1,slug2,slug3
2. All affiliate CTA buttons: add a small external link icon after the text.
Add 1 second 'redirecting...' state on click before opening new tab.
3. Star ratings: on tool card hover, show tooltip 'Based on our editorial review'
4. Add skeleton loading states for all Supabase fetches:
Tool cards: animated grey placeholder cards while loading
Articles: animated placeholder lines while loading

Follow-up #10: Add GDPR cookie consent and privacy infrastructure

FOLLOW-UP PROMPT #10

Add full GDPR compliance:

1. Cookie consent banner (bottom of page on first visit):
 'We use cookies for analytics and to improve your experience.
 Accept All | Manage Preferences | Reject Non-Essential'
 Store choice in localStorage. Persist for 365 days.
2. Only load Google Analytics if user accepted analytics cookies.
3. Privacy Policy page (/privacy): auto-generate from template covering:
 What data we collect (email for newsletter, click tracking),
 How it's used, Third party services (Supabase, Resend, Google Analytics),
 Cookie policy, User rights (GDPR), Contact information.
4. Affiliate Disclosure page (/disclosure): explain affiliate relationship.
5. Add 'Affiliate Disclosure' link to footer and to every article page header.
6. Unsubscribe page (/unsubscribe?token=[token]):
 Finds subscriber by confirm_token, sets active=false, unsubscribed_at=now()
 Shows: 'You have been unsubscribed. We are sorry to see you go.'

7. Environment Variables

Every variable required —
where to get each

■■ In Lovable: Settings > Environment Variables. In n8n: Settings > Variables. Never commit these to git.

Variable	How to Get It	Exposure	Status
NEXT_PUBLIC_SUPABASE_URL	Supabase Dashboard > Settings > API > Project URL	Public	Required
NEXT_PUBLIC_SUPABASE_ANON_KEY	Supabase Dashboard > Settings > API > anon/public key	Public	Required
SUPABASE_SERVICE_ROLE_KEY	Supabase Dashboard > Settings > API > service_role key	Secret (server-side only, never expose)	Required
WEBHOOK_SECRET	Generate: openssl rand -hex 32. Set the same value in n8n workflow helper	Secret	Required
RESEND_API_KEY	resend.com > API Keys > Create API Key	Secret	Required
RESEND_FROM_EMAIL	Your verified sending address in Resend (e.g. hello@yourdomain.com)	Public	Required
RESEND_ADMIN_EMAIL	Your personal email for admin notifications (new submissions, expiring secrets)	Secret	Required
GEMINI_API_KEY	Google AI Studio > Get API Key. Use a paid account for production.	Secret	Required
INDEXNOW_KEY	Generate any random 32-char hex string. Also create /{key} on robots.txt	Secret	Required (same value)
NEXT_PUBLIC_GA_MEASUREMENT_ID	Google Analytics 4 > Data Streams > Measurement ID (standard G-)	Public	Recommended
NEXT_PUBLIC_SITE_URL	Your full site URL (e.g. https://nocodereviews.com) — used for sitemap	Public	Required (IndexNow)
N8N_WEBHOOK_BASE_URL	Your n8n instance URL (e.g. https://yourn8n.app.n8n.cloud) — secret used by cron	Secret	Optional
CRON_SECRET	Generate: openssl rand -hex 32. Used to authenticate cron calls.	Secret	Optional

8.1 Google Gemini API (Content Generation)

Endpoint	https://generativelanguage.googleapis.com/v1beta/models/gemini-2.0-flash:generateContent
Auth	API key in header: x-goog-api-key: {GEMINI_API_KEY}
Model	gemini-2.0-flash (default — fast + cheap). gemini-2.5-pro for flagship content.
Max tokens	8192 output tokens per call (enough for 1,500-word article)
Temperature	0.7 for articles (creative but grounded). 0.3 for structured data extraction.
Rate limits	Free tier: 15 req/min. Paid: 1,000 req/min. Production must use paid.

Gemini API — Request structure

```
// Gemini API call structure (used in n8n HTTP Request node)
POST
https://generativelanguage.googleapis.com/v1beta/models/gemini-2.0-flash:generateContent

Headers:
  x-goog-api-key: {{$env.GEMINI_API_KEY}}
  Content-Type: application/json

Body:
{
  "contents": [{
    "parts": [{
      "text": "{{$json.prompt}}"
    }]
  }],
  "generationConfig": {
    "temperature": 0.7,
    "maxOutputTokens": 8192,
    "responseMimeType": "text/plain"
  },
  "safetySettings": [
    {"category": "HARM_CATEGORY_HARASSMENT", "threshold": "BLOCK_MEDIUM_AND_ABOVE"},
    {"category": "HARM_CATEGORY_HATE_SPEECH", "threshold": "BLOCK_MEDIUM_AND_ABOVE"},
    {"category": "HARM_CATEGORY_SEXUALLY_EXPLICIT", "threshold": "BLOCK_MEDIUM_AND_ABOVE"},
    {"category": "HARM_CATEGORY_DANGEROUS_CONTENT", "threshold": "BLOCK_MEDIUM_AND_ABOVE"}
  ]
}

Response path to article text:
response.candidates[0].content.parts[0].text
```

8.2 Resend API (Email)

Endpoint	https://api.resend.com/emails (single) / https://api.resend.com/emails/batch (bulk)
Auth	Authorization: Bearer {RESEND_API_KEY}
Free tier	100 emails/day, 3,000/month. Paid from \$20/month for 50k/month.
Batch limit	100 recipients per batch call. Loop for larger lists.
From domain	Must verify your sending domain in Resend (add DNS records). Use custom domain, not resend.dev in production.

Resend API — Email sending

```
// Resend single email (confirmation, admin alert)
POST https://api.resend.com/emails
Authorization: Bearer {RESEND_API_KEY}
Content-Type: application/json

{
  "from": "No-Code Reviews ",
  "to": ["subscriber@email.com"],
  "subject": "Confirm your subscription",
  "html": "...",
  "text": "Plain text fallback..."
}

// Resend batch (newsletter send – loop in batches of 100)
POST https://api.resend.com/emails/batch
Authorization: Bearer {RESEND_API_KEY}

[
  {"from": "...", "to": ["email1@..."], "subject": "...", "html": "..."},
  {"from": "...", "to": ["email2@..."], "subject": "...", "html": "..."}
  // ... up to 100 per batch
]
```

8.3 Google Search Console API (Keyword Discovery)

Google Search Console API

```
// GSC API — fetch queries ranking in positions 8-20 (easy wins)
// Set up: Google Cloud Console > Enable Search Console API > OAuth2 credentials

POST
https://searchconsole.googleapis.com/webmasters/v3/sites/{siteUrl}/searchAnalytics/query
Authorization: Bearer {OAUTH_ACCESS_TOKEN}

{
  "startDate": "2026-04-18",
  "endDate": "2026-05-18",
  "dimensions": ["query", "page"],
  "dimensionFilterGroups": [{
    "filters": [{
      "dimension": "position",
      "operator": "greaterThan",
      "expression": "7"
    }, {
      "dimension": "position",
      "operator": "lessThan",
      "expression": "21"
    }]
  }],
  "rowLimit": 100,
  "orderBy": [{"fieldName": "clicks", "sortOrder": "DESCENDING"}]
}

// Response: rows[].keys[0] = query, rows[].position = avg position
// Filter: impressions > 50 (avoid zero-traffic queries)
// Add qualifying keywords to keyword_queue table via Supabase insert
```

8.4 IndexNow API (Instant Google Indexing)

IndexNow API

```
// IndexNow — ping on every new article/tool published
// Step 1: Create file at https://yoursite.com/{INDEXNOW_KEY}.txt
//           File contents: just the key string (no other text)

POST https://api.indexnow.org/IndexNow
Content-Type: application/json

{
  "host": "yoursite.com",
  "key": "{INDEXNOW_KEY}",
  "keyLocation": "https://yoursite.com/{INDEXNOW_KEY}.txt",
  "urlList": [
    "https://yoursite.com/blog/new-article-slug",
    "https://yoursite.com/tools/new-tool-slug"
  ]
}

// Max 10,000 URLs per request. Bing and Yandex also honor IndexNow.
// Call this from the /api/publish-article and /api/add-tool webhooks.
```

8.5 Google PageSpeed Insights API (CWV Checker Tool)

PageSpeed API

```
// Used by the Core Web Vitals Checker interactive tool
GET https://www.googleapis.com/pagespeedonline/v5/runPagespeed
?url={USER_ENTERED_URL}
&strategy=mobile
&key={GOOGLE_API_KEY}

// Key response fields:
// lighthouseResult.categories.performance.score (multiply by 100 for score)
// lighthouseResult.audits.largest-contentful-paint.displayValue
// lighthouseResult.audits.cumulative-layout-shift.displayValue
// lighthouseResult.audits.total-blocking-time.displayValue

// Free tier: 25,000 queries/day
// Enable at: Google Cloud Console > PageSpeed Insights API
```

9. Webhook Contracts

Every endpoint fully
specified

■ All endpoints require header X-Webhook-Secret matching WEBHOOK_SECRET env var. Return 401 if missing/wrong. All POST bodies are JSON. All responses are JSON.

POST /api/publish-article

Publishes a new article from the n8n content pipeline

Request Body	Response Body
<pre>{ "title": "string – required", "slug": "string – required, URL-safe, unique", "body": "string – required, markdown or HTML, min 800 chars", "excerpt": "string – optional, max 300 chars", "article_type": "string – review comparison tutorial best-of guide", "category": "string – e.g. 'app-builders'", "tags": ["string array"], "seo_title": "string – optional, max 60 chars", "seo_description": "string – optional, max 160 chars", "featured_image_url": "string – optional, full URL", "author": "string – optional, default 'Editorial Team'", "word_count": "integer – optional, auto-calculated if omitted" }</pre>	<pre>{ "status": "published", "article_id": "uuid", "slug": "string", "url": "https://yoursite.com/blog/[slug]" }</pre>

POST /api/add-tool

Adds a new tool to the database

Request Body	Response Body
--------------	---------------

<pre>{ "name": "string – required", "slug": "string – required", "tagline": "string", "logo_url": "string – URL", "website_url": "string – URL", "affiliate_url": "string – URL", "category": ["string array – e.g. ['app-builders', 'automation']"], "rating_overall": "number 1.0–5.0", "rating_ease": "number 1.0–5.0", "rating_features": "number 1.0–5.0", "rating_pricing": "number 1.0–5.0", "rating_support": "number 1.0–5.0", "verdict": "string – one sentence verdict", "review_body": "string – full review text", "pros": ["string array"], "cons": ["string array"], "pricing_tiers": "[{name, price_monthly, price_annual, features[]}]\"", "best_for": ["string array"] }</pre>	<pre>{ "status": "added", "tool_id": "uuid", "slug": "string" }</pre>
--	---

POST /api/update-tool

Updates specific fields on an existing tool

Request Body	Response Body
<pre>{ "slug": "string – required, identifies the tool", "fields": { "rating_overall": 4.5, "pricing_tiers": [...], "pros": [...], "any_tool_field": "new_value" } }</pre>	<pre>{ "status": "updated", "tool_id": "uuid", "updated_fields": ["field1", "field2"] }</pre>

POST /api/add-subscriber

Adds subscriber and triggers confirmation email

Request Body	Response Body
--------------	---------------

<pre>{ "email": "string – required, valid email format", "source": "string – e.g. 'homepage', 'exit-intent', 'article-signup'" }</pre>	<pre>{ "status": "added" "already_subscribed", "subscriber_id": "uuid – only if newly added" }</pre>
--	--

POST /api/send-newsletter

Sends newsletter to all active confirmed subscribers

Request Body	Response Body
<pre>{ "subject": "string – required, email subject line", "preview_text": "string – preview shown in inbox", "body_html": "string – required, full HTML email body", "issue_number": "integer – required, sequential issue number" }</pre>	<pre>{ "status": "sent", "recipients": 1234, "issue_id": "uuid" }</pre>

POST /api/log-affiliate-click

Logs affiliate click (non-blocking)

Request Body	Response Body
<pre>{ "tool_id": "uuid – required", "article_id": "uuid – optional (null if clicked from tool card)", "page_url": "string – full URL where click occurred", "user_agent": "string – from request headers", "referrer": "string – from request headers" }</pre>	<pre>{ "status": "logged" }</pre>

GET /api/keyword-queue

Returns pending keywords for article generation

Request Body	Response Body
--------------	---------------

Query params: limit: integer (default 10, max 50) type: string (optional filter: review comparison tutorial best-of guide)	<pre>{ "keywords": [{ "id": "uuid", "keyword": "string", "search_volume": 1200, "difficulty": 24, "article_type": "comparison", "priority": 8, "tool_slugs": ["bubble", "webflow"] }], "total_pending": 47 }</pre>
---	--

POST /api/add-cross-link

Logs a cross-site link to prevent over-linking

Request Body	Response Body
<pre>{ "source_article_id": "uuid – required", "source_site": "string – e.g. 'site-1'", "destination_url": "string – full URL of destination page", "destination_site": "string – e.g. 'site-2'", "anchor_text": "string – the link anchor text used" }</pre>	<pre>{ "status": "logged" "limit_reached", "monthly_count": 3, "message": "Limit reached: max 3 cross-links/month to this destination" }</pre>

10. n8n Automation Workflows

6 workflows — full node configurations

n8n setup

Use n8n Cloud (n8n.io/cloud, from \$20/month) or self-host on a VPS. Set environment variables in n8n: Settings > Variables. Each workflow below lists every node in order with its exact configuration. Import workflows via n8n's JSON import feature using the configs below.

Workflow 1 — Daily Article Generation (runs 4× per day)

Node	Configuration
Node 1: Schedule Trigger	Type: Schedule. Interval: Every 6 hours (00:00, 06:00, 12:00, 18:00 UTC). This triggers 4 article generation
Node 2: HTTP Request — Get Keywords	Method: GET. URL: {{\$env.SITE_URL}}/api/keyword-queue?limit=1. Headers: X-Webhook-Secret: {{\$env.V
Node 3: IF — Queue Empty?	Condition: {{\$json.keywords.length}} equals 0. True branch: Stop and Error node (log 'No keywords in queue
Node 4: Set — Build Article Brief	Sets variables: keyword={{\$json.keywords[0].keyword}}, article_type={{\$json.keywords[0].article_type}}, key
Node 5: HTTP Request — Fetch Tool Data	Method: GET. URL: {{\$env.SUPABASE_URL}}/rest/v1/tools?slug=in.({{\$json.tool_slugs.join(',')}})&select=*
Node 6: Code — Build Gemini Prompt	JavaScript function node. Assembles the full article prompt from keyword + tool data + article_type. See Se
Node 7: HTTP Request — Call Gemini	Method: POST. URL: https://generativelanguage.googleapis.com/v1beta/models/gemini-2.0-flash:generate
Node 8: Code — Quality Gateway	JavaScript function. Runs all quality checks on generated article. See Section 11 for the full quality gateway
Node 9: IF — Passes Quality Check	Condition: {{\$json.pass}} equals true. False branch: HTTP Request node to log failure to Supabase keyword
Node 10: Code — Build Article Payload	JavaScript function. Generates: slug (from keyword, URL-safe), excerpt (first 2 sentences), seo_title (keyword + site name, max
Node 11: HTTP Request — Publish Article	Method: POST. URL: {{\$env.SITE_URL}}/api/publish-article. Headers: X-Webhook-Secret: {{\$env.WEBHO
Node 12: HTTP Request — Update Keyword Status	Method: POST. URL: {{\$env.SITE_URL}}/api/update-keyword-status. Headers: X-Webhook-Secret: {{\$env.

Workflow 2 — Weekly Newsletter (runs every Sunday 08:00 UTC)

Node	Configuration
Node 1: Schedule Trigger	Type: Schedule. Day: Sunday. Time: 08:00 UTC.
Node 2: Supabase — Top Articles	HTTP GET: {{\$env.SUPABASE_URL}}/rest/v1/articles?status=eq.published&order=view_count.desc&limit=3&p
Node 3: Supabase — Top Tools	HTTP GET: affiliate_clicks table grouped by tool_id, last 7 days, top 3. Joins to tools table for name and logo.
Node 4: Supabase — Issue Number	HTTP GET: newsletter_issues ordered by issue_number DESC limit 1. new_issue_number = last_issue_num
Node 5: Code — Build Newsletter Prompt	JavaScript function. Constructs Gemini prompt: 'Write a weekly newsletter intro (150 words max) that highlights these 3 articles: [titl

Node	Configuration
Node 6: HTTP Request — Send Email	Send Email Workflow 1 Node 7. Temperature: 0.8 (warmer tone for newsletter).
Node 7: Code — Build Newsletter HTML	JavaScript Assembles full newsletter HTML from: Gemini intro + 3 article cards (title, excerpt, 'Read Now' link)
Node 8: HTTP Request — POST Newsletter	POST Newsletter Send Newsletter with {subject, preview_text, body_html, issue_number}

Workflow 3 — Keyword Scout (runs daily 04:00 UTC)

Node	Configuration
Node 1: Schedule Trigger	Daily at 04:00 UTC.
Node 2: HTTP Request — GET API	GET API queries at positions 8-20 from Google Search Console API. See Section 8.3 for exact request. Returns
Node 3: Code — Filter Keywords	Filters: impressions > 50, not already in keyword_queue (check against DB), not already published (check article)
Node 4: Supabase — Insert Keywords	INSERT filtered keywords into keyword_queue with status='pending', calculated priority, and guessed article
Node 5: Code — Log Summary	Logs: X new keywords added to queue. Total pending: Y. Sends summary to Resend admin email if new keywords

Workflow 4 — Tool Pricing Monitor (runs weekly, Monday 06:00 UTC)

Node	Configuration
Node 1: Schedule Trigger	Weekly, Monday 06:00 UTC.
Node 2: Supabase — All Tools	Fetch all tools with website_url and updated_at. Filter: updated_at < 30 days ago (needs refresh check).
Node 3: Loop Over Tools	Split In Batches node. Process 5 tools at a time (rate limiting).
Node 4: HTTP Request — GET Tool Website	GET {{tool.website_url}}/pricing. Set timeout: 10 seconds. Ignore errors (some sites block scrapers). Extract p
Node 5: Code — Compare Prices	Simple check: does fetched page content contain the same prices as in our DB? If obvious discrepancy detected
Node 6: Supabase — Flag Tool	Discrepancy found: INSERT into keyword_queue with keyword='update pricing: [tool name]', article_type='rev
Node 7: Resend — Summary Email	Send admin email: 'Pricing check complete. X tools flagged for review: [tool list]'

Workflow 5 — Interlink Agent (triggered by webhook on each publish)

Node	Configuration
Node 1: Webhook Trigger	Receives POST from /api/publish-article after every new article. Payload: {article_id, title, body, tags, category}
Node 2: Code — Extract Keywords	Extracts top 10 meaningful noun phrases from article title + tags + first 200 words of body. These are used to fin
Node 3: HTTP Request — GET Search	GET Search keyword, query Google Custom Search API (limited free use) OR use a simple Supabase full-text sea
Node 4: Code — Score Results	Score each candidate link: keyword overlap score + category match bonus. Select the single highest-scoring ca

Node	Configuration
Node 5: Check Link Limit	POST /api/add-cross-link. If response is 'limit_reached': stop workflow. If 'logged': continue.
Node 6: Supabase — Insert/UPDATE Article	UPDATE Article SET body = REPLACE(body, first_occurrence_of_anchor_phrase, a

Workflow 6 — Sponsored Slot Monitor (runs daily 09:00 UTC)

Node	Configuration
Node 1: Schedule Trigger	Daily at 09:00 UTC.
Node 2: Supabase — Expiring Slots	SELECT * FROM sponsored_slots WHERE active=true AND end_date BETWEEN today AND today+7days.
Node 3: IF — Any Expiring?	If count > 0: send renewal email to contact_email of each expiring slot. If count = 0: stop.
Node 4: Resend — Renewal Email	Send slot.contact_email: 'Your sponsored listing on [SITE NAME] expires in [X] days. Reply to this email to r
Node 5: Supabase — Expiring Slots	SELECT * FROM sponsored_slots WHERE active=true AND end_date < today. Mark active=false, UPDATE to

Article type prompts for Gemini

Each article type uses a tailored prompt. The n8n Code node (Workflow 1, Node 6) selects the correct prompt based on the keyword's `article_type` value.

Gemini prompt — Tool Review

```
// PROMPT TYPE 1: Tool Review Article  
// Used when article_type = 'review'
```

You are a senior technology writer for a no-code platform review site.
Write a comprehensive, honest review of `${toolName}`.

TOOL DATA:
Name: `${tool.name}`
Website: `${tool.website_url}`
Category: `${tool.category.join(', ')}`
Pricing tiers: `${JSON.stringify(tool.pricing_tiers)}`
Known pros: `${tool.pros.join(', ')}`
Known cons: `${tool.cons.join(', ')}`
Current rating: `${tool.rating_overall}/5`

REQUIREMENTS:

- Length: 1,200-1,600 words
- Structure with H2 headings: Overview | Key Features | Pricing | Pros & Cons | Who It's For | Verdict
- Tone: Honest, direct, helpful. Not promotional. Not overly negative. Like a trusted friend who knows no-code tools well.
- Include: specific use cases, who should NOT use it, how it compares to the obvious alternative (do not name another specific tool, say 'compared to alternatives')
- End with a clear verdict: 'Best for X. Not ideal for Y. Overall rating: N/5'
- DO NOT include: vague filler ('In today's digital landscape'), excessive superlatives, unverifiable claims
- MUST include: at least 3 specific features with their actual names as they appear in the product UI
- Format as clean HTML with `, , , ,` tags only. No inline styles. No divs. No classes.

SEO TARGET KEYWORD: `${keyword}`
Use this keyword naturally in: H1/title, first paragraph, one H2 heading, conclusion.
Keyword density: 1-2% (do not force it).

Gemini prompt — Comparison Article

```
// PROMPT TYPE 2: Comparison Article
// Used when article_type = 'comparison', tool_slugs has 2 entries

You are a senior technology writer for a no-code platform review site.
Write a detailed, fair comparison of ${tool1.name} vs ${tool2.name}.

TOOL 1 DATA: ${JSON.stringify(tool1_summary)}
TOOL 2 DATA: ${JSON.stringify(tool2_summary)}

REQUIREMENTS:
- Length: 1,400-1,800 words
- Structure with H2 headings: Quick Comparison | ${tool1.name} Overview |
  ${tool2.name} Overview | Feature Comparison | Pricing Comparison |
  Which Should You Choose | Verdict
- Include a markdown table for feature comparison (convert to HTML)
- Be genuinely opinionated – give a clear winner for specific use cases
  e.g. 'If you're building a SaaS, choose X. If you're a beginner, choose Y.'
- Tone: fair, balanced, direct. Neither tool should feel attacked.
- DO NOT: pick a winner overall. DO: give clear situational recommendations.
- End section 'Which Should You Choose': 3-4 specific scenarios with a
  clear recommendation for each.

SEO TARGET KEYWORD: ${keyword} (e.g. 'bubble vs webflow')
Use keyword in: H1, first paragraph, one H2, meta description suggestion at end.

OUTPUT FORMAT: Clean HTML only. Include at the end:

SUGGESTED TITLE: [max 60 chars]
SUGGESTED DESCRIPTION: [max 160 chars]
```

Gemini prompt — Tutorial Article

```
// PROMPT TYPE 3: Tutorial Article
// Used when article_type = 'tutorial'
```

You are a technical writer for a no-code platform review site.
Write a step-by-step tutorial on: "\${keyword}"

REQUIREMENTS:

- Length: 1,000-1,400 words
- Assume reader is: a non-technical person who has heard of no-code tools but may be using the specific tool for the first time
- Structure: Introduction (what they'll learn + estimated time) | Before You Start (prerequisites – keep minimal) | Step 1: [action] | Step 2: [action] | ... (6-10 steps) | Troubleshooting (2-3 common issues + solutions) | Next Steps
- Each step: single clear action, explain WHY not just HOW, describe what the user should see on screen after completing the step
- Tone: patient, encouraging, never condescending
- NEVER say 'simply' or 'just' – these words make frustrated users feel stupid
- Include 'Pro tip:' callout boxes (use) for 2-3 tips
- Format: Clean HTML with semantic tags

SEO KEYWORD: \${keyword}

Gemini prompt — Best-Of List

```
// PROMPT TYPE 4: Best-Of List Article
// Used when article_type = 'best-of'
```

You are a senior technology writer for a no-code platform review site.
Write a best-of list article: "\${keyword}"

TOOLS IN OUR DATABASE (include only relevant ones, max 8):
\${tools_list_summary}

REQUIREMENTS:

- Length: 1,600-2,000 words
- Structure: Introduction (what we're comparing, our methodology) | Quick Picks (summary table) | [Tool 1: detailed entry] × N | How We Chose | Bottom Line
- Each tool entry (H2 heading): 150-200 words covering best use case, standout feature, pricing summary, who it's NOT for, our rating
- Be specific about who each tool is best for – avoid generic descriptions
- Include a comparison table early in the article (HTML table)
- Verdict at end: clear recommendation for 3 types of readers (beginner / growing business / advanced user)
- Format: Clean HTML

SEO KEYWORD: \${keyword}

Last updated date to include: \${current_date}

Quality gateway — JavaScript logic (n8n Code node)

Quality Gateway JavaScript — n8n Code Node


```

// Quality Gateway – runs on every generated article in Workflow 1 Node 8
// Returns: {pass: bool, fail_reasons: [], word_count: int}

const article = $input.first().json.article_text;
const keyword = $input.first().json.keyword;
const failReasons = [];

// 1. WORD COUNT CHECK
const wordCount = article.split(/\s+/).filter(w => w.length > 0).length;
if (wordCount < 900) {
    failReasons.push(`Word count too low: ${wordCount} words (minimum 900)`);
}

// 2. BANNED PHRASES (generic AI filler)
const bannedPhrases = [
    "in today's digital landscape",
    "in the ever-evolving world of",
    "it's worth noting that",
    "as we can see",
    "in conclusion, it's clear that",
    "a comprehensive solution",
    "seamlessly integrates",
    "leverage the power of",
    "in this day and age",
    "needless to say",
    "game-changer",
    "at the end of the day",
    "moving forward",
    "it goes without saying",
    "when it comes to",
    "having said that",
    "in the realm of",
    "dive deep into",
    "unlock the potential",
    "take your [X] to the next level"

```

```

];

const lowerArticle = article.toLowerCase();
bannedPhrases.forEach(phrase => {
  if (lowerArticle.includes(phrase.toLowerCase())) {
    failReasons.push(`Banned phrase found: "${phrase}"`);
  }
});

// 3. KEYWORD PRESENCE
if (!lowerArticle.includes(keyword.toLowerCase())) {
  failReasons.push(`Target keyword not found in article: "${keyword}"`);
}

// 4. H2 HEADINGS PRESENT
const h2Count = (article.match(/if (h2Count < 3) {
  failReasons.push(`Too few H2 headings: ${h2Count} (minimum 3)`);
}

// 5. MINIMUM PARAGRAPH LENGTH – no micro-paragraphs
const paragraphs = article.match(/(.*?)<\p>/gi) || [];
const shortParas = paragraphs.filter(p => {
  const text = p.replace(/<[>]+>/g, '');
  return text.split(' ').length < 20;
});
if (shortParas.length > 3) {
  failReasons.push(`Too many short paragraphs (under 20 words): ${shortParas.length}`);
}

// 6. HTML STRUCTURE VALID
if (!article.includes('')) {
  failReasons.push('Article lacks basic HTML structure (missing or tags)');
}

```

```

// 7. NO PLACEHOLDER TEXT
const placeholders = ['[TOOL NAME]', '[INSERT', '[ADD', 'PLACEHOLDER', 'TODO:'];
placeholders.forEach(p => {
  if (article.toUpperCase().includes(p)) {
    failReasons.push(`Placeholder text found: "${p}"`);
  }
});

// 8. VERDICT/CONCLUSION PRESENT (reviews and comparisons)
if (['review', 'comparison'].includes($input.first().json.article_type)) {
  if (!lowerArticle.includes('verdict') && !lowerArticle.includes('bottom line') &&
    !lowerArticle.includes('conclusion')) {
    failReasons.push('Review/comparison article missing verdict or conclusion section');
  }
}

return [{
  json: {
    pass: failReasons.length === 0,
    fail_reasons: failReasons,
    word_count: wordCount,
    article_text: article,
    keyword: keyword
  }
}];

```

12. Interactive Tools Specification

4 tools — inputs, logic,
outputs

Tool 1 — Platform Comparison Wizard

URL	/tools/quiz
Purpose	Guides users to the right no-code platform based on their specific needs. Highest-converting page on the site.
State management	React useState. All answers stored in local state. No DB writes until result is shown (then optionally capture email)
Steps	10 steps with progress bar (shows step X of 10). Back button on each step.
Scoring logic	Each answer sets weights for: ease_required, feature_depth, ecommerce_need, budget_max, team_size. Score c
Result display	3 tool cards: match % (calculated score), 'Why it matches' (3-bullet list generated from their answers), rating, 'Rea
Email capture	After results: 'Save your results — get our weekly tool digest' email input. Optional. POST /api/add-subscriber sou
Affiliate tracking	Each 'Try Free' button click: POST /api/log-affiliate-click with article_id=null, page_url='/tools/quiz'.

Tool 2 — Pricing Calculator

Pricing Calculator — React logic

```

// Pricing Calculator Logic (React component)
// File: components/PricingCalculator.jsx

// INPUTS:
// - monthlyUsers: number (slider 0 - 100,000, step 1000)
// - teamMembers: number (slider 1 - 50)
// - features: string[] (checkboxes: ecommerce|api_access|white_label|
//                        custom_domain|priority_support|unlimited_pages)
// - selectedTools: string[] (tool slugs, multi-select, fetched from Supabase)

// LOGIC (runs on every input change – real-time):
function calculateCost(tool, monthlyUsers, teamMembers, selectedFeatures) {
  const tiers = tool.pricing_tiers; // from Supabase
  // Find cheapest tier that satisfies all selected features
  for (const tier of tiers.sort((a,b) => a.price_monthly - b.price_monthly)) {
    const tierFeatures = tier.features.map(f => f.toLowerCase());
    const hasAllFeatures = selectedFeatures.every(f =>
      tierFeatures.some(tf => tf.includes(f.replace('_', ' ')))
    );
    // Also check user limits if present in tier
    const userLimit = tier.user_limit || Infinity;
    if (hasAllFeatures && userLimit >= monthlyUsers) {
      return {
        tool: tool.name,
        slug: tool.slug,
        affiliate_url: tool.affiliate_url,
        recommended_tier: tier.name,
        monthly_cost: tier.price_monthly,
        annual_cost: tier.price_annual || tier.price_monthly * 10,
        annual_savings: tier.price_monthly * 12 - (tier.price_annual || tier.price_monthly *
10)
      };
    }
  }
  // No matching tier found – return enterprise/custom
  return { tool: tool.name, recommended_tier: 'Custom/Enterprise', monthly_cost: null };
}

// OUTPUT TABLE:
// Columns: Tool | Recommended Plan | Monthly | Annual | Annual Savings | CTA
// Sort by monthly_cost ASC (cheapest first)
// Cheapest row: green background highlight + 'Best value' badge
// Null cost rows: show 'Contact sales' instead of price

```

Tool 3 — Feature Matrix Builder

URL	/tools/compare
Input	Multi-select dropdown (searchable). Fetches all tools from Supabase on mount. Allows selecting 2–4 tools.
Build action	'Build Matrix' button. Disabled until 2+ tools selected.
Matrix rows	Overall Rating Ease of Use Features Score Pricing Score Support Score Free Plan Starting Price Best For
Data source	All data from tools table in Supabase. No external API calls.
Winner logic	For each scored row, highlight the cell with the highest value in green. For price rows: highlight lowest price in green.
Export	'Download as PNG' button. Uses html2canvas library to capture the table element. Filename: 'nocode-comparison-[current-date].png'
Deep link	URL updates to /tools/compare?tools=slug1,slug2,slug3 as tools are selected. This URL can be shared and will pre-select the tools.
CTA	Below matrix: 'Read the full [Tool A] vs [Tool B] comparison' → /compare/[a-vs-b] (if that comparison exists in DB, otherwise link to /tools/compare)

Tool 4 — Should I Switch?

URL	/tools/should-i-switch
Step 1	Current tool: searchable select from tools table. 'My tool isn't listed' option → text input.
Step 2	Pain points: multi-select checkboxes. Options: Too expensive Missing [feature] Too complex to use Poor customer support
Step 3	Priority ranking: drag-and-drop 5 items. Items: Price Ease of use Features Design quality Customer support Integration
Step 4	Timeline: radio buttons. Options: I need to switch now Within 3 months Just exploring my options Not switching, I'm happy with my current tool
Scoring	For each tool in DB (excluding current tool): score based on how well it addresses stated pain points + matches priorities
Stay verdict	If no tool scores >60% vs current tool's own scores on their priorities: show 'Consider staying' verdict with reasons.
Switch verdict	Top 3 alternatives with: match score %, why it solves their pain points (1-2 sentences), migration difficulty badge (Easy/Medium/Hard)
Migration guide link	If an article exists in DB with tags containing 'migrate-from-[current-tool-slug]': show 'Read our full migration guide' link

13. SEO Configuration

Meta tags · Schema markup
· Sitemap · IndexNow

Meta title formulas by page type

Page	Title Formula
Homepage	{SITE NAME} — No-Code Platform Reviews, Comparisons & Rankings
Tool Review	{Tool Name} Review 2026: Is It Worth It? ({Rating}/5) {SITE NAME}
Comparison	{Tool A} vs {Tool B} ({Year}): Which Is Better? {SITE NAME}
Category Index	Best {Category Name} Tools {Year} — Reviewed & Ranked {SITE NAME}
Best-Of List	{Article Title} ({Year}) {SITE NAME}
Blog Article	{Article Title} {SITE NAME}
Tools Index	All No-Code Tools — Complete Directory {SITE NAME}
Advertise	Advertise on {SITE NAME} — Reach {N} No-Code Builders

■ ■ All titles auto-truncated at 60 characters. If tool name + formula exceeds 60 chars, truncate tool name. Never truncate site name.

JSON-LD Schema markup templates

JSON-LD — SoftwareApplication (tool review pages)

```
// SCHEMA 1: Tool Review Page — SoftwareApplication
{
  "@context": "https://schema.org",
  "@type": "SoftwareApplication",
  "name": "${tool.name}",
  "url": "${tool.website_url}",
  "description": "${tool.tagline}",
  "applicationCategory": "WebApplication",
  "operatingSystem": "Web",
  "offers": {
    "@type": "AggregateOffer",
    "lowPrice": "${lowest_paid_tier_price || 0}",
    "highPrice": "${highest_tier_price}",
    "priceCurrency": "USD",
    "offerCount": "${pricing_tiers.length}"
  },
  "aggregateRating": {
    "@type": "AggregateRating",
    "ratingValue": "${tool.rating_overall}",
    "bestRating": "5",
    "worstRating": "1",
    "ratingCount": "${approved_user_ratings_count}",
    "reviewCount": "${approved_user_ratings_count}"
  },
  "review": {
    "@type": "Review",
    "reviewRating": {
      "@type": "Rating",
      "ratingValue": "${tool.rating_overall}",
      "bestRating": "5"
    },
    "author": {
      "@type": "Organization",
      "name": "${SITE_NAME}"
    },
    "reviewBody": "${tool.verdict}"
  }
}
```

JSON-LD — Article, Breadcrumb, FAQ schemas


```
// SCHEMA 2: Article / Blog Post
{
  "@context": "https://schema.org",
  "@type": "Article",
  "headline": "${article.title}",
  "description": "${article.seo_description || article.excerpt}",
  "url": "https://${SITE_URL}/blog/${article.slug}",
  "datePublished": "${article.published_at}",
  "dateModified": "${article.updated_at}",
  "author": {
    "@type": "Organization",
    "name": "${SITE_NAME}",
    "url": "https://${SITE_URL}"
  },
  "publisher": {
    "@type": "Organization",
    "name": "${SITE_NAME}",
    "logo": {
      "@type": "ImageObject",
      "url": "https://${SITE_URL}/logo.png"
    }
  },
  "image": "${article.featured_image_url || SITE_DEFAULT_OG_IMAGE}",
  "mainEntityOfPage": {
    "@type": "WebPage",
    "@id": "https://${SITE_URL}/blog/${article.slug}"
  }
}

// SCHEMA 3: BreadcrumbList (all pages except homepage)
{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    { "@type": "ListItem", "position": 1, "name": "Home", "item":
      "https://${SITE_URL}" },

```

```

    {"@type": "ListItem", "position": 2, "name": "${category}","item":
"https://${SITE_URL}/category/${cat_slug}"},
    {"@type": "ListItem", "position": 3, "name": "${page_title}","item":
"https://${SITE_URL}/${page_path}"
  ]
}

// SCHEMA 4: FAQPage (comparison pages – add if article body has FAQ section)
{
  "@context": "https://schema.org",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": "Is ${tool_a} better than ${tool_b}?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "${comparison.winner_summary}"
      }
    }
  ]
}

```

Sitemap.xml structure

Sitemap.xml structure

```
https://{SITE_URL}/  
    daily1.0  
https://{SITE_URL}/tools  
    daily0.9  
https://{SITE_URL}/blog  
    daily0.8  
https://{SITE_URL}/about  
    monthly0.3
```

```
https://{SITE_URL}/tools/{slug}  
    {updated_at}  
    weekly0.9
```

```
https://{SITE_URL}/compare/{slug}  
    {updated_at}  
    monthly0.8
```

```
https://{SITE_URL}/blog/{slug}  
    {updated_at}  
    weekly0.7
```

```
// Auto-regenerate this file on every:  
// - New tool added (via /api/add-tool webhook)  
  
// - New article published (via /api/publish-article webhook)  
// - New comparison published (via admin dashboard publish action)
```

14. Email System

Resend setup · All
templates · Sequences

Resend account setup

1. Create account	resend.com → Sign up → Verify email
2. Add domain	Settings > Domains > Add Domain → enter your domain → add the 3 DNS records shown (SPF, DKIM, DMAR
3. Verify domain	Wait 10–60 minutes for DNS propagation → click Verify in Resend dashboard
4. Create API key	API Keys > Create API Key → name: 'Production' → copy key → add to RESEND_API_KEY env var
5. Set from address	Verified domain allows any @yourdomain.com from address. Use: hello@yourdomain.com
6. Test	Send a test email from Resend dashboard to confirm delivery

Email templates

Double opt-in confirmation

Trigger: Sent immediately when user subscribes (before they are active)

EMAIL TEMPLATE

Subject: Confirm your subscription to [SITE NAME]

Preview: One click to get the weekly no-code digest

Hi there,

You signed up for the [SITE NAME] weekly digest – the no-code tool reviews, comparisons, and guides that actually help you decide.

Click below to confirm your email address and get your first issue this Sunday:

[CONFIRM MY SUBSCRIPTION] → <https://yoursite.com/confirm?token={token}>

This link expires in 48 hours.

If you didn't sign up, you can safely ignore this email.

– The [SITE NAME] Team

[SITE NAME] · [yoursite.com](#) · [Privacy Policy](#) · [Unsubscribe](#)

Welcome email (sent after confirmation)

Trigger: Sent when user clicks confirmation link

EMAIL TEMPLATE

Subject: Welcome to [SITE NAME] – here's your starter guide

Preview: The 5 no-code tools our readers use most

Welcome to [SITE NAME]!

You'll get our weekly digest every Sunday – no-code tool reviews, comparison breakdowns, and practical guides.

While you wait for your first issue, here are 3 resources our readers found most helpful this month:

1. [Most popular comparison article title]
→ [yoursite.com/compare/\[slug\]](#)

2. [Most popular tool review title]
→ [yoursite.com/tools/\[slug\]](#)

3. [Most popular tutorial title]
→ [yoursite.com/blog/\[slug\]](#)

[Browse all tools] → [yoursite.com/tools](#)

See you Sunday,
The [SITE NAME] Team

[Manage preferences](#) · [Unsubscribe](#) · [Privacy Policy](#)

Weekly newsletter template

Trigger: Sent every Sunday via n8n Workflow 2

EMAIL TEMPLATE

Subject: [This week's subject line – generated by Gemini]
Preview: [preview_text from newsletter_issues table]

```
[SITE NAME] Weekly Digest
Issue #{issue_number} · {date}
```

[INTRO – 100-150 words, generated by Gemini]

THIS WEEK'S TOP READS

■ [Article 1 Title]
[Excerpt – 2 sentences]
[Read now →] [yoursite.com/blog/\[slug\]](#)

■ [Article 2 Title]
[Excerpt – 2 sentences]
[Read now →] [yoursite.com/blog/\[slug\]](#)

■ [Article 3 Title]
[Excerpt – 2 sentences]
[Read now →] [yoursite.com/blog/\[slug\]](#)

■ ■ ■ TOOL OF THE WEEK ■ ■ ■

■ [Top tool by affiliate clicks this week]
[One-sentence description]
[Read the review →] [yoursite.com/tools/\[slug\]](https://yoursite.com/tools/[slug])

```

[SITE NAME] . yoursite.com
You're getting this because you subscribed at [source].
Unsubscribe → yoursite.com/unsubscribe?token={token}

```

Sponsored slot renewal

Trigger: Sent 7 days before slot expiry via Workflow 6

EMAIL TEMPLATE

Subject: Your [SITE NAME] sponsored listing expires in 7 days
Preview: Renew to keep your placement

Hi {contact_name},

Your sponsored listing on [SITE NAME] is set to expire on {end_date}.

Your slot: {slot_position}

Current monthly fee: \${monthly_fee}

Readers reached this month: [N] (from analytics)

To renew for another month, simply reply to this email with 'RENEW'
and we'll send you a renewal invoice.

Alternatively, visit yoursite.com/advertise for current availability
and updated pricing.

Thanks for advertising with us,
[SITE NAME] Team

[SITE NAME] · yoursite.com · [Unsubscribe from sponsor notifications](#)

Admin alert — new tool submission

Trigger: Sent to RESEND_ADMIN_EMAIL when form submitted

EMAIL TEMPLATE

Subject: New tool submission: {tool_name}

Preview: Submitted by {contact_email}

New tool submission received:

Tool Name: {tool_name}

URL: {tool_url}

Category: {category}

Has affiliate program: {yes/no}

Affiliate URL: {affiliate_url}

Contact: {contact_email}

Description:

{description}

Pricing info:

{pricing_info}

Review in admin: <yoursite.com/admin/submissions>

15. Affiliate Program Setup

Programs · Links · Tracking
· Disclosure

■■ Apply to all programs before launch. Some (ShareASale, Impact) take 1–3 weeks to approve. Do not wait for approval to build the site — use placeholder links, swap in real affiliate links when approved.

Tool	Network & Link	Commission	Priority
Webflow	Webflow Affiliate Program (affiliates.webflow.com) — 50% of first year's subscription. ~\$108–\$216 per referral.	High	
Shopify	Shopify Affiliate Program (shopify.com/affiliates) — \$150 per merchant referral (flat). Apply via affiliate portal.	High	
Wix	Impact (impact.com) — search 'Wix'	\$100 per Premium plan referral.	Medium
Squarespace	CJ Affiliate (cj.com) — search 'Squarespace'	\$100–\$200 per sale depending on plan.	Medium
Bubble	PartnerStack (partnerstack.com) — search 'Bubble'	30% recurring. ~\$30–\$120/month per active referral.	High
Framer	Framer Affiliate (framer.com/affiliate)	20–30% recurring. Apply via their website.	High
Softer	PartnerStack — search 'Softer'	30% recurring for 12 months.	High
Glide	PartnerStack — search 'Glide'	Check current rates at signup.	Medium
Adalo	Impact — search 'Adalo'	Direct affiliate program. Check rates.	Medium
Make (fmr Integromat)	PartnerStack — search 'Make'	20% recurring commission.	High
Airtable	Impact — search 'Airtable'	Check current program rates.	Medium
Notion	Notion Affiliate (notion.so/affiliates)	Program availability varies. Check website.	Low-Med

Affiliate link implementation

Storage	All affiliate URLs stored in tools.affiliate_url column in Supabase. Never hard-coded in templates.
Link format	All affiliate links open in new tab (target='_blank' rel='noopener noreferrer nofollow'). The nofollow attribute is required by Google.
Disclosure	All pages with affiliate links must show: 'Some links on this page are affiliate links. If you click through and make a purchase, we may earn a commission.'
Click tracking	Every affiliate link click fires: POST /api/log-affiliate-click. Implemented as an onClick handler in React. Does not block user.
Link cloaking	Optional: use /go/[tool-slug] redirects that log click before redirecting to affiliate URL. Cleaner URLs, better tracking.
UTM parameters	Append to all affiliate URLs: ?utm_source=nocodereviews&utm_medium=review&utm_campaign=[tool-slug]. Allows for better analytics.
FTC compliance	Required by US law. Affiliate disclosure must be: (1) clear and conspicuous, (2) close to affiliate links, (3) on every page with links.

16. Admin Dashboard Specification

Every section · Every action

Route	Description
/admin	Dashboard home. Stats overview, recent activity feed, quick action buttons.
/admin/articles	Article management. Table view, filter by status/type, publish/unpublish/delete, edit form.
/admin/tools	Tool management. Table view, add/edit/delete, toggle featured/sponsored, upload logo.
/admin/keywords	Keyword queue. View pending/done/skipped, add keywords manually, set priorities, trigger generation.
/admin/subscribers	Subscriber list. Count stats, table view, filter active/pending, export CSV, delete.
/admin/analytics	Affiliate click analytics. Date range picker, charts, per-tool breakdown, export.
/admin/sponsored	Sponsored slot management. Current slots, add/edit, renewal alerts (yellow highlight <7 days).
/admin/ratings	User rating moderation. Pending queue, approve/reject, view approved per tool.
/admin/submissions	Tool submission inbox. Review submissions, accept (creates tool draft), reject.
/admin/comparisons	Comparison management. Add/edit/delete comparisons, set winner, publish/unpublish.
/admin/newsletter	Newsletter management. View past issues, compose new issue, preview, send.

Dashboard home (/admin) — stats cards

Total tools published	COUNT(*) FROM tools WHERE updated_at > 1970-01-01. Live count from DB.
Articles published	COUNT(*) FROM articles WHERE status='published'. With sub-count this month.
Active subscribers	COUNT(*) FROM subscribers WHERE active=true AND confirmed=true.
Affiliate clicks (30d)	COUNT(*) FROM affiliate_clicks WHERE clicked_at > now()-30days. With trend vs prior 30d.
Keyword queue depth	COUNT(*) FROM keyword_queue WHERE status='pending'. With 'Generate next' button.
Sponsored revenue	SUM(monthly_fee) FROM sponsored_slots WHERE active=true AND end_date >= today.

17. Monetisation Configuration

Sponsored slots · Ads ·
Pricing tiers

Sponsored listing slot configuration

Slot ID	Description & Placement
homepage-1	Tool card in position 1 of homepage grid. Most visible. Labelled 'SPONSORED'.
homepage-4	Tool card in position 4 of homepage grid. Above the fold on most screens.
category-top	Top card in any category index page. Rotates to relevant category.
sidebar	Sticky sidebar unit on tool review pages (desktop only). Tool logo + tagline + CTA.
newsletter	Single sponsor mention in weekly newsletter. Logo + 1-sentence description + link.

Sponsored slot pricing tiers

Traffic Level	Price Range
0–2,000 visitors/month	\$99–199 /slot/month
2,000–10,000/month	\$199–499 /slot/month
10,000–50,000/month	\$499–999 /slot/month
50,000–200,000/month	\$999–2,000 /slot/month
200,000+/month	\$2,000–5,000 /slot/month
Newsletter sponsorship	Flat \$200–800 /issue (scales with subscriber count)
Network-wide package	Custom pricing — all 10 sites, contact for rates

Display ad network setup

Network	Setup & Notes
Google AdSense	Apply at adsense.google.com . Requires: 6+ months old domain (or established content), original content, privacy policy.
Mediavine	Apply at mediavine.com/get-started . Minimum: 50,000 sessions/month (last 30 days, verified via GA4). Apply as sole owner.
Raptive	Apply at raptive.com . Minimum: 100,000 pageviews/month. RPM: \$20–35 in tech niche. Premium option once traffic is consistent.
Ad placement rules	Never more than 1 ad per screen height. No ads on /admin pages. No ads on interactive tool pages (damages UX).

18. Performance & Security

Caching · Rate limits · Auth ·
GDPR

Area	Specification
Tool list caching	Cache Supabase tool list queries for 5 minutes. Bust cache on any tool add/update via webhook. Implement in
Image optimisation	All tool logos: WebP format, max 80x80px for cards, 160x160 for review pages. Use Supabase Storage for log
Lazy loading	All images below the fold: loading='lazy'. Tool grid: load first 12 eagerly, rest lazily. Newsletter images: all lazy.
Database query limits	Never fetch unbounded queries. Always add LIMIT clause. Max 100 rows in any single query. Paginate all list v
Rate limiting	API endpoints: max 20 requests/minute per IP. Webhook endpoints: only accept from known n8n IP ranges (or
Webhook authentication	Every webhook endpoint validates: (1) X-Webhook-Secret header matches env var, (2) Content-Type is applica
Supabase RLS	Row Level Security enabled on all tables. Public can only SELECT published content. Only authenticated adm
Admin auth	Supabase Auth. Email + password. No social login. Session expires 24 hours. Protect all /admin routes with au
GDPR compliance	Privacy policy page at /privacy. Cookie consent banner on first visit. GA4 only loads after consent. Subscriber c
HTTPS	Lovable provides HTTPS by default on custom domains. Ensure HTTP→HTTPS redirect is active. Set HSTS h

19. Launch Checklist

Pre-launch · Launch day ·
Post-launch

Pre-launch (complete before going live)

- Purchase and configure expired domain (DR 30+ recommended)
- Create Supabase project, run all SQL from Section 4
- Set all environment variables in Lovable (Section 7)
- Run main Lovable prompt (Section 5) — verify all 12 pages build correctly
- Run all 10 follow-up prompts (Section 6) in order
- Connect Supabase to Lovable — verify tool grid loads from DB
- Add initial 8+ tools to Supabase tools table manually (or via /admin/tools)
- Add initial 20+ keywords to keyword_queue table for article generation bootstrap
- Set up Resend account, verify domain, configure RESEND_API_KEY
- Test all 5 email templates via Resend test send
- Create n8n account, configure all 6 workflows from Section 10
- Test Workflow 1 manually: trigger article generation, verify quality gateway, verify publish
- Test /api/publish-article webhook with Postman/Hoppscotch
- Test /api/add-subscriber webhook — verify confirmation email sends
- Test /api/log-affiliate-click webhook — verify DB insert
- Apply to all affiliate programs from Section 15
- Add affiliate_url to all 8+ initial tools (use placeholder /advertise link if not yet approved)
- Configure Google Analytics 4: create property, get Measurement ID, add to env vars
- Add site to Google Search Console, submit sitemap.xml
- Create robots.txt: allow all, disallow /admin
- Create IndexNow key file at /{INDEXNOW_KEY}.txt
- Verify all 4 interactive tools work: quiz, pricing calc, matrix builder, should-i-switch
- Test mobile navigation on real device (iPhone + Android)
- Run Lighthouse audit: target 90+ on Performance, 100 on SEO, 90+ on Accessibility
- Test dark mode toggle — verify persists to localStorage
- Verify admin dashboard: login, article management, tool management all functional
- Add privacy policy content to /privacy page
- Add affiliate disclosure content to /about and /disclosure pages
- Verify cookie consent banner appears on first visit, GA4 only loads after acceptance
- Set up Supabase backups: enable Point-in-Time Recovery in Supabase dashboard

Launch day

- Point domain DNS to Lovable hosting (follow Lovable's custom domain guide)
- Wait for DNS propagation (10 min – 48 hours). Test at dnschecker.org
- Verify HTTPS is active and HTTP redirects to HTTPS

- Submit sitemap to Google Search Console: Search Console > Sitemaps > Add sitemap
- Ping IndexNow for all existing tool and article URLs
- Enable n8n workflows — set all 6 to Active
- Post in r/nocode, r/SideProject, r/entrepreneur: 'I built an honest no-code tool review site — looking for feedback'
- Post to Twitter/X, LinkedIn with site link
- Submit to Product Hunt (schedule for a Tuesday or Wednesday, 12:01 AM PST)
- Submit to These Are Things (newsletter), Sidebar.io, and relevant no-code communities
- Email 5–10 no-code tool companies offering sponsored listing slots (\$99–199/month at launch traffic)
- Verify article generation is running: check articles table for new entries after 6 hours
- Monitor Supabase logs for any errors in the first 24 hours

Post-launch (ongoing first 30 days)

- Check Google Search Console weekly: verify pages are being indexed, no coverage errors
- Monitor article quality weekly: read 5 random generated articles for quality gate drift
- Expand tool database: add 5+ new tools per week until reaching 50 tools
- Apply to remaining affiliate programs as they approve applications
- Swap placeholder affiliate links with real approved links as programs approve
- When first subscriber signs up, verify entire email sequence fires correctly
- Set up Mediavine application reminder for when site hits 50,000 sessions/month
- Run competitor analysis: check rankings for target keywords from Section 13 monthly
- Review keyword queue weekly: add new keywords based on what's working
- Build first 3 comparison pages manually (highest-value keyword comparisons)

20. Ongoing Operations

What the swarm handles vs
what you handle

What runs automatically (zero manual effort)

Frequency	Automated Task
Daily	Article generation (4 articles). Keyword queue refresh from GSC. Affiliate click logging. Sponsored slot expiry checks.
Weekly	Newsletter send (Sunday). Pricing monitor (Monday). Subscriber count update. Sitemap regeneration.
On-event	IndexNow ping on publish. Interlink agent on publish. Confirmation email on signup. Renewal email 7 days before slot expires.

Your weekly tasks (estimated 5–10 hours/week)

Task	Description
Quality audit	Read 10 randomly selected generated articles. Flag any that passed the quality gateway but feel thin or off-brand.
Tool database expansion	Add 3–5 new tools per week. Use /admin/tools form. Prioritise tools with: existing search volume, affiliate program, quality of content.
Keyword queue curation	Review keyword_queue in admin. Add manually discovered keywords. Adjust priorities based on what's ranking well.
Affiliate link updates	Check for newly approved affiliate programs. Update tools.affiliate_url in admin. Check existing links haven't expired.
Outreach	Cold email 3–5 no-code tool companies per week offering sponsored listings. Template: 'We are [SITE NAME], a no-code platform for [niche]. We're looking for quality tool reviews to feature on our site. Would you be interested in a sponsored listing?'.
Backlink building	Find 2–3 no-code bloggers or newsletter authors per week. Offer guest post or mention swap. Even 1 quality backlink can boost rankings.
Analytics review	Check GSC weekly: any new rankings, any pages losing position? Check /admin/analytics: which tools are getting most traffic?

Monthly tasks (estimated 3–4 hours)

Task	Description
Gemini voice audit	Pull 20 articles from the last month. Check for voice drift — do they all sound different from each other? If patterns emerge, adjust prompts.
Pricing accuracy check	Manually verify pricing for top 10 most-viewed tool reviews against actual pricing pages. Update any that are wrong.
Competitor gap analysis	Check top 5 competitor sites' newest content. Identify any topic gaps — are they covering something you haven't?
Revenue review	Total affiliate earnings by program. Total sponsored revenue. Display ad RPM trends. Identify which tools/articles perform best.
Update site stats	Update traffic stats on /advertise page. More accurate numbers = higher sponsored slot conversion. Update success stories.

This document is complete. Every element required to build, launch, and run Site 1 autonomously is contained in these 20 sections. Follow the build order in Section 1. When Site 1 reaches 5,000 monthly visitors, the same framework repeats for Sites 2–10.