# Homework #7 part\_1

Muhanned Yasir Fida 161044056

(9-1) Last four digits of my student number in two-digit format is
40 and 56, so I add 20,30,8,47,39,18,40 and 56 to
my balanced trees, then remove them one by one in the some order (Fifo)


AVL Tree Insert


insert 20: (20) -> this is node balonce for a balonced tree it must >1 and (1)

insert 30: 201


însert 8:

Insert 47: 8 30







insert 18:




insert 40:




Insert 56:




#### AVL Tree Remove




# Remove 20:







Right-Right Case



#### Remove 30:





Tree is empty, All elements debted After debting 56


#### Red-Black Tree Insert

Insert 20:


Change root color to black

Insert 30:


Insert 8:




Insert 47:





Recolor 47's poort and uncle to black and sintprent to red






Insert 39:






Right-Left Case


# Insert 18:



Insert 40:




Recolor
40's parent and unle
to black and
40's gradpant to red




40's poort and well red


# Insert 56:



### Red-Black Tree Remove

#### Remove 20:







color whe some color as x pront


Cobr x parent

black







Robbe 35 left




# Remove 30












#### Remove 47:



#### Remove 39:






#### Remove 40:




# Renove 56:

# 2-3 Tree Inselt Insert 20: Insert 30: (20, 30 laset 8: 8,20,30 Insert 47: 39: Insert Insert 18:


20, 39








#### Remare 47:



### Remove 35:



## Remove 18:



# Remove 40:

# Remove 56:

