





www.ihportal.com

marketing@myihportal.com





Making Practitioners Better At Collecting Field Notes

With a guided approach to data collection, health, safety and environmental professionals can easily collect IH samples with quality field notes – all at your fingertips.

Corporate Benefits

Put horsepower in your data with better observations and better management


CIHs and project managers can effortlessly monitor the status and quality of their technicians' observations from any device—no need to be on-site.

By implementing myIH, CIHs experience a remarkable 30% time savings per report, leading to an annual savings of \$26,000 in data entry costs per IH, along with a 40% reduction in feedback time required.

40%
Reduction in
CIH feedback

\$26,000
Annual data entry
savings, per IH

30%
CIH time savings,
per report



Consultant Benefits

Instantly boost the quality and timing of your sampling reports


myIH was specifically developed to help mid-sized consulting organizations with new IH professionals more efficiently manage the field note reporting process.


The results of implementing myIH include a time savings of 25% per report averaging a minimum cost savings of \$1,000 per report.

30%
Accuracy
improvement

\$1,000
Average minimum
savings per report

25%
Time savings,
per report





Key Features



Prompted Questions

Improve the quality of reports by prompting assigned groups of customized questions; eliminating missed observations and question opportunities during the sampling process.



Sample Plan

The sample plan helps users set up their industrial hygiene sampling strategy for the year, providing clear guidance on what, how, and how many samples to collect.



Digital Observation Log

Utilizing the quick keys (@, #, and \$) you can easily tag information to your observation log. No need to open each subject to record or search for field observations.



Downloadable Reporting

Export your digital reports with the push of a button and upload them directly into your favorite administration system.



Prompted Questions are automated survey fields assigned to any given project by a CIH or project manager.

Benefits

- 6

Prompted Questions: Workflow

1


Create your Question Groups



Question groups denote the type of questions in one category.

2


Create Specific Questions



Specific questions can be formatted as; free text, dropdown, multi-select, check box, and radio

3

Assign Question Groups to Projects



Once assigned to a project these questions will appear as mandatory fields that the technician is required to answer prior to a shift or project being completed.

Hazard Survey


Hazard Survey
Hazard Survey1245
70072 No Where
United States

Contact information

✉ marketing@myihportal.com

☎ 540-848-1378

Sampling Plan

First survey date
February 12, 2025Samples taken
1 / 59

MANAGE SAMPLING PLAN

< Sampling Plan

Scenarios **IMPORT/EXPORT** Search by scenario name + NEW SCENARIO

Recent requests

Name / task description	Sample Type	Hazards
1 Routine Duties	full shift	Noise Dose ^{0.75}
2 Sample Collection	short term	Benzene ^{1.75} Toluene ^{1.75} Ethylbenzene ^{1.75} Xylenes ^{1.75} Naphthalene ^{0.75} Trimethylamine ^{1.75} 1,2,3-Trimethylbenzene ^{1.75} 1,2,4-Trimethylbenzene ^{1.75} 1,3,5-Trimethylbenzene ^{1.75} Total Hydrocarbons ^{1.75}
3 Equipment Prep	short term	1,3-Bisulfide ^{0.75}
4 Equipment Prep	short term	Benzene ^{0.75} Toluene ^{0.75} Ethylbenzene ^{0.75} Xylenes ^{0.75} Naphthalene ^{0.75} Trimethylamine ^{0.75} 1,2,3-Trimethylbenzene ^{0.75} 1,2,4-Trimethylbenzene ^{0.75} 1,3,5-Trimethylbenzene ^{0.75} Total Hydrocarbons ^{0.75}
5 Equipment Prep	short term	Hydrogen Sulfide ^{0.75}

Rows per page: 10 1-5 of 5

< Sampling Plan

Import / Export of the sampling plan

On the left-hand side of the application, you'll find an export function that allows you to download all scenarios linked to the project. This provides a convenient overview of all data in a single file. Additionally, there's an import function where you can upload an Excel file to add new scenarios. Please ensure the Excel file follows the correct format:

Note: The fields OEL Source, Action level Source, Hazard CAS-number, and Hazard are not automatically created by the application. It is therefore essential to ensure these fields are spelled correctly to avoid errors.

Template

Below you will find the column names that are used by the importer to read the data. Also you can download a template excel with data of the server and dropdowns

DOWNLOAD THE EXCEL TEMPLATE

Scenario title	Job title	Shift length	Subject type	Task description
----------------	-----------	--------------	--------------	------------------

Export of the current sampling plan **EXPORT**

Import of the sampling plan **IMPORT SAMPLING PLAN**



Sample Plan

Sample plan allows the user to setup the IH sampling strategy for the year. Having an established sample plan helps the users in the field know *who to sample*, *what to sample*, *how to sample* and *how many samples to collect*.

This feature allows the data to be collected in a manner that makes statistical analysis easier once all data has been collected.

< Create scenario

1 Subject data Sample date

Scenario title *

What type of subject you want to add?
☐ Area subject ☐ Person subject

Job Title *

Shift length * /hours

Task Description

PREVIOUS NEXT

CREATE YOUR OWN PLAN

Sample Plan: Workflow

1a Create Your Sample Plan in the Project Dashboard

+ NEW SCENARIO

< Create scenario

1 Subject data

2 Sample data

Scenario title *

What type of subject you want to add?

Area subject

Person subject

Job Title *

Shift length *

hours

Task Description

GO BACK

NEXT

IMPORTED: 4/2/2018 10:28:30 AM

OR

1b Upload Your Sample Plan with myIH Format Spreadsheet

IMPORT/EXPORT

Scenario title

Job title

Shift length

Subject type

Task description

Export of the current sampling plan

EXPORT

Import of the sampling plan

X

Sample Plan: Workflow

2

Add Sample Areas and Personnel

+ ADD AREA

Add sample subject

Location name *

☒ Use a sampling plan scenario ☐ Create new sample

Job title selection

Recent requests

Job title

Shift length

Production - FCC #1 Assistant Operator

12

Rows per page: 10 1-1 of 1

Description

+ ADD PERSON

Add sample subject

Employee name *

Employee ID *

☒ Use a sampling plan scenario ☐ Create new sample

Job title selection

Recent requests

Job title

Shift length

Production - FCC #1 Assistant Operator

12

Rows per page: 10 1-1 of 1

Job title *

Shift length *

Minimize the time to set up a project. The sample plan information is automatically available for a technician to quickly add selected areas and personnel.

3

Project Management

Sampling Plan

Scenarios

IMPORT/EXPORT

Search by scenario name

+ NEW SCENARIO

Recent requests

Name / task description	Sample Type	Hazards
1 Routine Duties	full shift	Noise Dose 2/3
2 Sample Collection	short term	Benzene 1/2, Toluene 1/2, Ethylbenzene 1/2, Xylenes 1/2, Naphthalene 1/2, Trimethylamine 1/2, 1,2,3-Trimethylbenzene 1/2, 1,2,4-Trimethylbenzene 1/2, 1,3,5-Trimethylbenzene 1/2, Total Hydrocarbons 1/2
3 Equipment Prep	short term	1,3-Butadiene 0/3
4 Equipment Prep	short term	Benzene 0/3, Toluene 0/3, Ethylbenzene 0/3, Xylenes 0/3, Naphthalene 0/3, Trimethylamine 0/3, 1,2,3-Trimethylbenzene 0/3, 1,2,4-Trimethylbenzene 0/3, 1,3,5-Trimethylbenzene 0/3, Total Hydrocarbons 0/3
5 Equipment Prep	short term	Hydrogen Sulfide 1/3

Rows per page: 10 1-5 of 5

At any given time you can audit an ongoing project to verify the number of samples that have been collected and the total number remaining.

Survey Dashboard, Fri 07 Mar 2025

Friday 07 March 2025

Samples & Subjects

+ ADD AREA

+ ADD PERSON

#4598 | KT Person →

ADD SAMPLE

OPEN SAMPLE

#DP-030725-02 GilAir 5

Sample type: full shift

Hazards: Respirable Crystalline Silica, Respirable Dust: Particles (insoluble or poorly soluble) not otherwise.,

Start time: 08:00 am. (2 hours ago)

Last check: 7 March 2025, 09:36 am (an hour ago)

Not all data is filled in.

#7899 | Me Person →

ADD SAMPLE

OPEN SAMPLE

#DP-030725-01 N/A for passive badges

Sample type: full shift

Hazards: Benzene,

Start time: 08:00 am. (2 hours ago)

Last check: 7 March 2025, 09:33 am (an hour ago)

Daily log

DOWNLOAD PDF

Daily log information

during the sample collection

07 Mar, 9:23

\$DP-030725-01 was checked and was operating correctly

07 Mar, 9:36

@KT Person #DP-030725-02 was observed blasting a 6 inch pipe, mostly blasting at knee level, blasted for 4 hours, and painted after

07 Mar, 9:36

\$DP-030725-02 pump was operating correctly

Type a message...

Weather conditions

Start of the day 09:37 am

78.00 °F

Humidity: 55.00 %RH
Wind: 5 MPH, From NE to SW
Pressure: 29.69 inHg

End of the day 09:37 am

88.00 °F

Humidity: 53.00 %RH
Wind: 8 MPH, From E to W
Pressure: 29.69 inHg

ADD CONDITION




Digital Observation Log

The Digital Observation Log allows users to use @, #, and \$ symbols to easily tag information to your observation log. No need to open each subject to record or search for field observations.

Quick Tags

- 1 @: Tags a person or an area
- 2 #: Tags a sample or ALL samples
- 3 \$: Checked active sample equipment to verify a single sample or all samples were correctly running



Real-Time Oversight, Anywhere

The digital observation offers real-time visibility into field activities, enabling project managers and clients to monitor progress, conduct quality audits, and adjust project scopes, without being physically present on site.

As technicians log observations, data is instantly accessible through the platform, allowing managers to stay informed and actively involved. This seamless connection between the field and the office ensures that expectations are met, updates are transparent, and decisions can be made quickly to keep the project moving forward.

Author: brobertson **Date:** 06/28/24 - 10:05 AM
0800 Pre-cals for pumps, then attached sample #SB-062824-01 @Omar Veltron

Author: brobertson **Date:** 06/28/24 - 10:10 AM
0900 @Frank Fernandez @Omar Veltron Are in side the containment currently glovebagging. They have generated 3 bags of ACM so far.

Author: brobertson **Date:** 06/28/24 - 10:10 AM
The waste is being stored in a satellite accumulation area near Unit 7, storage depot.

Author: brobertson **Date:** 06/28/24 - 10:14 AM
4-01 #SB-062824-02 Currently stripping an exchanger (2E-113) of insulation. They have stripped 5 bags worth of ACM.

Author: brobertson **Date:** 06/28/24 - 10:14 AM
Exchanger 2E-113 is a vessel [dimensions].

Author: brobertson **Date:** 06/28/24 - 10:15 AM
1030 Monometer for containment reads -10.09inHg.

Author: brobertson **Date:** 06/28/24 - 10:21 AM
\$SB-062824-01 Pump faulted out within the last hour. Turned pump back on.

Author: brobertson **Date:** 06/28/24 - 10:22 AM
\$SB-062824-02 Pump is working properly. Did not have to reset.



Client: BMR Industrial
Project: Hazards Survey

SAMPLE DATA SHEET

Job #	BR-0621-2024	Client	BMR Industrial
Sample ID	LW 070324-01	Project name	Hazards Survey
Sampler name		Project Location	
Date	07/30/24		

SUBJECT DATA

Base Info		Environment Info	
Employee name	Nancy W	Sampling conditions	Average (Normal Operations)
Employee ID #	123456	Work environment	Other
Job title	Local exhaust		
Shift length	Welder for xyz Company	Welding process	GTAW (TIG)
Description	8	Metal	Carbon steel
		Electrode	ER308L
		Exposure control	Donaldson Torit LEV
LIST PPE WORN			
Clothing	Chemical Suit		
Respirator	Quarter mask air purifying respirator (APR)		
Gloves	Leather/Cloth/Cut Resistant Gloves		
Boots	Composite Boots		
Eye wear	Safety Glasses with Side Shields		
Hearing protection	Slow-Recovery Formable Earplugs		
Noise reduction rating	33		
Hood/Head	Helmet/Hood self-contained breathing apparatus (continuous flow mode, pressure-demand, or other positive pressure mode)		

IH SAMPLE EQUIPMENT

Sample ID: #LW 070324-01			
Instrument	GI Air S	Calibration device	Medium Flow Rotameter
Serial number	895748	Serial number	78459512
Sample media	MCE	Serial number	N/A

WEATHER CONDITIONS

Time	Temp (F)	%RH	Wind (mph)	Direction	Pressure (inHg)	Precipitation
------	----------	-----	------------	-----------	-----------------	---------------

CALCULATION METHODS

Sample ID: #LW 070324-01	TWA Calculation method	Assume Same	Sample type	full shift
--------------------------	------------------------	-------------	-------------	------------

CHEMICAL DATA ANALYSIS

D	Hazard	Method	Time			Flow Rate (L/min)			Volume	Sample Result	TWA Result
			Start	Stop	Min	Initial	Final	Avg			

1 of 27



Downloadable Reporting

Streamline Your Workflow with One Click!

With myIH, you can export digital reports instantly and upload them to your preferred administration system—no hassle, no extra steps!



DOWNLOAD ALL SUBJECTS



DOWNLOAD EXCEL

DOWNLOAD PDF



SAMPLE DATA SHEET

Job #	BR-0621-2024	Client	BMR Industrial
Sample ID	BR-062124-001	Project name	Hazards Survey
Sampler name		Project Location	
Date	06/21/24		

SUBJECT DATA

Base Info		Environment Info	
Employee name	Garage	Sampling conditions	Average (Normal Operations)
Employee ID #	N/A	Work environment	Open area
Ventilation	Natural		
Job title	—	Welding process	N/A
Shift length	—	Metal	—
Description	Three story structure, parking spaces are very small	Electrode	—
		Exposure control	—

IH SAMPLE EQUIPMENT

Sample ID: #BR-062124-001				
IH Instrument	N/A for passive badges	Calibration device	N/A for passive badges	Sample media
Serial number	N/A	Serial number	N/A	Assay 566 Badge
				11223344

WEATHER CONDITIONS

Time	Temp (F)	%RH	Wind (mph)	Direction	Pressure (inHg)	Precipitation
------	----------	-----	------------	-----------	-----------------	---------------


CALCULATION METHODS


#BR-062124-001	TWA Calculation method	Assume Zero	Sample type	full shift
----------------	------------------------	-------------	-------------	------------

CHEMICAL DATA ANALYSIS

Reporting: Workflow

While myIH does not natively integrate with Cority, you can download all of your project data from myIH and convert the information into whichever Cority format your use case requires.





The Power of Data-Backed Observations

Revolutionizing the Industrial Hygiene Industry

With myIH, you now have more than just the data—you have the full context of each sample, including the surrounding conditions, human factors, and field observations that might impact results. myIH ensures every detail is captured—creating a more comprehensive and reliable data set for project managers, CIHs, and expert witnesses.



Higher Quality Evidence

CIHs and experts can provide more accurate, defensible testimony by understanding the full picture.



Comprehensive Reporting

More than just numbers – myIH delivers insights that give you confidence in your conclusions.



Advanced Analysis

The fusion of field data, laboratory results, and onsite conditions ensures no detail is missed, driving better decisions.



*my***IH**™

www.ihportal.com

marketing@myihportal.com