

RIVETRELAY CONTRACTOR OPERATIONS TOOLKIT

Complete Contractor Control Bundle

Practical, editable operating materials for specialty contractors. Built for disciplined follow-through; no outcome or legal guarantee is implied.

RivetRelay

Version 1.0.0 · AI-assisted original work · Licensed for one purchasing business

Complete Contractor Control Bundle

- Product ID: RR-BU-001
- Version: 1.0.0
- Initial test price: \$119
- Working brand: RivetRelay (provisional; not cleared for publication)

What the bundle includes

The bundle combines the exact versioned contents of:

1. Lead Response and Estimate Follow-Up Kit — RR-LR-001 v1.0.0.
2. Scope and Change-Order Control Pack — RR-CO-001 v1.0.0.
3. Billing and Collections Accelerator — RR-BC-001 v1.0.0.
4. Weekly Owner Command Dashboard — RR-WD-001 v1.0.0.

`BUNDLE_MANIFEST.csv` binds every included component source file to its SHA-256 digest. The bundle does not duplicate or silently alter the four products.

Recommended implementation order

Step 1 — assign operating ownership

Name owners for lead intake, estimating, scope/change control, billing, reconciliation, disputes, weekly data close, and owner decisions. One person may hold several roles; each live record must still have one accountable owner.

Step 2 — establish source authority

Identify the approved system or evidence for customer records, estimates, agreements, change decisions, project completion, invoices, payments, credits, schedules, and decisions. Keep those systems authoritative. The bundle provides working views and procedures, not a replacement database.

Step 3 — implement one product at a time

1. Start the lead tracker and close ownerless/open-next-action gaps.
2. Start change control on one active project and verify approval evidence before broader use.
3. Build the receivables queue from actually issued, reconciled invoices.
4. Start the weekly dashboard only after its inputs have named sources and owners.

Step 4 — connect stable references

Use internal IDs to connect the lifecycle:

`Lead_ID` → `Project_ID` → `Change_Order_ID` → `Invoice_ID` → weekly evidence packet

Do not place unnecessary personal data in those identifiers. Do not manufacture a link when the source systems do not support one.

Step 5 — run the weekly command review

Use reconciled aggregates and secure evidence references. Keep estimates, approved change value, invoices, cash received, open receivables, and outcomes distinct.

First-week completion test

- Every open lead has an owner, eligibility state, and next action.
- Every proposed scope deviation has a stable record and original-scope reference.
- No changed work is marked approved without decision evidence.
- Every open invoice reconciles to the accounting ledger or is held.
- Every dispute and opt-out uses the appropriate hold path.
- Weekly inputs use the same cutoff and named sources.
- Owner decisions have one owner, due date, and evidence reference.
- Calculated values were independently checked after import.

Important boundary

This bundle organizes business operations. It does not send messages, create legally binding changes, issue invoices, process payments, connect to provider accounts, replace source systems, or guarantee sales, collection, compliance, margin, or any other outcome.

All example data is fictional. RivetRelay remains a provisional working brand until the owner approves publication and brand/legal/marketplace clearance is complete.

INTEGRATION GUIDE

Bundle integration guide

1. Lifecycle map

The four products cover related but distinct records:

Stage	Authoritative event	Bundle working record	Must not be confused with
Inquiry	Verified customer inquiry	Lead row	Qualified opportunity or sale
Estimate	Approved estimate actually issued	Lead row with estimate reference	Customer acceptance or revenue
Scope change	Condition/request compared with approved scope	Change-order row	Authorized changed work
Approval	Acceptable decision evidence for exact revision	Approval fields	Silence, draft, or verbal assumption
Completion	Verified performed work	Completion evidence	Invoice or payment
Billing	Invoice actually issued in accounting system	Receivable row	Cash received
Settlement	Verified payment/credit/refund event	Reconciled receivable fields	Promise or forecast

Stage	Authoritative event	Bundle working record	Must not be confused with
Owner review	Closed bounded source packet	Weekly dashboard row	Real-time monitoring or prediction

2. Stable-reference design

Keep identifiers stable and non-sensitive.

- `Customer_Record_Ref` : approved customer-system reference, not an email, phone number, or account credential.
- `Lead_ID` : one inquiry/opportunity record.
- `Project_ID` : one approved internal project record.
- `Original_Scope_Ref` : current approved agreement/scope revision.
- `Change_Order_ID` : one proposed deviation with a preserved revision history.
- `Invoice_ID` : actual accounting invoice reference.
- `Evidence_Packet_Ref` : secure weekly index of source readbacks.

Maintain a mapping in an approved system when IDs differ across tools. Do not insert secret URLs, tokens, access codes, banking details, or full personal records into CSV files.

3. Handoff rules

Lead to project

Create or link a `Project_ID` only after the business's accepted-work process succeeds. Preserve the lead outcome and evidence. A won lead does not by itself prove a signed agreement, deposit, scheduling authority, or earned revenue.

Project to change control

Every proposed scope deviation must link to the current approved `Original_Scope_Ref`. The field observation and approval decision are separate records. Preserve superseded revisions.

Change control to billing

Route a change to billing only when the business's approval and completion criteria are supported. Create an `Invoice_ID` only after actual issuance in the accounting system. `Unbilled_Approved_Value` and `Completed_Unbilled_Change_Value` are operating exceptions, not revenue.

Billing to weekly command

Aggregate actually issued invoices, verified cash receipts, authoritative open receivables, and settled credits/refunds separately. Reconcile the cutoff. The dashboard should contain totals and secure references rather than customer-level details.

4. A fictional threaded example

The following is fictional and illustrates identifiers, not a promised result:

1. `FICTIONAL-L-2001` records a permitted referral inquiry for a shop-lighting upgrade.
2. The approved estimate `FICTIONAL-EST-2001` is delivered and later accepted through the business's actual process.
3. The resulting internal project is `FICTIONAL-P-2001`.
4. A site condition creates proposed change `FICTIONAL-CO-2001-R1`.
5. The exact revision is approved with evidence `FICTIONAL-DEC-2001` and completed with `FICTIONAL-COMP-2001`.
6. Accounting actually issues `FICTIONAL-INV-2001`; the receivables row reconciles to the ledger.
7. The weekly evidence packet `FICTIONAL-WEEK-2001` includes the verified aggregate inputs without copying the customer record.

At every stage, an unsupported event remains absent or held. The lifecycle does not advance merely because the prior template was completed.

5. Ninety-minute controlled deployment

Minutes 0-15 — ownership and sources

- Confirm roles and source authority.
- Choose the reporting cutoff/timezone.
- Define contact, approval, dispute, and escalation policies.

Minutes 15-35 — lead control

- Import open leads.
- Resolve duplicates.
- Set eligibility, owner, and next action.
- Verify formulas on the fictional example and two actual internal test records before broad use.

Minutes 35-55 — change control

- Create scope baselines for one project.
- Reconcile open field questions.
- Confirm the local approval and emergency routes.
- Verify approval and unbilled-value controls.

Minutes 55-75 — receivables

- Import actually issued open invoices.
- Reconcile balances.
- Hold variances, disputes, opt-outs, and unknown eligibility.
- Verify aging and queue formulas.

Minutes 75-90 — weekly command

- Close one evidence packet.
- Enter verified aggregate inputs.
- Resolve data-quality exceptions.
- Run the owner review and assign no more than three material next actions.

Ninety minutes is a suggested controlled setup agenda, not a guarantee. Larger or unreconciled record sets require more time.

6. Cross-product quality gates

Identity gate

- Stable IDs are unique in their record type.
- References resolve in approved systems.
- No identifier embeds unnecessary personal or secret information.

Authority gate

- Contact eligibility is known before outreach.
- Change approval matches exact revision and acceptable authority.
- Financial events come from accounting/provider evidence.
- Owner decisions stay within recorded authority.

Evidence gate

- Material events have secure evidence references.
- Unknown inputs stay unknown.
- Fictional examples never enter live operating totals.

Calculation gate

- Formula columns are protected.
- Sample results match manual calculations.
- Spreadsheet locale and date behavior are verified.
- Errors or variances create review/hold states.

Lifecycle gate

- Estimate is not sale.
- Approval is not completion.
- Completion is not invoice.
- Invoice is not cash.
- Promise is not payment.
- Activity is not outcome.

7. Weekly integrated review

1. Lead owner reads due/held inquiries.
2. Change-control owner reads pending, held, and approved-unbilled changes.
3. Accounting reconciler reads balance variances, disputes, and due actions.
4. Data owner closes aggregate inputs.
5. Business owner resolves authority decisions and confirms three next actions.

8. Pause and recovery

Pause use of an affected output when a formula is broken, source access is uncertain, identifiers collide, approval evidence is disputed, ledger balance does not reconcile, external contact eligibility is unknown, or a file digest does not match `BUNDLE_MANIFEST.csv`.

Recover by restoring the last verified source file, reconciling the authoritative record, retesting formulas, documenting the correction, and resuming only the affected workflow. Do not rewrite underlying business history to make the working view pass.

VERSION LICENSE SUPPORT

Version, license, support, and disclosure

- Product: Complete Contractor Control Bundle
- Product ID: RR-BU-001
- Edition: 1.0.0 source edition
- Initial component set: RR-LR-001 v1.0.0, RR-CO-001 v1.0.0, RR-BC-001 v1.0.0, RR-WD-001 v1.0.0
- Working brand: RivetRelay (provisional; pending owner/legal/marketplace clearance)

Version and integrity notes

Version 1.0.0 adds the bundle start guide, integration lifecycle, stable-reference design, cross-product gates, implementation sequence, and exact component-file manifest. Verify every component SHA-256 value against `BUNDLE_MANIFEST.csv` before packaging or delivery.

Permitted-use license

After authorized purchase, the purchaser may copy, edit, print, and use the bundle and its four component products for the internal operations of one legal business and its personnel. The purchaser may populate the tools with its own data; create internal working copies, messages, records, and backups; and adapt content for its internal operating process after review.

The purchaser may not resell, sublicense, publish, share outside that business, distribute any component as a template, remove license notices from redistributed extracts, split the bundle for third-party distribution, use the files as a white-label product, or use the source content to train or benchmark a commercial model. Customer-facing messages and forms created during ordinary operations may be sent after fact, authority, eligibility, contract, and legal review.

No trademark, brand, software, or ownership right transfers. Rights not expressly granted are reserved by the publisher. Public sale requires final owner approval of these terms.

Limitations

The bundle provides editable operational aids. It is not legal, tax, accounting, debt-collection, lien, safety, engineering, privacy, marketing-consent, management, or financial advice. It does not connect to source systems; send messages; authorize work; issue invoices; process payments; verify compliance; or guarantee response, sales, approval, payment, margin, capacity, safety, or any other outcome. The purchaser must configure, reconcile, secure, and review it against actual records and qualified guidance.

Support instructions

The final storefront listing must provide the owner-approved support address and response window before publication. Support covers missing, corrupt, or unreadable delivered files; a manifest mismatch in the delivered archive; and clarification of included field definitions. It excludes custom implementation, data migration, system integration, legal/accounting review, collection action, business consulting, and result guarantees.

Support requests should include the product ID, version, affected filename, operating system, software version, and a description or screenshot that contains no confidential business or personal data. Never send passwords, tokens, MFA codes, bank/card data, customer files, agreements, or private evidence records.

Pre-publication support route: not yet active. Publication must fail closed until the approved support route is inserted.

AI-assistance disclosure

This edition was developed with generative-AI-assisted drafting under directed product-development controls. It contains original product-specific structure and language and uses fictional examples; no real customer, payment, project, employee, or provider data was used. The publisher must complete a final human publication, accuracy, licensing, legal-boundary, claims, and file-integrity review before sale. Users must verify each source value, formula, external message, decision, and authority before operational reliance.