

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd – Parte 2.2

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

18 – Links do Menu

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named `header.ejs` open in the main editor area. The file content is an EJS template for a sidebar menu. The sidebar navigation includes links to "Tela Inicial" and "Menu". The code uses Bootstrap classes like `pull-left info` and `fa fa-circle text-success` for icons.

```
</div>
<div class="pull-left info">
  <p>Fulano Junior</p>
  <!-- Status -->
  <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
</div>
</div>

<!-- Sidebar Menu -->
<ul class="sidebar-menu" data-widget="tree">
  <li class="header">MENU</li>
  <!-- Optionally, you can add icons to the links -->
  <li class="active">
    <a href="index.html">
      <i class="fa fa-home"></i>
      <span>Tela Inicial</span>
    </a>
  </li>
  <li>
    <a href="menus.html">
      <i class="fa fa-cutlery"></i>
      <span>Menu</span>
    </a>
  </li>
  <li>
    <a href="reservations.html">
      <i class="fa fa-th"></i>
      <span>Reservas</span>
    </a>
  </li>
</ul>
```

The Explorer panel on the left shows the project structure under the `SABOROSO` folder, including `views/admin/inc`, `node_modules`, `public`, `routes`, `admin.js`, `index.js`, and several `ejs` files. A red arrow points to the `header.ejs` file in the list.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close, etc.
- Explorer Sidebar:** Shows the project structure under "SABOROSO".
 - inc
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - content
- Outline:** OUTLINE
- Timeline:** TIMELINE
- Code Editor Tabs:** header.ejs (selected), footer.ejs, index.ejs, contacts.ejs, emails.ejs, users.js
- Code Editor Content:** The header.ejs file content is displayed, showing EJS templating and CSS classes. A red arrow points to the line containing the menu loop: `<% menus.forEach(function(menu){ %>`.
- Bottom Status Bar:** Go to Line/Column, 2 selections (48 characters selected), Spaces: 4, CRLF, HTML, Go Live, Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... ↗ header.ejs JS admin.js inc ✎ ↗ footer.ejs ↗ index.ejs ↗ contacts.ejs ↗ emails.ejs ⏹ ...

SABOROSO

> bin

< inc

JS admin.js

JS contacts.js

JS db.js

JS menus.js

JS reservations.js

JS users.js

> node_modules

> public

< routes

JS admin.js

JS index.js

< views

< admin

< inc

↳ footer.ejs

↳ header.ejs

↳ contacts.ejs

↳ emails.ejs

< ...

> OUTLINE

> TIMELINE

1

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF { JavaScript ⚡ Go Live ✅ Prettier 📰

The screenshot shows a code editor interface with two tabs open: `header.ejs` and `admin.js`.


header.ejs (Left Tab):

```
<% menus.forEach(function(menu){ %>
<li class="active">
  <a href="index.html">
    <i class="fa fa-home"></i>
    <span>Tela Inicial</span>
  </a>
</li>
<% }); %>
<li>
  <a href="menus.html">
    <i class="fa fa-cutlery"></i>
    <span>Menu</span>
  </a>
</li>
<li>
  <a href="reservations.html">
    <i class="fa fa-calendar-check-o"></i>
    <span>Reservas</span>
  </a>
</li>
<li>
  <a href="contacts.html">
    <i class="fa fa-comments"></i>
    <span>Contatos</span>
  </a>
</li>
```

admin.js (Right Tab):

```
module.exports = {
  ...
  getMenus(){
    return [
      {
        text:"Tela Inicial",
        href:"",
        icon:"home",
        active: false
      },
    ];
  }
};
```

Red arrows point from the `menus.forEach` loop in the `header.ejs` template to the `getMenus` function in the `admin.js` module, illustrating the data flow from the template to the module.



File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚙️

JS admin.js routes header.ejs JS admin.js inc footer.ejs ... JS admin.js x

```
111 <li>
112   <a href="reservations.html">
113     <i class="fa fa-calendar-check-o"></i>
114     <span>Reservas</span>
115   </a>
116 </li>
117 <li>
118   <a href="contacts.html">
119     <i class="fa fa-comments"></i>
120     <span>Contatos</span>
121   </a>
122 </li>
123 <li>
124   <a href="users.html">
125     <i class="fa fa-users"></i>
126     <span>Usuários</span>
127   </a>
128 </li>
129 <li>
130   <a href="emails.html">
131     <i class="fa fa-envelope"></i>
132     <span>E-mails</span>
133   </a>
134 </li>
135 </ul>
136 <!-- /.sidebar-menu -->
```

```
inc > JS admin.js > [?] <unknown> > li
28   },
29   {
30     text: "Usuários",
31     href: "/admin/users",
32     icon: "users",
33     active: false
34   },
35   {
36     text: "E-mails",
37     href: "/admin/emails",
38     icon: "envelope",
39     active: false
40   }
41 ];
42 }
43 }
44 };
```

Ln 29, Col 1 (315 selected) Spaces: 4 UTF-8 CRLF { JavaScript Go Live Prettier

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Standard toolbar icons.
- Left Sidebar (EXPLORER):** Shows the project structure:
 - SABOROSO
 - bin
 - inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
 - node_modules
 - public
 - routes
 - JS admin.js
 - JS index.js
 - views
 - admin
 - inc
 - JS footer.ejs
 - JS header.ejs
 - JS contacts.ejs
 - JS emails.ejs
 - JS index.ejs
 - JS login.ejs
 - JS menus.ejs
 - JS reservations.ejs
 - JS users.ejs
 - inc
- Central Area:** The code editor displays the content of the 'header.ejs' file. The file contains HTML and EJS code for a sidebar menu. Lines 103 to 134 are shown, each containing a list item with a link and an icon.

```
103    </li>
104    <% }); %>
105    <li>
106      <a href="menus.html">
107        <i class="fa fa-cutlery"></i>
108        <span>Menu</span>
109      </a>
110    </li>
111    <li>
112      <a href="reservations.html">
113        <i class="fa fa-calendar-check-o"></i>
114        <span>Reservas</span>
115      </a>
116    </li>
117    <li>
118      <a href="contacts.html">
119        <i class="fa fa-comments"></i>
120        <span>Contatos</span>
121      </a>
122    </li>
123    <li>
124      <a href="users.html">
125        <i class="fa fa-users"></i>
126        <span>Usuários</span>
127      </a>
128    </li>
129    <li>
130      <a href="emails.html">
131        <i class="fa fa-envelope"></i>
132        <span>E-mails</span>
133      </a>
134    </li>
```
- Status Bar:** Shows the current line (Ln 134), column (Col 16), and character count (844 selected). It also includes icons for file operations, Go Live, and Prettier.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Standard icons for back, forward, search, and other functions.
- Left Sidebar (EXPLORER):**
 - SABOROSO folder
 - bin
 - inc
 - admin.js
 - contacts.js
 - dbjs
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
- Central Area:** The main editor window displays the content of the `header.ejs` file. The code is a template for a sidebar menu.

```
>inc > header.ejs > html > body.hold-transition.skin-blue.sidebar-mini > div.wrapper > aside.main-sidebar > section.sidebar > ul.sidebar-menu > ? > ?  
85      </div>  
86      <div class="pull-left info">  
87          <p>Fulano Junior</p>  
88          <!-- Status -->  
89          <a href="#"><i class="fa fa-circle text-success"></i> Online</a>  
90      </div>  
91  
92      <!-- Sidebar Menu -->  
93      <ul class="sidebar-menu" data-widget="tree">  
94          <li class="header">MENU</li>  
95          <!-- Optionally, you can add icons to the links -->  
96          <% menus.forEach(function(menu){ %>  
97              <li class="active">  
98                  <a href="index.html">  
99                      <i class="fa fa-home"></i>  
100                     <span>Tela Inicial</span>  
101                 </a>  
102             </li>  
103             <% }); %>  
104         </ul>  
105         <!-- /.sidebar-menu -->  
106     </section>  
107     <!-- /.sidebar -->  
108 </aside>
```
- Bottom Status Bar:** Ln 105, Col 1, Spaces: 4, UTF-8, CRLF, HTML, Go Live, Prettier.

Two red arrows point from the bottom left towards the `header.ejs` file in the Explorer and the `header.ejs` tab in the top bar, respectively.

A screenshot of a code editor interface, likely Visual Studio Code, showing the file `header.ejs` open. The editor has a dark theme with syntax highlighting for HTML and JavaScript.

The code in `header.ejs` is as follows:

```
</div>
<div class="pull-left info">
  <p>Fulano Junior</p>
  <!-- Status -->
  <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
</div>

<!-- Sidebar Menu -->
<ul class="sidebar-menu" data-widget="tree">
  <li class="header">MENU</li>
  <!-- Optionally, you can add icons to the links -->
  <% menus.forEach(function(menu){ %>
    ....<li class="active">
      <a href="index.html">
        <i class="fa fa-home"></i>
        <span>Tela Inicial</span>
      </a>
    </li>
    <% }); %>
  </ul>
  <!-- /.sidebar-menu -->
</section>
<!-- /.sidebar -->
</aside>
```

A red arrow points from the left margin of the code editor to the word `active` in the `li` tag at line 98, indicating it is the currently selected or active class in the sidebar menu.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Minimize, Maximize, Close, Fullscreen.
- Explorer:** Shows a tree view of the project structure under the "SABOROSO" root:
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- Header Tab:** header.ejs (highlighted)
- Code Editor:** Displays the content of the header.ejs file. A red arrow points to line 98, which contains the logic for applying the "active" class to a menu item based on its "active" property.

```
I > body.hold-transition.skin-blue.sidebar-mini > div.wrapper > aside.main-sidebar > section.sidebar > ul.sidebar-menu > ?  
85 </div>  
86 <div class="pull-left info">  
87 <p>Fulano Junior</p>  
88 <!-- Status -->  
89 <a href="#"><i class="fa fa-circle text-success"></i> Online</a>  
90 </div>  
91 </div>  
92  
93 <!-- Sidebar Menu -->  
94 <ul class="sidebar-menu" data-widget="tree">  
95 <li class="header">MENU</li>  
96 <!-- Optionally, you can add icons to the links -->  
97 <% menus.forEach(function(menu){ %>  
98 <li <% if (menu.active) { %>class="active"<% } %>>  
99 <a href="index.html">  
100 <i class="fa fa-home"></i>  
101 <span>Tela Inicial</span>  
102 </a>  
103 </li>  
104 <% } ); %>  
105 </ul>  
106 <!-- /.sidebar-menu -->  
107 </section>  
108 <!-- /.sidebar -->  
109 </aside>
```
- Bottom Bar:** Line numbers 0-109, Col 10 (50 selected), Spaces: 4, CRLF, HTML, Go Live, Prettier.

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree with a dark theme. The current file is `header.ejs`, which is selected in the tabs bar at the top. The code editor displays the content of `header.ejs`. A red arrow points from the Explorer sidebar to the `header.ejs` tab in the tabs bar. Another red arrow points from the `header.ejs` tab in the tabs bar to the corresponding code block in the editor. The status bar at the bottom shows the file path `saboroso [Administrator]`, line number `Ln 99, Col 11 (23 selected)`, and other settings like `Spaces: 4`, `UTF-8`, and `CRLF`.


```
body.hold-transition.skin-blue.sidebar-mini > div.wrapper > aside.main-sidebar > section.sidebar > ul.sidebar-menu > ? > ? >
85 </div>
86 <div class="pull-left info">
87   <p>Fulano Junior</p>
88   <!-- Status -->
89   <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
90 </div>
91 </div>
92
93 <!-- Sidebar Menu -->
94 <ul class="sidebar-menu" data-widget="tree">
95   <li class="header">MENU</li>
96   <!-- Optionally, you can add icons to the links -->
97   <% menus.forEach(function(menu){ %>
98     <li <% if (menu.active) { %>class="active"<% } %>>
99       <a href="index.html">
100         <i class="fa fa-home"></i>
101         <span>Tela Inicial</span>
102       </a>
103     </li>
104     <% } ); %>
105   </ul>
106   <!-- /.sidebar-menu -->
107 </section>
108   <!-- /.sidebar -->
109 </aside>
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Standard toolbar icons.
- Explorer:** Shows a file tree under the folder "SABOROSO".
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- Code Editor:** The "header.ejs" tab is active, displaying the following code:

```
<position.skin-blue.sidebar-mini><div.wrapper><aside.main-sidebar><section.sidebar><ul.sidebar-menu><?><?><?><?><a href="#"><i class="fa fa-circle text-success"></i> Online</a></div>
<div class="pull-left info">
<p>Fulano Junior</p>
<!-- Status -->
<a href="#"><i class="fa fa-circle text-success"></i> Online</a>
</div>

<!-- Sidebar Menu -->
<ul class="sidebar-menu" data-widget="tree">
<li class="header">MENU</li>
<!-- Optionally, you can add icons to the links -->
<% menus.forEach(function(menu){ %>
<li <% if (menu.active) { %>class="active"<% } %>>
  <a href="<%= menu.href %>">
    <i class="fa fa-home"></i>
    <span>Tela Inicial</span>
  </a>
</li>
<% }); %>
</ul>
<!-- /.sidebar-menu -->
</section>
<!-- /.sidebar -->
</aside>
```
- Annotations:** Two red arrows highlight specific parts of the code:
 - A red arrow points from the "header.ejs" entry in the Explorer tree down to the "header.ejs" tab in the top navigation bar.
 - A red arrow points from the href attribute of the anchor tag at line 100 to the line 100 code, indicating a selected or edited section.
- Status Bar:** Ln 99, Col 22 (16 selected), Spaces: 4, UTF-8, CRLF, HTML, Go Live, Prettier.



A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree with a dark theme. The current file is `header.ejs`, which is selected in the editor tab bar. The editor pane displays the code for the `header.ejs` file, which includes EJS templating and CSS classes. A red arrow points from the status bar at the bottom to the `header.ejs` tab in the tab bar. Another red arrow points from the status bar to the code in the editor, specifically highlighting the line containing `<i class="fa fa-%= menu.icon %>"></i>`. The status bar also shows the line number (Ln 100), column number (Col 31), and selection count (16 selected). The bottom right corner of the status bar has a small icon.

```
<div.wrapper><aside.main-sidebar><section.sidebar><ul.sidebar-menu>
  <li>
    <div class="pull-left info">
      <p>Fulano Junior</p>
      <!-- Status -->
      <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
    </div>
  </li>
</ul>
<!-- Sidebar Menu -->
<ul class="sidebar-menu" data-widget="tree">
  <li class="header">MENU</li>
  <!-- Optionally, you can add icons to the links -->
  <% menus.forEach(function(menu){ %>
    <li <% if (menu.active) { %>class="active" <% } %>>
      <a href="<% menu.href %>">
        <i class="fa fa-%= menu.icon %>"></i>
        <span>Tela Inicial</span>
      </a>
    </li>
  <% }); %>
</ul>
<!-- /.sidebar-menu -->
</section>
<!-- /.sidebar -->
</aside>
```

The screenshot shows a code editor interface with a dark theme. The top navigation bar includes File, Edit, Selection, View, Go, and other standard options. A search bar at the top right contains the text "saboroso [Administrator]". The left sidebar (EXPLORER) displays a file tree for a project named "SABOROSO". The "views" folder contains "admin", "index.js", and "reservations.js". The "admin" folder contains "admin.js", "db.js", "menus.js", "reservations.js", and "users.js". The "public" folder contains "node_modules". The "routes" folder contains "admin.js" and "index.js". The "views/admin" folder contains "header.ejs", "inc", "footer.ejs", "contacts.ejs", and "emails.ejs". The "header.ejs" file is currently selected and open in the main editor area. The code in "header.ejs" is a template for a sidebar menu, featuring a header section with user info and a sidebar menu section. A red arrow points from the "header.ejs" entry in the Explorer to the "header.ejs" tab in the editor. Another red arrow points from the "header.ejs" line in the code editor to the "Tela Inicial" text within the sidebar menu template.

```
<position.skin-blue.sidebar-mini>
  <div.wrapper>
    <aside.main-sidebar>
      <section.sidebar>
        <ul.sidebar-menu>
          <?> <?> <?> <?> <?> <?> <?> <?> <?> <?> <?>
        </ul>
      </section>
    </aside>
  </div>
</position>

85 </div>
86 <div class="pull-left info">
87   <p>Fulano Junior</p>
88   <!-- Status -->
89   <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
90 </div>
91 </div>
92
93 <!-- Sidebar Menu -->
94 <ul class="sidebar-menu" data-widget="tree">
95   <li class="header">MENU</li>
96   <!-- Optionally, you can add icons to the links -->
97   <% menus.forEach(function(menu){ %>
98     <li <% if (menu.active) { %>class="active" <% } %>>
99       <a href="<%= menu.href %>">
100         <i class="fa fa-<%= menu.icon %>"></i>
101         <span>Tela Inicial</span>
102       </a>
103     </li>
104     <% } ); %>
105   </ul>
106   <!-- /.sidebar-menu -->
107 </section>
108   <!-- /.sidebar -->
109 </aside>
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close
- Explorer Sidebar:** Shows a tree view of the project structure under the 'SABOROSO' root:
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- Current File:** header.ejs (highlighted in the tab bar)
- Code Editor Content:** The file contains EJS template code for a sidebar menu.

```
debar-mini > div.wrapper > aside.main-sidebar > section.sidebar > ul.sidebar-menu > ? > ? > ? > ? > a > span > ?  
85 </div>  
86 <div class="pull-left info">  
87   <p>Fulano Junior</p>  
88   <!-- Status -->  
89   <a href="#"><i class="fa fa-circle text-success"></i> Online</a>  
90 </div>  
91 </div>  
92  
93 <!-- Sidebar Menu -->  
94 <ul class="sidebar-menu" data-widget="tree">  
95   <li class="header">MENU</li>  
96   <!-- Optionally, you can add icons to the links -->  
97   <% menus.forEach(function(menu){ %>  
98     <li <% if (menu.active) {%-> class="active" <% } %>>  
99       <a href="<%- menu.href %>">  
100         <i class="fa fa-<%= menu.icon %>"></i>  
101         <span><%= menu.text %></span>  
102       </a>  
103     </li>  
104   <% } ); %>  
105 </ul>  
106 <!-- /.sidebar-menu -->  
107 </section>  
108 <!-- /.sidebar -->  
109 </aside>
```
- Status Bar:** Ln 101, Col 21 (16 selected), Spaces: 2, UTF-8, CRLF, HTML, Port : 5500, Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes ◀ header-menu.ejs ◀ header.ejs JS admin.js inc X ◀ footer.ejs ◀ index.ejs ⚡ ...

SABOROSO

- > bin
- < inc
- JS admin.js**
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- JS footer.ejs
- JS header.ejs
- JS contacts.ejs
- JS emails.ejs
- > OUTLINE
- > TIMELINE

```
inc > JS admin.js > <unknown> > JS getMenus > JS href
1 module.exports = {
2 ...
3     getMenus(){
4         return [
5             {
6                 text:"Tela Inicial",
7                 href:"/admin",
8                 icon:"home",
9                 active: false
10            },
11            {
12                text:"Menu",
13                href:"/admin/menus",
14                icon:"cutlery",
15                active: false,
16            },
17            {
18                text:"Reservas",
19                href:"/admin/reservations",
20                icon:"calendar-check-o",
21                active: false,
22            },
23            {
24                text:"Contatos",
25                href:"/admin/contacts",
26                icon:"comments",
27            }
28        ]
29    }
30}
```

Select End of Line Sequence

Ln 7, Col 23 (6 selected) Spaces: 4 CRLF { JavaScript ⚡ Port : 5500 ✅ Prettier ⚡

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Tab Bar:** JS admin.js routes, header-menu.ejs, header.ejs (highlighted), JS admin.js inc, footer.ejs, index.ejs, ...
- Explorer Sidebar:** Shows a project structure under 'SABOROSO'. Key files listed include admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, admin.js, index.js, views, admin, inc, footer.ejs, header.ejs, contacts.ejs, emails.ejs, and a partially visible '...'.
- Code Editor:** Displays the 'header.ejs' file content. The code includes HTML structure, CSS classes, and JavaScript-like templating. A yellow lightbulb icon is positioned above line 97. Line 97 contains the code: `<% menu.forEach(function(menu){ %>`.
- Bottom Status Bar:** Includes icons for file operations (undo, redo, save, etc.), a search field, line/col counts (Ln 97, Col 14), space settings (Spaces: 2), encoding (UTF-8), CRLF, HTML, port (Port : 5500), Prettier, and a refresh icon.

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named 'admin.js' selected in the Explorer sidebar. A red arrow points from the Explorer sidebar to the active tab in the main editor area.

The Explorer sidebar on the left shows the project structure:

- SABOROSO
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- OUTLINE
- TIMELINE

The main editor area displays the content of the selected 'admin.js' file:

```
routes > JS admin.js > router.get('/logout') callback
1 var express = require('express');
2 var users = require('../inc/users');
3 var router = express.Router();
4
5 router.use(function(req, res, next){
6   if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
7     res.redirect("/admin/login");
8   } else {
9     next();
10 }
11 });
12
13 });
14
15 router.get('/logout', function(req, res, next){
16   delete req.session.user;
17   res.redirect('/admin/login');
18 });
19
20
21 });
22
23 router.get('/', function(req, res, next) {
24   res.render('admin/index');
```

The status bar at the bottom indicates the file is a JavaScript file (JavaScript), and there are Prettier and Go Live icons available.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ◀ header.ejs JS admin.js inc ◀ footer.ejs ◀ index.ejs ◀ contacts.ejs ⏹ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ◀ footer.ejs
 - ◀ header.ejs
 - ◀ contacts.ejs
 - ◀ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > ...

```
1 var express = require('express');
2 var users = require('../inc/users');
3 var router = express.Router();
4
5 router.use(function(req, res, next){
6   if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
7     res.redirect("/admin/login");
8   } else {
9     next();
10 }
11 });
12
13 });
14
15 router.use(function(req, res, next){
16   req.menus = admin.getmenus();
17   next();
18 });
19
20
21 });
22
23 router.get('/logout', function(req, res, next){
24   delete req.session.user;
25 }
```

Ln 15, Col 1 (95 selected) Spaces: 2 CRLF { JavaScript ⚡ Go Live ✅ Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X header.ejs JS admin.js inc footer.ejs index.ejs contacts.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ↳ footer.ejs
 - ↳ header.ejs
 - ↳ contacts.ejs
 - ↳ emails.ejs
- > OUTLINE
- > TIMELINE

routes > JS admin.js > ...

```
1 var express = require('express');
2 var users = require('../inc/users');
3 var admin = require('../inc/admin'); ←
4 var router = express.Router();
5
6 router.use(function(req, res, next){
7
8     if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
9         res.redirect("/admin/login");
10    } else {
11        next();
12    }
13 });
15
16 router.use(function(req, res, next){
17
18     req.menus = admin.getmenus();
19
20     next();
21
22 });
23
24 router.get('/logout', function(req, res, next){
25
26     delete req.session.user;
27 })
```

Ln 3, Col 1 (38 selected) Spaces: 2 UTF-8 CRLF { JavaScript Go Live Prettier

A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows the workspace name "saboroso [Administrator]". The left sidebar (Explorer) displays the project structure under the "SABOROSO" root, including "bin", "inc", "admin.js", "contacts.js", "db.js", "menus.js", "reservations.js", "users.js", "node_modules", "public", "routes", "index.js", and "views" (with "admin" and "inc" subfolders containing "footer.ejs", "header.ejs", "contacts.ejs", "emails.ejs", and ".")

The main editor area shows the content of the "admin.js" file:

```
routes > JS admin.js > router.use() callback
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30 });
31
32 router.get('/', function(req, res, next) {
33
34     res.render('admin/index');
35
36 });
37
38 router.post('/login', function(req, res, next) {
39
40     if (!req.body.email) {
41         users.render(req, res, "Preencha o campo e-mail.");
42     } else if (!req.body.password) {
43         users.render(req, res, "Preencha o campo senha.");
44     } else {
45
46         users.login(req.body.email, req.body.password).then(user => {
47
48             req.session.user = user;
49
50             res.redirect("/admin");
51         });
52     }
53 });
54
55 module.exports = router;
```

The status bar at the bottom shows the file is saved (S), has 20 lines and 12 columns, uses 2 spaces, is in UTF-8 encoding, and is a JavaScript file. It also indicates "CRLF" line endings, "Go Live" mode is active, and "Prettier" is used for code styling.

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Explorer Sidebar:** Shows a tree view of a project structure under "SABOROSO".
 - bin
 - inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
 - node_modules
 - public
 - routes
 - JS admin.js
 - JS index.js
 - views
 - admin
 - inc
 - header.ejs
 - footer.ejs
 - contacts.ejs
 - emails.ejs
- Editor Area:** The "admin.js" file is open in the editor.

```
routes > JS admin.js > router.get('/') callback
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30 });
31
32 router.get('/', function(req, res, next) {
33
34     res.render('admin/index', {
35         menus: req_menus
36     });
37
38 });
39
40 router.post('/login', function(req, res, next) {
41
42     if (!req.body.email) {
43         users.render(req, res, "Preencha o campo e-mail.");
44     } else if (!req.body.password) {
45         users.render(req, res, "Preencha o campo senha.");
46     } else {
47
48         users.login(req.body.email, req.body.password).then(user => {
49
50             req.session.user = user;
51
52         });
53     }
54
55     res.redirect('/admin/login');
56
57 });
58
59
60 module.exports = router;
```
- Status Bar:** Ln 34, Col 29 (34 selected) Spaces: 2 CRLF { JavaScript Go Live Prettier

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree with a node selected: 'SABOROSO' > 'routes' > 'admin.js'. A red arrow points from the 'admin.js' entry in the tree to the same line in the code editor. The code editor displays the 'admin.js' file, which contains router configuration logic. A second red arrow points to the line of code where 'req.menus = admin.getMenus();' is written. The status bar at the bottom shows the file path 'saboroso [Administrator]', line number 'Ln 18, Col 1 (33 selected)', and other settings like 'Spaces: 2', 'UTF-8', 'CRLF', and 'JavaScript'.

```
routes > JS admin.js > router.use() callback
6   router.use(function(req, res, next){
7
8     if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
9       res.redirect("/admin/login");
10    } else {
11      next();
12    }
13  });
14);
15
16 router.use(function(req, res, next){
17
18   req.menus = admin.getMenus();
19
20   next();
21
22 });
23
24 router.get('/logout', function(req, res, next){
25
26   delete req.session.user;
27
28   res.redirect('/admin/login');
29
30 });
31
```

Admin - SP

localhost:3000/admin/

Fulano Junior

SP

Fulano Junior
Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

RESE...
90

CONT...
41

MENU
3

USUÁ...
2

Tela Inicial

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  :before
    <!-- Main Header -->
  ><header class="main-header">...</header>
  <!-- Left side column. Contains the logo and sidebar -->
  ...><aside class="main-sidebar">...</aside> == $0
  <!-- Content Wrapper. Contains page content -->
  ><div class="content-wrapper" style="min-height: 540px;">...</div>
  <!-- /.content-wrapper -->
  <!-- Main Footer -->
<div class="main-footer">...</div>
```

Estilos Computado Layout

Filtrar

```
element.style { }
```

```
.skin-blue .wrapper, .skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}

.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
```

Admin - SP

localhost:3000/admin/

Tela Inicial

Home > Usuários

RESE... 90

CONT... 41

MENU 3

USUÁ... 2

Fulano Junior

Fulano Junior Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

Wrapper style="height: auto; min-height: 100%;">
:before
<!-- Main Header -->
<header class="main-header">...
</header>
<!-- Left side column. Contains the logo and sidebar -->
...
<aside class="main-sidebar">...
</aside> == \$0
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper" style="min-height: 540px;">...</div>
<!-- /.content-wrapper -->
<!-- Main Footer --></p>

lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout

Filtrar :hov .cls +, □

element.style {
}

.skin-blue .wrapper, skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
background-color: #222d32;
}

.main-sidebar { AdminLTE.min.css:7
position: absolute;
top: 0;
left: 0;
padding-top: 50px;
min-height: 100%;
width: 230px;
z-index: 810;
-webkit-transition: -webkit-transform .3s ease-in-out,
ease-in-out, width .3s ease-in-out;
-moz-transition: -moz-transform .3s ease-

localhost:3000/admin

Admin - SP

localhost:3000/admin/

SP

Fulano Junior

Fulano Junior
Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

RESE...
90

CONT...
41

MENU
3

USUÁ...
2

Tela Inicial

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console Layout

```
<div class="wrapper" style="height: auto; min-height: 100%;>
  ::before
    <!-- Main Header -->
  <header class="main-header"></header>
  <!-- Left side column. contains the logo and sidebar -->
  ...
  <aside class="main-sidebar"></aside> == $0
  <!-- Content Wrapper. Contains page content -->
  <div class="content-wrapper" style="min-height: 540px;"></div>
  <!-- /.content-wrapper -->
<!-- Main Footer -->
<div class="main-footer"></div>
```

Estilos Computado Layout

Filtrar

```
element.style {
```

```
.skin-blue .wrapper, .skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}

.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  -moz-transition: -moz-transform .3s ease-in-out,
```

localhost:3000/admin/menus

Admin - SP

localhost:3000/admin/

SP

Fulano Junior

Fulano Junior
Online

MENU

Tela Inicial

Reservas

Contatos

Usuários

E-mails

RESE...
90

CONT...
41

MENU
3

USUÁ...
2

Tela Inicial

Home > Usuários

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  ::before
    <!-- Main Header -->
    ><header class="main-header">...</header>
    <!-- Left side column. Contains the logo and sidebar -->
    ...><aside class="main-sidebar">...</aside> == $0
    <!-- Content Wrapper. Contains page content -->
    ><div class="content-wrapper" style="min-height: 540px;">...</div>
    <!-- /.content-wrapper -->
    <!-- Main Footer -->
</div>
```

lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout

Filtrar

```
element.style { }
.skin-blue .wrapper, skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}
.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
```

Admin - SP

localhost:3000/admin/

Tela Inicial

SP

Fulano Junior

Fulano Junior
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

RESE... 90

CONT... 41

MENU 3

USUÁ... 2

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  :before
    <!-- Main Header -->
  ><header class="main-header">...</header>
  <!-- Left side column. Contains the logo and sidebar -->
  ...><aside class="main-sidebar">...</aside> == $0
  <!-- Content Wrapper. Contains page content -->
  ><div class="content-wrapper" style="min-height: 540px;">...</div>
  <!-- /.content-wrapper -->
  <!-- Main Footer -->
<div class="main-footer">...</div>
```

lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout

Filtrar

```
element.style { }
.skin-blue .wrapper, skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}
.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
```

localhost:3000/admin/contacts

Admin - SP

localhost:3000/admin/

Fulano Junior

SP

Fulano Junior
Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

RESE...
90

CONT...
41

MENU
3

USUÁ...
2

Tela Inicial

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  :before
  <!-- Main Header -->
  ><header class="main-header">...</header>
  <!-- Left side column. Contains the logo and sidebar -->
  ...><aside class="main-sidebar">...</aside> == $0
  <!-- Content Wrapper. Contains page content -->
  ><div class="content-wrapper" style="min-height: 540px;">...</div>
  <!-- /.content-wrapper -->
  <!-- Main Footer -->
<div class="main-footer">...</div>
```

lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout

Filtrar

```
element.style { }
.skin-blue .wrapper, skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}
.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
```

localhost:3000/admin/emails

File Edit Selection View Go ... 🔍 saboroso [Administrator]

EXPLORER

SABOROSO

- > bin
- < inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- JS footer.ejs
- JS header.ejs
- JS contacts.ejs
- JS emails.ejs

OUTLINE

TIMELINE

admin.js routes X header-menu.ejs header.ejs admin.js inc footer.ejs index.ejs

routes > JS admin.js > router.get('/')

```
19      next();
20
21  });
22
23
24  router.get('/logout', function(req, res, next){
25
26    delete req.session.user;
27
28    res.redirect('/admin/login');
29
30  });
31
32  router.get('/', function(req, res, next) {
33
34    res.render('admin/index', {
35      menus: req_menus
36    });
37
38  });
39
40  router.post('/login', function(req, res, next) {
41
42    if (!req.body.email) {
43      users.render(req, res, "Preencha o campo e-mail.");
44    } else if (!req.body.password) {
```

Ln 34, Col 29 (34 selected) Spaces: 2 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named "admin.js" selected in the Explorer sidebar. The Explorer sidebar on the left lists the project structure under a folder named "SABOROSO". The "routes" folder contains several files: "admin.js", "index.js", and "views" (which further contains "admin" and "inc" folders with "footer.ejs", "header.ejs", "contacts.ejs", "emails.ejs", and ".") along with "node_modules" and "public". A red arrow points from the "admin.js" entry in the sidebar to its corresponding tab in the top navigation bar. The main editor area shows the content of the "admin.js" file, which defines routes for various admin pages using Express.js routers.

```
routes > JS admin.js > router.get('/') callback
63
64   router.get('/login', function(req, res, next) {
65
66     users.render(req, res, null);
67
68   });
69
70   router.get('/contacts', function(req, res, next) {
71
72     res.render('admin/contacts');
73
74   });
75
76   router.get('/emails', function(req, res, next) {
77
78     res.render('admin/emails');
79
80   });
81
82   router.get('/menus', function(req, res, next) {
83
84     res.render('admin/menus');
85
86   });
87
88   router.get('/reservations', function(req, res, next) {
```

A screenshot of the Visual Studio Code (VS Code) interface. The top bar shows the menu: File, Edit, Selection, View, Go, ... and the title bar says "saboroso [Administrator]". The Explorer sidebar on the left shows a project structure under "SABOROSO": bin, inc, admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, index.js, and views/admin/inc/footer.ejs, header.ejs, contacts.ejs, emails.ejs. The "admin.js" file is selected in the Explorer. The main editor area shows the "admin.js" file content:

```
routes > JS admin.js routes X < header-menu.ejs < header.ejs < JS admin.js inc < footer.ejs < index.ejs < ...
```

```
routes > JS admin.js > router.get('/emails') callback
63
64   router.get('/login', function(req, res, next) {
65
66     users.render(req, res, null);
67
68   });
69
70   router.get('/contacts', function(req, res, next) {
71
72     res.render('admin/contacts', {
73       menus: req.menus
74     });
75
76   });
77
78   router.get('/emails', function(req, res, next) {
79
80     res.render('admin/emails', {
81       menus: req.menus
82     });
83
84   });
85
86   router.get('/menus', function(req, res, next) {
87
88     res.render('admin/menus');
```

Two red arrows point from the "views/admin/inc/footer.ejs", "header.ejs", "contacts.ejs", and "emails.ejs" files in the Explorer to the "req.menus" variable in the code editor, highlighting the reuse of this variable across multiple files.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⚡

SABOROSO

- > bin
- ✓ inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- ✓ routes
- JS admin.js
- JS index.js
- ✓ views
- ✓ admin
- ✓ inc
- ↗ footer.ejs
- ↗ header.ejs
- ↗ contacts.ejs
- ↗ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > router.get('/menus') callback

```
83
84     });
85
86     router.get('/menus', function(req, res, next) {
87         res.render('admin/menus', {
88             menus: req_menus
89         });
90     );
91
92     });
93
94     router.get('/reservations', function(req, res, next) {
95
96         res.render('admin/reservations', {
97             date:{}
98         );
99     );
100
101    router.get('/users', function(req, res, next) {
102
103        res.render('admin/users');
104
105    );
106
107    module.exports = router;
```

Ln 88, Col 27 (30 selected) Spaces: 2 CRLF { JavaScript ⚡ Port : 5500 ✓ Prettier ⚡

A screenshot of the Visual Studio Code interface. The left sidebar shows a file tree for a project named 'SABOROSO'. The 'routes' folder contains several files: 'admin.js', 'index.js', and 'views' (which further contains 'admin', 'inc', 'header.ejs', 'footer.ejs', 'contacts.ejs', 'emails.ejs', and 'reservations.ejs'). A red arrow points from the 'admin.js' entry in the tree to the 'admin.js' tab in the top bar. The main editor area displays the content of the 'admin.js' file. The code is a Node.js application using Express. It defines three routes: '/menus', '/reservations', and '/users'. Each route's callback function uses `res.render` to serve EJS templates ('admin/menus', 'admin/reservations', and 'admin/users') and passes the 'req_menus' object to the template. The 'req_menus' variable is highlighted with a yellow lightbulb icon, indicating a potential issue or warning.

```
routes > JS admin.js > router.get('/reservations') callback > menus
85
86     router.get('/menus', function(req, res, next) {
87
88         res.render('admin/menus', {
89             menus: req_menus
90         });
91
92     });
93
94     router.get('/reservations', function(req, res, next) {
95
96         res.render('admin/reservations', {
97             date: {},
98             menus: req_menus
99         });
100
101    });
102
103    router.get('/users', function(req, res, next) {
104
105        res.render('admin/users', {
106            menus: req_menus
107        });
108
109    });
110
```

Admin - SP

localhost:3000/admin/

Fulano Junior

Tela Inicial

RESE... 90

CONT... 41

MENU 3

USUÁ... 2

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  <!-- Main Header -->
  <header class="main-header">...</header>
  <!-- Left side column. contains the logo and sidebar -->
  ...
  <aside class="main-sidebar"> == $0
    <!-- sidebar: style can be found in sidebar.less -->
    <section class="sidebar" style="height: auto;">...</section>
    <!-- /.sidebar -->
  </aside>
  <!-- Content Wrapper. Contains page content -->
  <div class="content-wrapper" style="min-height: 100%; position: relative; width: 100%; height: 100%;>
    <div class="content" style="padding: 20px; height: 100%;>...</div>
  </div>
</div>
```

Estilos Computado Layout

Filtrar

```
element.style { }
.skin-blue .wrapper, .skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}
.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
}
```

Admin - SP

localhost:3000/admin/menus

Fulano Junior

SP

Fulano Junior
Online

MENU

- Tela Inicial
- Menu**
- Reservas
- Contatos
- Usuários
- E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Menu

Home > Menu

Lista

+ Novo

#	Foto	Título	Descrição	Preço	Ações
1.		Update software	Diuretics paradis num copo é motivis de denguis.	R\$1,99	Editar Excluir

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  <!-- Main Header -->
  <header class="main-header">...</header>
  <!-- Left side column. contains the logo and sidebar -->
  ...
  <aside class="main-sidebar" == $0
    <!-- sidebar: style can be found in sidebar.less -->
    <section class="sidebar" style="height: auto;">...</section>
    <!-- /.sidebar -->
  </aside>
  <!-- Content Wrapper. Contains page -->
  <div class="content-wrapper" style="height: auto; min-height: 100%; position: relative; width: 100%;">
    <div class="content" style="height: 100%; position: absolute; top: 0; left: 0; width: 100%; height: 100%; padding: 0; margin: 0; overflow: hidden; ">
      <div class="inner-content" style="height: 100%; position: relative; width: 100%; margin: 0; padding: 0; ">
        <div class="row" style="margin-bottom: 15px; ...>
          <div class="col-md-12" style="margin-bottom: 15px; ...>
            <div class="box" style="border: 1px solid #f0f0f0; border-radius: 4px; padding: 15px; ...>
              <div class="box-body" style="padding: 10px; ...>
                <h2 style="margin: 0;">Menu
                <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 10px; ...>
                  <span style="font-size: 14px; color: #6c757d;">Home > Menu
                  <span style="font-size: 14px; color: #6c757d;">+ Novo
                </div>
                <table border="1" style="width: 100%; border-collapse: collapse; ...>
                  <thead>
                    <tr style="background-color: #f0f0f0; border-bottom: 1px solid #ccc; ...>
                      <th style="text-align: left; padding: 5px;">#
                      <th style="text-align: left; padding: 5px;">Foto
                      <th style="text-align: left; padding: 5px;">Título
                      <th style="text-align: left; padding: 5px;">Descrição
                      <th style="text-align: left; padding: 5px;">Preço
                      <th style="text-align: left; padding: 5px;">Ações
                    </tr>
                  <tbody>
                    <tr style="border-bottom: 1px solid #ccc; ...>
                      <td style="padding: 5px;">1.
                      <td style="padding: 5px; text-align: center; ...>
                        <img alt="Placeholder image" style="width: 30px; height: 30px; border-radius: 50%; object-fit: cover; ..."/>
                      <td style="padding: 5px;">Update software
                      <td style="padding: 5px;">Diuretics paradis num copo é motivis de denguis.
                      <td style="padding: 5px; text-align: right;">R$1,99
                      <td style="padding: 5px; text-align: right; vertical-align: middle; ...>
                        <span style="color: #007bff; font-weight: bold;">Editar <span style="color: #dc3545; font-weight: bold;">Excluir
                    </tr>
                  </tbody>
                </table>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

Elementos

Console

SP

localhost:3000/admin/menus

Admin - SP

localhost:3000/admin/reservations

SP

Fulano Junior

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Reservas

Home > Reservas

Lista

+ Novo

#	Nome	E-mail	Pessoas	Data	Hora	Ações
1.	Hcode	contato@sproviders.com.br	2	1/1/2024	10:30	Editar Excluir


1 2 3 »


Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements

```
<!DOCTYPE html>
<html style="height: auto; min-height: 100%;">
  <head>...</head>
  <body class="pace-done skin-blue sidebar-mini" style="height: auto; min-height: 100%;">
    <div class="pace pace-inactive">...</div>
    <div class="wrapper" style="height: auto; min-height: 100%;>
      ::before
      <!-- Main Header -->
      <header class="main-header">...
        </header>
        <!-- Left side column. contains the
        logo and sidebar -->
        <aside class="left-side">...
          <ul>...
            <li>...
              <a href="#">Reservas</a>
            </li>
          </ul>
        </aside>
        <div class="right-side">...
          <div class="content-wrapper">...
            <div class="content">...
              <h1>Reservas</h1>
              <p>Lista</p>
              <button>+ Novo</button>
              <table border="1">
                <thead>
                  <tr><th>#</th><th>Nome</th><th>E-mail</th><th>Pessoas</th><th>Data</th><th>Hora</th><th>Ações</th></tr>
                </thead>
                <tbody>
                  <tr>
                    <td>1.</td>
                    <td>Hcode</td>
                    <td>contato@sproviders.com.br</td>
                    <td>2</td>
                    <td>1/1/2024</td>
                    <td>10:30</td>
                    <td><a href="#">Editar</a> <a href="#">Excluir</a></td>
                  </tr>
                </tbody>
              </table>
              <div>1 2 3 »</div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```





E-mails

Fulano Junior

 Home > E-mails

Lista

#	E-mail	Ações
1.	contato@sproviders.com.br	 Excluir

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

19 – Formatando menu Ativo

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close, New, Open, Save, Find, Replace, Copy, Paste, Select All, Undo, Redo.
- Explorer Sidebar:** Shows a file tree structure under the 'SABOROSO' root:
 - bin
 - inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
 - > node_modules
 - > public
 - < routes
 - JS admin.js
 - JS index.js
 - < views
 - < admin
 - inc
 - JS footer.ejs
 - JS header.ejs
 - JS contacts.ejs
 - JS emails.ejs
 - > OUTLINE
 - > TIMELINE
- Tab Bar:** JS admin.js routes X (active), JS header-menu.ejs, JS header.ejs, JS admin.js inc, JS footer.ejs, JS index.ejs, ...
- Code Area:** Displays the content of the 'admin.js' file. The code handles user authentication and routing. A red arrow points from the 'admin.js' entry in the sidebar to its tab in the tab bar.
- Bottom Status Bar:** Line 107, Col 6, Spaces: 2, CRLF, JavaScript, Port: 5500, Prettier.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X header-menu.ejs header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- ✓ routes
- JS admin.js
- JS index.js
- ✓ views
- ✓ admin
- ✓ inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > router.use() callback

```
8 if(['/login'].indexOf(req.url) === -1 && !req.session.user) {  
9   res.redirect("/admin/login");  
10 } else {  
11   next();  
12 }  
13 };  
14 );  
15  
16 router.use(function(req, res, next){  
17   req.menus = admin.getMenus(req);  
18   next();  
19 };  
20 );  
21 );  
22 );  
23  
24 router.get('/logout', function(req, res, next){  
25   delete req.session.user;  
26   res.redirect('/admin/login');  
27 };  
28 );  
29 );  
30 );  
31  
32 router.get('/', function(req, res, next) {  
33 }
```

Ln 18, Col 35 (3 selected) Spaces: 2 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named 'admin.js' selected in the Explorer sidebar. A red arrow points from the Explorer sidebar to the file name in the code editor tab bar.

The code editor displays the following JavaScript code:

```
admin.js routes header-menu.ejs header.ejs admin.js inc footer.ejs index.ejs
```

```
inc > JS admin.js > [?] <unknown> > ⚡ getMenus
1 module.exports = {
2 ...
3     getMenus(){
4         return [
5             {
6                 text:"Tela Inicial",
7                 href:"/admin",
8                 icon:"home",
9                 active: false
10            },
11            {
12                text:"Menu",
13                href:"/admin/menus",
14                icon:"cutlery",
15                active: false,
16            },
17            {
18                text:"Reservas",
19                href:"/admin/reservations",
20                icon:"calendar-check-o",
21                active: false,
22            },
23            {
24                text:"Contatos",
25                href:"/admin/contacts",
26                icon:"comments",
27            }
28        ]
29    }
30}
```

The code defines a module export named 'getMenus' which returns an array of menu items. Each item has properties for text, href, icon, and active status.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes ◁ header-menu.ejs ◁ header.ejs JS admin.js inc X ◁ footer.ejs ◁ index.ejs ⚡ ...

SABOROSO

- > bin
- inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js

> node_modules

> public

routes

- JS admin.js
- JS index.js

views

- admin
- inc
- JS footer.ejs
- JS header.ejs
- JS contacts.ejs
- JS emails.ejs

> OUTLINE

> TIMELINE

inc > JS admin.js > [?] <unknown> > getMenus

```
1 module.exports = {  
2   ...  
3   getMenus(req){  
4     return [  
5       {  
6         text:"Tela Inicial",  
7         href:"/admin",  
8         icon:"home",  
9         active: false  
10      },  
11      {  
12        text:"Menu",  
13        href:"/admin/menus",  
14        icon:"cutlery",  
15        active: false,  
16      },  
17      {  
18        text:"Reservas",  
19        href:"/admin/reservations",  
20        icon:"calendar-check-o",  
21        active: false,  
22      },  
23      {  
24        text:"Contatos",  
25        href:"/admin/contacts",  
26        icon:"comments",  
27      }  
28    ]  
29  }  
30}
```

Ln 3, Col 17 (3 selected) Spaces: 4 UTF-8 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier ⚡

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes header-menu.ejs header.ejs JS admin.js inc ✎ X JS footer.ejs index.ejs ⌂ ...

SABOROSO

- > bin
- < inc
- JS admin.js**
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs
- ...

> OUTLINE

> TIMELINE

JS admin.js routes header-menu.ejs header.ejs JS admin.js inc ✎ X JS footer.ejs index.ejs ⌂ ...

inc > JS admin.js > [?] <unknown> > ⚡ getMenus > ⚡ href

```
1 module.exports = {  
2   ...  
3   getMenus(req){  
4     return [  
5       {  
6         text:"Tela Inicial",  
7         href:"/admin",  
8         icon:"home",  
9         active: false  
10      },  
11      {  
12        text:"Menu",  
13        href:"/admin/menus",  
14        icon:"cutlery",  
15        active: false,  
16      },  
17      {  
18        text:"Reservas",  
19        href:"/admin/reservations",  
20        icon:"calendar-check-o",  
21        active: false,  
22      },  
23      {  
24        text:"Contatos",  
25        href:"/admin/contacts",  
26        icon:"comments",  
27      }  
28    ]  
29  }  
30}
```

Ln 7, Col 30 (13 selected) Spaces: 4 UTF-8 CRLF ⚡ JavaScript ⚡ Port : 5500 ✎ Prettier ⌂

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes ⚡ header-menu.ejs ⚡ header.ejs JS admin.js inc ✎ ⚡ footer.ejs ⚡ index.ejs ⚡ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ⚡ footer.ejs
 - ⚡ header.ejs
 - ⚡ contacts.ejs
 - ⚡ emails.ejs
- > OUTLINE
- > TIMELINE

inc > JS admin.js > [?] <unknown> > ⚡ getMenus

```
1 module.exports = {  
2   ...  
3   getMenus(req){  
4     ...  
5     return [  
6       {  
7         text:"Tela Inicial",  
8         href:"/admin",  
9         icon:"home",  
10        active: false  
11      },  
12      {  
13        text:"Menu",  
14        href:"/admin/menus",  
15        icon:"cutlery",  
16        active: false,  
17      },  
18      {  
19        text:"Reservas",  
20        href:"/admin/reservations",  
21        icon:"calendar-check-o",  
22        active: false,  
23      },  
24      {  
25        text:"Contatos",  
26        href:"/admin/contacts",  
27      }  
28    ]  
29  }  
30}
```

Ln 5, Col 9 (6 selected) Spaces: 4 UTF-8 CRLF ⚡ JavaScript ⚡ Port : 5500 ✅ Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes ◁ header-menu.ejs ◁ header.ejs JS admin.js inc X ◁ footer.ejs ◁ index.ejs ⚡ ...

SABOROSO

> bin

inc

JS admin.js

JS contacts.js

JS db.js

JS menus.js

JS reservations.js

JS users.js

> node_modules

> public

routes

JS admin.js

JS index.js

views

admin

inc

JS footer.ejs

JS header.ejs

JS contacts.ejs


JS emails.ejs

> OUTLINE

> TIMELINE

```
inc > JS admin.js > [?] <unknown> > [?] getMenus > [?] menus
1 module.exports = {
2 ...
3     getMenus(req){
4
5         let menus = [
6             {
7                 text:"Tela Inicial",
8                 href:"/admin",
9                 icon:"home",
10                active: false
11            },
12            {
13                text:"Menu",
14                href:"/admin/menus",
15                icon:"cutlery",
16                active: false,
17            },
18            {
19                text:"Reservas",
20                href:"/admin/reservations",
21                icon:"calendar-check-o",
22                active: false,
23            },
24            {
25                text:"Contatos",
26                href:"/admin/contacts",
27            }
28        }
29    }
30}
```

Ln 5, Col 20 (11 selected) Spaces: 4 UTF-8 CRLF { JavaScript ⚡ Port : 5500 ✅ Prettier ⚡



File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes header-menu.ejs header.ejs JS admin.js inc ✎ JS footer.ejs index.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ↳ footer.ejs
 - ↳ header.ejs
 - ↳ contacts.ejs
 - ↳ emails.ejs
- > OUTLINE
- > TIMELINE

inc > JS admin.js > [?] <unknown> > ↗ getMenus

```
30      {
31        text: "Usuários",
32        href: "/admin/users",
33        icon: "users",
34        active: false,
35      },
36      {
37        text: "E-mails",
38        href: "/admin/emails",
39        icon: "envelope",
40        active: false
41      }
42    ];
43
44    .... menus.map(menu => {
45      .... console.log(req.url, menu.href);
46    });
47  );
48  .... return menus;
49
50}
51
52}
53
54};
```

Ln 44, Col 1 (115 selected) Spaces: 4 UTF-8 CRLF { JavaScript ⚡ Port : 5500 ✎ Prettier ⌂

Admin - SP

localhost:3000/admin/

SP

Fulano Junior
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Tela Inicial




RESE...
90



CONT...
41



MENU
3



Projeto desenvolvido no CT Desenvolvimento de Sistemas.

Cmder

```
C:\Users\Administrador\Desktop\projeto\saboroso
λ set DEBUG=saboroso:* & npm start

> saboroso@0.0.0 start
> nodemon ./bin/www

[nodemon] 3.1.7
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node ./bin/www`
saboroso:server Listening on port 3000 +0ms
```

Admin - SP

localhost:3000/admin/

Tela Inicial

RESE... 90

CONT... 41

MENU 3

Fulano Junior Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Cmder

```
> saboroso@0.0.0 start
> nodemon ./bin/www

[nodemon] 3.1.7
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node ./bin/www`
saboroso:server Listening on port 3000 +0ms
/ /admin
/ admin/menus
/ admin/reservations
/ admin/contacts
/ admin/users
/ admin/emails
GET /admin/ 304 21.819 ms -
GET /admin/bower_components/bootstrap/dist/css/bootstrap.min.css 304 5.026 ms -
GET /admin/bower_components/font-awesome/css/font-awesome.min.css 304 8.809 ms -
GET /admin/bower_components/Ionicons/css/ionicons.min.css 304 8.734 ms -
GET /admin/dist/css/AdminLTE.min.css 304 8.434 ms -
GET /admin/dist/css/skins/skin-blue.min.css 304 7.749 ms -
GET /admin/dist/img/avatar5.png 304 7.367 ms -
GET /admin/bower_components/jquery/dist/jquery.min.js 304 18.257 ms -
GET /admin/bower_components/bootstrap/dist/js/bootstrap.min.js 304 8.445 ms -
GET /admin/bower_components/PACE/pace.min.js 304
```

node.exe

Search

File Edit Selection View Go ... ← → saboroso [Administrator] ⌂ ⌃ ⌄ ⌅ ⌆ ⌇

EXPLORER ... JS admin.js routes ◊ header-menu.ejs ◊ header.ejs JS admin.js inc X ◊ footer.ejs ◊ index.ejs ⌋ ...

SABOROSO

> bin

✓ inc

JS admin.js

JS contacts.js

JS db.js

JS menus.js

JS reservations.js

JS users.js

> node_modules

> public

✓ routes

JS admin.js

JS index.js

✓ views

✓ admin

✓ inc

◊ footer.ejs

◊ header.ejs

◊ contacts.ejs

◊ emails.ejs

> OUTLINE

> TIMELINE

inc > JS admin.js > [?] <unknown> > [?] getMenus > [?] menus.map() callback

```
30      {
31        text: "Usuários",
32        href: "/admin/users",
33        icon: "users",
34        active: false,
35      },
36      {
37        text: "E-mails",
38        href: "/admin/emails",
39        icon: "envelope",
40        active: false
41      }
42    ];
43
44    menus.map(menu => {
45      ...
46      console.log(req.url, menu.href);
47    });
48
49
50
51
52
53
54};
```

Ln 46, Col 9 (36 selected) Spaces: 4 UTF-8 CRLF { JavaScript ⌁ Port : 5500 ⌁ Prettier ⌁

File Edit Selection View Go ... ← → 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes ◊ header-menu.ejs ◊ header.ejs JS admin.js inc ✎ ◊ footer.ejs ◊ index.ejs ⌂ ...

SABOROSO

- > bin
- inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- routes
- JS admin.js
- JS index.js
- views
- admin
- inc
- ◊ footer.ejs
- ◊ header.ejs
- ◊ contacts.ejs
- ◊ emails.ejs

> OUTLINE
> TIMELINE

inc > JS admin.js > [?] <unknown> > ☑ getMenus > ☑ menus.map() callback

```
30      {
31        text: "Usuários",
32        href: "/admin/users",
33        icon: "users",
34        active: false,
35      },
36      {
37        text: "E-mails",
38        href: "/admin/emails",
39        icon: "envelope",
40        active: false
41      }
42    ];
43
44    menus.map(menu => {
45      ...
46      if (menu.href === `/admin${req.url}`) menu.active = true;
47    });
48
49
50
51
52
53
54};
```

Ln 46, Col 9 (61 selected) Spaces: 4 UTF-8 CRLF { JavaScript ⚡ Port : 5500 ✎ Prettier



RESE...
90



CONT...
41



MENU
3



USUÁ...
2



A small, circular portrait of a man with dark hair and a white collar, possibly a historical figure or a character from a book.



WPS Menu



7 E-mail

SP



Fulano Junior



Fulano Junior

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails



Menu

Home > Menu

Lista

+ Novo

#	Foto	Título	Descrição	Preço	Ações
---	------	--------	-----------	-------	-------

1.		Update software	Diuretics paradis num copo é motivis de denguis.	R\$1,99	Editar Excluir
----	--	-----------------	--	---------	-----------------

Elements Console

```
<!DOCTYPE html>
<html style="height: auto; min-height: 100%;">
  <head>...</head>
  <body class="pace-done skin-blue sidebar-mini" style="height: auto; min-height: 100%;">
    <div class="pace pace-inactive">...</div>
    <div class="wrapper" style="height: auto; min-height: 100%;>
      :before
      <!-- Main Header -->
      <header class="main-header">...
        </header>
        <!-- Left side column. contains the
        logo and sidebar -->
        <aside class="left-side...
        <div class="skin-blue sidebar-mini" style="background-color: #222d32; position: absolute; top: 0; left: 0; padding-top: 50px; min-height: 100%; width: 230px; z-index: 810; transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out; transform: translateZ(0);>
          <!-- Main Content -->
          <div class="skin-blue main-content" style="background-color: #fff; position: relative; height: 100%;>
            <div class="skin-blue main-content" style="position: relative; height: 100%;>
              <div class="skin-blue main-content" style="position: relative; height: 100%;>
                <div class="skin-blue main-content" style="position: relative; height: 100%;>
                  <div class="skin-blue main-content" style="position: relative; height: 100%;>
                    <div class="skin-blue main-content" style="position: relative; height: 100%;>
                      <div class="skin-blue main-content" style="position: relative; height: 100%;>
                        <div class="skin-blue main-content" style="position: relative; height: 100%;>
                          <div class="skin-blue main-content" style="position: relative; height: 100%;>
                            <div class="skin-blue main-content" style="position: relative; height: 100%;>
                              <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                  <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                    <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                      <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                        <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                          <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                            <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                              <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                  <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                    <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                      <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                        <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                          <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                            <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                              <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                  <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                    <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                      <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                        <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                          <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                            <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                              <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                                <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                                  <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                                    <div class="skin-blue main-content" style="position: relative; height: 100%;>
                                                                                      <div class="skin-blue main-content" style="position: relative; height: 100%;>
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```

Admin - SP

localhost:3000/admin/reservations

Fulano Junior

SP

Fulano Junior
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Reservas

Home > Reservas

Lista

+ Novo

#	Nome	E-mail	Pessoas	Data	Hora	Ações
1.	Hcode	contato@sproviders.com.br	2	1/1/2024	10:30	Editar Excluir

OK

<div class="wrapper" style="height: auto; min-height: 100%;"><!-- Main Header --><header class="main-header"></header><!-- Left side column. Contains the logo and sidebar -->...<aside class="main-sidebar" == \$0<!-- sidebar: style can be found in sidebar.less --><section class="sidebar" style="height: auto;">...</section><!-- /.sidebar --></aside><!-- Content Wrapper. Contains page content --><div class="content-wrapper" style="min-height: 100%; position: relative;">

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

</div>

Elementos

Estilos

Computado

Layout


Filtrar

element.style {

}

.skin-blue .wrapper, .skin-blue .main-sidebar, .skin-blue .left-side { background-color: #222d32; }

.main-sidebar { position: absolute; top: 0; left: 0; padding-top: 50px; min-height: 100%; width: 230px; z-index: 810; -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out; transition: transform .3s ease-in-out, width .3s ease-in-out; }



SP



Fulano Junior



Fulano Junior

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails



Usuários

Home > Usuários

Lista

Novo

#	Nome	E-mail	Ações
---	------	--------	-------

1.	SP	contato@sproviders.com.br	Editar Alterar Senha Excluir
----	----	---------------------------	--------------------------------

Elements > 4

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  :before
    <!-- Main Header -->
  <header class="main-header"> ...
  <!-- Left side column. contains the logo and sidebar -->
  ...
  <aside class="main-sidebar" -- $0
    <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar" style="height: auto;"> ...
  <!-- /.sidebar -->
</aside>
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper" style="min-height: 100%; position: relative; width: 100%;">
  <!-- Content Header (optional) -->
  <div class="content-header"> ...
  <!-- Main content -->
  <div class="content" style="padding: 10px; position: relative; height: 100%; width: 100%;">
    <!-- Your content here -->
  </div>
</div>
<!-- Footer -->
<div class="main-footer" style="background-color: #f2f2f2; padding: 10px; font-size: small;">
  ...
</div>
</body>
</html>
```

lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout >

Filtrar :hov .cls +, □

```
element.style { }

.skin-blue .wrapper, .skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}

.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
  -moz-transition: -moz-transform .3s ease-in-out, width .3s ease-in-out;
  transition: transform .3s ease-in-out, width .3s ease-in-out;
}
```

Admin - SP

localhost:3000/admin/emails

Fulano Junior

E-mails

Lista

#	E-mail	Ações
1.	contato@sproviders.com.br	<button>Excluir</button>

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements

```
<!DOCTYPE html>
<html style="height: auto; min-height: 100%;>
  <head>...</head>
  <body class="pace-done skin-blue sidebar-mini" style="height: auto; min-height: 100%;>
    <div class="pace pace-inactive">...</div>
    <div class="wrapper" style="height: auto; min-height: 100%;>
      ::before
      <!-- Main Header -->
      <header class="main-header">...
        </header>
        <!-- Left side column. contains the logo and sidebar -->
        <aside class="left-side">
          <div class="skin-blue .wrapper, skin-blue.min.css:1">
            <div class="skin-blue .main-sidebar, skin-blue .left-side">
              background-color: #222d32;
            </div>
          </div>
        </aside>
        <div class="main-content">
          <div class="main-content-inner">
            <div class="main-sidebar">
              AdminLTE.min.css:7
              position: absolute;
              top: 0;
              left: 0;
              padding-top: 50px;
              min-height: 100%;
              width: 230px;
              z-index: 810;
              -webkit-transition: -webkit-transform .3s ease in-out, width .3s ease in-out;
              transition: transform .3s ease in-out, width .3s ease in-out;
            </div>
            <div class="content-wrapper">
              <div class="content">
                <div class="content-header">
                  <div class="content-tools">
                    ...
                  </div>
                </div>
                <div class="content-body">
                  ...
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </body>
</html>
```

Estilos

Computado

Layout

Filtrar

element.style {

}

.skin-blue .wrapper, skin-blue.min.css:1

.skin-blue .main-sidebar, skin-blue .left-side {

background-color: #222d32;

}

.main-sidebar {

AdminLTE.min.css:7

position: absolute;

top: 0;

left: 0;

padding-top: 50px;

min-height: 100%;

width: 230px;

z-index: 810;

-webkit-transition: -webkit-transform .3s ease in-out, width .3s ease in-out;

transition: transform .3s ease in-out, width .3s ease in-out;

Admin - SP

localhost:3000/admin/

SP

Fulano Junior
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Tela Inicial

RESE... 90

CONT... 41

MENU 3

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

Cmder

```
> saboroso@0.0.0 start
> nodemon ./bin/www

[nodemon] 3.1.7
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): ***!
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node ./bin/www`
saboroso:server Listening on port 3000 +0ms
/ /admin
/ admin/menus
/ /admin/reservations
/ /admin/contacts
/ /admin/users
/ /admin/emails
GET /admin/ 304 21.819 ms -
GET /admin/bower_components/bootstrap/dist/css/bootstrap.min.css 304 5.026 ms -
GET /admin/bower_components/font-awesome/css/font-awesome.min.css 304 8.809 ms -
GET /admin/bower_components/Ionicons/css/ionicons.min.css 304 8.734 ms -
GET /admin/dist/css/AdminLTE.min.css 304 8.434 ms -
GET /admin/dist/css/skins/skin-blue.min.css 304 7.749 ms -
GET /admin/dist/img/avatar5.png 304 7.367 ms -
GET /admin/bower_components/jquery/dist/jquery.min.js 304 18.257 ms -
GET /admin/bower_components/bootstrap/dist/js/bootstrap.min.js 304 8.445 ms -
GET /admin/bower_components/PACE/pace.min.js 304
```

The screenshot shows a Visual Studio Code (VS Code) interface with the following details:

- File Explorer (Left):** Shows the project structure under the folder "SABOROSO".
 - bin
 - inc (selected)
 - admin.js (highlighted with a red arrow)
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js- routes
- public
- views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- node_modules

- Search Bar (Top):** saboroso [Administrator]
- Code Editor (Main Area):** Displays the content of the "admin.js" file.

```
inc > JS admin.js > [?] <unknown> > ⚡ getMenus > [?] menus > 🔒 href
1 module.exports = {
2 ...
3     getMenu(req){
4
5         let menus = [
6             {
7                 text:"Tela Inicial",
8                 href:"/admin",
9                 icon:"home",
10                active: false
11            },
12            {
13                text:"Menu",
14                href:"/admin/menus",
15                icon:"cutlery",
16                active: false,
17            },
18            {
19                text:"Reservas",
20                href:"/admin/reservations",
21                icon:"calendar-check-o",
22                active: false,
23            },
24            {
25                text:"Contatos",
26                href:"/admin/contacts",
27            }
28        }
29    }
30}
```

A red arrow points from the "admin.js" entry in the File Explorer to the "admin.js" tab in the top bar. Another red arrow points from the "active: false" line in the code editor to the "active" field of the first menu item.
- Top Bar (Right):** Includes icons for file operations (New, Open, Save, etc.) and a status bar showing "Ln 8, Col 23 (6 selected)" and "JavaScript".
- Bottom Bar (Bottom Right):** Includes icons for file status (0 changes), search, and other tools, along with the message "Port : 5500" and "Prettier".

File Edit Selection View Go ... ← → saboroso [Administrator] ⌂ ⌃ ⌄ ⌅ ⌆ ⌇ ⌈ ⌉ ⌊ ⌋

EXPLORER ... JS admin.js routes ◁ header-menu.ejs ◁ header.ejs JS admin.js inc X ◁ footer.ejs ◁ index.ejs ⌋ ...

inc > JS admin.js > [?] <unknown> > [?] getMenus > [?] menus > [?] href

```
1 module.exports = {  
2   ...  
3   getMenus(req){  
4     let menus = [  
5       {  
6         text:"Tela Inicial",  
7         href:"/admin/",  
8         icon:"home",  
9         active: false  
10      },  
11      {  
12        text:"Menu",  
13        href:"/admin/menus",  
14        icon:"cutlery",  
15        active: false,  
16      },  
17      {  
18        text:"Reservas",  
19        href:"/admin/reservations",  
20        icon:"calendar-check-o",  
21        active: false,  
22      },  
23      {  
24        text:"Contatos",  
25        href:"/admin/contacts",  
26      }  
27   }  
28 }  
29 }  
30 }  
31 }  
32 }  
33 }  
34 }  
35 }  
36 }  
37 }  
38 }  
39 }  
40 }  
41 }  
42 }  
43 }  
44 }  
45 }  
46 }  
47 }  
48 }  
49 }  
50 }  
51 }  
52 }  
53 }  
54 }  
55 }  
56 }  
57 }  
58 }  
59 }  
60 }  
61 }  
62 }  
63 }  
64 }  
65 }  
66 }  
67 }  
68 }  
69 }  
70 }  
71 }  
72 }  
73 }  
74 }  
75 }  
76 }  
77 }  
78 }  
79 }  
80 }  
81 }  
82 }  
83 }  
84 }  
85 }  
86 }  
87 }  
88 }  
89 }  
90 }  
91 }  
92 }  
93 }  
94 }  
95 }  
96 }  
97 }  
98 }  
99 }  
100 }  
101 }  
102 }  
103 }  
104 }  
105 }  
106 }  
107 }  
108 }  
109 }  
110 }  
111 }  
112 }  
113 }  
114 }  
115 }  
116 }  
117 }  
118 }  
119 }  
120 }  
121 }  
122 }  
123 }  
124 }  
125 }  
126 }  
127 }  
128 }  
129 }  
130 }  
131 }  
132 }  
133 }  
134 }  
135 }  
136 }  
137 }  
138 }  
139 }  
140 }  
141 }  
142 }  
143 }  
144 }  
145 }  
146 }  
147 }  
148 }  
149 }  
150 }  
151 }  
152 }  
153 }  
154 }  
155 }  
156 }  
157 }  
158 }  
159 }  
160 }  
161 }  
162 }  
163 }  
164 }  
165 }  
166 }  
167 }  
168 }  
169 }  
170 }  
171 }  
172 }  
173 }  
174 }  
175 }  
176 }  
177 }  
178 }  
179 }  
180 }  
181 }  
182 }  
183 }  
184 }  
185 }  
186 }  
187 }  
188 }  
189 }  
190 }  
191 }  
192 }  
193 }  
194 }  
195 }  
196 }  
197 }  
198 }  
199 }  
200 }  
201 }  
202 }  
203 }  
204 }  
205 }  
206 }  
207 }  
208 }  
209 }  
210 }  
211 }  
212 }  
213 }  
214 }  
215 }  
216 }  
217 }  
218 }  
219 }  
220 }  
221 }  
222 }  
223 }  
224 }  
225 }  
226 }  
227 }  
228 }  
229 }  
230 }  
231 }  
232 }  
233 }  
234 }  
235 }  
236 }  
237 }  
238 }  
239 }  
240 }  
241 }  
242 }  
243 }  
244 }  
245 }  
246 }  
247 }  
248 }  
249 }  
250 }  
251 }  
252 }  
253 }  
254 }  
255 }  
256 }  
257 }  
258 }  
259 }  
260 }  
261 }  
262 }  
263 }  
264 }  
265 }  
266 }  
267 }  
268 }  
269 }  
270 }  
271 }  
272 }  
273 }  
274 }  
275 }  
276 }  
277 }  
278 }  
279 }  
280 }  
281 }  
282 }  
283 }  
284 }  
285 }  
286 }  
287 }  
288 }  
289 }  
290 }  
291 }  
292 }  
293 }  
294 }  
295 }  
296 }  
297 }  
298 }  
299 }  
300 }  
301 }  
302 }  
303 }  
304 }  
305 }  
306 }  
307 }  
308 }  
309 }  
310 }  
311 }  
312 }  
313 }  
314 }  
315 }  
316 }  
317 }  
318 }  
319 }  
320 }  
321 }  
322 }  
323 }  
324 }  
325 }  
326 }  
327 }  
328 }  
329 }  
330 }  
331 }  
332 }  
333 }  
334 }  
335 }  
336 }  
337 }  
338 }  
339 }  
340 }  
341 }  
342 }  
343 }  
344 }  
345 }  
346 }  
347 }  
348 }  
349 }  
350 }  
351 }  
352 }  
353 }  
354 }  
355 }  
356 }  
357 }  
358 }  
359 }  
360 }  
361 }  
362 }  
363 }  
364 }  
365 }  
366 }  
367 }  
368 }  
369 }  
370 }  
371 }  
372 }  
373 }  
374 }  
375 }  
376 }  
377 }  
378 }  
379 }  
380 }  
381 }  
382 }  
383 }  
384 }  
385 }  
386 }  
387 }  
388 }  
389 }  
390 }  
391 }  
392 }  
393 }  
394 }  
395 }  
396 }  
397 }  
398 }  
399 }  
400 }  
401 }  
402 }  
403 }  
404 }  
405 }  
406 }  
407 }  
408 }  
409 }  
410 }  
411 }  
412 }  
413 }  
414 }  
415 }  
416 }  
417 }  
418 }  
419 }  
420 }  
421 }  
422 }  
423 }  
424 }  
425 }  
426 }  
427 }  
428 }  
429 }  
430 }  
431 }  
432 }  
433 }  
434 }  
435 }  
436 }  
437 }  
438 }  
439 }  
440 }  
441 }  
442 }  
443 }  
444 }  
445 }  
446 }  
447 }  
448 }  
449 }  
450 }  
451 }  
452 }  
453 }  
454 }  
455 }  
456 }  
457 }  
458 }  
459 }  
460 }  
461 }  
462 }  
463 }  
464 }  
465 }  
466 }  
467 }  
468 }  
469 }  
470 }  
471 }  
472 }  
473 }  
474 }  
475 }  
476 }  
477 }  
478 }  
479 }  
480 }  
481 }  
482 }  
483 }  
484 }  
485 }  
486 }  
487 }  
488 }  
489 }  
490 }  
491 }  
492 }  
493 }  
494 }  
495 }  
496 }  
497 }  
498 }  
499 }  
500 }  
501 }  
502 }  
503 }  
504 }  
505 }  
506 }  
507 }  
508 }  
509 }  
510 }  
511 }  
512 }  
513 }  
514 }  
515 }  
516 }  
517 }  
518 }  
519 }  
520 }  
521 }  
522 }  
523 }  
524 }  
525 }  
526 }  
527 }  
528 }  
529 }  
530 }  
531 }  
532 }  
533 }  
534 }  
535 }  
536 }  
537 }  
538 }  
539 }  
540 }  
541 }  
542 }  
543 }  
544 }  
545 }  
546 }  
547 }  
548 }  
549 }  
550 }  
551 }  
552 }  
553 }  
554 }  
555 }  
556 }  
557 }  
558 }  
559 }  
560 }  
561 }  
562 }  
563 }  
564 }  
565 }  
566 }  
567 }  
568 }  
569 }  
570 }  
571 }  
572 }  
573 }  
574 }  
575 }  
576 }  
577 }  
578 }  
579 }  
580 }  
581 }  
582 }  
583 }  
584 }  
585 }  
586 }  
587 }  
588 }  
589 }  
590 }  
591 }  
592 }  
593 }  
594 }  
595 }  
596 }  
597 }  
598 }  
599 }  
600 }  
601 }  
602 }  
603 }  
604 }  
605 }  
606 }  
607 }  
608 }  
609 }  
610 }  
611 }  
612 }  
613 }  
614 }  
615 }  
616 }  
617 }  
618 }  
619 }  
620 }  
621 }  
622 }  
623 }  
624 }  
625 }  
626 }  
627 }  
628 }  
629 }  
630 }  
631 }  
632 }  
633 }  
634 }  
635 }  
636 }  
637 }  
638 }  
639 }  
640 }  
641 }  
642 }  
643 }  
644 }  
645 }  
646 }  
647 }  
648 }  
649 }  
650 }  
651 }  
652 }  
653 }  
654 }  
655 }  
656 }  
657 }  
658 }  
659 }  
660 }  
661 }  
662 }  
663 }  
664 }  
665 }  
666 }  
667 }  
668 }  
669 }  
670 }  
671 }  
672 }  
673 }  
674 }  
675 }  
676 }  
677 }  
678 }  
679 }  
680 }  
681 }  
682 }  
683 }  
684 }  
685 }  
686 }  
687 }  
688 }  
689 }  
690 }  
691 }  
692 }  
693 }  
694 }  
695 }  
696 }  
697 }  
698 }  
699 }  
700 }  
701 }  
702 }  
703 }  
704 }  
705 }  
706 }  
707 }  
708 }  
709 }  
710 }  
711 }  
712 }  
713 }  
714 }  
715 }  
716 }  
717 }  
718 }  
719 }  
720 }  
721 }  
722 }  
723 }  
724 }  
725 }  
726 }  
727 }  
728 }  
729 }  
730 }  
731 }  
732 }  
733 }  
734 }  
735 }  
736 }  
737 }  
738 }  
739 }  
740 }  
741 }  
742 }  
743 }  
744 }  
745 }  
746 }  
747 }  
748 }  
749 }  
750 }  
751 }  
752 }  
753 }  
754 }  
755 }  
756 }  
757 }  
758 }  
759 }  
760 }  
761 }  
762 }  
763 }  
764 }  
765 }  
766 }  
767 }  
768 }  
769 }  
770 }  
771 }  
772 }  
773 }  
774 }  
775 }  
776 }  
777 }  
778 }  
779 }  
770 }  
771 }  
772 }  
773 }  
774 }  
775 }  
776 }  
777 }  
778 }  
779 }  
780 }  
781 }  
782 }  
783 }  
784 }  
785 }  
786 }  
787 }  
788 }  
789 }  
790 }  
791 }  
792 }  
793 }  
794 }  
795 }  
796 }  
797 }  
798 }  
799 }  
800 }  
801 }  
802 }  
803 }  
804 }  
805 }  
806 }  
807 }  
808 }  
809 }  
810 }  
811 }  
812 }  
813 }  
814 }  
815 }  
816 }  
817 }  
818 }  
819 }  
820 }  
821 }  
822 }  
823 }  
824 }  
825 }  
826 }  
827 }  
828 }  
829 }  
830 }  
831 }  
832 }  
833 }  
834 }  
835 }  
836 }  
837 }  
838 }  
839 }  
840 }  
841 }  
842 }  
843 }  
844 }  
845 }  
846 }  
847 }  
848 }  
849 }  
850 }  
851 }  
852 }  
853 }  
854 }  
855 }  
856 }  
857 }  
858 }  
859 }  
860 }  
861 }  
862 }  
863 }  
864 }  
865 }  
866 }  
867 }  
868 }  
869 }  
870 }  
871 }  
872 }  
873 }  
874 }  
875 }  
876 }  
877 }  
878 }  
879 }  
880 }  
881 }  
882 }  
883 }  
884 }  
885 }  
886 }  
887 }  
888 }  
889 }  
880 }  
881 }  
882 }  
883 }  
884 }  
885 }  
886 }  
887 }  
888 }  
889 }  
890 }  
891 }  
892 }  
893 }  
894 }  
895 }  
896 }  
897 }  
898 }  
899 }  
900 }  
901 }  
902 }  
903 }  
904 }  
905 }  
906 }  
907 }  
908 }  
909 }  
910 }  
911 }  
912 }  
913 }  
914 }  
915 }  
916 }  
917 }  
918 }  
919 }  
910 }  
911 }  
912 }  
913 }  
914 }  
915 }  
916 }  
917 }  
918 }  
919 }  
920 }  
921 }  
922 }  
923 }  
924 }  
925 }  
926 }  
927 }  
928 }  
929 }  
920 }  
921 }  
922 }  
923 }  
924 }  
925 }  
926 }  
927 }  
928 }  
929 }  
930 }  
931 }  
932 }  
933 }  
934 }  
935 }  
936 }  
937 }  
938 }  
939 }  
930 }  
931 }  
932 }  
933 }  
934 }  
935 }  
936 }  
937 }  
938 }  
939 }  
940 }  
941 }  
942 }  
943 }  
944 }  
945 }  
946 }  
947 }  
948 }  
949 }  
940 }  
941 }  
942 }  
943 }  
944 }  
945 }  
946 }  
947 }  
948 }  
949 }  
950 }  
951 }  
952 }  
953 }  
954 }  
955 }  
956 }  
957 }  
958 }  
959 }  
950 }  
951 }  
952 }  
953 }  
954 }  
955 }  
956 }  
957 }  
958 }  
959 }  
960 }  
961 }  
962 }  
963 }  
964 }  
965 }  
966 }  
967 }  
968 }  
969 }  
960 }  
961 }  
962 }  
963 }  
964 }  
965 }  
966 }  
967 }  
968 }  
969 }  
970 }  
971 }  
972 }  
973 }  
974 }  
975 }  
976 }  
977 }  
978 }  
979 }  
970 }  
971 }  
972 }  
973 }  
974 }  
975 }  
976 }  
977 }  
978 }  
979 }  
980 }  
981 }  
982 }  
983 }  
984 }  
985 }  
986 }  
987 }  
988 }  
989 }  
980 }  
981 }  
982 }  
983 }  
984 }  
985 }  
986 }  
987 }  
988 }  
989 }  
990 }  
991 }  
992 }  
993 }  
994 }  
995 }  
996 }  
997 }  
998 }  
999 }
```

Ln 8, Col 23 (7 selected) Spaces: 4 UTF-8 CRLF { JavaScript Port : 5500 Prettier

Admin - SP

localhost:3000/admin/

Fulano Junior

Tela Inicial

RESE... 90

CONT... 41

MENU 3

USUÁ... 2

Home > Usuários

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

Wrapper style="height: auto; min-height: 100%;">:before<!-- Main Header --><header class="main-header">...</header><!-- Left side column. contains the logo and sidebar -->...<aside class="main-sidebar"> == \$0<!-- sidebar: style can be found in sidebar.less --><section class="sidebar" style="height: auto;">...</section><!-- /.sidebar --></aside><!-- Content Wrapper. Contains page content -->lue.sidebar-mini div.wrapper aside.main-sidebar

Estilos Computado Layout

Filtrar :hov .cls +, □

element.style {

.skin-blue .wrapper, .skin-blue.min.css:1

.skin-blue .main-sidebar, .skin-blue .left-side { background-color: #222d32;

.main-sidebar { position: absolute; top: 0; left: 0; padding-top: 50px; min-height: 100%; width: 230px; z-index: 810; -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out; -moz-transition: -moz-transform .3s ease-in-out, width .3s ease-in-out; -ms-transition: -ms-transform .3s ease-in-out, width .3s ease-in-out; -o-transition: -o-transform .3s ease-in-out, width .3s ease-in-out; transition: transform .3s ease-in-out, width .3s ease-in-out; }



Fulano Junior

● Online

 Tela Inicial

11 Menu

 Reservas

 Contatos

 Usuários

E-mails

SP



Fulano Junior

Menu

Home > Menu

Lista

Foto Título

Descrição

Prec.

Ações

1. Update software

Diuretics paradox num copo é motivis de denguis.

R\$1,99

 Editar

Exclu

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

5

!DOCTYPE html>
<html style="height: auto; min-height: 100%;>
 > <head> ...</head>
 ▼ <body class="pace-done skin-blue sidebar-mini" style="height: auto; min-height: 100%;>
 ">
 ► <div class="pace pace-inactive"> ...</div>
 ▼ <div class="wrapper" style="height: auto; min-height: 100%;>
 ::before
 <!-- Main Header -->
 ► <header class="main-header"> ...</header>
 <!-- Left side column. contains the
 logo and sidebar -->
 <ue.sidebar-mini div.wrapper aside.main-sidebar
Estilos Computado Layout >
▼ Filtrar :hov .cls +, □ □
element.style {
}
.skin-blue .wrapper, .skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
 background-color: ■#222d32;
}
.main-sidebar { AdminLTE.min.css:7
 position: absolute;
 top: 0;
 left: 0;
 padding-top: 50px;
 min-height: 100%;
 width: 230px;
 z-index: 810;
 -webkit-transition: -webkit-transform .3s
 ease in out, width .3s ease in out;
 -moz-transition: -moz-transform .3s ease

Admin - SP

localhost:3000/admin/

Tela Inicial

Home > Usuários

RESE... 90

CONT... 41

MENU 3

USUÁ... 2

Fulano Junior

SP

Fulano Junior Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elements Console

```
<div class="wrapper" style="height: auto; min-height: 100%;">
  :before
    <!-- Main Header -->
  <header class="main-header"> ...
  </header>
  <!-- Left side column. contains the logo and sidebar -->
  ...
  <aside class="main-sidebar" == $0
    <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar" style="height: auto;"> ...
  </section>
  <!-- /.sidebar -->
</aside>
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper" style="min-height: 100%; position: relative; width: 100%;">
  <!-- Content Header (optional) -->
  ...
  <div class="content" style="padding: 10px; position: relative; height: 100%; width: 100%;">
    <!-- Main content -->
    ...
  </div>
</div>
<!-- Main Footer -->
<footer class="main-footer"> ...
</footer>
</body>
</html>
```

Estilos Computado Layout

Filtrar

```
element.style { }
```

```
.skin-blue .wrapper, .skin-blue.min.css:1
.skin-blue .main-sidebar, .skin-blue .left-side {
  background-color: #222d32;
}

.main-sidebar {
  position: absolute;
  top: 0;
  left: 0;
  padding-top: 50px;
  min-height: 100%;
  width: 230px;
  z-index: 810;
  -webkit-transition: -webkit-transform .3s ease-in-out, width .3s ease-in-out;
}
```

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

20 – Exibindo Dados do Usuário Autenticado

SP



Fulano Junior

Online

MENU

Tela Inicial

Menu

Reservas


Contatos

Usuários

E-mails



Tela Inicial

RESERVAS
90CONTATOS
41MENU
3USUÁRIOS
2

Fulano Junior

Home > Usuários



Elements >

```
<div class="wrapper" style="height: auto; min-height: 100%;>
  :before
    <!-- Main Header -->
    <header class="main-header">
      ...
    </header>
    <!-- Left side column.
        contains the logo and sidebar
    -->
  ...
  <aside class="main-sidebar">
    ...
    <!-- sidebar: style can be
        found in sidebar.less -->
    <section class="sidebar"
      style="height: auto;">...
  ...
</div>
```

mini div.wrapper aside.main-sidebar

Estilos Computado Layout >

Filtrar :hov .cls +

```
element.style {  
}  
.skin-blue skin-blue.min.css:1  
.wrapper, .skin-blue .main-sidebar,  
.skin-blue .left-side {  
  background-color: #222d32;  
}  
.main-sidebar { AdminLTE.min.css:7  
  position: absolute;  
  top: 0;  
  left: 0;  
  padding-top: 50px;  
  min-height: 100%;  
  width: 230px;  
  z-index: 810;  
  -webkit-transition: -webkit-transform .3s ease-in-out,  
  transform .3s ease-in-out,  
  width .3s ease-in-out;
```

Admin - SP

localhost:3000/admin/

Tela Inicial

RESERVAS 90

CONTATOS 41

MENU 3

Fulano Junior
fulano@sproviders.com.br

Perfil Sair

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elementos

RESERVAS 90

CONTATOS 41

MENU 3

Fulano Junior

fulano@sproviders.com.br

Perfil

Sair

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

localhost:3000/admin/#

```
.skin-blue { background-color: #222d32; }
```

```
.main-sidebar { position: absolute; top: 0; left: 0; padding-top: 50px; min-height: 100%; width: 230px; z-index: 810; -webkit-transition: -webkit-transform .3s ease-in-out; width: 230px; }
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⚡

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ↗ footer.ejs
 - ↗ header.ejs
 - ↗ contacts.ejs
 - ↗ emails.ejs

> OUTLINE

> TIMELINE

JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⚡

routes > JS admin.js > router.get('/').callback > menus

```
23
24   router.get('/logout', function(req, res, next){
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30   });
31
32   router.get('/', function(req, res, next) {
33
34     res.render('admin/index', {
35       | menus: req_menus
36     });
37
38   });
39
40   router.post('/login', function(req, res, next) {
41
42     if (!req.body.email) {
43       users.render(req, res, "Preencha o campo e-mail.");
44     } else if (!req.body.password) {
45       users.render(req, res, "Preencha o campo senha.");
46     } else {
47
48       users.login(req.body.email, req.body.password)
      Select End of Line Sequence
```

Ln 35, Col 7 (16 selected) Spaces: 2 CRLF { JavaScript ⚡ Port : 5500 ✅ Prettier ⚡

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X header-menu.ejs header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⚡

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ↗ footer.ejs
 - ↗ header.ejs
 - ↗ contacts.ejs
 - ↗ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > router.get('/').callback > menus

```
23
24   router.get('/logout', function(req, res, next){
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30   });
31
32   router.get('/', function(req, res, next) {
33
34     res.render('admin/index', {
35       user: req.session.user
36     });
37
38   });
39
40
41   router.post('/login', function(req, res, next) {
42
43     if (!req.body.email) {
44       users.render(req, res, "Preencha o campo e-mail.");
45     } else if (!req.body.password) {
46       users.render(req, res, "Preencha o campo senha.");
47     } else {
```

Ln 35, Col 23 (31 selected) Spaces: 2 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier ⚡

A screenshot of a code editor interface, likely Visual Studio Code, showing a file navigation feature. The top bar includes standard menu items like File, Edit, Selection, View, Go, and a search bar. Below the menu is a tab bar with several tabs: admin.js routes (active), header-menu.ejs, header.ejs, admin.js inc, footer.ejs, index.ejs, and a placeholder tab. The left sidebar shows a project structure under 'SABOROSO' with files like bin, inc, admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, and views. A red arrow points from the 'index.js' entry in the routes folder towards the active 'admin.js' tab in the center editor area. The main editor area displays the content of the 'admin.js' file, which contains router definitions for '/contacts', '/emails', and '/menus'.

```
routes > admin.js > router.get('/') callback > menus
  70
  71   router.get('/contacts', function(req, res, next) {
  72
  73     res.render('admin/contacts', {
  74       menus: req.menus
  75     });
  76
  77   );
  78
  79   router.get('/emails', function(req, res, next) {
  80
  81     res.render('admin/emails', {
  82       menus: req.menus
  83     });
  84
  85   );
  86
  87   router.get('/menus', function(req, res, next) {
  88
  89     res.render('admin/menus', {
  90       menus: req.menus
  91     });
  92
  93   );
  94
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs ↗ admin.js inc ↗ footer.ejs ↗ index.ejs ⌂ ...


SABOROSO

- bin
- inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- node_modules
- public
- routes
- JS admin.js
- JS index.js
- views
- admin
- inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs

> OUTLINE

> TIMELINE

Ln 35, Col 23 (31 selected) Spaces: 2 UTF-8 CRLF { JavaScript ⚡ Port : 5500 ✨ Prettier



A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'routes' folder contains several files: 'admin.js', 'index.js', and 'views' (which further contains 'admin', 'inc', 'footer.ejs', 'header.ejs', 'contacts.ejs', 'emails.ejs', and 'index.ejs'). A red arrow points from the 'admin.js' file in the Explorer to its corresponding tab in the top navigation bar. The Editor tab for 'admin.js' is currently active, displaying code for a Node.js application using Express.js routers. The code handles requests for '/menus', '/reservations', and '/users', renderingejs templates with menu data. The Status Bar at the bottom shows the current line (Ln 83), column (Col 21), and character count (29 selected). It also displays file encoding (UTF-8), line endings (CRLF), and the current language (JavaScript). Other tabs in the top bar include 'header-menu.ejs', 'header.ejs', 'admin.js inc', 'footer.ejs', and 'index.ejs'.

```
routes > JS admin.js > router.get('/emails') callback > menus
85   });
86
87   });
88
89   router.get('/menus', function(req, res, next) {
90
91     res.render('admin/menus', {
92       menus: req.menus
93     });
94
95   );
96
97   router.get('/reservations', function(req, res, next) {
98
99     res.render('admin/reservations', {
100       date:{},
101       menus: req.menus
102     );
103
104   );
105
106   router.get('/users', function(req, res, next) {
107
108     res.render('admin/users', {
109       menus: req.menus
110     );

```

A screenshot of the Visual Studio Code (VS Code) interface. The top bar shows the file path: routes > JS admin.js > router.get('/users') callback > menus. The left sidebar (EXPLORER) shows a project structure under 'SABOROSO' with files like admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, and views/admin. The 'JS admin.js' file is selected in the Explorer and is also the active tab in the main editor area. The editor shows three nearly identical snippets of code, each with a red arrow pointing to the line 'user: req.session.user'. The code is as follows:

```
routes > JS admin.js > router.get('/users') callback > menus
88
89     router.get('/menus', function(req, res, next) {
90
91         res.render('admin/menus', {
92             menus: req.menus,
93             user: req.session.user
94         });
95
96     });
97
98     router.get('/reservations', function(req, res, next) {
99
100        res.render('admin/reservations', {
101            date: {},
102            menus: req.menus,
103            user: req.session.user
104        });
105
106    });
107
108    router.get('/users', function(req, res, next) {
109
110        res.render('admin/users', {
111            menus: req.menus,
112            user: req.session.user
113        });
114
115    });
116
```

The status bar at the bottom indicates 3 selections (94 characters selected), and the bottom right corner shows Port : 5500 and Prettier.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes header-menu.ejs header.ejs JS admin.js inc ✎ JS footer.ejs index.ejs ⚡ ...

SABOROSO

- > bin
- < inc
- JS admin.js**
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs
- < ..

OUTLINE

TIMELINE


JS admin.js inc ✎

inc > JS admin.js > [?] <unknown> > [?] getMenus > [?] menus

```
1 module.exports = {  
2   ...  
3   getMenu(req){  
4     let menus = [  
5       {  
6         text:"Tela Inicial",  
7         href:"/admin/",  
8         icon:"home",  
9         active: false  
10      },  
11      {  
12        {  
13          text:"Menu",  
14          href:"/admin/menus",  
15          icon:"cutlery",  
16          active: false,  
17        },  
18        {  
19          text:"Reservas",  
20          href:"/admin/reservations",  
21          icon:"calendar-check-o",  
22          active: false,  
23        },  
24        {  
25          text:"Contatos",  
26          href:"/admin/contacts",  
27        }  
28      }  
29    }  
30  }  
31 }  
32 }  
33 }  
34 }  
35 }  
36 }  
37 }  
38 }  
39 }  
40 }  
41 }  
42 }  
43 }  
44 }  
45 }  
46 }  
47 }  
48 }  
49 }  
50 }  
51 }  
52 }  
53 }  
54 }  
55 }  
56 }  
57 }  
58 }  
59 }  
60 }  
61 }  
62 }  
63 }  
64 }  
65 }  
66 }  
67 }  
68 }  
69 }  
70 }  
71 }  
72 }  
73 }  
74 }  
75 }  
76 }  
77 }  
78 }  
79 }  
80 }  
81 }  
82 }  
83 }  
84 }  
85 }  
86 }  
87 }  
88 }  
89 }  
90 }  
91 }  
92 }  
93 }  
94 }  
95 }  
96 }  
97 }  
98 }  
99 }  
100 }  
101 }  
102 }  
103 }  
104 }  
105 }  
106 }  
107 }  
108 }  
109 }  
110 }  
111 }  
112 }  
113 }  
114 }  
115 }  
116 }  
117 }  
118 }  
119 }  
120 }  
121 }  
122 }  
123 }  
124 }  
125 }  
126 }  
127 }  
128 }  
129 }  
130 }  
131 }  
132 }  
133 }  
134 }  
135 }  
136 }  
137 }  
138 }  
139 }  
140 }  
141 }  
142 }  
143 }  
144 }  
145 }  
146 }  
147 }  
148 }  
149 }  
150 }  
151 }  
152 }  
153 }  
154 }  
155 }  
156 }  
157 }  
158 }  
159 }  
160 }  
161 }  
162 }  
163 }  
164 }  
165 }  
166 }  
167 }  
168 }  
169 }  
170 }  
171 }  
172 }  
173 }  
174 }  
175 }  
176 }  
177 }  
178 }  
179 }  
180 }  
181 }  
182 }  
183 }  
184 }  
185 }  
186 }  
187 }  
188 }  
189 }  
190 }  
191 }  
192 }  
193 }  
194 }  
195 }  
196 }  
197 }  
198 }  
199 }  
200 }  
201 }  
202 }  
203 }  
204 }  
205 }  
206 }  
207 }  
208 }  
209 }  
210 }  
211 }  
212 }  
213 }  
214 }  
215 }  
216 }  
217 }  
218 }  
219 }  
220 }  
221 }  
222 }  
223 }  
224 }  
225 }  
226 }  
227 }  
228 }  
229 }  
230 }  
231 }  
232 }  
233 }  
234 }  
235 }  
236 }  
237 }  
238 }  
239 }  
240 }  
241 }  
242 }  
243 }  
244 }  
245 }  
246 }  
247 }  
248 }  
249 }  
250 }  
251 }  
252 }  
253 }  
254 }  
255 }  
256 }  
257 }  
258 }  
259 }  
260 }  
261 }  
262 }  
263 }  
264 }  
265 }  
266 }  
267 }  
268 }  
269 }  
270 }  
271 }  
272 }  
273 }  
274 }  
275 }  
276 }  
277 }  
278 }  
279 }  
280 }  
281 }  
282 }  
283 }  
284 }  
285 }  
286 }  
287 }  
288 }  
289 }  
290 }  
291 }  
292 }  
293 }  
294 }  
295 }  
296 }  
297 }  
298 }  
299 }  
300 }  
301 }  
302 }  
303 }  
304 }  
305 }  
306 }  
307 }  
308 }  
309 }  
310 }  
311 }  
312 }  
313 }  
314 }  
315 }  
316 }  
317 }  
318 }  
319 }  
320 }  
321 }  
322 }  
323 }  
324 }  
325 }  
326 }  
327 }  
328 }  
329 }  
330 }  
331 }  
332 }  
333 }  
334 }  
335 }  
336 }  
337 }  
338 }  
339 }  
340 }  
341 }  
342 }  
343 }  
344 }  
345 }  
346 }  
347 }  
348 }  
349 }  
350 }  
351 }  
352 }  
353 }  
354 }  
355 }  
356 }  
357 }  
358 }  
359 }  
360 }  
361 }  
362 }  
363 }  
364 }  
365 }  
366 }  
367 }  
368 }  
369 }  
370 }  
371 }  
372 }  
373 }  
374 }  
375 }  
376 }  
377 }  
378 }  
379 }  
380 }  
381 }  
382 }  
383 }  
384 }  
385 }  
386 }  
387 }  
388 }  
389 }  
390 }  
391 }  
392 }  
393 }  
394 }  
395 }  
396 }  
397 }  
398 }  
399 }  
400 }  
401 }  
402 }  
403 }  
404 }  
405 }  
406 }  
407 }  
408 }  
409 }  
410 }  
411 }  
412 }  
413 }  
414 }  
415 }  
416 }  
417 }  
418 }  
419 }  
420 }  
421 }  
422 }  
423 }  
424 }  
425 }  
426 }  
427 }  
428 }  
429 }  
430 }  
431 }  
432 }  
433 }  
434 }  
435 }  
436 }  
437 }  
438 }  
439 }  
440 }  
441 }  
442 }  
443 }  
444 }  
445 }  
446 }  
447 }  
448 }  
449 }  
450 }  
451 }  
452 }  
453 }  
454 }  
455 }  
456 }  
457 }  
458 }  
459 }  
460 }  
461 }  
462 }  
463 }  
464 }  
465 }  
466 }  
467 }  
468 }  
469 }  
470 }  
471 }  
472 }  
473 }  
474 }  
475 }  
476 }  
477 }  
478 }  
479 }  
480 }  
481 }  
482 }  
483 }  
484 }  
485 }  
486 }  
487 }  
488 }  
489 }  
490 }  
491 }  
492 }  
493 }  
494 }  
495 }  
496 }  
497 }  
498 }  
499 }  
500 }  
501 }  
502 }  
503 }  
504 }  
505 }  
506 }  
507 }  
508 }  
509 }  
510 }  
511 }  
512 }  
513 }  
514 }  
515 }  
516 }  
517 }  
518 }  
519 }  
520 }  
521 }  
522 }  
523 }  
524 }  
525 }  
526 }  
527 }  
528 }  
529 }  
530 }  
531 }  
532 }  
533 }  
534 }  
535 }  
536 }  
537 }  
538 }  
539 }  
540 }  
541 }  
542 }  
543 }  
544 }  
545 }  
546 }  
547 }  
548 }  
549 }  
550 }  
551 }  
552 }  
553 }  
554 }  
555 }  
556 }  
557 }  
558 }  
559 }  
560 }  
561 }  
562 }  
563 }  
564 }  
565 }  
566 }  
567 }  
568 }  
569 }  
570 }  
571 }  
572 }  
573 }  
574 }  
575 }  
576 }  
577 }  
578 }  
579 }  
580 }  
581 }  
582 }  
583 }  
584 }  
585 }  
586 }  
587 }  
588 }  
589 }  
590 }  
591 }  
592 }  
593 }  
594 }  
595 }  
596 }  
597 }  
598 }  
599 }  
600 }  
601 }  
602 }  
603 }  
604 }  
605 }  
606 }  
607 }  
608 }  
609 }  
610 }  
611 }  
612 }  
613 }  
614 }  
615 }  
616 }  
617 }  
618 }  
619 }  
620 }  
621 }  
622 }  
623 }  
624 }  
625 }  
626 }  
627 }  
628 }  
629 }  
630 }  
631 }  
632 }  
633 }  
634 }  
635 }  
636 }  
637 }  
638 }  
639 }  
640 }  
641 }  
642 }  
643 }  
644 }  
645 }  
646 }  
647 }  
648 }  
649 }  
650 }  
651 }  
652 }  
653 }  
654 }  
655 }  
656 }  
657 }  
658 }  
659 }  
660 }  
661 }  
662 }  
663 }  
664 }  
665 }  
666 }  
667 }  
668 }  
669 }  
670 }  
671 }  
672 }  
673 }  
674 }  
675 }  
676 }  
677 }  
678 }  
679 }  
680 }  
681 }  
682 }  
683 }  
684 }  
685 }  
686 }  
687 }  
688 }  
689 }  
690 }  
691 }  
692 }  
693 }  
694 }  
695 }  
696 }  
697 }  
698 }  
699 }  
700 }  
701 }  
702 }  
703 }  
704 }  
705 }  
706 }  
707 }  
708 }  
709 }  
710 }  
711 }  
712 }  
713 }  
714 }  
715 }  
716 }  
717 }  
718 }  
719 }  
720 }  
721 }  
722 }  
723 }  
724 }  
725 }  
726 }  
727 }  
728 }  
729 }  
730 }  
731 }  
732 }  
733 }  
734 }  
735 }  
736 }  
737 }  
738 }  
739 }  
740 }  
741 }  
742 }  
743 }  
744 }  
745 }  
746 }  
747 }  
748 }  
749 }  
750 }  
751 }  
752 }  
753 }  
754 }  
755 }  
756 }  
757 }  
758 }  
759 }  
760 }  
761 }  
762 }  
763 }  
764 }  
765 }  
766 }  
767 }  
768 }  
769 }  
770 }  
771 }  
772 }  
773 }  
774 }  
775 }  
776 }  
777 }  
778 }  
779 }  
780 }  
781 }  
782 }  
783 }  
784 }  
785 }  
786 }  
787 }  
788 }  
789 }  
790 }  
791 }  
792 }  
793 }  
794 }  
795 }  
796 }  
797 }  
798 }  
799 }  
800 }  
801 }  
802 }  
803 }  
804 }  
805 }  
806 }  
807 }  
808 }  
809 }  
8010 }  
8011 }  
8012 }  
8013 }  
8014 }  
8015 }  
8016 }  
8017 }  
8018 }  
8019 }  
8020 }  
8021 }  
8022 }  
8023 }  
8024 }  
8025 }  
8026 }  
8027 }  
8028 }  
8029 }  
8030 }  
8031 }  
8032 }  
8033 }  
8034 }  
8035 }  
8036 }  
8037 }  
8038 }  
8039 }  
8040 }  
8041 }  
8042 }  
8043 }  
8044 }  
8045 }  
8046 }  
8047 }  
8048 }  
8049 }  
8050 }  
8051 }  
8052 }  
8053 }  
8054 }  
8055 }  
8056 }  
8057 }  
8058 }  
8059 }  
8060 }  
8061 }  
8062 }  
8063 }  
8064 }  
8065 }  
8066 }  
8067 }  
8068 }  
8069 }  
8070 }  
8071 }  
8072 }  
8073 }  
8074 }  
8075 }  
8076 }  
8077 }  
8078 }  
8079 }  
8080 }  
8081 }  
8082 }  
8083 }  
8084 }  
8085 }  
8086 }  
8087 }  
8088 }  
8089 }  
8090 }  
8091 }  
8092 }  
8093 }  
8094 }  
8095 }  
8096 }  
8097 }  
8098 }  
8099 }  
80100 }  
80101 }  
80102 }  
80103 }  
80104 }  
80105 }  
80106 }  
80107 }  
80108 }  
80109 }  
80110 }  
80111 }  
80112 }  
80113 }  
80114 }  
80115 }  
80116 }  
80117 }  
80118 }  
80119 }  
80120 }  
80121 }  
80122 }  
80123 }  
80124 }  
80125 }  
80126 }  
80127 }  
80128 }  
80129 }  
80130 }  
80131 }  
80132 }  
80133 }  
80134 }  
80135 }  
80136 }  
80137 }  
80138 }  
80139 }  
80140 }  
80141 }  
80142 }  
80143 }  
80144 }  
80145 }  
80146 }  
80147 }  
80148 }  
80149 }  
80150 }  
80151 }  
80152 }  
80153 }  
80154 }  
80155 }  
80156 }  
80157 }  
80158 }  
80159 }  
80160 }  
80161 }  
80162 }  
80163 }  
80164 }  
80165 }  
80166 }  
80167 }  
80168 }  
80169 }  
80170 }  
80171 }  
80172 }  
80173 }  
80174 }  
80175 }  
80176 }  
80177 }  
80178 }  
80179 }  
80180 }  
80181 }  
80182 }  
80183 }  
80184 }  
80185 }  
80186 }  
80187 }  
80188 }  
80189 }  
80190 }  
80191 }  
80192 }  
80193 }  
80194 }  
80195 }  
80196 }  
80197 }  
80198 }  
80199 }  
80100 }  
80101 }  
80102 }  
80103 }  
80104 }  
80105 }  
80106 }  
80107 }  
80108 }  
80109 }  
80110 }  
80111 }  
80112 }  
80113 }  
80114 }  
80115 }  
80116 }  
80117 }  
80118 }  
80119 }  
80120 }  
80121 }  
80122 }  
80123 }  
80124 }  
80125 }  
80126 }  
80127 }  
80128 }  
80129 }  
80130 }  
80131 }  
80132 }  
80133 }  
80134 }  
80135 }  
80136 }  
80137 }  
80138 }  
80139 }  
80140 }  
80141 }  
80142 }  
80143 }  
80144 }  
80145 }  
80146 }  
80147 }  
80148 }  
80149 }  
80150 }  
80151 }  
80152 }  
80153 }  
80154 }  
80155 }  
80156 }  
80157 }  
80158 }  
80159 }  
80160 }  
80161 }  
80162 }  
80163 }  
80164 }  
80165 }  
80166 }  
80167 }  
80168 }  
80169 }  
80170 }  
80171 }  
80172 }  
80173 }  
80174 }  
80175 }  
80176 }  
80177 }  
80178 }  
80179 }  
80180 }  
80181 }  
80182 }  
80183 }  
80184 }  
80185 }  
80186 }  
80187 }  
80188 }  
80189 }  
80190 }  
80191 }  
80192 }  
80193 }  
80194 }  
80195 }  
80196 }  
80197 }  
80198 }  
80199 }  
80100 }  
80101 }  
80102 }  
80103 }  
80104 }  
80105 }  
80106 }  
80107 }  
80108 }  
80109 }  
80110 }  
80111 }  
80112 }  
80113 }  
80114 }  
80115 }  
80116 }  
80117 }  
80118 }  
80119 }  
80120 }  
80121 }  
80122 }  
80123 }  
80124 }  
80125 }  
80126 }  
80127 }  
80128 }  
80129 }  
80130 }  
80131 }  
80132 }  
80133 }  
80134 }  
80135 }  
80136 }  
80137 }  
80138 }  
80139 }  
80140 }  
80141 }  
80142 }  
80143 }  
80144 }  
80145 }  
80146 }  
80147 }  
80148 }  
80149 }  
80150 }  
80151 }  
80152 }  
80153 }  
80154 }  
80155 }  
80156 }  
80157 }  
80158 }  
80159 }  
80160 }  
80161 }  
80162 }  
80163 }  
80164 }  
80165 }  
80166 }  
80167 }  
80168 }  
80169 }  
80170 }  
80171 }  
80172 }  
80173 }  
80174 }  
80175 }  
80176 }  
80177 }  
80178 }  
80179 }  
80180 }  
80181 }  
80182 }  
80183 }  
80184 }  
80185 }  
80186 }  
80187 }  
80188 }  
80189 }  
80190 }  
80191 }  
80192 }  
80193 }  
80194 }  
80195 }  
80196 }  
80197 }  
80198 }  
80199 }

Ln 13, Col 29 Spaces: 4 UTF-8 CRLF { JavaScript Port : 5500 Prettier


```



File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X header-menu.ejs header.ejs JS admin.js inc JS footer.ejs JS index.ejs ⚡

SABOROSO > bin < JS admin.js < JS contacts.js < JS db.js < JS menus.js < JS reservations.js < JS users.js > node_modules > public < routes < JS admin.js < JS index.js < views < admin < inc < JS footer.ejs < JS header.ejs < JS contacts.ejs < JS emails.ejs > OUTLINE > TIMELINE

routes > JS admin.js > router.get('/').callback

```
23
24   router.get('/logout', function(req, res, next){
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30   });
31
32   router.get('/', function(req, res, next) {
33
34     res.render('admin/index', {
35       menus: req.menus,
36       user: req.session.user
37     });
38
39   });
40
41   router.post('/login', function(req, res, next) {
42
43     if (!req.body.email) {
44       users.render(req, res, "Preencha o campo e-mail.");
45     } else if (!req.body.password) {
46       users.render(req, res, "Preencha o campo senha.");
47     } else {
48
```

Ln 37, Col 6 (63 selected) Spaces: 2 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier ⚡

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- ✓ routes
- JS admin.js
- JS index.js
- ✓ views
- ✓ admin
- ✓ inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > router.get('/').callback

```
23
24   router.get('/logout', function(req, res, next){
25
26     delete req.session.user;
27
28     res.redirect('/admin/login');
29
30   });
31
32   router.get('/', function(req, res, next) {
33
34     res.render('admin/index', admin.getParams(req));
35   );
36
37
38   router.post('/login', function(req, res, next) {
39
40     if (!req.body.email) {
41       users.render(req, res, "Preencha o campo e-mail.");
42     } else if (!req.body.password) {
43       users.render(req, res, "Preencha o campo senha.");
44     } else {
45
46       users.login(req.body.email, req.body.password).then(user => {
47
48         req.session.user = user;
```

Ln 34, Col 31 (20 selected) Spaces: 2 CRLF { JavaScript ⚡ Port : 5500 ✅ Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs ↗ admin.js inc ↗ footer.ejs ↗ index.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ↗ footer.ejs
 - ↗ header.ejs
 - ↗ contacts.ejs
 - ↗ emails.ejs

OUTLINE

TIMELINE

0 ▲ 0 ⌂ 0 ⌂ 0 🔍 2 selections (116 characters selected) Spaces: 2 CRLF { JavaScript ⌂ Port : 5500 🔍 Prettier

```
routes > JS admin.js > router.get('/emails') callback
      ↗
      ↗
61
62   router.get('/login', function(req, res, next) {
63
64     users.render(req, res, null);
65
66   });
67
68   router.get('/contacts', function(req, res, next) {
69
70     res.render('admin/contacts', {
71       menus: req.menus,
72       user: req.session.user
73     });
74
75   });
76
77   router.get('/emails', function(req, res, next) {
78
79     res.render('admin/emails', {
80       menus: req.menus,
81       user: req.session.user
82     );
83
84   });
85
86   router.get('/menus' function(req, res, next) {
```

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'routes' folder contains 'admin.js' and 'index.js'. The 'views/admin' folder contains 'inc/footer.ejs', 'inc/header.ejs', 'contacts.ejs', 'emails.ejs', and 'menus.ejs'. The Editor tab at the top has 'admin.js' selected. The code editor shows a portion of 'admin.js' with several router.get() callbacks. Two red arrows point from the 'index.js' entry in the Explorer to the 'res.render()' calls in the code editor. The status bar at the bottom shows the current file is 'admin.js', line 76, column 30, with 20 selected characters. It also shows settings for spaces: 2, CRLF, and a Prettier icon.

```
routes > JS admin.js > router.get('/emails') callback
63   users.render(req, res, null);
64 }
65 );
66 router.get('/contacts', function(req, res, next) {
67   res.render('admin/contacts', admin.getParams(req));
68 });
69 router.get('/emails', function(req, res, next) {
70   res.render('admin/emails', admin.getParams(req));
71 });
72 router.get('/menus', function(req, res, next) {
73   res.render('admin/menus', {
74     menus: req.menus,
75     user: req.session.user
76   });
77 });
78 router.get('/menus', function(req, res, next) {
79   res.render('admin/menus', {
80     menus: req.menus,
81     user: req.session.user
82   });
83 });
84 router.get('/menus', function(req, res, next) {
85   res.render('admin/menus', {
86     menus: req.menus,
87     user: req.session.user
88   });
89 });
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X ↗ header-menu.ejs ↗ header.ejs JS admin.js inc ↗ footer.ejs ↗ index.ejs ⌂ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ↗ footer.ejs
 - ↗ header.ejs
 - ↗ contacts.ejs
 - ↗ emails.ejs
- > OUTLINE
- > TIMELINE

routes > JS admin.js > ↗ router.get('/reservations') callback > ↗ date

```
80   router.get('/menus', function(req, res, next) {  
81     res.render('admin/menus', {  
82       menus: req.menus,  
83       user: req.session.user  
84     });  
85   });  
86  
87 };  
88  
89 router.get('/reservations', function(req, res, next) {  
90   res.render('admin/reservations', {  
91     date:{},  
92     menus: req.menus,  
93     user: req.session.user  
94   });  
95 };  
96  
97 });  
98  
99 router.get('/users', function(req, res, next) {  
100   res.render('admin/users', {  
101     menus: req.menus,  
102     user: req.session.user  
103   });  
104 };  
105
```


3 selections (173 characters selected) Spaces: 2 UTF-8 CRLF {} JavaScript ⚡ Port : 5500 ✅ Prettier

A screenshot of the Visual Studio Code interface. The left sidebar shows a file tree for a project named 'SABOROSO'. The 'routes' folder contains 'admin.js' and 'index.js'. The 'views' folder contains 'admin' which in turn contains 'inc' (with files 'footer.ejs', 'header.ejs', 'contacts.ejs', 'emails.ejs'), 'header-menu.ejs', 'header.ejs', 'index.ejs', and 'index.html'. The bottom left shows sections for 'OUTLINE' and 'TIMELINE'. The top bar has tabs for 'File', 'Edit', 'Selection', 'View', 'Go', etc., and a search bar 'saboroso [Administrator]'. The main editor area shows code for 'admin.js' under the 'routes' tab. The code defines a router object with several get methods. Red arrows point from the file tree to the first 'admin.js' tab in the top bar, and from the 'admin.js' tab to three specific lines of code: 'res.render('admin/emails', admin.getParams(req));', 'res.render('admin/menus', admin.getParams(req));', and 'res.render('admin/users', admin.getParams(req));'. The status bar at the bottom shows '4 selections (70 characters selected)', 'Spaces: 2', 'UTF-8', 'CRLF', 'JavaScript', 'Port : 5500', and 'Prettier'.

```
JS admin.js routes X < header-menu.ejs header.ejs JS admin.js inc JS footer.ejs JS index.ejs ...
```

routes > JS admin.js > router.get('/users') callback

```
76     res.render('admin/emails', admin.getParams(req));  
77     };  
78     };  
79     router.get('/menus', function(req, res, next) {  
80         res.render('admin/menus', admin.getParams(req));  
81     };  
82     };  
83     router.get('/reservations', function(req, res, next) {  
84         res.render('admin/reservations', admin.getParams(req, {  
85             date:{}  
86         }));  
87     };  
88     router.get('/users', function(req, res, next) {  
89         res.render('admin/users', admin.getParams(req));  
90     };  
91     };  
92     module.exports = router;
```



Elements >  

```
    ::before
    <!-- Main Header -->
    ▶ <header class="main-header">
        ... </header>
        <!-- Left side column.
        contains the logo and sidebar
        -->
...
...    ▼ <aside class="main-sidebar"
      r> == $0
        <!-- sidebar: style can be
        found in sidebar.less -->
        ▶ <section class="sidebar"
            style="height: auto;"> ...
        </section>
        <!-- / sidebar -->
```

mini div.wrapper aside.main-sidebar


Estilos Computado Layout >

Filtrar :hov .cls +  

```
element.style {
}

.skin-blue          skin-blue.min.css:1
.wrapper, .skin-blue .main-sidebar,
.skin-blue .left-side {
    background-color: #222d32;
}


.main-sidebar { AdminLTE.min.css:7
    position: absolute;
    top: 0;
    left: 0;
    padding-top: 50px;
    min-height: 100%;
    width: 230px;
    z-index: 810;
    -webkit transition: -webkit-
        transform .3s ease-in-out,
        width .3s ease-in-out;
        height .3s ease-in-out;
        border-radius .3s ease-in-out;
}
```



The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows a tree view of the project structure under the folder "SABOROSO". The "header.ejs" file is selected and highlighted with a red arrow.
- Code Editor (Right):** Displays the content of the "header.ejs" file. The code is an EJS template for a user profile in a navigation bar. A red arrow points to the line containing the user's name, "Fulano Junior".
- Top Bar:** Includes tabs for "admin.js routes", "header-menu.ejs", "header.ejs", "admin.js inc", "footer.ejs", "index.ejs", and "...".
- Bottom Bar:** Shows status information including line and column numbers (Ln 48, Col 54), character count (13 selected), and file encoding (UTF-8). It also includes icons for Prettier and CRLF conversion.

```
</a>
<!-- Navbar Right Menu --&gt;
&lt;div class="navbar-custom-menu"&gt;
  &lt;ul class="nav navbar-nav"&gt;
    &lt;!-- User Account Menu --&gt;
    &lt;li class="dropdown user user-menu"&gt;
      &lt;!-- Menu Toggle Button --&gt;
      &lt;a href="#" class="dropdown-toggle" data-toggle="dropdown"&gt;
        &lt;!-- The user image in the navbar--&gt;
        &lt;img src="dist/img/avatar5.png" class="user-image" alt="User Image"&gt;
        &lt;!-- hidden-xs hides the username on small devices so only the image appears.
        --&gt;
        &lt;span class="hidden-xs"&gt;Fulano Junior&lt;/span&gt;
      &lt;/a&gt;
      &lt;ul class="dropdown-menu"&gt;
        &lt;!-- The user image in the menu --&gt;
        &lt;li class="user-header"&gt;
          &lt;img src="dist/img/avatar5.png" class="img-circle" alt="User Image"&gt;
          &lt;p&gt;
            Fulano Junior
            &lt;small&gt;fulano@sproviders.com.br&lt;/small&gt;
          &lt;/p&gt;
        &lt;/li&gt;
        &lt;!-- Menu Footer--&gt;
        &lt;li class="user-footer"&gt;</pre>
```



A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a project structure under the 'SABOROSO' folder, including files like admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, and views/admin/inc/footer.ejs. The 'header.ejs' file is currently selected in the Explorer. The Editor tab bar at the top has tabs for admin.js, routes, header-menu.ejs, header.ejs (which is the active tab), admin.js inc, footer.ejs, index.ejs, and The main editor area displays the code for 'header.ejs'. A red arrow points from the 'header.ejs' entry in the Explorer to the corresponding file in the Editor. Another red arrow points from the 'header.ejs' entry in the Editor tab bar to the file content in the Editor area. The status bar at the bottom shows file counts (0 0 0 0), spaces (Spaces: 2), encoding (UTF-8), line numbers (Ln 46, Col 47 (20 selected)), and other settings.

```
nav.navbar.navbar-static-top > div.navbar-custom-menu > ul.nav.navbar-nav > li.dropdown.user.user-menu > a.dropdown-toggle >
```

```
37 </a>
38 <!-- Navbar Right Menu -->
39 <div class="navbar-custom-menu">
40   <ul class="nav navbar-nav">
41     <!-- User Account Menu -->
42     <li class="dropdown user user-menu">
43       <!-- Menu Toggle Button -->
44       <a href="#" class="dropdown-toggle" data-toggle="dropdown">
45         <!-- The user image in the navbar-->
46         
47         <!-- hidden-xs hides the username on small devices so only the image appears.
48         -->
49         <span class="hidden-xs"><%= user.name %></span>
50       </a>
51       <ul class="dropdown-menu">
52         <!-- The user image in the menu -->
53         <li class="user-header">
54           
55           <p>
56             Fulano Junior
57             <small>fulano@sproviders.com.br</small>
58           </p>
59         </li>
60         <!-- Menu Footer-->
61         <li class="user-footer">
```

A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree with a dark theme. The current folder is 'SABOROSO' containing files like admin.js, contacts.js, db.js, menus.js, reservations.js, and users.js, along with node_modules and public folders. The routes folder contains files such as admin.js, index.js, and header.ejs. A red arrow points from the bottom of the Explorer to the header.ejs file in the list. The Editor tab bar at the top has tabs for admin.js routes, header-menu.ejs, header.ejs (which is currently active), admin.js inc, footer.ejs, index.ejs, and The main editor area displays the code for header.ejs, which includes HTML and CSS-like syntax for a user account menu. The status bar at the bottom shows the file path as 'saboroso [Administrator]', line 56, column 34, 13 selected, and other details like encoding (UTF-8) and port (5500).

```
<div class="dropdown user user-menu">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">
    
    <span class="hidden-xs"><%= user.name %></span>
  </a>
  <ul class="dropdown-menu">
    <li class="user-header">
      
      <p>
        Fulano Junior
        <small>fulano@sproviders.com.br</small>
      </p>
    </li>
    <!-- Menu Footer-->
    <li class="user-footer">
      <div class="pull-left">
        <a href="#" class="btn btn-default btn-flat">Perfil</a>
      </div>
    </li>
  </ul>
</div>
```

```
p > div.navbar-custom-menu > ul.nav.navbar-nav > li.dropdown.user.user-menu > ul.dropdown-menu > li.user-header > p
39      <div class="navbar-custom-menu">
40        <ul class="nav navbar-nav">
41          <!-- User Account Menu -->
42          <li class="dropdown user user-menu">
43            <!-- Menu Toggle Button -->
44            <a href="#" class="dropdown-toggle" data-toggle="dropdown">
45              <!-- The user image in the navbar-->
46              
47              <!-- hidden-xs hides the username on small devices so only the image appears.
48              -->
49              <span class="hidden-xs"><%= user.name %></span>
50            </a>
51            <ul class="dropdown-menu">
52              <!-- The user image in the menu -->
53              <li class="user-header">
54                
55
56                <p>
57                  <%= user.name %>
58                  <small>fulano@sproviders.com.br</small>
59                </p>
60              </li>
61              <!-- Menu Footer-->
62              <li class="user-footer">
63                <div class="pull-left">
64                  <a href="#" class="btn btn-default btn-flat">Perfil</a>
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
- ✓ views
 - ✓ admin
 - ✓ inc
 - ↳ footer.ejs
 - ↳ header.ejs
 - ↳ contacts.ejs
 - ↳ emails.ejs
- > OUTLINE
- > TIMELINE

JS admin.js routes ↳ header-menu.ejs ↳ header.ejs X JS admin.js inc ↳ footer.ejs ↳ index.ejs ⌂ ...

```
div.navbar-custom-menu > ul.nav.navbar-nav > li.dropdown.user.user-menu > ul.dropdown-menu > li.user-header > p > ?
```

39 <div class="navbar-custom-menu">
40 <ul class="nav navbar-nav">
41 <!-- User Account Menu -->
42 <li class="dropdown user user-menu">
43 <!-- Menu Toggle Button -->
44
45 <!-- The user image in the navbar-->
46
47 <!-- hidden-xs hides the username on small devices so only the image appears.
-->
48 <%= user.name %>
49
50 <ul class="dropdown-menu">
51 <!-- The user image in the menu -->
52 <li class="user-header">
53
54
55 <p>
56 <%= user.name %>
57 <small>fulano@sproviders.com.br</small>
58 </p>
59
60 <!-- Menu Footer-->
61 <li class="user-footer">
62 <div class="pull-left">
63 Perfil

Ln 57, Col 52 (24 selected) Spaces: 2 UTF-8 CRLF { HTML ⚡ Port : 5500 ✅ Prettier

A screenshot of a code editor interface, likely Visual Studio Code, showing the file `header.ejs` open. The interface includes a top navigation bar with File, Edit, Selection, View, Go, and other options. Below the navigation is a search bar containing the text "saboroso [Administrator]". The left sidebar, titled "EXPLORER", shows a tree view of the project structure under the "SABOROSO" root. The "views" folder contains "admin", "public", and "routes" subfolders, each with their respective files like `admin.js`, `index.js`, etc. The "admin" folder has an "inc" subfolder containing `footer.ejs` and `header.ejs`. A red arrow points from the "header.ejs" entry in the "views/admin/inc" section of the sidebar to the file tab in the top navigation. Another red arrow points from the same entry in the sidebar to the code editor area. The code editor displays the content of the `header.ejs` file, which includes HTML and EJS templating. The status bar at the bottom shows the line number (Ln 57), column number (Col 28), selected text count (17 selected), and other settings like Spaces: 2, UTF-8, CRLF, and HTML.

```
<div class="navbar-custom-menu">
  <ul class="nav navbar-nav">
    <!-- User Account Menu -->
    <li class="dropdown user user-menu">
      <!-- Menu Toggle Button -->
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        <!-- The user image in the navbar-->
        
        <!-- hidden-xs hides the username on small devices so only the image appears.
        -->
        <span class="hidden-xs"><%= user.name %></span>
      </a>
      <ul class="dropdown-menu">
        <!-- The user image in the menu -->
        <li class="user-header">
          

          <p>
            <%= user.name %>
            <small><%= user.email %></small>
          </p>
        </li>
        <!-- Menu Footer-->
        <li class="user-footer">
          <div class="pull-left">
            <a href="#" class="btn btn-default btn-flat">Perfil</a>
          </div>
        </li>
      </ul>
    </li>
  </ul>
</div>
```

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree with a dark theme. The current file is `header.ejs`, which is selected in the editor tab bar. The editor pane displays the code for this file, including a line with the name "Fulano Junior" highlighted by a red arrow. The status bar at the bottom shows the file path, line and column numbers, and various extension icons.

File Edit Selection View Go ... ← → saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes header-menu.ejs header.ejs X JS admin.js inc footer.ejs index.ejs ⚡ ...

SABOROSO

- > bin
- ✓ inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- ✓ routes
- JS admin.js
- JS index.js
- ✓ views
- ✓ admin
- ✓ inc
- JS footer.ejs
- JS header.ejs
- JS contacts.ejs
- JS emails.ejs
- ...

OUTLINE

TIMELINE

transition.skin-blue.sidebar-mini > div.wrapper > aside.main-sidebar > section.sidebar > div.user-panel > div.pull-left.info > p

78 <!-- sidebar: style can be found in sidebar.less -->

79 <section class="sidebar">

80

81 <!-- Sidebar user panel (optional) -->

82 <div class="user-panel">

83 <div class="pull-left image">

84

85 </div>

86 <div class="pull-left info">

87 <p>Fulano Junior</p> ←

88 <!-- Status -->

89 <i class="fa fa-circle text-success"></i> Online

90 </div>

91 </div>

92

93 <!-- Sidebar Menu -->

94 <ul class="sidebar-menu" data-widget="tree">

95 <li class="header">MENU

96 <!-- Optionally, you can add icons to the links -->

97 <% menus.forEach(function(menu){ %>

98 <li <% if (menu.active) { %>class="active"<% } %>>

99 <a href="<% menu.href %>">

100 <i class="fa fa-<% menu.icon %>"></i>

101 <%= menu.text %>

102

103

Ln 87, Col 16 (13 selected) Spaces: 2 UTF-8 CRLF { HTML ⚡ Port : 5500 ⚡ Prettier ⚡

A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree with a dark theme. The current folder is 'SABOROSO' containing files like admin.js, contacts.js, db.js, menus.js, reservations.js, users.js, node_modules, public, routes, admin.js, index.js, and views. The 'views' folder contains admin, footer.ejs, header.ejs, contacts.ejs, emails.ejs, and others. The header.ejs file is currently selected and highlighted with a red arrow pointing to it from the bottom-left. The Editor tab bar at the top has tabs for admin.js, routes, header-menu.ejs, header.ejs (which is active), admin.js inc, footer.ejs, index.ejs, and The main editor area displays the code for header.ejs, which includes an image placeholder and a user name display. The Status Bar at the bottom shows the file path (saboroso [Administrator]), line and column numbers (Ln 87, Col 16), character count (16 selected), and encoding (UTF-8). It also includes icons for file operations like save, close, and refresh.

```
<!-- Sidebar user panel (optional) -->
<div class="user-panel">
    <div class="pull-left image">
        
    </div>
    <div class="pull-left info">
        <p><%= user.name %></p> ←
        <!-- Status -->
        <a href="#"><i class="fa fa-circle text-success"></i> Online</a>
    </div>
</div>

<!-- Sidebar Menu -->
<ul class="sidebar-menu" data-widget="tree">
    <li class="header">MENU</li>
    <!-- Optionally, you can add icons to the links -->
    <% menus.forEach(function(menu){ %>
        <li <% if (menu.active) { %>class="active" <% } %><>
            <a href="<%= menu.href %>">
                <i class="fa fa-<%= menu.icon %>"></i>
                <span><%= menu.text %></span>
            </a>
        </li>
    <% }); %>
</ul>
```

Admin - SP

localhost:3000/admin/reservations

SP

Fulano Junior

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Reservas

Reservas

Lista

+ Novo

Nome E-mail Pessoas Data Hora Ações

1. Hcode contato@sproviders.com.br 2 1/1/2024 10:30

« 1 2 3 »

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

Fulano Junior

Home > Reservas

SP

Code View:

```
::before
<!-- Main Header -->
<header class="main-header">
  ...
</header>
<!-- Left side column.
contains the logo and sidebar
-->
<aside class="main-sidebar">
  ...
</aside>
<!-- / sidebar -->
<div.wrapper>
  ...
</div.wrapper>
<div.main-wrapper>
  ...
</div.main-wrapper>
<div.content-wrapper>
  ...
</div.content-wrapper>
<div.content>
  ...
</div.content>
<div.footer>
  ...
</div.footer>
</div>
```

Estilos Computado Layout >

element.style { }

.skin-blue skin-blue.min.css:1
.wrapper, .skin-blue .main-sidebar, .skin-blue .left-side {
 background-color: #222d32;
}

.main-sidebar { AdminLTE.min.css:7
 position: absolute;
 top: 0;
 left: 0;
 padding-top: 50px;
 min-height: 100%;
 width: 230px;
 z-index: 810;
 -webkit-transition: -webkit-transform .3s ease-in-out,

SP



Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

≡

Reservas

Lista

#	Nome	E-mail	Pessoas	Data
1.	Hcode	contato@sproviders.com.br	2	1/1/2024



```
g ht: auto; min-height: 100%;>
  ::before
    <!-- Main Header -->
  ><header class="main-header">
    ...</header>
    <!-- Left side column.
    contains the logo and sidebar
    -->
    ...<aside class="main-sidebar">
      ...<div> == $0
        <!-- sidebar: style can be
        found in sidebar.less -->
        ><section class="sidebar"
          style="height: auto;">...</section>
        <div>
          <span> mini </span>
          <span> div.wrapper </span>
          <span> aside.main-sidebar </span>
        </div>
        <span> Estilos </span>
        <span> Computado </span>
        <span> Layout >>
        <span> Filtrar </span>
        <span> :hov .cls </span>
        <span> + </span>
        <span> </span>
        <span> </span>
      </div>
      <div>
        element.style {
        }
      </div>
      <div>
        .skin-blue      skin-blue.min.css:1
        .wrapper, .skin-blue .main-sidebar,
        .skin-blue .left-side {
          background-color: #222d32;
        }
      </div>
      <div>
        .main-sidebar { AdminLTE.min.css:7
          position: absolute;
          top: 0;
          left: 0;
          padding-top: 50px;
          min-height: 100%;
          width: 230px;
          z-index: 810;
          webkit-transition: -webkit-transform .3s ease-in-out,
          transform .3s ease-in-out,
          width .3s ease-in-out;
        }
      </div>
    </aside>
  </div>
  <div>
    <span> </span>
    <span> </span>
    <span> </span>
    <span> </span>
    <span> </span>
  </div>


```

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

21 – Tela Inicial Consultando Dados no MySQL



Tela Inicial



RESERVAS
90



CONTATOS
41



MENU
3




USUÁRIOS
2



```
ght: auto; min-height: 100%;>
    :before
        <!-- Main Header -->
    ►<header class="main-header">
        ...</header>
        <!-- Left side column.
        contains the logo and sidebar
        -->
...
    ▼<aside class="main-sidebar"
r> == $0
    <!-- sidebar: style can be
    found in sidebar.less -->
    ►<section class="sidebar"
    style="height: auto;">...
        </section>
<div class="wrapper" style="background-color: #f0f0f0; height: 100%; position: relative; width: 100%;>
    <div class="left-side" style="background-color: #e0e0e0; height: 100%; left: 0; position: absolute; width: 20%;>
        ...
    </div>
    <div class="content" style="background-color: #fff; height: 100%; margin-left: 20%; position: relative; width: 80%;>
        ...
    </div>
</div>

```



MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

SQL File 5*

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

Administration Schemas


No object selected

Output

Action Output

Time Action Message Duration / Fetch

1 SELECT
2 (SELECT
3 COUNT(*)
4 FROM
5 tb_contacts) AS nrcontacts,
6 (SELECT
7 COUNT(*)
8 FROM
9 tb_menus) AS nrmenus,
10 (SELECT
11 COUNT(*)
12 FROM
13 tb_reservations) AS nrreservations,
14 (SELECT
15 COUNT(*)
16 FROM
17 tb_users) AS nrusers;



Object Info Session

MySQL Workbench

Local instance MySQL80 X

File Edit View Query Database Server Tools Scripting Help

SQL File 5*

tb_contacts) AS nrcontacts,
(SELECT COUNT(*)
FROM tb_menus) AS nrmenus,
(SELECT COUNT(*)
FROM tb_reservations) AS nrreservations,
(SELECT COUNT(*)
FROM tb_users) AS nrusers;

Administration Schemas

Information

No object selected

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

	nrcontacts	nrmenus	nrreservations	nrusers
▶	2	3	2	1

Result 1 X

Action Output

#	Time	Action	Message	Duration / Fetch
1	23:23:10	SELECT (SELECT COUNT(*) FROM tb_contacts) AS nrcontacts, (SELECT COUNT(*) FROM ...	1 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

The screenshot shows the MySQL Workbench interface with a query editor containing a multi-select query. Red arrows point from the top-left to the SQL editor, from the bottom-left to the result grid, and from the bottom-right to the message log.

SQL Editor:

```
tb_contacts) AS nrcontacts,  
(SELECT COUNT(*)  
FROM tb_menus) AS nrmenus,  
(SELECT COUNT(*)  
FROM tb_reservations) AS nrreservations,  
(SELECT COUNT(*)  
FROM tb_users) AS nrusers;
```

Result Grid:

	nrcontacts	nrmenus	nrreservations	nrusers
▶	2	3	2	1


Action Output Log:

#	Time	Action	Message	Duration / Fetch
1	23:23:10	SELECT (SELECT COUNT(*) FROM tb_contacts) AS nrcontacts, (SELECT COUNT(*) FROM ...	1 row(s) returned	0.031 sec / 0.000 sec

A screenshot of the Visual Studio Code (VS Code) interface. The left sidebar shows a file tree with a dark theme. A red arrow points from the top-left towards the 'admin.js' file in the 'SABOROSO' folder. The main editor area displays the 'admin.js' file content:

```
inc > JS admin.js > [?] <unknown> > ⚡ getMenus
1 module.exports = {
2 ...
3     getParams(req, params){
4
5         return Object.assign({}, {
6             menus: req.menus,
7             user: req.session.user
8         }, params);
9
10    },
11
12    getMenus(req){
13
14        let menus = [
15            {
16                text: "Tela Inicial",
17                href: "/admin/",
18                icon: "home",
19                active: false
20            },
21            {
22                text: "Menu",
23                href: "/admin/menus",
24                icon: "cutlery",
25                active: false,
26            }
27        ];
28
29        res.render("admin/index", { menus });
30    }
31}
```

The status bar at the bottom shows the file is a JavaScript file ('JavaScript'), the port is 5500, and Prettier is active.



MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

SQL File 5* ×

Navigator

SCHEMAS

Filter objects

saboroso

Tables

- tb_contacts
- tb_emails
- tb_menus
- tb_reservations
- tb_users

Views

Stored Procedures

Functions

sakila

sys

world

SELECT

```
1
2   (SELECT COUNT(*)
3     FROM tb_contacts) AS nrcontacts,
4
5   (SELECT COUNT(*) AS nrmenus,
6     FROM tb_menus),
7
8   (SELECT COUNT(*) AS nrreservations,
9     FROM tb_reservations),
10
11   COUNT(*) AS nrusers
```

Undo

Redo

Cut

Copy

Paste

Delete

Select All

Text

Administration Schemas

Information

No object selected

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid

Result 1 ×

Output

Action Output

Object Info Session

Read Only

A screenshot of the MySQL Workbench interface. The main window shows a SQL query in the editor:

```
1
2   (SELECT COUNT(*)
3     FROM tb_contacts) AS nrcontacts,
4
5   (SELECT COUNT(*) AS nrmenus,
6     FROM tb_menus),
7
8   (SELECT COUNT(*) AS nrreservations,
9     FROM tb_reservations),
10
11   COUNT(*) AS nrusers
```

The cursor is positioned over the first line of the query, and a context menu is open. The 'Copy' option in the menu is highlighted with a red arrow. Other options visible in the menu include Undo, Redo, Cut, Paste, Delete, Select All, and Text.

The Navigator pane on the left shows the database schema with tables like tb_contacts, tb_menus, and tb_reservations. The Administration and Schemas tabs are selected in the bottom navigation bar.

The Result Grid pane at the bottom displays the results of the query:

	nrcontacts	nrmenus	nrreservations	nrusers
▶	2	3	2	1

The status bar at the bottom right indicates 'Read Only'.

File Edit Selection View Go ... ← → 🔍 saboroso [Administrator]

EXPLORER

SABOROSO

- > bin
- < inc
- JS admin.js**
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs
- < .

JS admin.js routes header.ejs JS admin.js inc X

```
inc > JS admin.js > <unknown> > dashboard
      return NEW PROMISE(resolve, reject) => {
        conn.query(
          SELECT
            COUNT(*)
          FROM
            tb_contacts) AS nrcontacts,
          (SELECT
            COUNT(*)
          FROM
            tb_menus) AS nrmenus,
          (SELECT
            COUNT(*)
          FROM
            tb_reservations) AS nrreservations,
          (SELECT
            COUNT(*)
          FROM
            tb_users) AS nrusers;
      );
    },
```

Ln 7, Col 24 (656 selected) Spaces: 4 UTF-8 CRLF { JavaScript Port : 5500 Prettier

The screenshot shows a Visual Studio Code interface with the following details:

- Title Bar:** saboroso [Administrator]
- File Explorer (Left Sidebar):** Shows a tree view of files and folders under the "SABOROSO" root. A red arrow points from the "admin.js" entry in the tree to the "admin.js" tab in the top navigation bar.
- Code Editor (Main Area):** Displays the contents of the "admin.js inc" file. The code is a promise returning a function that performs four database queries using the "conn.query" method. The queries count the number of rows in "tb_contacts", "tb_menus", "tb_reservations", and "tb_users" respectively, and alias them as "nrcontacts", "nrmenus", "nrreservations", and "nrusers". A red arrow points to the code completion dropdown menu that appears over the "SELECT" keyword.
- Status Bar (Bottom):** Shows the current line (Ln 7, Col 24), character count (656 selected), and encoding (UTF-8). It also includes icons for file operations like save, undo, redo, and a Prettier button.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes header.ejs JS admin.js inc X

SABOROSO


- > bin
- < inc
- JS admin.js**
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- < routes
- JS admin.js
- JS index.js
- < views
- < admin
- < inc
- JS footer.ejs
- JS header.ejs
- JS contacts.ejs
- JS emails.ejs
- < . . .

> OUTLINE

> TIMELINE


```
1 var conn = ...
2
3 module.exports = {
4
5   dashboard() {
6
7     return new Promise((resolve, reject) => {
8
9       conn.query(`SELECT
10           (SELECT
11             COUNT(*)
12             FROM
13               tb_contacts) AS nrcontacts,
14           (SELECT
15             COUNT(*)
16             FROM
17               tb_menus) AS nrmenus,
18           (SELECT
19             COUNT(*)
20             FROM
21               tb_reservations) AS nrreservations,
22           (SELECT
23             COUNT(*)
24             FROM
25               tb_users) AS nrusers;
26
27     })
28     .then(result => resolve(result))
29     .catch(error => reject(error))
30   }
31 }
```

Ln 1, Col 1 (26 selected) Spaces: 4 UTF-8 CRLF { JavaScript Port : 5500 ✓ Prettier



A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'admin.js' file in the 'inc' folder is selected and highlighted with a red arrow. The main editor area displays the contents of 'admin.js'. A second red arrow points to the 'dashboard()' function definition. The status bar at the bottom provides information about the current file: 'Ln 5, Col 5 (9 selected)'.

```
JS admin.js routes JS header.ejs JS admin.js inc X
inc > JS admin.js > [?] <unknown> > dashboard
1 var conn = require('../db')
2
3 module.exports = {
4
5     dashboard() {
6
7         return new Promise((resolve, reject) => {
8
9             conn.query(`SELECT
10                 (SELECT
11                     COUNT(*)
12                     FROM
13                         tb_contacts) AS nrcontacts,
14             (SELECT
15                 COUNT(*)
16                     FROM
17                         tb_menus) AS nrmenus,
18             (SELECT
19                 COUNT(*)
20                     FROM
21                         tb_reservations) AS nrreservations,
22             (SELECT
23                 COUNT(*)
24                     FROM
25                         tb_users) AS nrusers;
26
27     });
28
29 }
30
31 }
32
33 
```



File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X header.ejs JS admin.js inc

SABOROSO > bin > routes > JS admin.js > JS index.js > views > admin > inc > footer.ejs > header.ejs > contacts.ejs > emails.ejs > OUTLINE > TIMELINE

routes > JS admin.js > ...

```
23 router.get('/logout', function(req, res, next){  
24   delete req.session.user;  
25  
26   res.redirect('/admin/login');  
27  
28});  
29  
30router.get('/', function(req, res, next) {  
31  admin.dashboard().then(data => {  
32    res.render('admin/index', admin.getParams(req, {  
33      data  
34    }));  
35  }).catch(err => {  
36    console.error(err);  
37  });  
38}  
39  
40});  
41  
42});  
43});  
44  
45router.post('/login', function(req, res, next) {  
46  
47  if (!req.body.email) {  
48    users.render(req, res, "Preencha o campo e-mail.");  
49  }  
50});  
51  
52});  
53});  
54});  
55});  
56});  
57});  
58});  
59});  
60});  
61});  
62});  
63});  
64});  
65});  
66});  
67});  
68});  
69});  
70});  
71});  
72});  
73});  
74});  
75});  
76});  
77});  
78});  
79});  
80});  
81});  
82});  
83});  
84});  
85});  
86});  
87});  
88});  
89});  
90});  
91});  
92});  
93});  
94});  
95});  
96});  
97});  
98});  
99});  
100});  
101});  
102});  
103});  
104});  
105});  
106});  
107});  
108});  
109});  
110});  
111});  
112});  
113});  
114});  
115});  
116});  
117});  
118});  
119});  
120});  
121});  
122});  
123});  
124});  
125});  
126});  
127});  
128});  
129});  
130});  
131});  
132});  
133});  
134});  
135});  
136});  
137});  
138});  
139});  
140});  
141});  
142});  
143});  
144});  
145});  
146});  
147});  
148});  
149});  
150});  
151});  
152});  
153});  
154});  
155});  
156});  
157});  
158});  
159});  
160});  
161});  
162});  
163});  
164});  
165});  
166});  
167});  
168});  
169});  
170});  
171});  
172});  
173});  
174});  
175});  
176});  
177});  
178});  
179});  
180});  
181});  
182});  
183});  
184});  
185});  
186});  
187});  
188});  
189});  
190});  
191});  
192});  
193});  
194});  
195});  
196});  
197});  
198});  
199});  
200});  
201});  
202});  
203});  
204});  
205});  
206});  
207});  
208});  
209});  
210});  
211});  
212});  
213});  
214});  
215});  
216});  
217});  
218});  
219});  
220});  
221});  
222});  
223});  
224});  
225});  
226});  
227});  
228});  
229});  
230});  
231});  
232});  
233});  
234});  
235});  
236});  
237});  
238});  
239});  
240});  
241});  
242});  
243});  
244});  
245});  
246});  
247});  
248});  
249});  
250});  
251});  
252});  
253});  
254});  
255});  
256});  
257});  
258});  
259});  
260});  
261});  
262});  
263});  
264});  
265});  
266});  
267});  
268});  
269});  
270});  
271});  
272});  
273});  
274});  
275});  
276});  
277});  
278});  
279});  
280});  
281});  
282});  
283});  
284});  
285});  
286});  
287});  
288});  
289});  
290});  
291});  
292});  
293});  
294});  
295});  
296});  
297});  
298});  
299});  
300});  
301});  
302});  
303});  
304});  
305});  
306});  
307});  
308});  
309});  
310});  
311});  
312});  
313});  
314});  
315});  
316});  
317});  
318});  
319});  
320});  
321});  
322});  
323});  
324});  
325});  
326});  
327});  
328});  
329});  
330});  
331});  
332});  
333});  
334});  
335});  
336});  
337});  
338});  
339});  
340});  
341});  
342});  
343});  
344});  
345});  
346});  
347});  
348});  
349});  
350});  
351});  
352});  
353});  
354});  
355});  
356});  
357});  
358});  
359});  
360});  
361});  
362});  
363});  
364});  
365});  
366});  
367});  
368});  
369});  
370});  
371});  
372});  
373});  
374});  
375});  
376});  
377});  
378});  
379});  
380});  
381});  
382});  
383});  
384});  
385});  
386});  
387});  
388});  
389});  
390});  
391});  
392});  
393});  
394});  
395});  
396});  
397});  
398});  
399});  
400});  
401});  
402});  
403});  
404});  
405});  
406});  
407});  
408});  
409});  
410});  
411});  
412});  
413});  
414});  
415});  
416});  
417});  
418});  
419});  
420});  
421});  
422});  
423});  
424});  
425});  
426});  
427});  
428});  
429});  
430});  
431});  
432});  
433});  
434});  
435});  
436});  
437});  
438});  
439});  
440});  
441});  
442});  
443});  
444});  
445});  
446});  
447});  
448});  
449});  
450});  
451});  
452});  
453});  
454});  
455});  
456});  
457});  
458});  
459});  
460});  
461});  
462});  
463});  
464});  
465});  
466});  
467});  
468});  
469});  
470});  
471});  
472});  
473});  
474});  
475});  
476});  
477});  
478});  
479});  
480});  
481});  
482});  
483});  
484});  
485});  
486});  
487});  
488});  
489});  
490});  
491});  
492});  
493});  
494});  
495});  
496});  
497});  
498});  
499});  
500});  
501});  
502});  
503});  
504});  
505});  
506});  
507});  
508});  
509});  
510});  
511});  
512});  
513});  
514});  
515});  
516});  
517});  
518});  
519});  
520});  
521});  
522});  
523});  
524});  
525});  
526});  
527});  
528});  
529});  
530});  
531});  
532});  
533});  
534});  
535});  
536});  
537});  
538});  
539});  
540});  
541});  
542});  
543});  
544});  
545});  
546});  
547});  
548});  
549});  
550});  
551});  
552});  
553});  
554});  
555});  
556});  
557});  
558});  
559});  
560});  
561});  
562});  
563});  
564});  
565});  
566});  
567});  
568});  
569});  
570});  
571});  
572});  
573});  
574});  
575});  
576});  
577});  
578});  
579});  
580});  
581});  
582});  
583});  
584});  
585});  
586});  
587});  
588});  
589});  
590});  
591});  
592});  
593});  
594});  
595});  
596});  
597});  
598});  
599});  
600});  
601});  
602});  
603});  
604});  
605});  
606});  
607});  
608});  
609});  
610});  
611});  
612});  
613});  
614});  
615});  
616});  
617});  
618});  
619});  
620});  
621});  
622});  
623});  
624});  
625});  
626});  
627});  
628});  
629});  
630});  
631});  
632});  
633});  
634});  
635});  
636});  
637});  
638});  
639});  
640});  
641});  
642});  
643});  
644});  
645});  
646});  
647});  
648});  
649});  
650});  
651});  
652});  
653});  
654});  
655});  
656});  
657});  
658});  
659});  
660});  
661});  
662});  
663});  
664});  
665});  
666});  
667});  
668});  
669});  
670});  
671});  
672});  
673});  
674});  
675});  
676});  
677});  
678});  
679});  
680});  
681});  
682});  
683});  
684});  
685});  
686});  
687});  
688});  
689});  
690});  
691});  
692});  
693});  
694});  
695});  
696});  
697});  
698});  
699});  
700});  
701});  
702});  
703});  
704});  
705});  
706});  
707});  
708});  
709});  
710});  
711});  
712});  
713});  
714});  
715});  
716});  
717});  
718});  
719});  
720});  
721});  
722});  
723});  
724});  
725});  
726});  
727});  
728});  
729});  
730});  
731});  
732});  
733});  
734});  
735});  
736});  
737});  
738});  
739});  
740});  
741});  
742});  
743});  
744});  
745});  
746});  
747});  
748});  
749});  
750});  
751});  
752});  
753});  
754});  
755});  
756});  
757});  
758});  
759});  
760});  
761});  
762});  
763});  
764});  
765});  
766});  
767});  
768});  
769});  
770});  
771});  
772});  
773});  
774});  
775});  
776});  
777});  
778});  
779});  
770});  
771});  
772});  
773});  
774});  
775});  
776});  
777});  
778});  
779});  
780});  
781});  
782});  
783});  
784});  
785});  
786});  
787});  
788});  
789});  
780});  
781});  
782});  
783});  
784});  
785});  
786});  
787});  
788});  
789});  
790});  
791});  
792});  
793});  
794});  
795});  
796});  
797});  
798});  
799});  
800});  
801});  
802});  
803});  
804});  
805});  
806});  
807});  
808});  
809});  
8010});  
8011});  
8012});  
8013});  
8014});  
8015});  
8016});  
8017});  
8018});  
8019});  
8020});  
8021});  
8022});  
8023});  
8024});  
8025});  
8026});  
8027});  
8028});  
8029});  
8030});  
8031});  
8032});  
8033});  
8034});  
8035});  
8036});  
8037});  
8038});  
8039});  
8040});  
8041});  
8042});  
8043});  
8044});  
8045});  
8046});  
8047});  
8048});  
8049});  
8050});  
8051});  
8052});  
8053});  
8054});  
8055});  
8056});  
8057});  
8058});  
8059});  
8060});  
8061});  
8062});  
8063});  
8064});  
8065});  
8066});  
8067});  
8068});  
8069});  
8070});  
8071});  
8072});  
8073});  
8074});  
8075});  
8076});  
8077});  
8078});  
8079});  
8080});  
8081});  
8082});  
8083});  
8084});  
8085});  
8086});  
8087});  
8088});  
8089});  
8090});  
8091});  
8092});  
8093});  
8094});  
8095});  
8096});  
8097});  
8098});  
8099});  
80100});  
80101});  
80102});  
80103});  
80104});  
80105});  
80106});  
80107});  
80108});  
80109});  
80110});  
80111});  
80112});  
80113});  
80114});  
80115});  
80116});  
80117});  
80118});  
80119});  
80120});  
80121});  
80122});  
80123});  
80124});  
80125});  
80126});  
80127});  
80128});  
80129});  
80130});  
80131});  
80132});  
80133});  
80134});  
80135});  
80136});  
80137});  
80138});  
80139});  
80140});  
80141});  
80142});  
80143});  
80144});  
80145});  
80146});  
80147});  
80148});  
80149});  
80150});  
80151});  
80152});  
80153});  
80154});  
80155});  
80156});  
80157});  
80158});  
80159});  
80160});  
80161});  
80162});  
80163});  
80164});  
80165});  
80166});  
80167});  
80168});  
80169});  
80170});  
80171});  
80172});  
80173});  
80174});  
80175});  
80176});  
80177});  
80178});  
80179});  
80180});  
80181});  
80182});  
80183});  
80184});  
80185});  
80186});  
80187});  
80188});  
80189});  
80190});  
80191});  
80192});  
80193});  
80194});  
80195});  
80196});  
80197});  
80198});  
80199});  
80200});  
80201});  
80202});  
80203});  
80204});  
80205});  
80206});  
80207});  
80208});  
80209});  
80210});  
80211});  
80212});  
80213});  
80214});  
80215});  
80216});  
80217});  
80218});  
80219});  
80220});  
80221});  
80222});  
80223});  
80224});  
80225});  
80226});  
80227});  
80228});  
80229});  
80230});  
80231});  
80232});  
80233});  
80234});  
80235});  
80236});  
80237});  
80238});  
80239});  
80240});  
80241});  
80242});  
80243});  
80244});  
80245});  
80246});  
80247});  
80248});  
80249});  
80250});  
80251});  
80252});  
80253});  
80254});  
80255});  
80256});  
80257});  
80258});  
80259});  
80260});  
80261});  
80262});  
80263});  
80264});  
80265});  
80266});  
80267});  
80268});  
80269});  
80270});  
80271});  
80272});  
80273});  
80274});  
80275});  
80276});  
80277});  
80278});  
80279});  
80280});  
80281});  
80282});  
80283});  
80284});  
80285});  
80286});  
80287});  
80288});  
80289});  
80290});  
80291});  
80292});  
80293});  
80294});  
80295});  
80296});  
80297});  
80298});  
80299});  
80300});  
80301});  
80302});  
80303});  
80304});  
80305});  
80306});  
80307});  
80308});  
80309});  
80310});  
80311});  
80312});  
80313});  
80314});  
80315});  
80316});  
80317});  
80318});  
80319});  
80320});  
80321});  
80322});  
80323});  
80324});  
80325});  
80326});  
80327});  
80328});  
80329});  
80330});  
80331});  
80332});  
80333});  
80334});  
80335});  
80336});  
80337});  
80338});  
80339});  
80340});  
80341});  
80342});  
80343});  
80344});  
80345});  
80346});  
80347});  
80348});  
80349});  
80350});  
80351});  
80352});  
80353});  
80354});  
80355});  
80356});  
80357});  
80358});  
80359});  
80360});  
80361});  
80362});  
80363});  
80364});  
80365});  
80366});  
80367});  
80368});  
80369});  
80370});  
80371});  
80372});  
80373});  
80374});  
80375});  
80376});  
80377});  
80378});  
80379});  
80380});  
80381});  
80382});  
80383});  
80384});  
80385});  
80386});  
80387});  
80388});  
80389});  
80390});  
80391});  
80392});  
80393});  
80394});  
80395});  
80396});  
80397});  
80398});  
80399});  
80400});  
80401});  
80402});  
80403});  
80404});  
80405});  
80406});  
80407});  
80408});  
80409});  
80410});  
80411});  
80412});  
80413});  
80414});  
80415});  
80416});  
80417});  
80418});  
80419});  
80420});  
80421});  
80422});  
80423});  
80424});  
80425});  
80426});  
80427});  
80428});  
80429});  
80430});  
80431});  
80432});  
80433});  
80434});  
80435});  
80436});  
80437});  
80438});  
80439});  
80440});  
80441});  
80442});  
80443});  
80444});  
80445});  
80446});  
80447});  
80448});  
80449});  
80450});  
80451});  
80452});  
80453});  
80454});  
80455});  
80456});  
80457});  
80458});  
80459});  
80460});  
80461});  
80462});  
80463});  
80464});  
80465});  
80466});  
80467});  
80468});  
80469});  
80470});  
80471});  
80472});  
80473});  
80474});  
80475});  
80476});  
80477});  
80478});  
80479});  
80480});  
80481});  
80482});  
80483});  
80484});  
80485});  
80486});  
80487});  
80488});  
80489});  
80490});  
80491});  
80492});  
80493});  
80494});  
80495});  
80496});  
80497});  
80498});  
80499});  
80500});  
80501});  
80502});  
80503});  
80504});  
80505});  
80506});  
80507});  
80508});  
80509});  
80510});  
80511});  
80512});  
80513});  
80514});  
80515});  
80516});  
80517});  
80518});  
80519});  
80520});  
80521});  
80522});  
80523});  
80524});  
80525});  
80526});  
80527});  
80528});  
80529});  
80530});  
80531});  
80532});  
80533});  
80534});  
80535});  
80536});  
80537});  
80538});  
80539});  
80540});  
80541});  
80542});  
80543});  
80544});  
80545});  
80546});  
80547});  
80548});  
80549});  
80550});  
80551});  
80552});  
80553});  
80554});  
80555});  
80556});  
80557});  
80558});  
80559});  
80560});  
80561});  
80562});  
80563});  
80564});  
80565});  
80566});  
80567});  
80568});  
80569});  
80570});  
80571});  
80572});  
80573});  
80574});  
80575});  
80576});  
80577});  
80578});  
80579});  
80580});  
80581});  
80582});  
80583});  
80584});  
80585});  
80586});  
80587});  
80588});  
80589});  
80590});  
80591});  
80592});  
80593});  
80594});  
80595});  
80596});  
80597});  
80598});  

```

A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows the workspace name "saboroso [Administrator]". The left sidebar (Explorer) displays a file tree with a dark theme. A red arrow points from the "index.ejs" entry in the "views/admin" folder to the code editor. The code editor tab bar shows "index.ejs" is currently active. The main code editor area contains EJS template code for a dashboard page. The code includes sections for reservations and contacts, each with an info box containing a date icon and a count of 90. The code uses Bootstrap classes like "content container-fluid", "row", "col-md-3", and "col-sm-6".

```
<section class="content container-fluid">
  <div class="row">
    <div class="col-md-3 col-sm-6 col-xs-12">
      <div class="info-box" onclick="window.location.href = '/reservations'" style="cursor:pointer">
        <span class="info-box-icon bg-aqua">
          <i class="ion ion-ios-calendar"></i>
        </span>

        <div class="info-box-content">
          <span class="info-box-text">Reservas</span>
          <span class="info-box-number">90</span>
        </div>
        <!-- /.info-box-content -->
      </div>
      <!-- /.info-box -->
    </div>
    <!-- /.col -->
    <div class="col-md-3 col-sm-6 col-xs-12">
      <div class="info-box" onclick="window.location.href = '/contacts'" style="cursor:pointer">
        <span class="info-box-icon bg-red">
          <i class="ion ion-ios-chatboxes"></i>
        </span>
      </div>
      <!-- /.info-box -->
    </div>
  </div>
</section>
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER

SABOROSO

- node_modules
- public
- routes
 - JS admin.js
 - JS index.js
- views
 - admin
 - inc
 - ↳ footer.ejs
 - ↳ header.ejs
 - ↳ contacts.ejs
 - ↳ emails.ejs
 - ↳ index.ejs
 - ↳ login.ejs
 - ↳ menus.ejs
 - ↳ reservations.ejs
 - ↳ users.ejs
 - inc
 - content
 - ↳ alerts.ejs
 - OUTLINE
 - TIMELINE

JS admin.js routes index.ejs header.ejs JS admin.js inc

```
<div class="row">
  <div class="col-md-3 col-sm-6 col-xs-12">
    <div class="info-box" onclick="window.location.href = '/reservations'" style="cursor:pointer">
      <span class="info-box-icon bg-aqua">
        <i class="ion ion-ios-calendar"></i>
      </span>

      <div class="info-box-content">
        <span class="info-box-text">Reservas</span>
        <span class="info-box-number"><%= data.nrreservations %></span>
      </div>
    <!-- /.info-box-content -->
  </div>
  <!-- /.info-box -->
</div>
<div class="col-md-3 col-sm-6 col-xs-12">
  <div class="info-box" onclick="window.location.href = '/contacts'" style="cursor:pointer">
    <span class="info-box-icon bg-red">
      <i class="ion ion-ios-chatboxes"></i>
    </span>
```

Ln 28, Col 47 (26 selected) Spaces: 2 UTF-8 CRLF { HTML ⚡ Port: 5500 ✓ Prettier

The screenshot shows a code editor interface with the following details:


- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Back, Forward, Search icon, Minimize, Maximize, Close.
- Explorer Sidebar:** Shows a tree view of the project structure under "SABOROSO".
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs** (highlighted with a red arrow)
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - content
 - alerts.ejs
 - OUTLINE
 - TIMELINE
- Code Editor:** The current file is "index.ejs".


```
admin > <> index.ejs > ? > div.content-wrapper > section.content.container-fluid > div.row > div.col-md-3.col-sm-6.col-xs-12 >
24           </span>
25
26           <div class="info-box-content">
27             <span class="info-box-text">Reservas</span>
28             <span class="info-box-number"><%= data.nrreservations %></span>
29           </div>
30           <!-- /.info-box-content -->
31         </div>
32         <!-- /.info-box -->
33       </div>
34       <!-- /.col -->
35     <div class="col-md-3 col-sm-6 col-xs-12">
36       <div class="info-box" onclick="window.location.href = '/contacts'" style="cursor:pointer">
37         <span class="info-box-icon bg-red">
38           <i class="ion ion-ios-chatboxes"></i>
39         </span>
40
41         <div class="info-box-content">
42           <span class="info-box-text">Contatos</span>
43           <span class="info-box-number">41</span>
44         </div>
45         <!-- /.info-box-content -->
46       </div>
47       <!-- /.info-box -->
48     </div>
```
- Status Bar:** Line 43, Col 49 (2 selected), Spaces: 2, UTF-8, CRLF, HTML, Port : 5500, Prettier.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Minimize, Maximize, Close, Fullscreen, Zoom In, Zoom Out, Refresh, Home, Back, Forward.
- Left Sidebar (EXPLORER):**
 - SABOROSO
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs** (highlighted with a red arrow)
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - content
 - alerts.ejs
 - OUTLINE
 - TIMELINE
- Top Tabs:** admin.js routes, index.ejs (selected), header.ejs, admin.js inc
- Code Area:** Content of index.ejs file.

```
content.container-fluid > div.row > div.col-md-3.col-sm-6.col-xs-12 > div.info-box > div.info-box-content > span.info-box-number
24           </span>
25
26           <div class="info-box-content">
27             <span class="info-box-text">Reservas</span>
28             <span class="info-box-number"><%= data.nrreservations %></span>
29           </div>
30           <!-- /.info-box-content -->
31         </div>
32         <!-- /.info-box -->
33       </div>
34       <!-- /.col -->
35     <div class="col-md-3 col-sm-6 col-xs-12">
36       <div class="info-box" onclick="window.location.href = '/contacts'" style="cursor:pointer">
37         <span class="info-box-icon bg-red">
38           <i class="ion ion-ios-chatboxes"></i>
39         </span>
40
41         <div class="info-box-content">
42           <span class="info-box-text">Contatos</span>
43           <span class="info-box-number"><%= data.nrcontacs %></span>
44         </div>
45         <!-- /.info-box-content -->
46       </div>
47       <!-- /.info-box -->
48     </div>
```
- Bottom Status Bar:** Line 43, Col 47 (21 selected), Spaces: 2, UTF-8, CRLF, HTML, Port : 5500, Prettier





The screenshot shows the Visual Studio Code interface with the following details:


- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Icons:** Explorer, Search, Open, Find, Split, Compare, Recent, Help, Settings.
- Explorer Sidebar:** Shows the project structure under "SABOROSO".
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - content
 - alerts.ejs
 - OUTLINE
 - TIMELINE
- Code Editor:** The file "index.ejs" is open and selected in the tab bar. The code is an EJS template for a dashboard section.

```
<div class="container-fluid"><div class="row"><div class="col-md-3 col-sm-6 col-xs-12"><div class="info-box"><div class="info-box-content"><span class="info-box-number">2</span><span class="info-box-text">Usuários</span></div><!-- /.info-box-content --></div><!-- /.info-box --></div><!-- /.col --></div><!-- /.row --></div><!-- /.container-fluid -->
```
- Status Bar:** Lines 77-90, including footer.ejs, Ln 77, Col 47 (1 selected), Spaces: 2, UTF-8, CRLF, HTML, Port: 5500, Prettier.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close, Fullscreen, Print, Help, ...
- Explorer Sidebar:** Shows a tree view of the project structure under "SABOROSO".
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs** (highlighted)
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - content
 - alerts.ejs
 - OUTLINE
 - TIMELINE
- Editor Area:** Displays the content of the selected file, "index.ejs".

```
<div class="info-box-content">
  <span class="info-box-text">Usuários</span>
  <span class="info-box-number"><%= data.nrusers %></span>
</div>
<!-- /.info-box-content -->
</div>
<!-- /.info-box -->
</div>
<!-- /.col -->
</div>
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<%- include('inc/footer') -%>
```
- Status Bar:** Ln 77, Col 66 (19 selected) Spaces: 2 UTF-8 CRLF { HTML ⚡ Port : 5500 ✓ Prettier




Tela Inicial

RESERVAS
2

CONTATOS

usuários
1



Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

```
ght: auto; min-height: 100%;">
    ::before
        <!-- Main Header -->
    ><header class="main-header">
        ...</header>
        <!-- Left side column.
        contains the logo and sidebar
        -->
...
    ><aside class="main-sidebar"
r"> == $0
        <!-- sidebar: style can be
        found in sidebar.less -->
    ><section class="sidebar"
        style="height: auto;">...
            </section>

```

mini div.wrapper aside.main-sidebar

Estilos Computado Layout >

Filtrar :hov .cls +, ☰ ☱

```
element.style {
}

.skin-blue      skin-blue.min.css:1
.wrapper, .skin-blue .main-sidebar,
.skin-blue .left-side {
    background-color: ■#222d32;
}

.main-sidebar { AdminLTE.min.css:7
    position: absolute;
    top: 0;
    left: 0;
    padding-top: 50px;
    min-height: 100%;
    width: 230px;
    z-index: 810;
    -webkit-transition: -webkit-
        transform .3s □ ease-in-out,
        width 3s □ ease-in-out;
```

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

**22 – Administração do Menu – Consultando
Dados no MySQL**



Julius Hills

Online

 Tela Inicial

Menu

 Reservas

 Contatos

 Usuários

E-mails

Menu

Home > Menu

+ Novo

#	Foto	Título	Descrição	Preço	Ações
1.		Update software	Diuretics paradis num copo é motivis de denguis.	R\$1,99	 Editar Excluir

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X index.ejs header.ejs admin.js inc

SABOROSO

- > bin
- ✓ inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- > node_modules
- > public
- ✓ routes
- JS admin.js
- JS index.js
- ✓ views
- ✓ admin
- ✓ inc
- ▷ footer.ejs
- ▷ header.ejs
- ▷ contacts.ejs
- ▷ emails.ejs

> OUTLINE

> TIMELINE

routes > JS admin.js > ...

```
76
77     res.render('admin/contacts', admin.getParams(req));
78
79 });
80
81 router.get('/emails', function(req, res, next) {
82
83     res.render('admin/emails', admin.getParams(req));
84
85 });
86
87 router.get('/menus', function(req, res, next) {
88
89     res.render('admin/menus', admin.getParams(req));
90
91 });
92
93 router.get('/reservations', function(req, res, next) {
94
95     res.render('admin/reservations', admin.getParams(req, {
96         date:{}
97     }));
98
99
100    router.get('/users', function(req, res, next) {
```

Ln 87, Col 1 (108 selected) Spaces: 2 CRLF { JavaScript Go Live Prettier

A screenshot of the Visual Studio Code (VS Code) interface. The top bar includes standard menu items: File, Edit, Selection, View, Go, and a three-dot ellipsis. A search bar is centered above the tabs. The top right corner features window control buttons (minimize, maximize, close) and a tab switcher.

The left sidebar contains the Explorer view, which shows a file tree for a project named "SABOROSO". The tree includes "bin", "inc" (which contains "admin.js", "contacts.js", "db.js", "menus.js", "reservations.js", and "users.js"), "node_modules", "public", "routes" (containing "admin.js" and "index.js"), and "views" (containing "admin" (with "inc" containing "footer.ejs", "header.ejs", "contacts.ejs", "emails.ejs") and "public"). The "menus.js" file is currently selected in the Explorer, highlighted by a blue bar and a red arrow pointing to it from the left.

The main editor area displays the "menus.js" file content:

```
JS admin.js routes JS menus.js X index.ejs header.ejs admin.js inc
inc > JS menus.js > [e] <unknown> > getMenus
1 let conn = ...require('../db');
2
3 module.exports = {
4   getMenus() {
5     return new Promise((resolve, reject) => {
6       conn.query(`SELECT * FROM tb_menus ORDER BY title
7       , (err, results)=> {
8         if (err) {
9           reject(err);
10        }
11        resolve(results);
12      });
13    });
14  }
15}
16
17
18
19
20
21
22
23};
```

The status bar at the bottom provides information about the current file: Line 22, Column 6, Spaces: 2, CRLF, and the file type JavaScript. It also includes icons for Go Live, Prettier, and a refresh button.

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named `admin.js` selected in the Explorer sidebar. The Explorer sidebar on the left displays a file tree for a project named "SABOROSO". The `admin.js` file is highlighted with a red arrow pointing to it from the bottom-left. The main editor area shows the content of the `admin.js` file, which is part of an Express.js application. The code includes route middleware for authentication and menu retrieval.

```
routes > JS admin.js > ...
1 var express = require('express');
2 var users = require('../inc/users');
3 var admin = require('../inc/admin');
4 var router = express.Router();
5
6 router.use(function(req, res, next){
7
8     if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
9         res.redirect("/admin/login");
10    } else {
11        next();
12    }
13 });
14
15 router.use(function(req, res, next){
16
17     req.menus = admin.getMenus(req);
18
19     next();
20
21 });
22
23 router.get('/logout', function(req, res, next){
24
25     delete req.session.user;
26 });
```

The screenshot shows a Visual Studio Code (VS Code) interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Back, Forward, Search icon, Minimize, Maximize, Close.
- Left Sidebar (Explorer):**
 - SABOROSO folder
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js (highlighted)
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - OUTLINE
 - TIMELINE
- Editor Area:** JS admin.js routes X (active tab), JS menus.js, <> index.ejs, <> header.ejs, JS admin.js inc.
- Code:**

```
routes > JS admin.js > ...
1  var express = require('express');
2  var users = require('../inc/users');
3  var admin = require('../inc/admin');
4  var menus = require('../inc/menus') ← Red arrow
5  var router = express.Router();
6
7  router.use(function(req, res, next){
8
9    if(['/login'].indexOf(req.url) === -1 && !req.session.user) {
10      res.redirect("/admin/login");
11    } else {
12      next();
13    }
14  });
15
16
17  router.use(function(req, res, next){
18
19    req.menus = admin.getMenus(req);
20
21    next();
22  });
23
24
25  router.get('/logout', function(req, res, next){
```
- Bottom Status Bar:** Line 4, Col 1 (37 selected), Spaces: 2, UTF-8, CRLF, JavaScript, Go Live, Prettier.

A screenshot of the Visual Studio Code (VS Code) interface. The top bar includes standard menu items like File, Edit, Selection, View, Go, and a search bar labeled "saboroso [Administrator]". The left sidebar contains icons for Explorer, Search, Open, Find, and others. The Explorer view shows a file tree for a project named "SABOROSO". The "routes" folder contains several files: admin.js, index.js, and contacts.ejs, emails.ejs, footer.ejs, header.ejs, and reservations.ejs. A red arrow points from the "index.js" file in the Explorer to the "index.js" tab in the main editor area. The editor tab for "admin.js" is currently active, displaying code for a Node.js application using Express.js routers. The status bar at the bottom shows file statistics: "Ln 4, Col 1 (37 selected)", "Spaces: 2", "UTF-8", "CRLF", "JavaScript", "Go Live", "Prettier", and a bell icon.

```
routes > JS admin.js > ...
  78   res.render('admin/contacts', admin.getParams(req));
  79
  80 });
  81
  82 router.get('/emails', function(req, res, next) {
  83
  84   res.render('admin/emails', admin.getParams(req));
  85
  86 });
  87
  88 router.get('/menus', function(req, res, next) {
  89
  90   res.render('admin/menus', admin.getParams(req));
  91
  92 });
  93
  94 router.get('/reservations', function(req, res, next) {
  95
  96   res.render('admin/reservations', admin.getParams(req, {
  97     date:{}
  98   }));
  99 })
 100
 101 router.get('/users', function(req, res, next) {
 102
 103   res.render('admin/users', admin.getParams(req));
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X JS menus.js index.ejs header.ejs admin.js inc

SABOROSO

- bin
- inc
- JS admin.js
- JS contacts.js
- JS db.js
- JS menus.js
- JS reservations.js
- JS users.js
- node_modules
- public
- routes
- JS admin.js
- JS index.js
- views
- admin
- inc
- ↳ footer.ejs
- ↳ header.ejs
- ↳ contacts.ejs
- ↳ emails.ejs

OUTLINE

TIMELINE

routes > JS admin.js > router.get('/menus') callback > then() callback

```
    /8     res.render('admin/contacts', admin.getParams(req));  
    79  
    80   });  
    81  
    82   router.get('/emails', function(req, res, next) {  
    83  
    84     res.render('admin/emails', admin.getParams(req));  
    85  
    86   });  
    87  
    88   router.get('/menus', function(req, res, next) {  
    89     menus.getMenus().then(data => {  
    90       res.render('admin/menus', admin.getParams(req, {  
    91         data  
    92       }));  
    93     });  
    94   });  
    95  
    96   });  
    97  
    98   });  
    99  
  100  router.get('/reservations', function(req, res, next) {  
  101  
  102    res.render('admin/reservations', admin.getParams(req, {  
  103      date:{}  
  104    }));  
  105  });  
  106  
```

2 selections (57 characters selected) Spaces: 2 CRLF { JavaScript Go Live Prettier

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Minimize, Maximize, Close, Fullscreen, Zoom In, Zoom Out.
- Left Sidebar (EXPLORER):**
 - SABOROSO
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - OUTLINE
 - TIMELINE
- Top Tabs:** admin.js routes, menus.ejs (selected), index.ejs, header.ejs, admin.js inc
- Code Area:** EJS template code for a table.

```
div.content-wrapper > section.content.container-fluid > div.box > div.box-body.no-padding > table.table.table-striped.table-hover
  31   <th>Foto</th>
  32   <th>Título</th>
  33   <th>Descrição</th>
  34   <th>Preço</th>
  35   <th style="min-width: 134px;">Ações</th>
  36 </tr>
  37 </thead>
  38 <tbody>
  39   <tr>
  40     <td>1.</td>
  41     <td></td>
  42     <td>Update software</td>
  43     <td>Diuretics paradis num copo é motivis de denguis.</td>
  44     <td>R$1,99</td>
  45     <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
  46   </tr>
  47 </tbody>
  48 </table>
  49 </div>
  50 <!-- /.box-body -->
  51 </div>
  52
  53
  54
```
- Bottom Status Bar:** Ln 38, Col 22, Spaces: 2, CRLF, { HTML, Go Live, Prettier

A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'views' folder contains 'admin' and 'public' subfolders. 'admin' contains 'index.ejs', 'login.ejs', 'menu.ejs', 'reservations.ejs', and 'users.ejs'. 'public' contains 'node_modules' and 'public'. The 'routes' folder contains 'admin.js' and 'index.js'. The 'inc' folder contains 'users.js'. The 'OUTLINE' and 'TIMELINE' sections are also visible in the Explorer.

The Editor tab bar at the top has tabs for 'admin.js routes', 'menus.ejs' (which is active), 'index.ejs', 'header.ejs', and 'admin.js inc'. The main editor area displays an EJS template for 'menus.ejs'. The template includes a loop to iterate over 'data' and a closing brace '}' at line 50. Two red arrows point from the bottom of the image towards these specific code elements.

```
<tr>
<% data.forEach(function(row) { %>
<tr>
<td>1.</td>
<td></td>
<td>Update software</td>
<td>Diuretics paradis num copo é motivis de denguis.</td>
<td>R$1,99</td>
<td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
</tr>
<% }); %>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
</section>
<!-- /.content -->
```

The Status Bar at the bottom shows: 2 selections (43 characters selected), Spaces: 2, CRLF, HTML, Go Live, Prettier.


A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named "SABOROSO". The "views" folder contains "admin" which has "inc", "index.ejs", and "menu.ejs". Other files like "users.ejs" and "node_modules" are also listed. The "menu.ejs" file is currently selected in the Explorer and is being edited in the main editor area. The editor shows code for a table row (tr) containing a button for updating software. A red arrow points from the "menu.ejs" entry in the Explorer to the corresponding line in the editor. Another red arrow points to the "1" in the first td cell of the table row. The status bar at the bottom shows the file path "views > admin > menu.ejs", line and column information "Ln 41, Col 23 (2 selected)", and various file format settings.

```
<% data.forEach(function(row) { %>
<tr>
<td>1.</td>
<td></td>
<td>Update software</td>
<td>Diuretics paradis num copo é motivis de denguis.</td>
<td>R$1,99</td>
<td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
</tr>
<% }); %>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
</section>
<!-- /.content -->
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close
- Explorer Sidebar:** Shows a project structure under "SABOROSO".
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs** (highlighted with a red arrow)
 - reservations.ejs
 - users.ejs
 - inc
 - OUTLINE
 - TIMELINE
- Editor Area:** The main code editor shows the content of the "menus.ejs" file.

```
content.container-fluid > div.box > div.box-body.no-padding > table.table-striped.table-hover > tbody > ? > tr > td
      ...
      36           </tr>
      37       </thead>
      38   <tbody>
      39       <% data.forEach(function(row) { %>
      40           <tr>
      41               <td><%= row.id %></td>
      42               <td></td>
      43               <td>Update software</td>
      44               <td>Diuretics paradis num copo é motivis de denguis.</td>
      45               <td>R$1,99</td>
      46               <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
      47           </tr>
      48       <% }); %>
      49   </tbody>
      50 </table>
      51 </div>
      52     <!-- /.box-body -->
      53 </div>
      54     <!-- /.box -->
      55 </div>
      56     </section>
      57     <!-- /.content -->
      58 </div>
```
- Status Bar:** Ln 41, Col 36 (13 selected), Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier



MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

SQL SQL Editor Database Browser Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

Tables

- tb_contacts
- tb_emails
- tb_menu
- tb_reser
- tb_users

Views

Stored Procedures

Functions

sakila

sys

world

Select Rows - Limit 1000

Table Inspector

Copy to Clipboard

Table Data Export Wizard

Table Data Import Wizard

Send to SQL Editor

Create Table...

Create Table Like...

Alter Table...

Table Maintenance...

Drop Table...

Truncate Table...

Search Table Data...

Refresh All

Administration Schema

Information

Table: tb_menus

Columns:

id	int AI PK
title	varchar(128)
description	varchar(512)
price	decimal(10,2)
photo	varchar(256)
register	timestamp

Output

Action Output

```
1 • SELECT
2 (SELECT
3     COUNT(*)
4     FROM
5         tb_contacts) AS nrcontacts,
6
7 SELECT
8     COUNT(*)
9     FROM
10    tb_menus) AS nrmenus,
11
12 SELECT
13     COUNT(*)
14     FROM
15        tb_reservations) AS nrreservations,
16
17 (SELECT
18     COUNT(*)
19     FROM
20        tb_users) AS nrusers;
```

MySQL Workbench

Local instance MySQL80 X

File Edit View Query Database Server Tools Scripting Help

SQL File 5* tb_menus X

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

1 • SELECT * FROM saboroso.tb_menus;

Administration Schemas

Information

Table: tb_menus

Columns:

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid Form Editor

tb_menus 1 X

Output

Action Output

```
1 • SELECT * FROM saboroso.tb_menus;
```

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	NULL	NULL	NULL	NULL	NULL	NULL

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Standard icons for file operations.
- Left Sidebar (EXPLORER):**
 - SABOROSO
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - Central Area:** A code editor window with tabs: admin.js routes, menus.ejs (highlighted), index.ejs, header.ejs, and admin.js inc.
 - Code Content:** The menus.ejs file contains EJS template code for a table row. A red arrow points to the image URL in the code: `<td></td>`.
 - Bottom Status Bar:** Includes icons for file operations, a search bar, line/character counts (Ln 42, Col 54 (21 selected)), and file encoding (UTF-8).

MySQL Workbench

Local instance MySQL80 X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

SQL File 5* tb_menus X

1 • SELECT * FROM saboroso.tb_menus;

Limit to 1000 rows


Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: 

Table: tb_menus

Columns:

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	HULL	HULL	HULL	HULL	HULL	HULL

tb_menus 1 X

Output

Action Output

Result Grid

Form Editor

Apply Revert

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Minimize, Maximize, Close, Fullscreen.
- Explorer:** Shows a file tree under the folder "SABOROSO".
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs** (highlighted with a red arrow)
 - reservations.ejs
 - users.ejs
 - inc
 - OUTLINE
 - TIMELINE
- Code Editor:** The active tab is "menus.ejs". The code displays a table structure for listing items. A red arrow points to the line containing the image tag: ` |`. Another red arrow points to the "menus.ejs" entry in the Explorer sidebar.
- Bottom Status Bar:** Line 42, Col 33 (17 selected), Spaces: 2, CRLF, HTML, Go Live, Prettier.

The screenshot shows a code editor interface with a dark theme. On the left is the Explorer sidebar, which lists the project structure under the 'SABOROSO' root. The 'views' folder contains 'admin' and 'public' subfolders. 'admin' contains files like 'index.ejs', 'login.ejs', 'menu.ejs', 'reservations.ejs', and 'users.ejs'. 'public' contains 'node_modules' and 'public'. The 'routes' folder contains 'admin.js' and 'index.js'. The 'inc' folder contains 'users.js'. The 'OUTLINE' and 'TIMELINE' sections are also visible in the sidebar.

The main editor area shows the content of the 'menu.ejs' file. The code is a template for a table row, displaying a user's photo, their ID, and several buttons for updating, viewing details, and deleting the user. A red arrow points from the 'menu.ejs' entry in the Explorer to the corresponding file in the editor.

```
<content>
  <div class="container-fluid">
    <div class="box">
      <div class="box-body no-padding">
        <table class="table table-striped table-hover">
          <thead>
            <tr>
              <th style="width: min-width: 134px;">Ações</th>
            </tr>
          </thead>
          <tbody>
            <% data.forEach(function(row) { %>
              <tr>
                <td><%= row.id %></td>
                <td></td>
                <td>Update software</td>
                <td>Diuretics paradis num copo é motivis de denguis.</td>
                <td>R$1,99</td>
                <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
              </tr>
            <% }); %>
          </tbody>
        </table>
      </div>
      <!-- /.box-body -->
    </div>
    <!-- /.box -->
  </div>
  <!-- /.container-fluid -->
</content>
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER

SABOROSO

inc

users.js

node_modules

public

routes

admin.js

index.js

views

admin

inc

footer.ejs

header.ejs

contacts.ejs

emails.ejs

index.ejs

login.ejs

menu.ejs

reservations.ejs

users.ejs

inc

OUTLINE

TIMELINE

JS admin.js routes menus.ejs index.ejs header.ejs JS admin.js inc

Ln 43, Col 38 (15 selected) Spaces: 2 CRLF { HTML Go Live Prettier

MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

SQL File 5* tb_menus ×

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

Administration Schemas

Information

Table: tb_menus

Columns:

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid | Form Editor | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

tb_menus 1 ×

Output

Action Output

The screenshot shows the MySQL Workbench interface. In the top navigation bar, 'Local instance MySQL80' is selected. The 'File' menu is open, showing options like 'Edit', 'View', 'Query', etc. Below the menu is a toolbar with various icons. The 'Navigator' pane on the left lists databases ('saboroso', 'sakila', 'sys', 'world') and their tables ('tb_contacts', 'tb_emails', 'tb_menus', 'tb_reservations', 'tb_users'). A red arrow points from the 'tb_menus' entry in the 'Tables' section of the 'saboroso' database to the 'Result Grid' button in the 'Information' pane toolbar. The 'Information' pane displays the schema for 'tb_menus' and its data in a grid format. The 'Result Grid' button is highlighted with a red arrow. The data grid shows three menu items: 'Bife de Costela com molho', 'Hambúrguer com Fritas', and 'Chilli com Carne', each with a description, price, photo path, and registration timestamp. The 'Form Editor' button is also visible in the 'Information' pane toolbar.

A screenshot of a code editor interface, likely Visual Studio Code, showing a file named `menus.ejs`. The editor has a dark theme with syntax highlighting for JavaScript and EJS templating. A red arrow points to the following line of code:

```
    <td></td>
```

The code is part of a table row (`<tr>`) within a table (`<tbody>`). The table is contained within a `div.box-body.no-padding` element, which is itself within a `div.box` element. The entire structure is within a `container-fluid` class. The code uses EJS templating to dynamically insert the photo URL from the `row` object.

A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'views' folder contains 'admin' and 'public' subfolders. 'admin' contains files like 'index.ejs', 'login.ejs', 'menu.ejs', 'reservations.ejs', and 'users.ejs'. A red arrow points from the 'menu.ejs' file in the Explorer to its corresponding tab in the top navigation bar. The Editor tab for 'menu.ejs' is active, displaying EJS code for a table row. The Status Bar at the bottom shows the current line (Ln 44), column (Col 71), and character count (48 selected). It also displays file encoding (UTF-8), line endings (CRLF), and other settings like 'HTML' and 'Prettier'.

```
<tr>
  <td><%= row.id %></td>
  <td></td>
  <td><%= row.title %></td>
  <td>Diuretics paradis num copo é motivis de denguis.</td>
  <td>R$1,99</td>
  <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
</tr>
<% } ); %>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
</section>
<!-- /.content -->
```

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Explorer Sidebar:** Shows the project structure under "SABOROSO".
 - inc
 - JS users.js
 - > node_modules
 - > public
 - routes
 - JS admin.js
 - JS index.js
 - views
 - admin
 - inc
 - JS footer.ejs
 - JS header.ejs
 - JS contacts.ejs
 - JS emails.ejs
 - JS index.ejs
 - JS login.ejs
 - JS menus.ejs
 - JS reservations.ejs
 - JS users.ejs
 - inc
 - > OUTLINE
 - > TIMELINE
- Title Bar:** JS admin.js routes, menus.ejs (highlighted), index.ejs, header.ejs, JS admin.js inc
- Main Editor Area:** Displays the content of the "menus.ejs" file.

```
container-fluid > div.box > div.box-body.no-padding > table.table-striped.table-hover > tbody > ? > tr > td > ?  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
<tr style="min-width: 134px;">>Ações</tr>  
</thead>  
<tbody>  
  <% data.forEach(function(row) { %>  
    <tr>  
      <td><%= row.id %></td>  
      <td></td>  
      <td><%= row.title %></td>  
      <td><%= row.description %></td>  
      <td>R$1,99</td>  
      <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>  
    </tr>  
  <% }); %>  
  </tbody>  
</table>  
</div>  
<!-- /.box-body -->  
</div>  
</section>  
<!-- /.content -->
```
- Bottom Status Bar:** Ln 44, Col 23 (22 selected) Spaces: 2 CRLF { HTML Go Live Prettier

A screenshot of the Visual Studio Code interface. The Explorer sidebar on the left shows a file tree for a project named "SABOROSO". The "views" folder contains "admin" and "inc" subfolders, each with several EJS files: footer.ejs, header.ejs, contacts.ejs, emails.ejs, index.ejs, login.ejs, menus.ejs, reservations.ejs, and users.ejs. A red arrow points from the "menus.ejs" file in the Explorer to the same file in the main editor area. The editor tab bar at the top shows "admin.js routes", "menus.ejs", "index.ejs", "header.ejs", and "admin.js inc". The main editor area displays the "menus.ejs" template code, which includes a table for listing items with columns for ID, photo, title, description, price, and actions (Edit and Delete). The status bar at the bottom shows the current file is "menus.ejs", line 45, column 29, with 6 selected characters, and the encoding is UTF-8.

```
<tr style="min-width: 134px;">  |  |  |  |  |  |
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Top Bar:** Back, Forward, Search bar (containing "saboroso [Administrator]"), Window controls (minimize, maximize, close), and a tab bar with tabs: JS admin.js routes, menus.ejs (selected), index.ejs, header.ejs, JS admin.js inc.
- Left Sidebar (EXPLORER):** Shows the project structure under "SABOROSO".
 - inc: users.js
 - node_modules
 - public
 - routes:
 - JS admin.js
 - JS index.js
 - views:
 - admin:
 - inc:
 - JS footer.ejs
 - JS header.ejs
 - JS contacts.ejs
 - JS emails.ejs
 - JS index.ejs
 - JS login.ejs
 - JS menus.ejs (highlighted with a red arrow)
 - JS reservations.ejs
 - JS users.ejs
 - OUTLINE
 - TIMELINE
- Code Editor Area:** Displays the content of the "menus.ejs" file.

```
content.container-fluid > div.box > div.box-body.no-padding > table.table-striped.table-hover > tbody > ? > tr > td
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
```

The code in the editor is:

```
<tr style="min-width: 134px;">Ações</tr>
</thead>
<tbody>
  <% data.forEach(function(row) { %>
    <tr>
      <td><%= row.id %></td>
      <td></td>
      <td><%= row.title %></td>
      <td><%= row.description %></td>
      <td><%= row.price %></td>
      <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update">i
          class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete">i
          class="fa fa-trash"></i> Excluir</button></td>
    </tr>
  <% }); %>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
</section>
<!-- /.content -->
```
- Bottom Bar:** Includes icons for search, refresh, and file operations, and status indicators: Line 45, Column 23 (16 selected), Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier.

The screenshot shows a code editor interface with the following details:


- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Explorer:** Shows a tree view of a project structure under "SABOROSO".
 - inc
 - JS users.js
 - > node_modules
 - > public
 - routes
 - JS admin.js
 - JS index.js
 - views
 - admin
 - inc
 - JS footer.ejs
 - JS header.ejs
 - JS contacts.ejs
 - JS emails.ejs
 - JS index.ejs
 - JS login.ejs
 - JS menus.ejs
 - JS reservations.ejs
 - JS users.ejs
 - inc
 - > OUTLINE
 - > TIMELINE
- Editor:** The "menus.ejs" tab is active, displaying the following code:

```
    <th>Foto</th>
    <th>Título</th>
    <th>Descrição</th>
    <th>Preço</th>
    <th style="min-width: 134px;">Ações</th>
  </tr>
</thead>
<tbody>
<% data.forEach(function(row) { %>
<tr>
  <td><%= row.id %></td>
  <td></td>
  <td><%= row.title %></td>
  <td><%= row.description %></td>
  <td><%= row.price %></td>
  <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
</tr>
<% }); %>
</tbody>
</table>
</div>
<!-- /.box-body -->
```
- Bottom Bar:** Includes icons for file operations, a search bar, and status indicators like "Ln 40, Col 17 (4 selected)", "Spaces: 2", "UTF-8", "CRLF", "HTML", "Go Live", "Prettier", and a bell icon.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Back, Forward, Search icon, Minimize, Maximize, Close.
- Explorer Sidebar:** Shows a project structure under "SABOROSO".
 - inc: users.js
 - node_modules
 - public
 - routes:
 - admin.js
 - index.js
 - views:
 - admin:
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - inc
 - OUTLINE
 - TIMELINE
- Editor Tab Bar:** JS admin.js routes, menus.ejs (highlighted), index.ejs, header.ejs, JS admin.js inc, ...
- Editor Content:** HTML code for a table row generation.

```
section.content.container-fluid > div.box > div.box-body.no-padding > table.table.table-striped.table-hover > tbody > ? > tr
  31      <th>Foto</th>
  32      <th>Título</th>
  33      <th>Descrição</th>
  34      <th>Preço</th>
  35      <th style="min-width: 134px;">Ações</th>
  36    </tr>
  37  </thead>
  38  <tbody>
  39    <% data.forEach(function(row) { %>
  40      <tr data-row=<%= JSON.stringify(row); %>>
  41        <td><%= row.id %></td>
  42        <td></td>
  43        <td><%= row.title %></td>
  44        <td><%= row.description %></td>
  45        <td><%= row.price %></td>
  46        <td><button type="button" class="btn btn-xs btn-info btn-update" data-toggle="modal" data-target="#modal-update"><i class="fa fa-pencil"></i> Editar</button>&ampnbsp<button type="button" class="btn btn-xs btn-danger btn-delete"><i class="fa fa-trash"></i> Excluir</button></td>
  47      </tr>
  48    <% } ); %>
  49  </tbody>
  50  </table>
  51 </div>
  52 <!-- /.box-body -->
```
- Bottom Status Bar:** Line 40, Column 21 (37 selected), Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier.





Menu

Home > Menu

+ Novo

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	





UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

**23 – Administração do Menu – Criando Novo
Menu**



Menu

Home > Menu



#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	

SP

Julius Hills Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Projeto desenvolvido

Novo Menu

Título

Descrição

Preço

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills

Home Menu

+ Novo

#	Foto	Título	Preço	Ações
1		Bife de angus	35.69	<button>Editar</button> <button>Excluir</button>
3		Chilli con carne	29.40	<button>Editar</button> <button>Excluir</button>
2		Hambúrguer	29.80	<button>Editar</button> <button>Excluir</button>

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Novo Menu

Título

Descrição

Preço

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar


Julius Hills

Ações

- Novo
- Editar Excluir
- Editar Excluir
- Editar Excluir

Console Fontes Filtrar Níveis padrão

The screenshot shows a web-based administration interface for managing menus. On the left, there's a sidebar with user information (Julius Hills, Online) and navigation links for Tela Inicial, Menu, Reservas, Contatos, Usuários, and E-mails. The main area displays a modal dialog titled "Novo Menu" (New Menu). This dialog contains four input fields: "Título" (Title), "Descrição" (Description), "Preço" (Price), and "Foto" (Photo). Below the photo field is a button labeled "Escolher arquivo" (Select file) and a message stating "Nenhum arquivo escolhido" (No file selected). At the bottom of the dialog are "Cancelar" (Cancel) and "Salvar" (Save) buttons. To the right of the dialog, a sidebar shows a list of menu items with "Ações" (Actions) for each, including "Novo" (New), and "Editar" (Edit) and "Excluir" (Delete) buttons. The browser's developer tools are open, with the "Fontes" (Sources) tab selected. A red arrow points from the "Foto" field in the dialog to the "Fontes" tab in the developer tools. Another red arrow points from the "Foto" field in the dialog to the "Filtrar" (Filter) button in the developer tools toolbar.



The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close
- Left Sidebar (Explorer):**
 - SABOROSO
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - OUTLINE
 - TIMELINE
- Top Tabs:** admin.js routes, menus.ejs (active), index.ejs, header.ejs, admin.js inc
- Current View Path:** views > admin > menus.ejs
- Code Editor Content:** EJS template for a modal. Lines 62 and 102 are selected.

```
</tr>
<% }); %>
</tbody>
</table>
</div>
<!-- /.box-body --&gt;
&lt;/div&gt;
&lt;/section&gt;
<!-- /.content --&gt;
&lt;/div&gt;
<!-- /.content-wrapper --&gt;
&lt;div class="modal fade" id="modal-create"&gt;...
&lt;/div&gt;
&lt;div class="modal fade" id="modal-update"&gt;...
&lt;/div&gt;
&lt;%- include('inc/footer') -%&gt;</pre>- Status Bar: Ln 143, Col 30, Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier

```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes menus.ejs ✎ index.ejs ✎ header.ejs JS admin.js inc ⚡ ...

SABOROSO

inc

users.js

node_modules

public

routes

admin.js

index.js

views

admin

inc

footer.ejs

header.ejs

contacts.ejs

emails.ejs

index.ejs

login.ejs

menus.ejs

reservations.ejs

users.ejs

inc

OUTLINE

TIMELINE

views > admin > menus.ejs > ? > div#modal-create.modal.fade

```
58     <!-- /.content --&gt;
59     &lt;/div&gt;
60     <!-- /.content-wrapper --&gt;
61
62 &gt;     &lt;div class="modal fade" id="modal-create"&gt;...
100    &lt;/div&gt;
101
102 &gt;     &lt;div class="modal fade" id="modal-update"&gt;...
141    &lt;/div&gt;
142
143     &lt;%- include('inc/footer') -%&gt;
144
145     &lt;script&gt;
146
147
148     &lt;/script&gt;</pre>

Ln 62, Col 45 (12 selected) Spaces: 2 CRLF { HTML Go Live Prettier


```

The screenshot shows a Visual Studio Code (VS Code) interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Back, Forward, Search icon, Home icon, Minimize, Maximize, Close.
- Explorer View (Left):** Shows the project structure under 'SABOROSO'. Key files include 'users.js', 'node_modules', 'public', 'routes/admin/admin.js', 'index.js', and 'views/admin/admin.ejs'. 'menus.ejs' is highlighted with a red arrow.
- Code Editor View (Right):** Displays the 'menus.ejs' file content. The code is an EJS template for a modal dialog. A red arrow points to the opening tag of the form element: <form method="post">. The code includes comments for content and content-wrappers, and defines a modal dialog with a header, body, and footer sections.
- Bottom Status Bar:** Shows line 65, column 12 (18 selected), spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier, and a bell icon.

```
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<div class="modal fade" id="modal-create">
  <div class="modal-dialog">
    <div class="modal-content" style="border-top: 3px solid #00a65a;">
      <form method="post"> ← Red arrow
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal" aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
          <h4 class="modal-title">Novo Menu</h4>
        </div>
        <div class="modal-body">
          <div class="form-group">
            <label for="inputTitleCreate">Título</label>
            <input type="text" class="form-control" id="inputTitleCreate" name="title">
          </div>
          <div class="form-group">
            <label for="inputDescriptionCreate">Descrição</label>
            <textarea class="form-control" id="inputDescriptionCreate" name="description"></textarea>
          </div>
          <div class="form-group">
            <label for="inputPriceCreate">Preço</label>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
```

The screenshot shows the Visual Studio Code interface with the following details:

- File Explorer (Left):** Shows the project structure under the folder "SABOROSO". Key files include "admin.js", "index.js", and several EJS files like "menu.ejs", "index.ejs", "login.ejs", etc.
- Code Editor (Center):** Displays the content of the "menu.ejs" file. The code defines a modal dialog for creating a new menu item. It includes fields for title, description, price, and photo.
- Annotations (Red Arrows):** Four red arrows point to specific parts of the code:
 - Top-left arrow points to the "menu.ejs" file in the Explorer.
 - Second arrow from the left points to the "name" attribute of the first input field ("name='title'").
 - Third arrow from the left points to the "name" attribute of the second input field ("name='description'").
 - Bottom-right arrow points to the "name" attribute of the third input field ("name='photo'").
- Status Bar (Bottom):** Shows the following status indicators: 5 selections (74 characters selected), Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier, and a lock icon.

```
<div class="modal-dialog">
  <div class="modal-content" style="border-top: 3px solid #00a65a;">
    <form method="post">
      <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
        <h4 class="modal-title">Novo Menu</h4>
      </div>
      <div class="modal-body">
        <div class="form-group">
          <label for="inputTitleCreate">Título</label>
          <input type="text" class="form-control" id="inputTitleCreate" name="title">
        </div>
        <div class="form-group">
          <label for="inputDescriptionCreate">Descrição</label>
          <textarea class="form-control" id="inputDescriptionCreate" name="description"></textarea>
        </div>
        <div class="form-group">
          <label for="inputPriceCreate">Preço</label>
          <input type="number" class="form-control" id="inputPriceCreate" name="price">
        </div>
        <div class="form-group">
          <label for="inputPhotoCreate">Foto</label>
          
          <input type="file" class="form-control" id="inputPhotoCreate" name="photo">
        </div>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-default pull-left" data-dismiss="modal">Cancelar</button>
        <button type="submit" class="btn btn-success">Salvar</button>
      </div>
    </form>
  </div>
</div>
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes menus.ejs ✎ index.ejs ✎ header.ejs JS admin.js inc ⌂ ...

SABOROSO

inc

users.js
node_modules
public

routes

admin.js
index.js

views

admin

inc

footer.ejs
header.ejs
contacts.ejs
emails.ejs
index.ejs
login.ejs
menus.ejs
reservations.ejs
users.ejs

inc

OUTLINE
TIMELINE

views > admin > menus.ejs > ? > ? > script

```
98     </div>
99     <!-- ./modal-dialog -->
100    </div>
101
102    <div class="modal fade" id="modal-update">...
103        ...
104    </div>
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141    </div>
142
143    <%- include('inc/footer') -%>
144
145    <script>
146
147        let formCreate = document.querySelector("#modal-create form");
148
149        console.log(formCreate);
150
151    </script>
```

Ln 145, Col 1 (115 selected) Spaces: 2 CRLF { HTML Go Live Prettier

SP



Julius Hills



Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Menu

Home > Menu

Lista

Novo

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir

Elementos Console >

Níveis padrão ▾ Nenhum problema |

> <form method="post"> ... </form> menus:355

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título

Descrição

Preço

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Elementos Console

Níveis padrão Nenhum problema

<form method="post">...</form>

menu:355

Novo

Ações

5.69 Editar Excluir

9.40 Editar Excluir

9.80 Editar Excluir

SP

```
<form method="post">...</form>
```

menu:355

The screenshot shows a code editor interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbars:** Standard window control icons.
- Left Sidebar (EXPLORER):**
 - SABOROSO
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs
 - reservations.ejs
 - users.ejs
 - OUTLINE
 - TIMELINE
- Code Editor:** The active tab is "menus.ejs".
 - File Path: views > admin > menus.ejs
 - Content:

```
98     </div>
99     <!-- /.modal-dialog -->
100    </div>
102    <div class="modal fade" id="modal-update">...
141    </div>
142
143    <%- include('inc/footer') -%>
144
145    <script>
146
147    let formCreate = document.querySelector("#modal-create form");
148
149    console.log(formCreate);
150
151    </script>
```
- Bottom Status Bar:** Line 151, Col 10, Spaces: 2, UTF-8, CRLF, HTML, Go Live, Prettier.

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes menus.ejs ✎ index.ejs ✎ header.ejs JS admin.js inc

SABOROSO

inc

users.js > node_modules > public > routes

admin.js index.js

views

admin

inc

footer.ejs header.ejs contacts.ejs emails.ejs index.ejs login.ejs menus.ejs reservations.ejs users.ejs

OUTLINE

TIMELINE

views > admin > menus.ejs > script

```
98     </div>
99     <!-- /.modal-dialog -->
100    </div>
101
102  > <div class="modal fade" id="modal-update">...
141    </div>
142
143  <%- include('inc/footer') -%>
144
145  <script>
146
147  let formCreate = document.querySelector("#modal-create form");
148  let formCreateData = new FormData(formCreate);
149
150  console.log(formCreateData);
151
152  </script>
```

0 △ 0 ⌂ 0 ⌂ 2 selections (60 characters selected) Spaces: 2 CRLF { HTML Go Live Prettier

SP



Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Novo Menu

Título



Descrição

Preço

Foto



Escolher arquivo

Nenhum arquivo escolhido

Cancelar

Salvar



Julius Hills

SP



Elementos Console >

top ▾ Filtrar

Níveis padrão ▾ Nenhum problema |

> <form method="post"> ... </form> menus:355

SP



Julius Hills



Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Menu

Home > Menu

Lista

Novo

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir

>



Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	<button>Editar</button> <button>Excluir</button>
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	<button>Editar</button> <button>Excluir</button>
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	<button>Editar</button> <button>Excluir</button>

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elementos Console

Níveis padrão Nenhum problema

FormData {} [[Prototype]]: FormData

menus:356

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	<button>Editar</button> <button>Excluir</button>
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	<button>Editar</button> <button>Excluir</button>
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	<button>Editar</button> <button>Excluir</button>

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elementos Console

Níveis padrão Nenhum problema

menus:356

```
▼ FormData {} ⓘ
  ▷ [[Prototype]]: FormData
  ▷ append: f append()
  ▷ delete: f delete()
  ▷ entries: f entries()
  ▷ forEach: f forEach()
  ▷ get: f ()
  ▷ getAll: f getAll()
  ▷ has: f has()
  ▷ keys: f keys()
  ▷ set: f ()
  ▷ values: f values()
  ▷ constructor: f FormData()
  ▷ Symbol(Symbol.iterator): f entries()
  ▷ Symbol(Symbol.toStringTag): "FormData"
  ▷ [[Prototype]]: Object
```

A red arrow points to the `get` method in the `FormData` object's prototype chain.

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close
- Left Sidebar (EXPLORER):**
 - SABOROSO
 - inc
 - users.js
 - node_modules
 - public
 - routes
 - admin.js
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
 - index.ejs
 - login.ejs
 - menus.ejs** (highlighted with a red arrow)
 - reservations.ejs
 - users.ejs
 - inc
 - OUTLINE
 - TIMELINE
- Top Tabs:** admin.js routes, menus.ejs (active), index.ejs, header.ejs, admin.js inc
- Current File Content:** views > admin > menus.ejs (script)

```
98     </div>
99     <!-- /.modal-dialog -->
100    </div>
101
102  <div class="modal fade" id="modal-update">...
103    </div>
104
105  <%- include('inc/footer') -%>
106
107  <script>
108    let formCreate = document.querySelector("#modal-create form");
109    let formCreateData = new FormData(formCreate);
110
111    console.log(formCreateData);
112
113  </script>
```
- Bottom Status Bar:** Ln 152, Col 10, Spaces: 2, CRLF, HTML, Go Live, Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes menus.ejs ✖️ index.ejs ✖️ header.ejs JS admin.js inc ⚡ ...

SABOROSO

inc

users.js
node_modules
public

routes

admin.js
index.js

views

admin

inc

footer.ejs
header.ejs
contacts.ejs
emails.ejs
index.ejs
login.ejs
menus.ejs
reservations.ejs
users.ejs

inc

OUTLINE
TIMELINE

views > admin > menus.ejs > ? > ? > script

143 <%- include(`inc/footer`) -%>

144

145 <script>

146

147 let formCreate = document.querySelector("#modal-create form");

148

149 formCreate.addEventListener('submit', e => {

150

151 e.preventDefault();

152

153 let formCreateData = new FormData(formCreate);

154

155 fetch("/admin/menus", {

156 method: 'POST',

157 body: formCreateData

158 })

159 .then(response => response.json())

160 .then(json => {

161

162 console.log("JSON", json);

163

164 });

165

166 });

167

168 </script>

Ln 166, Col 6 (400 selected) Spaces: 2 CRLF { HTML Go Live Prettier

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named "SABOROSO". The "routes" folder contains "admin.js" and "index.js", with "admin.js" currently selected and highlighted by a red arrow. The main editor area displays the contents of "admin.js". The status bar at the bottom provides information about the current file: "saboroso [Administrator]", "Ln 90, Col 34", "Spaces: 2", "UTF-8", "CRLF", "JavaScript", and "Prettier".

```
routes > JS admin.js routes X < menus.ejs < index.ejs < header.ejs JS admin.js inc ...
```

```
routes > JS admin.js > router.get('/menus') callback > then() callback
```

```
85
86  });
87
88 router.get('/menus', function(req, res, next) {
89
90   menus.getMenus().then(data => {
91
92     res.render('admin/menus', admin.getParams(req, {
93       data
94     }));
95   });
96 });
97
98 });
99
100 router.get('/reservations', function(req, res, next) {
101
102   res.render('admin/reservations', admin.getParams(req, {
103     date:{}
104   }));
105 });
106
107 router.get('/users', function(req, res, next) {
108
109   res.render('admin/users', admin.getParams(req));
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X menus.ejs index.ejs header.ejs JS admin.js inc ⚡ ...

SABOROSO

inc

JS users.js

> node_modules

> public

routes

JS admin.js (highlighted by a red arrow)

JS index.js

views

admin

inc

↳ footer.ejs

↳ header.ejs

↳ contacts.ejs

↳ emails.ejs

↳ index.ejs

↳ login.ejs

↳ menus.ejs

↳ reservations.ejs

↳ users.ejs

inc

> OUTLINE

> TIMELINE

routes > JS admin.js > ...

87 router.get('/menus', function(req, res, next) {

88 menus.getMenus().then(data => {

89 res.render('admin/menus', admin.getParams(req, {

90 data

91 }));

92 });

93 });

94 });

95 });

96 });

97 });

98 });

99 });

100 router.post('/menus', function(req, res, next) {

101 res.send(req.body); (highlighted by a red arrow)

102 });

103 });

104 });

105 });

106 router.get('/reservations', function(req, res, next) {

107 res.render('admin/reservations', admin.getParams(req, {

108 date:{}

109 }));

110 });

111 });

112 });

Ln 100, Col 1 (80 selected) Spaces: 2 CRLF { JavaScript Go Live Prettier

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	<button>Edit</button> <button>Delete</button>
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	<button>Edit</button> <button>Delete</button>
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	<button>Edit</button> <button>Delete</button>

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Rede

Elementos

Console

Fontes

Preservar registro

Desativar cache

Sem limitação

Inverter

Mais filtros

Tudo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS

20ms 40ms 60ms 80ms 100ms

Nome Status Tipo Iniciador Tama... Tempo

0 / 20 solicitações 0 B / 5.2 kB transferidos 0 B / 2.0 MB recursos Concluir

Admin - SP

localhost:3000/admin/menus

Julius Hills Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Novo Menu

Título

Descrição

Preço

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills

+ Novo

Ações

Editar Excluir

Editar Excluir

Editar Excluir

Rede

Elementos Console Fontes Rede > X E : Sem limitação


Preservar registro Desativar cache

Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS

20ms 40ms 60ms 80ms 100ms

Nome	Status	Tipo	Iniciador	Tam...	Tempo

0 / 20 solicitações 0 B / 5.2 kB transferidos 0 B / 2.0 MB recursos Concluído



Admin - SP

localhost:3000/admin/menus

Julius Hills Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Elementos Console Fontes Rede Mais filtros

Preservar registro Desativar cache

Ações

Editar Excluir

Nome Status Tipo Iniciador Tamanho Tempo

0 / 20 solicitações 0 B / 5.2 kB transferidos 0 B / 2.0 MB recursos Concluído

SP

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: (Placeholder)

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Ações: + Novo, Editar, Excluir

Julius Hills Online

MENU

Tela Inicial, Menu, Reservas, Contatos, Usuários, E-mails

Redes de desenvolvimento:

- Elementos, Console, Fontes, Rede (selecionado), Sem limitação, Inverter, Mais filtros
- Filtros: Tudo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome: menus

Cabeçalhos

Payload

Visualização, Resposta

Geral

Nome Da Solicitação:	http://localhost:3000/admin/menu
Método Da Solicitação:	POST
Código De Status:	200 OK
Endereço Remoto:	::1:3000
Política Do Referenciador:	strict-origin-when-cross-origin
Cabeçalhos de resposta	
Connection:	keep-alive
Content-Length:	2
Content-Type:	application/json; charset=utf-8
Date:	Thu, 07 Nov 2024 21:53:25 GMT
Etag:	W/"2-vyGp6PvFo4RvsFtPoIWeCReylC8"
Keep-Alive:	timeout=5

Screenshot of a web application showing a form submission process being monitored by a browser developer tool.

The main window displays a modal titled "Novo Menu" (New Menu) with the following fields:

- Título**: Teste
- Descrição**: teste
- Preço**: 10
- Foto**: A placeholder image area with a button "Escolher arquivo" (Select file) and the message "Nenhum arquivo escolhido" (No file selected).

Below the modal, a sidebar shows a list of menu items with actions like "Editar" (Edit) and "Excluir" (Delete). At the bottom of the sidebar are three buttons: "Cancelar" (Cancel), "Salvar" (Save), and a large green "Novo" (New) button.

The browser's developer tools are open on the right side, specifically the Network tab under the "Rede" (Network) section. A red arrow points to the "Payload" tab in the Network panel, which shows the data sent in the request:

Nome	Valor
title	Teste
description	teste
price	10
photo	(binário)

Another red arrow points to the "Visualização" (Preview) tab, which shows the raw binary data for the photo field.

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título
Teste

Descrição
teste

Preço
10

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills

Ações

- Editar
- Excluir

SP / 21 solicitaçõ

Elementos Console Fontes Rede

Sem limitação Preservar registro Desativar cache

Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

Nome Cabeçalhos Payload Visualização Resposta

menus {} Nenhuma propriedade

20ms 40ms 60ms 80ms 100ms

Red arrows point from the 'Visualização' tab in the Network tab to the 'Nenhuma propriedade' message.

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: (Placeholder)

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills Online

Ações: Editar, Excluir

SP

Elementos, Console, Fontes, Rede, More

Preservar registro, Desativar cache

Sem limitação

Inverter, Mais filtros

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome: menus

Cabeçalhos: Geral, Cabeçalhos de resposta (7), Cabeçalhos de solicitação

Accept: /*

Accept-Encoding: gzip, deflate, br, zstd

Accept-Language: pt-BR;pt;q=0.9,en-US;q=0.8,en;q=0.7

Connection: keep-alive

Content-Length: 483

Content-Type: multipart/form-data; boundary=-----WebKitFormBoundaryl2rpXikeWmAY3wJE

Cookie: connect.sid=s%3A98XHE5iGuhC1DETmjSromEcoBX20Dc4hJyWRkkVhL0zi6EK8fmnIL7O5ssl8iqhtVKvU6gA

Host: localhost:3000

SP / 21 solicitações

UC: Projetos

Assunto:

Projeto Restaurante – BackEnd

**24 – Administração do Menu – Enviando
Novo Menu via POST**

Admin - SP

formidable - npm

npmjs.com/package/formidable

Pro Teams Pricing Documentation

Search packages

formidable DT

3.5.2 • Public • Published 20 days ago

Readme Beta Code Beta 3 Dependencies

 **formidable**

formidable v3.5.2 license MIT libera manifesto badgen error

GET /admin/menus 304 27.643 ms --
GET /admin/bower_components/bootstrap/dist/css/bootstrap.min.css 304 9.807 ms --
GET /admin/bower_components/font-awesome/css/font-awesome.min.css 304 8.732 ms --
GET /admin/bower_components/Ionicons/css/ionicons.min.css 304 12.304 ms --
GET /admin/dist/css/AdminLTE.min.css 304 11.863 ms --
GET /images/img_1.jpg 304 10.078 ms --
GET /admin/dist/css/skins/skin-blue.min.css 304 9.714 ms --
GET /admin/dist/img/avatar5.png 304 9.468 ms --
GET /images/img_3.jpg 304 11.829 ms --
GET /admin/bower_components/jquery/dist/jquery.min.js 304 11.239 ms --
GET /admin/bower_components/bootstrap/dist/js/bootstrap.min.js 304 10.695 ms --
GET /admin/bower_components/PACE/pace.min.js 304 12.098 ms --
GET /admin/bower_components/jquery-slimscroll/jquery.slimscroll.min.js 304 12.172 ms --
GET /admin/bower_components/fastclick/lib/fastclick.js 304 12.149 ms --
GET /admin/bower_components/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 304 12.149 ms --
GET /admin/dist/js/adminlte.min.js 304 10.689 ms --
GET /admin/dist/js/demo.js 304 10.474 ms --
GET /images/img_2.jpg 304 8.674 ms --
GET /admin/dist/img/boxed-bg.jpg 304 8.438 ms --
GET /admin/bower_components/bootstrap/dist/css/bootstrap.min.css.map 304 0.711 ms --
GET /favicon.ico 304 0.826 ms --
POST /admin/menus 200 2.098 ms -- 2

node.exe


Search


+

More

File

Help





Admin - SP formidable - npm

npmjs.com/package/formidable

Pro Teams Pricing Documentation

Search packages

formidable DT

3.5.2 • Public • Published 20 days ago


Readme Code Beta 3 Dependents

formidable

C:\Users\Administrador\Downloads\cmder
λ cd \Users\Administrador\Desktop\projeto\saboroso\
C:\Users\Administrador\Desktop\projeto\saboroso
λ

node.exe cmd.exe

Search



Admin - SP

formidable - npm

npmjs.com/package/formidable

Pro Teams Pricing Documentation

npm Search packages

formidable DT

3.5.2 • Public • Published 20 days ago

Readme Beta Code Beta 3 Dependents

 **formidable**

formidable v3.5.2 license MIT libera manifesto badgen error

C:\Users\Administrador\Desktop\projeto\saboroso
λ npm install formidable@1.2.1 --save ↑
npm **WARN** **deprecated** formidable@1.2.1: Please upgrade to latest, formidable@v2 or formidable@v3! Check these notes: <https://bit.ly/2ZEqIau>
added 1 package, and audited 80 packages in 1s
1 package is looking for funding
run `npm fund` for details
11 vulnerabilities (3 low, 2 moderate, 5 **high**, 1 critical)
To address issues that do not require attention, run:
npm audit fix
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.

C:\Users\Administrador\Desktop\projeto\saboroso
λ ↑

node.exe [*] cmd.exe

Search + ×

A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows the window title "saboroso [Administrator]". The menu bar includes File, Edit, Selection, View, Go, and other options. The Explorer sidebar on the left shows a project structure under "SABOROSO" with various files like admin.js, routes, app.js, menus.ejs, index.ejs, header.ejs, and admin.js inc. A red arrow points to the "app.js" file in the Explorer list. The main editor area displays the "app.js" code, which is a Node.js application using Express. The code includes imports for http-errors, express, path, cookieParser, morgan, express-session, and connect-redis. It sets up the view engine to use EJS and defines an app object using express(). The app.use() method is used to set session storage with a RedisStore, specifying localhost at port 6379, a secret password 'p@ssw0rd', and options for resave and saveUninitialized.

```
var createError = require('http-errors');
var express = require('express');
var path = require('path');
var cookieParser = require('cookie-parser');
var logger = require('morgan');
var session = require('express-session');
var RedisStore = require('connect-redis')(session);

var indexRouter = require('./routes/index');
var adminRouter = require('./routes/admin');

var app = express();

// view engine setup
app.set('views', path.join(__dirname, 'views'));
app.set('view engine', 'ejs');

app.use(session({
  store: new RedisStore({
    host: 'localhost',
    port: 6379,
  }),
  secret: 'p@ssw0rd',
  resave: true,
  saveUninitialized: true,
}));
```

A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows the workspace name "saboroso [Administrator]". The left sidebar contains icons for Explorer, Search, Open, Find, and Outline. The Explorer view shows a project structure under "SABOROSO" with files like "views", "inc", "header", "menu", "page", "error", "index", "reservations", "services", "app.js", "package-lock.json", and "package.json". The "app.js" file is currently selected and open in the main editor area. The code in the editor is as follows:

```
1 var createError = require('http-errors');
2 var express = require('express');
3 var path = require('path');
4 var cookieParser = require('cookie-parser');
5 var logger = require('morgan');
6 var session = require('express-session');
7 var RedisStore = require('connect-redis')(session);
8 var formidable = require('formidable');
9 var path = require('path');


10
11 var indexRouter = require('./routes/index');
12 var adminRouter = require('./routes/admin');

13
14 var app = express();

15
16 app.use(function(req, res, next) {
17
18     if (req.method === "POST") {
19
20         var form = formidable.IncomingForm({
21             uploadDir: path.join(__dirname, "/public/images"),
22             keepExtension: true
23         });
24
25         form.parse(req, function(err, fields, files){
26

```

A red arrow points from the bottom right towards the second "var path = require('path');" line at the beginning of the file.



File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X JS app.js ⌂ menus.ejs ⌂ index.ejs ⌂ header.ejs JS admin.js inc ⌂ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ⌚ footer.ejs
 - ⌚ header.ejs
 - ⌚ contacts.ejs
 - ⌚ emails.ejs
- > OUTLINE
- > TIMELINE

routes > JS admin.js > router.post('/menus') callback

```
94     });
95
96     });
97
98 });
99
100 router.post('/menus', function(req, res, next) {
101   res.send(req.body);
102
103 });
104
105
106 router.get('/reservations', function(req, res, next) {
107
108   res.render('admin/reservations', admin.getParam(req, {
109     date:{}
110   }));
111 }
112
113 router.get('/users', function(req, res, next) {
114
115   res.render('admin/users', admin.getParam(req));
116
117 });
118
119 module.exports = router;
```

Ln 102, Col 16 (4 selected) Spaces: 2 CRLF ⓘ JavaScript ⓘ Go Live ⓘ Prettier

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close, Minimize, Maximize, Close, Minimize, Maximize, Close
- Explorer Sidebar:** Shows a project structure under 'SABOROSO'. The 'routes' folder is expanded, showing files: admin.js, index.js, and several EJS files (footer.ejs, header.ejs, contacts.ejs, emails.ejs). Other folders like bin, inc, node_modules, and public are also listed.
- Code Editor:** The current file is 'admin.js' located at 'routes > admin.js'. The code is as follows:

```
94     });
95
96     });
97
98 });
99
100 router.post('/menus', function(req, res, next) {
101   res.send(req.fields);
102
103 });
104
105
106 router.get('/reservations', function(req, res, next) {
107
108   res.render('admin/reservations', admin.getParam(req, {
109     date:{}
110   }));
111 }
112
113 router.get('/users', function(req, res, next) {
114
115   res.render('admin/users', admin.getParam(req));
116
117 });
118
119 module.exports = router;
```
- Status Bar:** Lines 102, Col 22 (10 selected), Spaces: 2, UTF-8, CRLF, JavaScript, Go Live, Prettier

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Ações: + Novo, Editar, Excluir

Julius Hills Online

Sem limitação

Rede

Elementos, Console, Fontes, Rede, Preservar registro, Desativar cache

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Wasm

Nome: menus

Cabeçalhos: Geral, Cabeçalhos de resposta (7), Cabeçalhos de solicitação, Bruto

Accept: /*

Accept-Encoding: gzip, deflate, br, zstd

Accept-Language: pt-BR,pt;q=0.9,en-US;q=0.8,en;q=0.7

Connection: keep-alive

Content-Length: 483

Content-Type: multipart/form-data; boundary=-----WebKitFormBoundaryl2rpXikeWmAY3wjE

Cookie: connect.sid=s%3A98XHE5iGuhC1DETmijSromEcoBX20Dc.4hJyWRkkVhL0ozi6EK8fmnIL7O5ssl8iqhVKvU6gA

Host: localhost:3000

SP / 21 solicitações

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: (Escolher arquivo) Nenhum arquivo escolhido

Ações: + Novo, Editar, Excluir

Salvar

Julius Hills

SP

Elementos, Console, Fontes, Rede, Preservar registro, Desativar cache

Sem limitação

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Wasm

Nome: menus, Cabeçalhos, Payload, Visualização, Resposta

Visualização: {title: "Teste", description: "teste", price: "10"}
Resposta: {title: "Teste", description: "teste", price: "10"}
Nome: menus, Cabeçalhos, Payload, Visualização, Resposta

SP / 22 solicitaç

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'routes' folder contains several files: admin.js, index.js, and severalejs files (footer.ejs, header.ejs, contacts.ejs, emails.ejs). A red arrow points from the 'index.js' entry in the routes folder to the code editor. The code editor shows the 'admin.js' file, which contains Node.js code for a router. A yellow lightbulb icon is positioned above the line 'res.send(req.fields);'. A red arrow points from this icon to the same line in the code. The status bar at the bottom displays various icons and text, including 'Ln 102, Col 22 (10 selected)', 'Spaces: 2', 'UTF-8', 'CRLF', 'JavaScript', 'Go Live', and 'Prettier'.

```
routes > JS admin.js > router.post('/menus') callback
94     });
95
96     });
97
98     });
99
100    router.post('/menus', function(req, res, next) {
101      res.send(req.fields);
102
103    });
104
105
106    router.get('/reservations', function(req, res, next) {
107
108      res.render('admin/reservations', admin.getParam(req, {
109        date:{}
110      }));
111
112
113    router.get('/users', function(req, res, next) {
114
115      res.render('admin/users', admin.getParam(req));
116
117    });
118
119    module.exports = router;
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X JS app.js ⚡ menus.ejs ⚡ index.ejs ⚡ header.ejs JS admin.js inc ⚡ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ⌚ footer.ejs
 - ⌚ header.ejs
 - ⌚ contacts.ejs
 - ⌚ emails.ejs
- > OUTLINE
- > TIMELINE

routes > JS admin.js > router.post('/menus') callback

```
94     });
95
96     });
97
98     });
99
100    router.post('/menus', function(req, res, next) {
101      res.send(req.files);
102
103    });
104
105
106    router.get('/reservations', function(req, res, next) {
107
108      res.render('admin/reservations', admin.getParam(req, {
109        date:{}
110      }));
111
112
113    router.get('/users', function(req, res, next) {
114
115      res.render('admin/users', admin.getParam(req));
116
117    });
118
119    module.exports = router;
```

Ln 102, Col 21 (9 selected) Spaces: 2 CRLF ⓘ JavaScript ⓘ Go Live ⓘ Prettier

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título
Teste

Descrição
teste

Preço
10

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Ações

Editar Excluir

SP / 22 solicitaçõ

Julius Hills Online


Elementos Console Fontes Rede

Sem limitação Preservar registro Desativar cache

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

Nome Cabeçalhos Payload Visualização Resposta

menus {title: "Teste", description: "teste", price: "10"}
menus {title: "Teste", description: "teste", price: "10", id: 1}



Novo Menu

Título
Teste

Descrição
teste

Preço
10


Foto


 img_1.jpg

Ações

Cancelar

Salvar



Admin - SP


localhost:3000/admin/menus

Novo Menu

Título
Teste

Descrição
teste

Preço
10

Foto

Escolher arquivo img_1.jpg

Cancelar Salvar

Julius Hills Online

Ações
+ Novo
Editar Excluir
Editar Excluir
Editar Excluir

SP / 23 solicitaç

Elementos Console Fontes Rede

Preservar registro Desativar cache

Sem limitação

Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

500000ms 1000000ms 1500000ms 2000000ms 2500000ms 3000000ms

Nome Cabeçalhos Payload Visualização Resposta

menus {photo: {size: 65070,...}}
menus {photo: {size: 65070,...}}
menus {photo: {size: 65070,...}}

Redesigned UI for creating a new menu item. The modal includes fields for Title, Description, Price, and Photo. A red arrow points to the 'Novo Menu' title. The Network tab in the developer tools shows a successful POST request for the menu creation, with a red arrow pointing to the 'Visualização' tab and the response payload showing the uploaded photo details.

Screenshot of a web application showing a "Novo Menu" (New Menu) form and a browser developer tools Network tab.

The application interface includes:

- A sidebar with icons for SP, Julius Hills (Online), MENU, Tela Inicial, Menu, Reservas, Contatos, Usuários, and E-mails.
- A main content area titled "Novo Menu" with fields for Titulo (Teste), Descrição (teste), Preço (10), and Foto (file input field showing img_1.jpg).
- A central sidebar with "Ações" (Actions) buttons: + Novo, Editar, and Excluir.
- A bottom navigation bar with Cancelar and Salvar buttons.

The browser's developer tools Network tab shows a request for "/admin/menu". The response payload is displayed in the "Visualização" (Preview) tab:

```
Nome: menus
photo: {size: 65070,...}
photo: {size: 65070,...}
photo: {size: 65070,...}
```

Properties of the last "photo" object:

- mtime: "2024-11-07T22:39:00.236Z"
- name: "img_1.jpg"
- path: "C:\\\\Users\\\\Administrador\\\\Desktop\\\\projeto\\\\img_1.jpg"
- size: 65070
- type: "image/jpeg"

Two red arrows point to the "photo" properties in the Network tab's preview pane.

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. A red arrow points to the 'menus.js' file in the 'routes' folder. The Editor tab bar at the top has tabs for 'admin.js routes', 'menus.js' (which is active), 'app.js', and others. The main editor area displays the code for 'menus.js', which uses Node.js promises to query a database for menu items. The Status Bar at the bottom shows file statistics (0△0), a search icon, line 22, column 6, spaces: 2, CRLF, a JavaScript icon, a Go Live icon, a Prettier icon, and a refresh icon.

```
inc > JS menus.js > [e] <unknown> > getMenus
1   let conn = ...require('../db');
2
3   module.exports = {
4     getMenus() {
5
6       return new Promise((resolve, reject) => {
7
8         conn.query(`
9           SELECT * FROM tb_menus ORDER BY title
10          `, (err, results)=> {
11
12           if (err) {
13             reject(err);
14           }
15
16           resolve(results);
17         });
18       });
19     }
20   };
21
22 };
23 };
```

The screenshot shows a code editor interface with the following details:

- File Explorer (Left):** Shows a project structure under "SABOROSO". The "routes" folder contains "admin.js", "menus.js", "reservations.js", and "users.js". The "views/admin" folder contains "inc" (with "footer.ejs" and "header.ejs"), "contacts.ejs", "emails.ejs", "index.ejs", "login.ejs", "menus.ejs", "reservations.ejs", and "users.ejs". A red arrow points to the "menus.js" file in the routes folder.
- Code Editor (Right):** The active file is "menus.js". The code is a JavaScript function "save" that takes "fields" and "files" as parameters. It returns a Promise that calls "conn.query" to insert data into "tb_menus".

```
inc > JS menus.js > [e] <unknown> > save
10   , (err, results)=> {
11
12     if (err) {
13       reject(err);
14     }
15
16     resolve(results);
17
18   });
19
20 });
21
22 },
23
24 save(fields, files){
25
26   return new Promise((resolve, reject)=>{
27
28     conn.query(`
29       INSERT INTO tb_menus {title, description, price, photo}
30       VALUES (?, ?, ?, ?)
31     `, [
32       fields.title,
33       fields.description,
34       fields.price,
35       files.photo.name
36     ]);
37
38   });
39
40 });
41 };
```

A red arrow points to the database query line: `conn.query(`INSERT INTO tb_menus {title, description, price, photo} VALUES (?, ?, ?, ?)``.
- Status Bar (Bottom):** Shows the current line (Ln 40, Col 6), character count (370 selected), and encoding (UTF-8 CRLF). It also includes icons for Go Live and Prettier.



Navigator

SCHEMAS

Filter objects

saboroso

Tables

- tb_contacts
- tb_emails
- tb_menus
- tb_reservations
- tb_users

Views

Stored Procedures

Functions

sakila

sys

world

Query 1 tb_menus x



1 • SELECT * FROM saboroso.tb_menus;

Administration Schemas

Information

Table: tb_menus

Columns:

id	int AI PK
title	varchar(128)
description	varchar(512)
price	decimal(10,2)
photo	varchar(256)
register	timestamp

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	NULL	NULL	NULL	NULL	NULL	NULL

tb_menus 1 x

Apply

Revert



A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named 'SABOROSO'. The 'menus.js' file under the 'routes' folder is selected and highlighted with a red arrow. The main editor area displays the 'menus.js' code, which contains a function 'save(fields, files)' that inserts data into a database table 'tb_menus'. A second red arrow points to the string 'images/\${files.photo.name}' in the code, which is highlighted in blue. The status bar at the bottom shows the current file is 'menus.js', with 35 lines and 13 columns selected, and the code is in JavaScript mode.

```
inc > JS menus.js > [ ] <unknown> > [ ] save
18     });
19
20     });
21
22 },
23
24 save(fields, files){
25
26     return new Promise((resolve, reject)=>{
27
28         conn.query(`
29             INSERT INTO tb_menus {title, description, price, photo}
30             VALUES (?, ?, ?, ?)
31         `,
32         [
33             fields.title,
34             fields.description,
35             fields.price,
36             `images/${files.photo.name}`
37         ]);
38     });
39 }
40
41 };
```

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes JS menus.js X JS app.js 🔗 menus.ejs 🔗 index.ejs 🔗 header.ejs ⌂ ...

inc > JS menus.js > [?] <unknown> > ↴ Save > ⚡ <function>

```
22     },
23
24     save(fields, files){
25
26         return new Promise((resolve, reject)=>{
27
28             conn.query(
29                 `INSERT INTO tb_menus (title, description, price, photo)
30                  VALUES(?, ?, ?, ?)`
31             , [
32                 fields.title,
33                 fields.description,
34                 fields.price,
35                 `images/${files.photo.name}`
36             ], (err, results)=> {
37
38                 if (err) {
39                     reject(err);
40                 } else {
41                     resolve(results);
42                 }
43             });
44         });
45     });
46
47 );
```

3 selections (137 characters selected) Spaces: 2 UTF-8 CRLF { JavaScript Go Live Prettier

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, ...
- Search Bar:** saboroso [Administrator]
- Toolbar:** Minimize, Maximize, Close, Minimize, Maximize, Close, Minimize, Maximize, Close
- Explorer Sidebar:** Shows a tree view of the project structure under the 'SABOROSO' root:
 - bin
 - inc
 - admin.js
 - contacts.js
 - db.js
 - menus.js
 - reservations.js
 - users.js
 - node_modules
 - public
 - routes
 - admin.js (selected)
 - index.js
 - views
 - admin
 - inc
 - footer.ejs
 - header.ejs
 - contacts.ejs
 - emails.ejs
- Editor Area:** Displays the contents of the selected file, admin.js:

```
routes > JS admin.js > router.post('/menus') callback
94     });
95
96     });
97
98 });
99
100 router.post('/menus', function(req, res, next) {
101
102     res.send(req.files); ←
103
104 });
105
106 router.get('/reservations', function(req, res, next) {
107
108     res.render('admin/reservations', admin.getParam(req, {
109         date:{}
110     }));
111 }
112
113 router.get('/users', function(req, res, next) {
114
115     res.render('admin/users', admin.getParam(req));
116
117 });
118
119 module.exports = router;
```
- Bottom Status Bar:** L102, Col 3 (20 selected) Spaces: 2 CRLF JavaScript Go Live Prettier

File Edit Selection View Go ... 🔍 saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes X JS menus.js JS app.js ⚡ menus.ejs ⚡ index.ejs ⚡ header.ejs ⚡ ...

SABOROSO

- > bin
- ✓ inc
 - JS admin.js
 - JS contacts.js
 - JS db.js
 - JS menus.js
 - JS reservations.js
 - JS users.js
- > node_modules
- > public
- ✓ routes
 - JS admin.js
 - JS index.js
 - ✓ views
 - ✓ admin
 - ✓ inc
 - ⌚ footer.ejs
 - ⌚ header.ejs
 - ⌚ contacts.ejs
 - ⌚ emails.ejs
- > OUTLINE
- > TIMELINE

routes > JS admin.js > router.post('/menus') callback

```
94     });
95
96     });
97
98 });
99
100 router.post('/menus', function(req, res, next) {
101   menus.save(req.fields, req.files).then(results=> {
102     res.send(results);
103
104   }).catch(err=>{
105     res.send(err);
106   });
107
108 });
109
110 });
111
112 });
113
114 router.get('/reservations', function(req, res, next) {
115
116   res.render('admin/reservations', admin.getParams(req, {
117     date:{}
118   }));
119 });
```

Ln 102, Col 1 (131 selected) Spaces: 2 CRLF { JavaScript ⚡ Go Live ✅ Prettier

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir

+ Novo

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elementos Console Fontes Rede

Preservar registro Desativar cache


Filtrar Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

20ms 40ms 60ms 80ms 100ms

Sem limitação

Gravando atividade de rede...
Faça uma solicitação ou pressione **Ctrl + R** para gravar a atualização.
[Saiba mais](#)



Admin - SP

localhost:3000/admin/menus

Julius Hills Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: Escolher arquivo imagem_10.jpeg

Ações: + Novo, Editar, Excluir

Salvar

Rede

Elementos, Console, Fontes, Rede

Preservar registro, Desativar cache

Filtrar, Inverter, Mais filtros

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Gravando atividade de rede...

Faça uma solicitação ou pressione Ctrl + R para gravar a atualização.

Saiba mais

The screenshot shows a web application interface for managing menus. A modal window titled "Novo Menu" is open, containing fields for "Título" (Title), "Descrição" (Description), "Preço" (Price), and "Foto" (Photo). Red arrows point from the left side of the image to each of these fields. Below the modal, a "Salvar" (Save) button is highlighted with a red arrow. The background features a sidebar with user information ("Julius Hills Online") and a navigation menu with items like "Tela Inicial", "Menu", and "Reservas". On the right, a developer tools panel is visible, specifically the "Rede" (Network) tab, which shows network activity with a status message "Gravando atividade de rede..." (Recording network activity...).

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: imagem_10.jpeg

Cancelar Salvar

Julius Hills

Ações: + Novo, Editar, Excluir

SP

Elementos, Console, Fontes, Rede, Preservar registro, Desativar cache

Filtrar: Tudo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome	Status	Tipo	Iniciador	Tam...	Tempo
menus	200	fetch	menus:361	343 B	37ms

1 solicitações | 343 B transferidos | 107 B recursos

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: imagem_10.jpeg

Cancelar Salvar

Julius Hills Online

Ações: + Novo, Editar, Excluir

Rede

Elementos, Console, Fontes, Rede, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Wasm

Sem limitação, Filtrar, Inverter, Mais filtros

Nome: menus

Cabeçalhos, Payload, Visualização, Resposta

Visualização: {fieldCount: 0, affectedRows: 1, insertId: 4, info: "", affectedRows: 1, changedRows: 0, fieldCount: 0, info: "", insertId: 4, serverStatus: 2, warningStatus: 0}

SP

1 solicitações

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto: imagem_10.jpeg

Cancelar Salvar

Julius Hills Online

Ações: + Novo, Editar, Excluir

Rede

Elementos, Console, Fontes, Rede, Preservar registro, Desativar cache

Filtrar: Tudo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Wasm

Nome: menus

Cabeçalhos, Payload, Visualização, Resposta

Visualização: {fieldCount: 0, affectedRows: 1, insertId: 4, info: "", affectedRows: 1, changedRows: 0, fieldCount: 0, info: "", insertId: 4, serverStatus: 2, warningStatus: 0}

SP

1 solicitações

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 10

Foto:  Escolher arquivo: imagem_10.jpeg

Ações: [Editar](#), [Excluir](#)

Cancelar Salvar

Julius Hills

SP

Elementos, Console, Fontes, Rede, Preservar registro, Desativar cache

Filtrar: Tudo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome: menus

Visualização: {fieldCount: 0, affectedRows: 1, insertId: 4, info: "", affectedRows: 1, changedRows: 0, fieldCount: 0, info: "", insertId: 4, serverStatus: 2, warningStatus: 0}

SP

1 solicitações

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

Tables

- tb_contacts
- tb_emails
- tb_menus
- tb_reservations
- tb_users

Views

Stored Procedures

Functions

sakila

sys

world

Query 1 tb_menus x

1 • SELECT * FROM saboroso.tb_menus;

Limit to 1000 rows

Result Grid

Filter Rows:

Edit: Form Editor

Export/Import: Form Editor

Wrap Cell Content:

Table: tb_menus

Columns:

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
*	NULL	NULL	NULL	NULL	NULL	NULL

tb_menus 2 x

Output

Action Output

Object Info Session

Result Grid

Form Editor

Apply Revert

MySQL Workbench

Local instance MySQL80 X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

Query 1 tb_menus X

1 • SELECT * FROM saboroso.tb_menus;

Limit to 1000 rows

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

Table: tb_menus

Columns:

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
▶	4	Teste	teste	10.00	images/imagem_1...	2024-11-07 20:31:50
*	NULL	NULL	NULL	NULL	NULL	NULL

tb_menus 3 X

Output

Action Output

Result Grid

Form Editor

MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

SQL SQL Editor Database Browser Scripting Help

Navigator

Query 1 tb_menus ×

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

1 • SELECT * FROM saboroso.tb_menus;

Administration Schemas

Information

Table: tb_menus

Columns:

	id	title	description	price	photo	register
	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
	4	Teste	teste	10.00	images/imagem_10.jpeg	2024-11-07 20:31:50
	HULL	NULL	NULL	NULL	NULL	NULL

tb_menus 3 ×

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

Form Editor

Object Info Session

Action Output



Admin - SP

localhost:3000/admin/menus

Novo Menu

Título
Teste

Descrição
teste

Preço
10

Foto

Escolher arquivo imagem_10.jpeg

Ações
Editar Excluir

Cancelar Salvar

Julius Hills

SP

Elementos Console Fontes Rede

Preservar registro Desativar cache

Sem limitação

Filtrar Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

20ms 40ms 60ms 80ms 100ms

Nome Cabeçalhos Payload Visualização Resposta

menus {fieldCount: 0, affectedRows: 1, insertId: 4, info: "", affectedRows: 1, changedRows: 0, fieldCount: 0, info: "", insertId: 4, serverStatus: 2, warningStatus: 0}

1 solicitações

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir
4		Teste	teste	10.00	Editar Excluir

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

0 / 21 solicitações | 0 B / 22.8 kB transferidos | 0 B / 2.0 MB recursos | Concluir: 28

Elements Console Rede

Sem limitação

Filtrar

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

50ms 100ms 150ms 200ms 250ms 300ms

Nome Status Tipo Iniciador Tama... Tempo

File Edit Selection View Go ... ← → saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes JS menus.js JS app.js ⌂ menus.ejs X ⌂ index.ejs ⌂ header.ejs ⌂ ...

SABOROSO

inc

JS menus.js

JS reservations.js

JS users.js

> node_modules

> public

routes

JS admin.js

JS index.js

views

admin

inc

↳ footer.ejs

↳ header.ejs

↳ contacts.ejs

↳ emails.ejs

↳ index.ejs

↳ login.ejs

↳ menus.ejs

↳ reservations.ejs

> OUTLINE

> TIMELINE

views > admin > menus.ejs > ↳ ? > ↳ ? > ↳ script > ↳ formCreate.addEventListener('submit') callback > ↳ then() callback

143 <%- include(`inc/footer`) %>

144

145 <script>

146

147 let formCreate = document.querySelector("#modal-create form");

148

149 formCreate.addEventListener('submit', e => {

150

151 e.preventDefault();

152

153 let formCreateData = new FormData(formCreate);

154

155 fetch("/admin/menus", {

156 method: 'POST',

157 body: formCreateData

158 })

159 .then(response => response.json())

160 .then(json => {

161

162 ... console.log("JSON", json);

163

164 });

165

166 });

167

168 </script>

Ln 162, Col 1 (32 selected) Spaces: 2 CRLF { HTML ⌂ Go Live ⌂ Prettier

File Edit Selection View Go ... ← → saboroso [Administrator] ⚡

EXPLORER ... JS admin.js routes JS menus.js JS app.js ⌂ menu.ejs X ⌂ index.ejs ⌂ header.ejs ⌂ ...

SABOROSO

inc

JS menus.js JS reservations.js JS users.js

> node_modules

> public

routes

JS admin.js JS index.js

views

admin

inc

↳ footer.ejs ↳ header.ejs

↳ contacts.ejs

↳ emails.ejs

↳ index.ejs

↳ login.ejs

↳ menu.ejs

↳ reservations.ejs

> OUTLINE

> TIMELINE

views > admin > ↳ menu.ejs > ↳ ? > ↳ ? > ↳ script > ↳ formCreate.addEventListener('submit') callback > ↳ then() callback

143 <%- include(`inc/footer`) %>

144

145 <script>

146

147 let formCreate = document.querySelector("#modal-create form");

148

149 formCreate.addEventListener('submit', e => {

150

151 e.preventDefault();

152

153 let formCreateData = new FormData(formCreate);

154

155 fetch("/admin/menus", {

156 method: 'POST',

157 body: formCreateData

158 })

159 .then(response => response.json())

160 .then(json => {

161

162 ... window.location.reload();

163

164 });

165

166 });

167

168 </script>

Ln 162, Col 5 (27 selected) Spaces: 2 CRLF { HTML ⌂ Go Live ⌂ Prettier

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	<button>Editar</button> <button>Excluir</button>
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	<button>Editar</button> <button>Excluir</button>
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	<button>Editar</button> <button>Excluir</button>
4		Teste	teste	10.00	<button>Editar</button> <button>Excluir</button>

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

Elementos Console Rede

Sem limitação

Filtrar

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

50ms 100ms 150ms 200ms 250ms 300ms

Nome Status Tipo Iniciador Tama... Tempo

0 / 21 solicitações 0 B / 22.8 kB transferidos 0 B / 2.0 MB recursos Concluir: 28

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título
1		Bife de C com mo
3		Chilli co
2		Hambúr Fritas
4		Teste

Projeto desenvolvido 18 itens 1 item selecionado 10,9 KB

Arquivo Início Compartilhar Exibir

Painel de navegação ▾ Painéis Ícones extra grandes Ícones grandes Ícones médios Ícones pequenos Lista Detalhes Exibição atual ▾ Caixas de seleção de item Extensões de nomes de arquivos Itens ocultos Ocultar itens selecionados Opções

Este Computador > Área de Trabalho > projeto > saboroso > public > images

EPSON Easy Photo Print ▾ Photo Print

Acesso rápido OneDrive Este Computador Área de Trabalho Documentos Downloads Imagens Músicas Objetos 3D Vídeos Disco Local (C:) Novo volume (D:) Disco Local (E:) Rede

img_1.jpg img_2.jpg img_3.jpg img_4.jpg img_5.jpg img_6.jpg img_bg_1.jpg

img_bg_2.jpg img_bg_3.jpg loader.gif upload_20dd678537205c4cb98ac647cda9a012 upload_51e86bd030404b1163257571cb1cdd... upload_3785a6c27f5c9898eb55d35621b4d2... upload_7647ed8e73165a2dfbc02fae2e6f835d

upload_51211f7c818975ce2ca81a23b0f54b22 upload_bfe2e3f16b88091b2432b68494086b43 upload_f2a fcdb0b128a dd0aca0ce6413373547 upload_f99 deda4796b9704028cfacece56c16c

Mais filtros ▾

Média Manifesto WS Was

250ms 300ms

Iniciador Tama... Tempo

Desativar cache

0 / 21 solicitações 0 / 0 / 22,0 KB transferidos 0 / 2,0 MB recursos Concluir: 28

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named "SABOROSO". A red arrow points to the "inc" folder, which contains files: "menus.js" (selected), "reservations.js", and "users.js". Below "inc" are "node_modules", "public", and "routes" folders. Under "routes" are "admin.js" and "index.js". The "views" folder contains an "admin" folder with sub-folders "inc" (containing "footer.ejs", "header.ejs", "contacts.ejs", "emails.ejs", "index.ejs", "login.ejs", "menus.ejs", and "reservations.ejs"). The Editor tab bar at the top has tabs for "admin.js routes", "menus.js" (highlighted in yellow), "app.js", and others. The main editor area shows the "menus.js" code. A second red arrow points to the line of code `^images/\${files.photo.name}`. The Status Bar at the bottom shows: "Ln 35, Col 39 (16 selected)", "Spaces: 2", "UTF-8", "CRLF", "JavaScript", "Go Live", "Prettier", and a lock icon.

```
21
22     },
23
24     save(fields, files){
25
26         return new Promise((resolve, reject)=>{
27
28             conn.query(
29                 `INSERT INTO tb_menus (title, description, price, photo)
30                 VALUES(?, ?, ?, ?)`
31             , [
32                 fields.title,
33                 fields.description,
34                 fields.price,
35                 `^images/${files.photo.name}`
36             ], (err, results) => {
37
38                 if (err) {
39                     reject(err);
40                 } else {
41                     resolve(results);
42                 }
43             });
44         });
45     });
46 }
```

File Edit Selection View Go ... ← → saboroso [Administrator] ⌂ ⌃ ⌄ ⌅ ⌆ ⌇ ⌈ ⌉ ⌊ ⌋

EXPLORER ... JS admin.js routes JS menus.js X JS app.js ⌈ menus.ejs ⌉ index.ejs ⌉ header.ejs ⌉ ...

inc > JS menus.js > [?] <unknown> > [?] save > [?] <function>

✓ SABOROSO

inc

JS menus.js (highlighted)

JS reservations.js

JS users.js

> node_modules

> public

routes

JS admin.js

JS index.js

views

admin

inc

↳ footer.ejs

↳ header.ejs

↳ contacts.ejs

↳ emails.ejs

↳ index.ejs

↳ login.ejs

↳ menus.ejs

↳ reservations.ejs

> OUTLINE

> TIMELINE

21 },
22
23
24 save(fields, files){
25
26 return new Promise((resolve, reject)=>{
27
28 fields.photo = `images/\${path.parse(files.photo.path).base}`;
29
30 conn.query(`
31 INSERT INTO tb_menus (title, description, price, photo)
32 VALUES(?, ?, ?, ?)
33 , [
34 fields.title,
35 fields.description,
36 fields.price,
37 fields.photo (highlighted) (yellow lightbulb icon)
38], (err, results) => {
39
40 if (err) {
41 reject(err);
42 } else {
43 resolve(results);
44 }
45
46 });

2 selections (73 characters selected) Spaces: 2 UTF-8 CRLF { JavaScript Go Live Prettier

A screenshot of the Visual Studio Code (VS Code) interface. The Explorer sidebar on the left shows a file tree for a project named "SABOROSO". The "inc" folder contains several files: "menus.js" (highlighted with a red arrow), "reservations.js", "users.js", "node_modules", "public", "routes", "admin.js", and index.js. The "views" folder contains an "admin" folder with sub-folders "inc" and "views" (containing footer.ejs, header.ejs, contacts.ejs, emails.ejs, index.ejs, login.ejs, menus.ejs, and reservations.ejs). The "OUTLINE" and "TIMELINE" sections are also visible in the Explorer.

The Editor tab bar at the top has tabs for "admin.js routes", "menus.js" (which is active), "app.js", and other files like "menus.ejs", "index.ejs", and "header.ejs".

The main Editor area displays the "menus.js" code:

```
inc > JS menus.js > [?] <unknown> > getMenus
1  let conn = ...require('../db');
2
3  module.exports = {
4    getMenus() {
5      return new Promise((resolve, reject) => {
6        conn.query(`SELECT * FROM tb_menus ORDER BY title
7        , (err, results)=> {
8          if (err) {
9            reject(err);
10         }
11         resolve(results);
12       });
13     },
14   },
15   save(fields, files){
16     return new Promise((resolve, reject)=>{
17       ...
18     });
19   }
20 }
```

The Status Bar at the bottom shows: Ln 4, Col 17, Spaces: 2, CRLF, JavaScript, Go Live, Prettier.

A screenshot of the Visual Studio Code (VS Code) interface. The title bar shows the window title "saboroso [Administrator]". The menu bar includes File, Edit, Selection, View, Go, and other options. The Explorer sidebar on the left shows a project structure under "SABOROSO" with files like admin.js, index.js, and various .ejs files. The main editor area displays the "menus.js" file, which contains the following code:

```
1 let conn = require('../db');
2 let path = require('path'); ← Red arrow points here
3
4 module.exports = {
5   getMenus() {
6
7     return new Promise((resolve, reject) => {
8
9       conn.query(`
10      SELECT * FROM tb_menus ORDER BY title
11    `, (err, results)=> {
12
13       if (err) {
14         reject(err);
15
16       resolve(results);
17
18     });
19   });
20
21 });
22
23 },
24
25 save(fields, files){
```

The status bar at the bottom shows "Ln 2, Col 1 (27 selected)" and other settings like "Spaces: 2", "CRLF", "JavaScript", "Go Live", and "Prettier".

Admin - SP

localhost:3000/admin/menus

Julius Hills

SP

Julius Hills
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir
4		Teste	teste	10.00	Editar Excluir

+ Novo

Projeto desenvolvido no CT Desenvolvimento de Sistemas.

SP

0 / 21 solicitações | 0 B / 22.8 kB transferidos | 0 B / 2.0 MB recursos | Concluir: 28%

Elements Console Rede

Filtrar

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Wasm

50ms 100ms 150ms 200ms 250ms 300ms

Nome Status Tipo Iniciador Tamanho Tempo

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título

Descrição

Preço

Foto

Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills Online

Ações

Editar Excluir

SP

Elementos Console Rede

Preservar registro Desativar cache

Filtrar Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Wasm

Sem limitação

50ms 100ms 150ms 200ms 250ms 300ms

Nome	Status	Tipo	Iniciador	Tam...	Tempo

0 / 21 solicitações 0 B / 22.8 kB transferidos 0 B / 2.0 MB recursos Concluir: 28

The screenshot captures a user interface for managing menus. A modal window titled "Novo Menu" is open, prompting the user to enter details for a new menu item. The fields include "Título" (Title), "Descrição" (Description), "Preço" (Price), and "Foto" (Photo). The "Foto" field is currently empty, indicated by a gray placeholder box. A prominent red arrow points to the "Título" input field, likely highlighting it for the user. To the right of the modal, a developer's toolbar is visible, specifically the Network tab of a browser developer tools panel. This panel displays a list of network requests, their status, type, initiator, and duration. Below the list is a timeline showing the execution time for each request, with markers at 50ms, 100ms, 150ms, 200ms, 250ms, and 300ms. The developer tools also show resource statistics at the bottom, such as 21 requests made, 22.8 kB transferred, and 2.0 MB of resources used.

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 15

Foto: Escolher arquivo Nenhum arquivo escolhido

Cancelar Salvar

Julius Hills Online

Ações: Editar Excluir

Rede

Elementos Console Rede


Preservar registro Desativar cache

Filtrar Inverter Mais filtros

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Wasm

Nome Status Tipo Iniciador Tamanho Tempo

0 / 21 solicitações 0 B / 22.8 kB transferidos 0 B / 2.0 MB recursos Concluir: 28



Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 15

Foto:  Escolher arquivo imagem_10.jpeg

Ações: + Novo, Editar, Excluir

Salvar

Rede

Elementos, Console, Rede

Filtrar: Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Wasm

Nome, Status, Tipo, Iniciador, Tamanho, Tempo

0 / 21 solicitações, 0 B / 22.8 kB transferidos, 0 B / 2.0 MB recursos, Concluir: 28

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 15

Foto: imagem_10.jpeg

Cancelar Salvar

Julius Hills

Ações: Editar, Excluir

Rede

Elementos, Console, Rede

Sem limitação

Filtrar: Inverter, Mais filtros

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome	Status	Tipo	Iniciador	Tam...	Tempo
menus	200	fetch	menus:372	343 B	45ms

1 / 22 solicitações | 343 B / 23.2 kB transferidos | 107 B / 2.0 MB recursos | Concluído

The screenshot shows a web application interface for managing menus. On the left, there's a sidebar with various menu items like Tela Inicial, Menu, Reservas, Contatos, Usuários, and E-mails. The main area has a title 'Novo Menu' and fields for Title ('Teste'), Description ('teste'), Price ('15'), and a Photo input ('Escolher arquivo' with 'imagem_10.jpeg'). Below the photo input is a file input field. At the bottom are 'Cancelar' and 'Salvar' buttons. To the right, there's a dark sidebar with user info ('Julius Hills') and actions ('Editar', 'Excluir'). The rightmost part of the screen is a developer tools Network tab. It shows a table with one row: 'menus' (Status: 200, Type: fetch, Initiator: menus:372). A red arrow points to this row. The Network tab also includes filters, a timeline, and resource details at the bottom.

Admin - SP

localhost:3000/admin/menus

Novo Menu

Título: Teste

Descrição: teste

Preço: 15

Foto: imagem_10.jpeg

Cancelar Salvar

Julius Hills

Ações: Editar, Excluir

SP

Elementos, Console, Rede

Sem limitação

Filtrar: Inverter, Mais filtros

Todo, Fetch/XHR, Doc, CSS, JS, Fonte, Img, Mídia, Manifesto, WS, Was

Nome: menus

Cabeçalhos, Payload, Visualização, Resposta

Visualização: {fieldCount: 0, affectedRows: 1, insertId: 5, info: "", affectedRows: 1, changedRows: 0, fieldCount: 0, info: "", insertId: 5, serverStatus: 2, warningStatus: 0}

Rede: 200000ms, 400000ms, 600000ms, 800000ms, 1000000ms

SP / 22 solicitações

SP



Julius Hills



Julius Hills

Online

MENU

Tela Inicial

Menu

Reservas

Contatos

Usuários

E-mails

Menu

Home > Menu

Lista

+ Novo

Foto Título Descrição Preço Ações

1 Bife de Costela com molho Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl. 35.69

[Editar](#)
[Excluir](#)

3 Chilli com Carne Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl. 29.40

[Editar](#)
[Excluir](#)

2 Hambúrguer com Fritas Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl. 29.80

[Editar](#)
[Excluir](#)

4 Teste teste 10.00

[Editar](#)
[Excluir](#)

Admin - SP

localhost:3000/admin/menus

SP

Julius Hills

Julius Hills
Online

MENU

- Tela Inicial
- Menu
- Reservas
- Contatos
- Usuários
- E-mails

Menu

Home > Menu

Lista

#	Foto	Título	Descrição	Preço	Ações
1		Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	35.69	Editar Excluir
3		Chilli com Carne	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.40	Editar Excluir
2		Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliquam molestie leo, vitae iaculis nisl.	29.80	Editar Excluir
4		Teste	teste	10.00	Editar Excluir
5		Teste	teste	15.00	Editar Excluir

Projeto desenvolvido no CT Desenvolvimento de Sistemas

0 / 22 solicitações | 0 B / 35.3 kB transferidos | 0 B / 2.0 MB recursos | Concluir: 27%

Rede

Elementos Console Rede

Sem limitação

Filtrar

Todo Fetch/XHR Doc CSS JS Fonte Img Mídia Manifesto WS Was

50ms 100ms 150ms 200ms 250ms 300ms

Nome	Status	Tipo	Iniciador	Tama...	Tempo

MySQL Workbench

Local instance MySQL80 X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

Query 1 tb_menus X

1 • SELECT * FROM saboroso.tb_menus;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	id	title	description	price	photo	register
1	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
2	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
3	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
4	4	Teste	teste	10.00	images/imagem_10.jpeg	2024-11-07 20:31:50

Table: tb_menus

Columns:

id	int AI PK
title	varchar(128)
description	varchar(512)
price	decimal(10,2)
photo	varchar(256)
register	timestamp

tb_menus 3 X

Output

Action Output

Result Grid

Form Editor

MySQL Workbench

Local instance MySQL80 ×

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

saboroso

- Tables
 - tb_contacts
 - tb_emails
 - tb_menus
 - tb_reservations
 - tb_users
- Views
- Stored Procedures
- Functions

sakila

sys

world

Query 1 tb_menus ×

1 • SELECT * FROM saboroso.tb_menus;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	id	title	description	price	photo	register
▶	1	Bife de Costela com molho	Vide electram sadipscing et per. Aenean aliqua...	35.69	images/img_1.jpg	2024-10-12 16:48:58
▶	2	Hambúrguer com Fritas	Vide electram sadipscing et per. Aenean aliqua...	29.80	images/img_2.jpg	2024-10-12 16:48:58
▶	3	Chilli com Carne	Vide electram sadipscing et per. Aenean aliqua...	29.40	images/img_3.jpg	2024-10-12 16:48:58
▶	4	Teste	teste	10.00	images/imagem_10.jpeg	2024-11-07 20:31:50
▶	5	Teste	teste	15.00	images/upload_d70d91c014fdf6a1ed94d37ad1c31a2a	2024-11-07 20:52:20
*	NULL	NULL	NULL	NULL	NULL	NULL

Table: tb_menus

Columns:

id	int AI PK
title	varchar(128)
description	varchar(512)
price	decimal(10,2)
photo	varchar(256)
register	timestamp

tb_menus 4 ×

Output

Action Output

Result Grid

Form Editor