

INTERNAL SALES TRAINING

ASPIRIN[®]

Product Reference

Acetylsalicylic acid (ASA) — analgesic, antipyretic, anti-inflammatory and platelet aggregation inhibitor.

Based on Product Monograph | Date of Revision: June 28, 2024

THE LINEUP

The Product Line

One molecule, four formats —
two for everyday pain, two for
cardiovascular use.

Regular Strength

325mg

Round white tablet / caplet

Everyday pain, fever &
inflammation

DIN 02150328

Extra Strength

500mg

Round white tablet

Stronger pain relief &
migraine

Migraine indication

81 mg

81mg

Delayed-release, enteric-coated

Daily cardiovascular &
platelet use

DIN 02237726

81 mg Quick Chews®

81mg

Chewable tablet

Rapid absorption —
suspected MI

DIN 02289970

Indications & How It Works

Indicated For

Pain, fever & inflammation

Cold & flu, back and neck pain, headache, toothache, arthritis, sprains, post-surgical and dental pain.

Migraine (Extra Strength)

Migraine pain plus photophobia and phonophobia.

Cardiovascular — platelet inhibition

Suspected acute MI; prevention of first & recurrent MI; unstable angina; TIA and secondary stroke prevention; VTE prophylaxis after total hip replacement.

Mechanism of Action

Inhibits **cyclo-oxygenase (COX)**, blocking prostaglandin synthesis.

↓ Prostaglandins → analgesic & anti-inflammatory

↓ Prostaglandin E₁ in brain → antipyretic

↓ Thromboxane A₂ in platelets → inhibits aggregation

KNOW BEFORE YOU SPEAK

Dosing & Safety Essentials

Key Adult Dosing

Analgesic / antipyretic	325–650 mg q4–6h
Migraine	1000 mg at onset
Anti-inflammatory	975 mg, 4–6×/day
Cardio / platelet	81–325 mg once daily
Suspected MI	≥162 mg chewed

Safety Must-Knows

Contraindicated in

ASA/NSAID hypersensitivity · active or prior GI ulcer · bleeding disorders · severe hepatic, renal or heart failure · methotrexate ≥15 mg/week.

Pregnancy Caution in 1st & 2nd trimester; contraindicated in the 3rd.

Reye’s Avoid in children/teens with viral illness without a physician.

Elderly Use with caution in patients ≥60 years.

Defer specific patient dosing to the prescribing physician and the full Product Monograph.