



UNIQUE
WOOD PRODUCTS

MOULDING · STAIR PARTS · MILLWORK

VENDOR PRICE REQUEST

STAIR TREADS

UNFINISHED · RED & WHITE OAK

PREPARED FOR DENDRATEC

SHIP TO / BUYER — COMPLETED BY UWP		SUPPLIER — COMPLETED BY DENDRATEC	
UNIQUE WOOD PRODUCTS		DENDRATEC TECHNOLOGIES	
9915 Tanner Road · Houston, TX 77041		3551 St Charles Blvd, Suite 114	
Acct 130 · Branch HOU1		Kirkland, QC H9H 3C4 · Canada	
T 713.462.5045 · F 713.462.5086		CONTACT	
BUYER		QUOTE DATE	
ORDER DATE		QUOTE VALID UNTIL	
REQ'D SHIP DATE		MILL / ORIGIN	
PO / REFERENCE			

ANDY — quantity Priced from PO 13276 · 04 Aug 2026 · blanks not yet quoted DENDRATEC — stock + unit price

ANDY		DEPTH ×		DENDRATEC
QTY (EA)	SKU	LENGTH	PROFILE	IN STOCK UNIT \$/EA



8070 — ROUND BULLNOSE
1" full bullnose nosing · 1-1/32" thick

RED OAK				
	8070RO42	11-1/2" × 42"	Bullnose	\$ 13.91
	8070RO48	11-1/2" × 48"	Bullnose	\$ 15.89
	8070RO60	11-1/2" × 60"	Bullnose	\$ 21.06
	8070RO72	11-1/2" × 72"	Bullnose	\$ 25.27
	8070RO84	11-1/2" × 84"	Bullnose	\$ 31.43
	8070RO96	11-1/2" × 96"	Bullnose	\$ 35.92
	8070RO48MR	11-1/2" × 48"	Miter Return · 45° Rev.	\$ 20.84
	8070RO60MR	11-1/2" × 60"	Miter Return · 45° Rev.	\$ 26.32
WHITE OAK				
	8070WO42	11-1/2" × 42"	Bullnose	\$ 27.29
	8070WO48	11-1/2" × 48"	Bullnose	\$ 31.18
	8070WO60	11-1/2" × 60"	Bullnose	\$ 41.32
	8070WO48MR	11-1/2" × 48"	Miter Return · 45° Rev.	\$ 39.36
	8070WO60MR	11-1/2" × 60"	Miter Return · 45° Rev.	\$ 50.70



STAIR TREADS

VENDOR PRICE REQUEST · UNFINISHED

PRICE SCHEDULE · CONTINUED

DENDRATEC

ANDY QTY (EA)	SKU	DEPTH × LENGTH	PROFILE	DENDRATEC IN STOCK	UNIT \$/EA
------------------	-----	-------------------	---------	-----------------------	------------



8070 — ROUND BULLNOSE CONTINUED

1" full bullnose nosing · 1-1/32" thick

WIDE TREADS & LANDINGS · RED OAK

	807020RO48	20" × 48"	Wide tread		\$
	807030RO60	30" × 60"	Wide tread		\$ 81.68
	807048RO48	48" × 48"	Platform landing		\$ 103.59

WIDE TREADS & LANDINGS · WHITE OAK

	807030WO60	30" × 60"	Wide tread		\$
	807048WO48	48" × 48"	Platform landing		\$ 192.57



8072 — SQUARE EDGE

Square nosing, eased 1/16" arris · 1-1/32" thick

RED OAK

	8072RO42	11-1/2" × 42"	Square		\$ 13.91
	8072RO48	11-1/2" × 48"	Square		\$ 15.89
	8072RO60	11-1/2" × 60"	Square		\$ 21.06
	8072RO48MR	11-1/2" × 48"	Miter Return · 45° Rev.		\$ 21.34
	8072RO60MR	11-1/2" × 60"	Miter Return · 45° Rev.		\$ 26.82

WHITE OAK

	8072WO42	11-1/2" × 42"	Square		\$ 27.29
	8072WO48	11-1/2" × 48"	Square		\$ 31.18
	8072WO60	11-1/2" × 60"	Square		\$ 41.32
	8072WO48MR	11-1/2" × 48"	Miter Return · 45° Rev.		\$ 39.36
	8072WO60MR	11-1/2" × 60"	Miter Return · 45° Rev.		\$ 50.70

WIDE TREADS & LANDINGS · RED OAK

	807220RO48	22" × 48"	Wide tread		\$
	807230RO60	30" × 60"	Wide tread		\$
	807248RO48	48" × 48"	Platform landing		\$ 103.59

WIDE TREADS & LANDINGS · WHITE OAK

	807230WO60	30" × 60"	Wide tread		\$
	807248WO48	48" × 48"	Platform landing		\$ 192.57



STAIR TREADS

VENDOR PRICE REQUEST · UNFINISHED

RETRO-FIT TREADS · PACKAGING

DENDRATEC

ANDY	DEPTH ×		DENDRATEC
QTY (EA)	SKU	LENGTH	PROFILE
			IN STOCK UNIT \$/EA



8071 — RETRO BULLNOSE

WRAP REQ'D

1" bullnose nose · 5/8" body

RED OAK

	8071RO42 ■	11-1/2" × 42"	Retro Bullnose		\$ 15.84
	8071RO48 ■	11-1/2" × 48"	Retro Bullnose		\$ 18.07
	807120RO48 ■	20" × 48"	Retro BN · Wide		\$

WHITE OAK

	8071WO42 ■	11-1/2" × 42"	Retro Bullnose		\$ 28.71
	8071WO48 ■	11-1/2" × 48"	Retro Bullnose		\$ 32.79



8073 — SQUARE RETRO-FIT

WRAP REQ'D

1" square nose · 5/8" body

RED OAK

	8073RO42 ■	11-1/2" × 42"	Square Retro-Fit		\$
	8073RO48 ■	11-1/2" × 48"	Square Retro-Fit		\$
	807348RO48 ■	48" × 48"	Sq. R-F · Landing		\$

WHITE OAK

	8073WO42 ■	11-1/2" × 42"	Square Retro-Fit		\$
	8073WO48 ■	11-1/2" × 48"	Square Retro-Fit		\$
	807348WO48 ■	48" × 48"	Sq. R-F · Landing		\$

■ 8071 & 8073 RETRO-FIT — PLASTIC WRAP REQUIRED, PRICED IN

The 5/8" body on 8071 and 8073 cups in Houston humidity. Every 8071 and 8073 tread must ship **fully wrapped in plastic** — 4-side enclosure, min. 6 mil, with a continuous vapor sheet above and below each pallet layer. No exposed end grain, no partial wraps, no outdoor staging. End-coat all lengths 60" and over. UWP will reject at receiving for visible cupping, face checking, or MC variance.

Plastic wrap must be included in the unit price quoted on this sheet. Do not quote it as a separate adder or leave it out to reach a target price — a price without wrap will not be accepted for these two profiles.

PRICING SOURCE · PO 0000013276 (04 AUG 2026) OVER RFQ 0000012955 (17 JUN 2026)

PO 13276 is the later document and wins wherever it carries a line — all White Oak in 8070 and 8072, plus 8072RO60 and 8072RO60MR. It raised White Oak across the board and priced 8072WO48MR at 39.36, which the June RFQ left blank. All other lines come from the revised June RFQ, taking Dendratec's right-hand revised figure where they entered one. The **8071 and 8073 retro treads carry a \$0.25 plastic wrap adder**, as they were quoted "NO PLASTIC"; landings and the 30" × 60" wide tread carry the handwritten **\$20.00 adder**. Blank lines have never been quoted — all of 8073 (add the \$0.25 wrap), the 20" and 22" wide treads, the 807230 wide treads and 807120RO48.



FREIGHT & LEAD TIME — DENDRATEC COMPLETES

FULL TRUCKLOAD (FTL) RATE
TO HOUSTON, TX 77041

LEAD TIME THIS ORDER
(WEEKS)

TRANSIT DAYS TO HOUSTON

\$ _____

FOB TERMS (ORIGIN /
DESTINATION)

PIECES PER BUNDLE

PAYMENT TERMS OFFERED

Plastic wrap for 8071 / 8073 included in the unit prices
above? YES ☐ NO ☐

Standing lead time agreed with Dendratec: **3–5 weeks, up to 6 when busy.** Note above if this order runs longer.

MILL SUPPLY SPECIFICATION

SPECIES & GRADE

- Red Oak (*Quercus rubra*) · White Oak (*Quercus alba*)
- Select Grade or better per CS 89-40. Face and nosing clear, free of sapwood.
- Glued-up stock matched for color and grain. Max two streaks per tread, 6" max length.

FACE, NOSING & DEFECTS

- Face and nosing smooth — no mill marks, chipped grain, torn fiber or skip milling.
- Nosing consistent and sharp. No feathering or rollover at the profile edge.
- Knots: sound and tight, 3/4" max dia., 2 per piece. Checks: 1/4 length max, no through splits. Holes: spot-worm 1/16" max, 1 per lineal foot.

STAVE CONSTRUCTION

- 3 to 5 staves maximum per tread, color-matched and grain-blended.
- No visible contrast between adjacent staves. No heartwood-to-sapwood transitions on the face.
- Glue joints tight, flush and continuous. Face grain consistent across all staves.

MOISTURE, LABELING & PACKAGING

- Kiln-dried to 6–8% EMC prior to machining.
- Each bundle labeled: species, grade, size, MC, mill name.
- Banded on pallets with edge protection, wrapped loads only. End-coat all lengths 60"+.
- **8071 / 8073 — full plastic wrap required (see above).**

Technology exemption. Suppliers using certified moisture-management technology (engineered stabilization, sealed surface systems, or proprietary equivalent) may request a wrap exemption with prior written UWP approval. Documentation required before shipment.