

UNIQUE WOOD PRODUCTS

Requested By: _____

Email: _____

VENDOR INFORMATION

Vendor Contact Name: _____

Email: _____

Quote Date: _____

Lumber Origin / Mill: _____

QUOTE	SKU	SIZE	SPECIES	PROFILE	UNIT PRICE (\$/EA)
If box is checked, quote required					
8070 BULLNOSE / RED OAK					
☐	8070RO42	1-1/32" x 11-1/2" x 42"	Red Oak	Bullnose	_____
☐	8070RO48	1-1/32" x 11-1/2" x 48"	Red Oak	Bullnose	_____
☐	8070RO60	1-1/32" x 11-1/2" x 60"	Red Oak	Bullnose	_____
☐	8070RO72	1-1/32" x 11-1/2" x 72"	Red Oak	Bullnose	_____
☐	8070RO84	1-1/32" x 11-1/2" x 84"	Red Oak	Bullnose	_____
☐	8070RO96	1-1/32" x 11-1/2" x 96"	Red Oak	Bullnose	_____
☐	8070RO48MR	1-1/32" x 11-1/2" x 48"	Red Oak	Reversible Miter Return	_____
☐	8070RO60MR	1-1/32" x 11-1/2" x 60"	Red Oak	Reversible Miter Return	_____
8070 BULLNOSE / WHITE OAK					
☐	8070WO42	1-1/32" x 11-1/2" x 42"	White Oak	Bullnose	_____
☐	8070WO48	1-1/32" x 11-1/2" x 48"	White Oak	Bullnose	_____
☐	8070WO60	1-1/32" x 11-1/2" x 60"	White Oak	Bullnose	_____
☐	8070WO48MR	1-1/32" x 11-1/2" x 48"	White Oak	Reversible Miter Return	_____
☐	8070WO60MR	1-1/32" x 11-1/2" x 60"	White Oak	Reversible Miter Return	_____
8070 WIDE TREADS					
☐	807020RO48	1-1/32" x 20" x 48"	Red Oak	Wide Tread	_____
8070 PLATFORM LANDINGS					
☐	807048RO48	1-1/32" x 48" x 48"	Red Oak	Platform Landing	_____
☐	807048WO48	1-1/32" x 48" x 48"	White Oak	Platform Landing	_____
8072 SQUARE / RED OAK					
☐	8072RO42	1-1/32" x 11-1/2" x 42"	Red Oak	Square	_____
☐	8072RO48	1-1/32" x 11-1/2" x 48"	Red Oak	Square	_____
☐	8072RO60	1-1/32" x 11-1/2" x 60"	Red Oak	Square	_____
☐	8072RO48MR	1-1/32" x 11-1/2" x 48"	Red Oak	Reversible Miter Return	_____
☐	8072RO60MR	1-1/32" x 11-1/2" x 60"	Red Oak	Reversible Miter Return	_____
8072 SQUARE / WHITE OAK					
☐	8072WO42	1-1/32" x 11-1/2" x 42"	White Oak	Square	_____
☐	8072WO48	1-1/32" x 11-1/2" x 48"	White Oak	Square	_____
☐	8072WO60	1-1/32" x 11-1/2" x 60"	White Oak	Square	_____

QUOTE	SKU	SIZE	SPECIES	PROFILE	UNIT PRICE (\$/EA)
If box is checked, quote required					
☐	8072WO60MR	1-1/32" x 11-1/2" x 60"	White Oak	Reversible Miter Return	
8072 WIDE TREADS					
☐	807220RO48	1-1/32" x 22" x 48"	Red Oak	Wide Tread	
☐	807230RO60	1-1/32" x 30" x 60"	Red Oak	Wide Tread	
☐	8072RO30X60	1-1/32" x 30" x 60"	Red Oak	Wide Tread	
☐	8072WO30X60	1-1/32" x 30" x 60"	White Oak	Wide Tread	
8072 PLATFORM LANDINGS					
☐	807248RO48	1-1/32" x 48" x 48"	Red Oak	Platform Landing	
☐	8072RO48X48	1-1/32" x 48" x 48"	Red Oak	Platform Landing	
☐	8072WO48X48	1-1/32" x 48" x 48"	White Oak	Platform Landing	
8071 RETRO BULLNOSE / RED OAK					
☐	8071RO42	1-1/32" x 11-1/2" x 5/8" x 42"	Red Oak	Retro Bullnose	
☐	8071RO48	1-1/32" x 11-1/2" x 5/8" x 48"	Red Oak	Retro Bullnose	
8071 RETRO BULLNOSE / WHITE OAK					
☐	8071WO42	1-1/32" x 11-1/2" x 5/8" x 42"	White Oak	Retro Bullnose	
☐	8071WO48	1-1/32" x 11-1/2" x 5/8" x 48"	White Oak	Retro Bullnose	
8071 WIDE TREADS					
☐	807120RO48	1-1/32" x 20" x 5/8" x 48"	Red Oak	Wide Tread	
8073 SQUARE RETRO-FIT / RED OAK					
☐	8073RO42	1-1/32" x 11-1/2" x 5/8" x 42"	Red Oak	Square Retro-Fit	
☐	8073RO48	1-1/32" x 11-1/2" x 5/8" x 48"	Red Oak	Square Retro-Fit	
8073 SQUARE RETRO-FIT / WHITE OAK					
☐	8073WO42	1-1/32" x 11-1/2" x 5/8" x 42"	White Oak	Square Retro-Fit	
☐	8073WO48	1-1/32" x 11-1/2" x 5/8" x 48"	White Oak	Square Retro-Fit	
8073 PLATFORM LANDINGS					
☐	807348RO48	1-1/32" x 48" x 48"	Red Oak	Platform Landing	
☐	807348WO48	1-1/32" x 48" x 48"	White Oak	Platform Landing	

TRUCKLOAD FREIGHT · Origin Mill → UWP Houston, TX 77041

Full Truckload (FTL) Rate (\$):

ETA / Manufacturing Lead Time (days):

Estimated Transit Days to Houston, TX:

FOB Terms (Origin / Destination):

HARDWOOD STAIR TREAD SPECIFICATIONS · Mill Supply Reference

8070 Round Bullnose  1-1/32" thick · 11-1/2" depth	8072 Square Edge  1-1/32" thick · 11-1/2" depth	8071 Retro Bullnose  1" nose · 5/8" body · 11-1/2" depth	8073 Square Retro-Fit  1" nose · 5/8" body · 11-1/2" depth
--	---	---	--

SPECIES & GRADE

Accepted Species

- Red Oak (Quercus rubra) | White Oak (Quercus alba)
- Profiles supplied: 8070 Round Bullnose | 8072 Square Edge | 8071 Retro Bullnose | 8073 Square Retro-Fit

Grade

- Select Grade or better per CS 89-40. Face and nosing clear, free of sapwood.
- Glued-up stock: well matched for color and grain. Max two streaks per tread, max 6" long.

STAVE CONSTRUCTION

Stave Count: 3 to 5 staves maximum per tread.

- All staves must be color-matched and grain-blended. Visible contrast between adjacent staves not acceptable.
- Heartwood-to-sapwood transitions across stave joints not permitted on the face.
- Glue joints must be tight, flush, and continuous. No open joints or voids.
- Face grain must run consistently in the same direction across all staves.

FACE, NOSING & DEFECT TOLERANCES

- Face and nosing: smooth, free of mill marks, chipped grain, torn fiber. No skip milling on face.
- Nosing profile consistent and sharp — no feathering or rollover at profile edge.

Knots: Sound tight, max 3/4" dia., max 2 per piece. No open/loose knots.

Checks: Surface checks max 1/4 length. Through splits not permitted.

Holes: Spot-worm max 1/16" dia., 1 per linear foot. No through holes.

MOISTURE, LABELING & PACKAGING

- Kiln-dried 6%–8% EMC prior to machining.
- Each bundle labeled: species, grade, size, MC, mill name.
- Banded on pallets with edge protection. End-coating required for lengths 60"+ . Wrapped loads only.

8071 / 8073 RETRO-FIT — PACKAGING & CLIMATE PROTOCOL · Houston, TX

Elevated cupping risk at 5/8" body in Houston humidity (70-90% RH). **Mill packaging must neutralize moisture exposure from manufacture through delivery.**

4-Side Full Wrap (Min 6 mil): Each tread/bundle fully enclosed on all four sides in heavy-duty poly. No top/bottom exposure.

Top & Bottom Vapor Barrier: Continuous vapor sheet beneath and above each pallet layer. Prevents wicking and condensation.

No Gaps, No Partial Wraps: Exposed end grain, partial coverage, or loose seams = rejected at receiving. End-coat 60"+ required.

Climate-Conditioned Storage: No outdoor staging. UWP reserves right to reject visible cupping, face-checking, or MC variance.

Manufacturer Technology Exemption: Suppliers using certified moisture-management technology (engineered stabilization, sealed surface systems, or proprietary equivalents) may request a wrap exemption with prior written UWP approval. Documentation required before shipment.