

SHIP TO / BUYER — COMPLETED BY UWP

UNIQUE WOOD PRODUCTS

9915 Tanner Road · Houston, TX 77041
Acct 130 · Branch HOU1 · T 713.462.5045 · F 713.462.5086

BUYER

ORDER DATE

ANDY TONG

REQ'D SHIP DATE

PO / REFERENCE

SUPPLIER — COMPLETED BY DENDRATEC

DENDRATEC TECHNOLOGIES

3551 St Charles Blvd, Suite 114
Kirkland, QC H9H 3C4 · Canada

CONTACT

QUOTE DATE

QUOTE VALID UNTIL


MILL / ORIGIN

ANDY enters quantity


All pricing UNFINISHED and truckload. Quote every line or mark N/A. Freight terms on page 2.

DENDRATEC enters stock on hand + unit price


PROFILE KEY



8070
ROUND BULLNOSE
1" full bullnose nosing



8072
SQUARE EDGE
Square nosing, eased 1/16" arris



8072 EE NEW
EASED EDGE
1" eased edge, 1/8" bevel




8071
RETRO BULLNOSE
1" bullnose nose



8073
SQUARE RETRO-FIT
1" square nose

ANDY · UWP					DENDRATEC	
QTY (EA)	SKU	SIZE (THK × DEPTH × LENGTH)	SPECIES	PROFILE	IN STOCK	UNIT \$/EA



8070 — ROUND BULLNOSE
1" full bullnose nosing · 1-1/32" thick · 11-1/2" depth

RED OAK						
	8070RO42	1-1/32" × 11-1/2" × 42"	Red Oak	Bullnose		\$
	8070RO48	1-1/32" × 11-1/2" × 48"	Red Oak	Bullnose		\$
	8070RO60	1-1/32" × 11-1/2" × 60"	Red Oak	Bullnose		\$
	8070RO72	1-1/32" × 11-1/2" × 72"	Red Oak	Bullnose		\$
	8070RO84	1-1/32" × 11-1/2" × 84"	Red Oak	Bullnose		\$
	8070RO96	1-1/32" × 11-1/2" × 96"	Red Oak	Bullnose		\$
	8070RO48MR	1-1/32" × 11-1/2" × 48"	Red Oak	MR · 45° Rev.		\$
	8070RO60MR	1-1/32" × 11-1/2" × 60"	Red Oak	MR · 45° Rev.		\$
WHITE OAK						
	8070WO42	1-1/32" × 11-1/2" × 42"	White Oak	Bullnose		\$
	8070WO48	1-1/32" × 11-1/2" × 48"	White Oak	Bullnose		\$
	8070WO60	1-1/32" × 11-1/2" × 60"	White Oak	Bullnose		\$
	8070WO48MR	1-1/32" × 11-1/2" × 48"	White Oak	MR · 45° Rev.		\$
	8070WO60MR	1-1/32" × 11-1/2" × 60"	White Oak	MR · 45° Rev.		\$
WIDE TREADS & PLATFORM LANDINGS						
	807020RO48	1-1/32" × 20" × 48"	Red Oak	Bullnose · Wide		\$
	807030RO60	1-1/32" × 30" × 60"	Red Oak	Bullnose · Wide		\$
	807030WO60	1-1/32" × 30" × 60"	White Oak	Bullnose · Wide		\$
	807048RO48	1-1/32" × 48" × 48"	Red Oak	Bullnose · Landing		\$
	807048WO48	1-1/32" × 48" × 48"	White Oak	Bullnose · Landing		\$

ABBREVIATIONS

EE — Eased Edge, 1/8" bevel
MR — Miter Return, 45°, reversible left/right
Wide — extra-depth tread · Landing — platform tread
■ — plastic wrap required (8071 / 8073)

PRICING BASIS

Truckload (FTL) volume, unfinished only, USD per each.
Price every line or mark N/A. Note substitutes where a size is unavailable.
8071 / 8073 prices must include plastic wrap.
Lead time 3-5 weeks, up to 6 when busy.

SHIP TO

Unique Wood Products · 9915 Tanner Road
Houston, TX 77041 · Attn: Andy Tong
Return completed sheet to orders@uniquewoodproducts.com

UNIQUE WOOD PRODUCTS · VENDOR PRICE REQUEST · STAIR TREADS · DENDRATEC

UNIQUEWOODPRODUCTS.COM · PAGE 1 OF 3



STAIR TREADS

VENDOR PRICE REQUEST · UNFINISHED

PRICE SCHEDULE · CONTINUED



ANDY · UWP QTY (EA)	SKU	SIZE (THK × DEPTH × LENGTH)	SPECIES	PROFILE	DENDRATEC IN STOCK	UNIT \$/EA
------------------------	-----	-----------------------------	---------	---------	-----------------------	------------



8072 — SQUARE EDGE

Square nosing, eased 1/16" arris · 1-1/32" thick · 11-1/2" depth

RED OAK


8072RO42	1-1/32" × 11-1/2" × 42"	Red Oak	Square		\$
8072RO48	1-1/32" × 11-1/2" × 48"	Red Oak	Square		\$
8072RO60	1-1/32" × 11-1/2" × 60"	Red Oak	Square		\$
8072RO48MR	1-1/32" × 11-1/2" × 48"	Red Oak	MR · 45° Rev.		\$
8072RO60MR	1-1/32" × 11-1/2" × 60"	Red Oak	MR · 45° Rev.		\$

WHITE OAK

8072WO42	1-1/32" × 11-1/2" × 42"	White Oak	Square		\$
8072WO48	1-1/32" × 11-1/2" × 48"	White Oak	Square		\$
8072WO60	1-1/32" × 11-1/2" × 60"	White Oak	Square		\$
8072WO48MR	1-1/32" × 11-1/2" × 48"	White Oak	MR · 45° Rev.		\$
8072WO60MR	1-1/32" × 11-1/2" × 60"	White Oak	MR · 45° Rev.		\$

WIDE TREADS & PLATFORM LANDINGS

807220RO48	1-1/32" × 22" × 48"	Red Oak	Square · Wide		\$
807230RO60	1-1/32" × 30" × 60"	Red Oak	Square · Wide		\$
807230WO60	1-1/32" × 30" × 60"	White Oak	Square · Wide		\$
807248RO48	1-1/32" × 48" × 48"	Red Oak	Square · Landing		\$
807248WO48	1-1/32" × 48" × 48"	White Oak	Square · Landing		\$



8072 EE — EASED EDGE

NEW

1" eased edge, 1/8" bevel · 1-1/32" thick · 11-1/2" depth

RED OAK

8072RO42EE	1-1/32" × 11-1/2" × 42"	Red Oak	Eased Edge		\$
8072RO48EE	1-1/32" × 11-1/2" × 48"	Red Oak	Eased Edge		\$
8072RO60EE	1-1/32" × 11-1/2" × 60"	Red Oak	Eased Edge		\$
8072RO48MREE	1-1/32" × 11-1/2" × 48"	Red Oak	EE · MR 45° Rev.		\$
8072RO60MREE	1-1/32" × 11-1/2" × 60"	Red Oak	EE · MR 45° Rev.		\$

WHITE OAK

8072WO42EE	1-1/32" × 11-1/2" × 42"	White Oak	Eased Edge		\$
8072WO48EE	1-1/32" × 11-1/2" × 48"	White Oak	Eased Edge		\$
8072WO60EE	1-1/32" × 11-1/2" × 60"	White Oak	Eased Edge		\$
8072WO48MREE	1-1/32" × 11-1/2" × 48"	White Oak	EE · MR 45° Rev.		\$
8072WO60MREE	1-1/32" × 11-1/2" × 60"	White Oak	EE · MR 45° Rev.		\$

WIDE TREADS & PLATFORM LANDINGS

807230RO60EE	1-1/32" × 30" × 60"	Red Oak	EE · Wide		\$
807230WO60EE	1-1/32" × 30" × 60"	White Oak	EE · Wide		\$
807248RO48EE	1-1/32" × 48" × 48"	Red Oak	EE · Landing		\$
807248WO48EE	1-1/32" × 48" × 48"	White Oak	EE · Landing		\$

FREIGHT & LEAD TIME — DENDRATEC COMPLETES

FULL TRUCKLOAD (FTL) RATE TO HOUSTON, TX 77041

LEAD TIME THIS ORDER (WEEKS)

TRANSIT DAYS TO HOUSTON

\$

FOB TERMS (ORIGIN / DESTINATION)

PIECES PER BUNDLE

PAYMENT TERMS OFFERED

Plastic wrap for 8071 / 8073 included in the unit prices above? YES ☐ NO ☐

Standing lead time agreed with Dendratec: **3–5 weeks, up to 6 when busy.** Note above if this order runs longer.



STAIR TREADS

VENDOR PRICE REQUEST · UNFINISHED

RETRO-FIT TREADS · SPECIFICATION & SIGNATURES



ANDY · UWP					DENDRATEC	
QTY (EA)	SKU	SIZE (THK × DEPTH × LENGTH)	SPECIES	PROFILE	IN STOCK	UNIT \$/EA



8071 — RETRO BULLNOSE

WRAP REQ'D

1" bullnose nose · 5/8" body · 11-1/2" depth

RED OAK & WHITE OAK

8071RO42	1" × 5/8" × 11-1/2" × 42"	Red Oak	Retro Bullnose		\$
8071RO48	1" × 5/8" × 11-1/2" × 48"	Red Oak	Retro Bullnose		\$
8071WO42	1" × 5/8" × 11-1/2" × 42"	White Oak	Retro Bullnose		\$
8071WO48	1" × 5/8" × 11-1/2" × 48"	White Oak	Retro Bullnose		\$
807120RO48	1" × 5/8" × 20" × 48"	Red Oak	Retro BN · Wide		\$



8073 — SQUARE RETRO-FIT

WRAP REQ'D

1" square nose · 5/8" body · 11-1/2" depth

RED OAK & WHITE OAK

8073RO42	1" × 5/8" × 11-1/2" × 42"	Red Oak	Square Retro-Fit		\$
8073RO48	1" × 5/8" × 11-1/2" × 48"	Red Oak	Square Retro-Fit		\$
8073WO42	1" × 5/8" × 11-1/2" × 42"	White Oak	Square Retro-Fit		\$
8073WO48	1" × 5/8" × 11-1/2" × 48"	White Oak	Square Retro-Fit		\$
807348RO48	1" × 5/8" × 48" × 48"	Red Oak	Sq. R-F · Landing		\$
807348WO48	1" × 5/8" × 48" × 48"	White Oak	Sq. R-F · Landing		\$



8071 & 8073 RETRO-FIT — PLASTIC WRAP REQUIRED, PRICED IN

The 5/8" body on 8071 and 8073 cups in Houston humidity. Every 8071 and 8073 tread must ship **fully wrapped in plastic** — 4-side enclosure, min. 6 mil, with a continuous vapor sheet above and below each pallet layer. No exposed end grain, no partial wraps, no outdoor staging. End-coat all lengths 60" and over. UWP will reject at receiving for visible cupping, face checking, or MC variance.

Plastic wrap must be included in the unit price quoted on this sheet. Do not quote it as a separate adder or leave it out to reach a target price — a price without wrap will not be accepted for these two profiles.

MILL SUPPLY SPECIFICATION

SPECIES & GRADE

- Red Oak (*Quercus rubra*) · White Oak (*Quercus alba*)
- Select Grade or better per CS 89-40. Face and nosing clear, free of sapwood.
- Glued-up stock matched for color and grain. Max two streaks per tread, 6" max length.

FACE, NOSING & DEFECTS

- Face and nosing smooth — no mill marks, chipped grain, torn fiber or skip milling.
- Nosing consistent and sharp. No feathering or rollover at the profile edge.
- Knots: sound and tight, 3/4" max dia., 2 per piece. Checks: 1/4 length max, no through splits. Holes: spot-worm 1/16" max, 1 per lineal foot.

STAVE CONSTRUCTION

- 3 to 5 staves maximum per tread, color-matched and grain-blended.
- No visible contrast between adjacent staves. No heartwood-to-sapwood transitions on the face.
- Glue joints tight, flush and continuous. Face grain consistent across all staves.

MOISTURE, LABELING & PACKAGING

- Kiln-dried to 6–8% EMC prior to machining.
- Each bundle labeled: species, grade, size, MC, mill name.
- Banded on pallets with edge protection, wrapped loads only. End-coat all lengths 60"+.
- 8071 / 8073 — full plastic wrap required (see above).**

Technology exemption. Suppliers using certified moisture-management technology (engineered stabilization, sealed surface systems, or proprietary equivalent) may request a wrap exemption with prior written UWP approval. Documentation required before shipment.

UWP AUTHORIZED SIGNATURE
Andy Tong · Unique Wood Products

DENDRATEC AUTHORIZED SIGNATURE
Name & title · date