

## Product 562602:Spec 001, A RTW DRS 2.1 Core Tee Dr:C1 20 Sae-A Dress

<b>Created Date</b>	10/18/2019 12:11 CDT	<b>Source</b>	002 : Sae-A Trading Company Ltd.
<b>Product Name</b>	562602, A RTW DRS 2.1 Core Tee Dress	<b>Specification</b>	001 : C1 20 Sae-A Dress
<b>Packet Type</b>			

### Specification Summary

<b>Specification Stage</b>	Pre-Production	<b>ABO Style</b>	No
----------------------------	----------------	------------------	----

### Additional Specification Attributes

<b>Vendor Style #</b>		<b>Product Shrinkage</b>	3%x3%
-----------------------	--	--------------------------	-------

### Product General Attributes

<b>Division</b>	READY-TO-WEAR	<b>Adjacency</b>	RTW-READY TO WEAR
<b>Department</b>	018-A NEW DAY	<b>Brand</b>	A New Day
<b>Program Name</b>		<b>Collection Designator</b>	
<b>Material Category</b>	Knit	<b>Design Strategy</b>	Internal design
<b>Product Claims</b>		<b>Number of styles in PID</b>	1
		<b>Comments</b>	

### Product Season Attributes

<b>Set Date</b>	02/02/2020	<b>Fabric/Product Calendar</b>	Solid Knit
<b>Design Cycle</b>	2020 C1 Spring		

### Specification Internal Comments :

User	Entered On	Comments
Dale.Atkins	05/15/2019 7:53 GMT	TGT TD Comments: 1. This is a preferred style. 2. Sketch overrides information in packet. 3. Complete DSW and Evaluation at time the sample is sent.  Style Comments:

User	Entered On	Comments
		<p>Style Comments:</p> <p>4. Shoulder is slightly dropped.</p> <p>5. Length is to the mid-calf line on the mannequin, and side slits are to the knee</p> <p>6. Side seam pockets: you can use a GVS jersey that is DTM is the interlock is too heavy.</p> <p>7. I added suggested measurements on, adjust as needs to an easy EOF, not hugging the hips.</p> <p>Additional notes:</p> <p>1. Construction page and BOM will be completed if the style goes forward.</p> <p>2. Follow all standards that we require for construction.</p> <p>3. Label will be a heat transfer.</p>
Dale.Atkins	07/25/2019 8:30 GMT	<p>7.25.19</p> <p>TGT TD Comments:</p> <p>1. We are changing this body a little. I have updated the measurements.</p> <p>2. The length will be knee length</p> <p>3. Neckline will have self, 7/8" binding with 2N topstitch</p> <p>4. Shoulders are not dropped and the sleeve length is shorter.</p> <p>6. there are 5" side slits.</p> <p>7. Please submit 1st fit sample.</p>


**Specification External Comments :**

User	Entered On	Comments
------	------------	----------




BOM Materials

BOM Name:		001 : 564657 Sae-A C1 20				BOM Status:		In Progress			
-----------	--	--------------------------	--	--	--	-------------	--	-------------	--	--	--

Section: Fabric

	Component or Location	Material	Material Description	Impression Intents	Merchandise Vendor Fabric Wash?	Fabric Subtype	Total Fiber Content	Total Fabric Weight X-Mill	Mechanical	Chemical	Thread Count EPI + PPI	Courses Per Inch - CPI	Wales Per Inch - WPI	Supplier Name	Supplier Article #	Comments
	body & neck binding	FS106 625	GVS INTERLOCK 185GSM 100% CTTN 90X99 CM 50/1 BIO POLISH & SILICON SOFTENER S FD YD	S, YD, FD		Interlock	100% Cotton	185.00	N/A	Bio Polish, Softner	0	90	99	Sae-A Trading Company Ltd.	DN-2018-1313	

## Section: Trim

	Component or Location	Material	Trim Type	TGT Code	Trim Finish	Trim Coating	Trim Color	Supplier	Supplier Article #	Qty	UOM	Trim Size	Trim Size UOM	Comments
		T17057, AND18_08B01, Brand A Heat Transfer with fit callout option, Heat Transfer	Label	AND18_08B01				Merchandise Vendors						
		T5484, TA05_05 A1, TNB Satin Generic Care TA000000018628, Printed, White	Label	TA05_05 A1				Merchandise Vendors		1.000	Piece		mm	
		T13930, TNB16_03F01, DPCI Tracking-soft recycled, Printed, White	Label	TNB16_03F01				Merchandise Vendors					mm	
	seams and topstitching	T15090, Spun Polyester Thread, Spun polyester	Thread					Merchandise Vendors				T-27	Tex	
	AND18_01Y01	T10009, HANGTAG, PACKAGING - Hangtag, Printed,	Label	HANGTAG				Merchandise Vendors		1.000	Piece			

**BOM Colorways****BOM Name:** 001 : 564657 Sae-A C1 20**BOM Status:** In Progress**Section: Fabric**

Component or Location	Missy Knit	Material	DAPPER BROWN	EBONY	LEMON GRASS	SUBTLE BLOOM
body & neck binding	XS, S, M, L, XL, XXL	FS106625				
				EBONY		

**Section: Trim**

Component or Location	Missy Knit	Material	Trim Color	DAPPER BROWN	EBONY	LEMON GRASS	SUBTLE BLOOM
	XS, S, M, L, XL, XXL	T17057, AND18_08B01, Brand A Heat Transfer with fit callout option, Heat Transfer					
	XS, S, M, L, XL, XXL	T5484, TA05_05A1, TNB Satin Generic Care TA000000018628, Printed, White					
	XS, S, M, L, XL, XXL	T13930, TNB16_03F01, DPCI Tracking- soft recycled, Printed, White					
seams and topstitching	XS, S, M, L, XL, XXL	T15090, Spun Polyester Thread, Spun polyester					
AND18_01Y01	XS, S, M, L, XL, XXL	T10009, HANGTAG, PACKAGING - Hangtag, Printed,					

**Technical Overview**

**Name** 001all colorways-Active  
**Size Definition** Missy Knit Alpha-Active  
**Base Size** M


**Size Definition Template** Missy Knit Alpha-Active  
**Grade Rule Template** Missy Knit Grade Template-Active  
**Last Updated** 10/15/2019 3:44 CDT

**Note: Shaded areas are critical****Measurement Set:** 001all colorways-Active **Sample Size:** M **UOM:** in

POM #(-)POM Name	POM Special Instructions	Tol (+)	Tol (-)	XS	S	M	L	XL	XXL
A15E.R-NK WIDTH EDGE		0.500	0.500	7.250	7.500	7.750	8.000	8.250	8.500
A25FE.R-FRT NK DROP EDGE	Use for neck drop above mid armhole	0.250	0.250	3.250	3.500	3.750	4.000	4.125	4.250
A55.R-MIN NK STRTCH		0.000	0.000	24.000	24.000	24.000	24.000	24.000	24.000
B15.R-BUST/CHEST BLW A/H		1.000	1.000	35.000	37.000	39.000	42.000	44.000	46.000
C01.R-HPS TO FRT WAIST POS		0.500	0.500	15.750	16.125	16.500	17.000	17.250	17.500
C15.R-WAIST BODICE TOP		1.000	1.000	34.500	36.500	38.500	41.500	43.500	45.500
D04.R-HPS TO HIP POS		0.500	0.500	23.500	24.250	25.000	25.750	26.125	26.500
D21.R-LOW HIP/SEAT FRM HPS		0.000	0.000	37.500	39.500	41.500	44.500	46.500	48.500
E01.R-SWEEP	straight at vent start point	1.000	1.000	39.875	41.875	43.875	46.875	48.875	50.875
F02.R-ACRS BK SHLDR		0.500	0.500	15.000	15.500	16.000	16.750	17.125	17.500
G01.SS-CB TO SLV EDGE-Short Sleeve		0.375	0.375	15.500	16.000	16.500	17.125	17.500	17.750
L02.SS-SLV OPNG HEM-Short Sleeve		0.500	0.500	12.000	12.500	13.000	13.750	14.500	15.250
M25.LLD-HPS FRT LNGTH-Long Length Dress		0.750	0.750	38.000	38.750	39.500	40.250	40.625	41.000

**Construction Overview****Name:** 001all colorways-Active**Note: Shaded areas are critical**

<b>Construction Detail - 001all colorways-Active</b>			
<b>Section</b>	<b>Detail</b>	<b>Placement</b>	<b>Update</b>
Other Details	Vendor is responsible to ensure all label placements meet FTC and custom requirements.		
Other Details	Review Garment Standards and A&A Construction Guides from POL specific to division, fabrication and silhouette. For all children's garments, contact 3rd party lab for latest version of requirements.		
Garment Standards	For Ultimate / Performance Claims, review Target Ultimate / Performance claim garment standards on POL.		
Care	Machine Wash-Tumble Dry. VENDOR provides settings per FTC Reg + Bleach/Iron. See <a href="http://www.ftc.gov/bcp/edu/pubs/business/textile/bus50.shtm">http://www.ftc.gov/bcp/edu/pubs/business/textile/bus50.shtm</a> or <a href="http://www.ftc.gov/bcp/edu/pubs/business/textile/bus21.shtm">www.ftc.gov/bcp/edu/pubs/business/textile/bus21.shtm</a>		
Pressing Requirements	Do not Hard Press		
SPI	12,+2/-1		
Seams/Topstitch	401 Chainstitch, all topstitching unless otherwise specified		
Seams/Topstitch	512 Mock Safety/514, Double Needle Overlock 2 needle, 4 thread overlock		
Seams/Topstitch	406 2 needle coverstitch, (gauge here) inch all topstitching unless otherwise specified		
Packing Instructions	T.COM folded Product – Follow POL Floor Ready Standards for: RTW Knit Tops		




Updated: Feb 2014  
PartnersOnline© 2009Target

Release Date: May 2012



## Care Label Responsibility

**IMPORTANT:** Target may furnish, specify or adopt product specifications, performance standards, drawings, product claims, instructions, descriptions and/or other information related to the goods you sell to Target (the "Specifications"). Regardless of the Specifications, **VENDOR IS RESPONSIBLE** for: (1) product and packaging safety; (2) compliance with all applicable laws, rules, regulations, standards, codes, orders, directives, judicial and administrative decisions, and ordinances, of the country of origin, the country of transit, the United States and Canada, any state, province, or other subdivision thereof, and any agency or entity of the foregoing, including all laws relating to packaging and labeling (the "Laws"); (3) accuracy and substantiation of all product and packaging claims; (4) evaluating the necessity for, and creation of, product warnings; (5) providing products and packaging to Target that do not infringe the proprietary rights of any third party; and (6) compliance with all terms set forth on Target's Partners Online system and/or any other system used by Target. In addition, each vendor's products and packaging must comply with any specifications furnished, specified or adopted by Target. If a vendor believes there to be a conflict between Target's specifications and product safety, Laws, or the intellectual property rights of others, the vendor must contact Target promptly to discuss Target's specifications and ensure product safety and compliance with Laws. Vendors are **NOT** relieved from any obligations or liability for any reason or because of any action by Target or any third party including, but not limited to, any of the following: (a) the vendor has received a satisfactory lab test result, (b) Target has conducted testing, (c) Target has accepted or approved the vendor's product, designs, claims, materials or packaging, (d) Target has reviewed claim substantiation, and/or (e) Target has authorized an override of testing protocol or testing results. Target reserves the right to amend its testing protocols and packaging production guides at any time. No subsequent or prior communication between Target and a vendor may operate to modify the obligations set forth in this paragraph, unless specifically agreed to in a writing signed by a Target Vice President or Senior Vice President.

Adult Top/Dress Label Placement	
	Screen or Heat Transfer
	<ul style="list-style-type: none"><li>*Center Screen/Transfer label left to right at back neck. Top of screen/transfer to be 1" below neck seam</li><li>* Fiber and Care Label placed 1" up from top line of stitching at wearer's left side seam</li><li>* DPCI under Fiber and Care Label</li></ul>
	*See Sketch Comments for placement overrides

\*This generic image is for interior label placement only. Follow the style specific image for all details.

✕