



Query 1: Create the database

Query 2: Select the database



Query 3: Create the books table

Query 4: Create the members table



Query 5 (verification): Inspect the table structures

The screenshot shows the MySQL Workbench interface. The SQL editor contains the query `DESCRIBE books;`. The **Result Grid** displays the structure of the `books` table:

Field	Type	Null	Key	Default	Extra
book_id	int	NO	PRI		auto_increment
title	varchar(255)	NO			
isbn	varchar(13)	NO	UNI		
published_year	int	YES			

The **Action Output** pane shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	09:16:49	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected	0.125 sec
2	09:17:45	DESCRIBE books	4 row(s) returned	0.000 sec / 0.000 sec

The **Table: books** information pane on the left shows the columns: `book_id` (int AI PK), `title` (varchar(255)), `isbn` (varchar(13)), and `published_year` (int).

Query 6: inspect the table structure (members)

The screenshot shows the MySQL Workbench interface. The SQL editor contains the query `DESCRIBE members;`. The **Result Grid** displays the structure of the `members` table:

Field	Type	Null	Key	Default	Extra
member_id	int	NO	PRI		auto_increment
full_name	varchar(100)	NO			
email	varchar(150)	NO	UNI		

The **Action Output** pane shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	09:16:49	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected	0.125 sec
2	09:17:45	DESCRIBE books	4 row(s) returned	0.000 sec / 0.000 sec
3	09:34:26	DESCRIBE members	3 row(s) returned	0.015 sec / 0.000 sec

Query 7: Insert 3 books

MySQL Workbench

root X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bookflow_db

Tables

Views

Stored Procedures

Functions

sys

Query 1

Limit to 1000 rows

```

17 DESCRIBE members;
18
19
20 INSERT INTO books (title, isbn, published_year) VALUES
21 ('The Alchemist', '9780061122415', 1988),
22 ('Clean Code', '9780132350864', 2008),
23 ('Atomic Habits', '9780735211292', 2018);
24
25
26 INSERT INTO members (full_name, email) VALUES
27 ('Anil Kumar', 'anil.kumar@example.com'),
28 ('Priya Sharma', 'priya.sharma@example.com'),
29 ('Ravi Verma', 'ravi.verma@example.com');

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	09:16:49	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected	0.125 sec
2	09:17:45	DESCRIBE books	4 row(s) returned	0.000 sec / 0.000 sec
3	09:34:26	DESCRIBE members	3 row(s) returned	0.015 sec / 0.000 sec
4	09:34:55	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), ('Clean Cod...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
5	09:35:11	INSERT INTO members (full_name, email) VALUES ('Anil Kumar', 'anil.kumar@example.com'), ('Priya Sharma', 'pri...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec

Administration Schemas

Information

Table: books

Columns:

book_id int AI PK

title varchar(255)

isbn varchar(13)

published_year int

Query 8: Insert 3 members

MySQL Workbench

root X

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bookflow_db

Tables

Views

Stored Procedures

Functions

sys

Query 8

Limit to 1000 rows

```

29 ('Anil Kumar', 'anil.kumar@example.com'),
30 ('Priya Sharma', 'priya.sharma@example.com'),
31 ('Ravi Verma', 'ravi.verma@example.com');
32
33 SELECT * FROM members;

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	09:16:49	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected	0.125 sec
2	09:17:45	DESCRIBE books	4 row(s) returned	0.000 sec / 0.000 sec
3	09:34:26	DESCRIBE members	3 row(s) returned	0.015 sec / 0.000 sec
4	09:34:55	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), ('Clean Cod...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
5	09:35:11	INSERT INTO members (full_name, email) VALUES ('Anil Kumar', 'anil.kumar@example.com'), ('Priya Sharma', 'pri...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
6	09:38:24	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	09:38:59	SELECT * FROM members LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Result Grid

Filter Rows:

member_id	full_name	email
1	Anil Kumar	anil.kumar@example.com
2	Priya Sharma	priya.sharma@example.com
3	Ravi Verma	ravi.verma@example.com

members 4 X

Apply

Context Help Snippets

Test 1: Duplicate ISBN (UNIQUE violation)

Test 2: NULL title (NOT NULL violation)

Test 3: Future publication year (CHECK violation)

Test 4: Duplicate email (UNIQUE violation)

The screenshot displays the SQL Server Enterprise Manager interface. The left pane shows the 'bookflow_db' database with tables 'books' and 'members'. The central 'Query 1' window contains the following SQL code:

```
25 SELECT * FROM books;
26
27
28 INSERT INTO members (full_name, email) VALUES
29 ('Anil Kumar', 'anil.kumar@example.com'),
30 ('Priya Sharma', 'priya.sharma@example.com'),
31 ('Ravi Verma', 'ravi.verma@example.com');
32
33 SELECT * FROM members;
34
35 INSERT INTO members (full_name, email)
36 VALUES ('Anil Clone', 'anil.kumar@example.com');
37
```

The right pane shows the 'Output' window with the following execution results:

#	Time	Action	Message	Duration / Fetch
1	09:16:49	CREATE TABLE members (member_id INT AUTO_INCREMENT PRIMARY KEY, full_name VARCHAR(100) ...	0 row(s) affected	0.125 sec
2	09:17:45	DESCRIBE books	4 row(s) returned	0.000 sec / 0.000 sec
3	09:34:26	DESCRIBE members	3 row(s) returned	0.015 sec / 0.000 sec
4	09:34:55	INSERT INTO books (title, isbn, published_year) VALUES ('The Alchemist', '9780061122415', 1988), ('Clean Cod...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
5	09:35:11	INSERT INTO members (full_name, email) VALUES ('Anil Kumar', 'anil.kumar@example.com'), ('Priya Sharma', pri...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
6	09:38:24	SELECT * FROM books LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	09:38:59	SELECT * FROM members LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
8	09:39:37	INSERT INTO books (title, isbn, published_year) VALUES ('Fake Copy', '9780061122415', 2000)	Error Code: 1062 Duplicate entry '9780061122415' for key 'books.isbn'	0.015 sec
9	09:45:59	INSERT INTO books (title, isbn, published_year) VALUES (NULL, '9999999999999', 2010)	Error Code: 1048 Column 'title' cannot be null	0.000 sec
10	09:46:49	INSERT INTO books (title, isbn, published_year) VALUES ('Time Traveler', '8888888888888', 2030)	Error Code: 3619 Check constraint 'chk_published_year' is violated.	0.000 sec
11	09:47:04	INSERT INTO members (full_name, email) VALUES ('Anil Clone', 'anil.kumar@example.com')	Error Code: 1062 Duplicate entry 'anil.kumar@example.com' for key 'members.email'	0.015 sec