BOLDER
Premium HTML & CSS Theme

SUMMARY

Bolder
Premium HTML theme

Created: December 15, 2010

By: Sara Presenti, Nando Pappalardo, Antonino Scarfi – Your Inspiration Web

Contact Info: sara.presenti@gmail.com

Thank you for purchasing my theme. If you have any questions that are beyond the scope of this help file, please feel free to email, via my user page contact form. Thanks so much!

PSD Files

I've included 21 psd files with this theme:

1) Home page for all colors and styles + home page for all sliders styles
2) About page
3) Page with sidebar
4) Portfolio page
5) Blog page
6) Contact page

In the psd files I included all layered and all graphic for this theme: background of header, icons, etc..

I've used "Basic icon set" pack, you can find it here:

http://pixel-mixer.com/basic_set/

and are a free stock images are taken with free license here:
http://www.sxc.hu

The font I used is "Waukegan" ,

XHTML Structure

This theme is a fixed layout with two columns:

Home page:
Top: JQuery slider
Right column: sidebar with latest news or three text content
Left column: text
Bottom: 3 box with text content

About page:
Right column: latest testimonial + 3 widget box
Left column: paragraph, text. You can insert here info about you. On bottom you can add images of your team.

Page with or without sidebar:
Three different pages styles: with right sidebar, with left sidebar and without sidebar (full-width content). In the sidebar there are a recent posts and some widget box (icons + text)

Portfolio page:
Three different portfolio styles: 3 column of thumbnail, 3 galleries with slider, big image + caption.

Blog page:
Right column: blog sidebar with categories, archive, popular post and more
Left column: blog posts with comments

Contact page:
Right column: area for other information: phone, address, googlemap, etc..
Left column: Contact form plugin

CUSTOMIZING

Choose the color/skin of the theme

For change the color, you must change the filename of color css, in the <head> tag of your pages:

```
11    <link rel="stylesheet" href="css/tipsy.css" type="text/css" media="screen" />
12    <link rel="stylesheet" href="css/jCarousel.css" type="text/css" media="screen" />
13
14    <!--[if IE]>
15        <link rel="stylesheet" href="css/ie.css" type="text/css" media="screen, projection" />
16    <![endif]-->
17    <!--[if IE 7]>
18        <link rel="stylesheet" href="css/ie7.css" type="text/css" media="screen" />
19    <![endif]-->
20
21    <link rel="stylesheet" href="css/colors/black.css" type="text/css" media="screen" />   <!-- COLOR -->
22    <!-- END .styles -->
23
24    <!-- BEGIN .scripts -->
25    <script type='text/javascript' src='js/jquery.js'></script>
26    <script type='text/javascript' src='js/ui.core.js'></script>
27    <script type='text/javascript' src='js/jquery.cycle.all.min.js'></script>
28    <script type='text/javascript' src='js/jquery.nivo.slider.pack.js'></script>
29    <script type='text/javascript' src='js/jquery.easing.1.3.js'></script>
30    <script type='text/javascript' src='js/jquery.prettyPhoto.js'></script>
31    <script type='text/javascript' src='js/jquery.jcarousel.min.js'></script>
32    <script type='text/javascript' src='js/jquery.tipsy.js'></script>
33    <script type='text/javascript' src='js/jquery.arrowFade.js'></script>
```

You can choose for 15 different skins. You find them into *css/colors* folder.

Change Favicon

To change the favicon url, you must edit the href attribute, on rows n.42-43 on *<head>* tags, into your HTML pages:

```
41    <!-- [favicon] begin -->
42    <link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />
43    <link rel="icon" type="image/x-icon" href="favicon.ico" />
44    <!-- [favicon] end -->
```

Change Logo image

To change the logo image url, you must edit row 76 on *style.css*, into *css* folder:

```
73
74    /* ==================== START COLORS ==================== */
75    body { background:url('../images/bg/blue/bg.gif') repeat-x top }
76    #logo a { background:url('../images/logo-light.png') no-repeat }
77    #slider { background:url('../images/bg/slider-light.png') bottom center no-repeat }
78    #footer { background-color:#003746 }
79    #copyright { background:#022731; color:#c0bfbf }
80    /* ==================== END COLORS ==================== */
81
```

Main Navigation

XHTML Structure

```
 2          <div id="nav">
 3              <ul class="level-1 black">
 4                  <li>
 5                      <a href="index.html">Home</a>  <!-- FIRST LEVEL ITEM -->
 6                      <span> welcome</span>          <!-- DESCRIPTION -->
 7                  </li>
 8
 9                  <li>
10                      <a href="#">Colors</a>
11                      <span> &amp; skins</span>
12                  </li>
13
14                  <li>
15                      <a href="#">Corporate</a>
16                      <span> other pages</span>
17                  </li>
18
19                  <li>
20                      <a href="#">Portfolio</a>
21                      <span> our works</span>
22                  </li>
23
24                  <li>
25                      <a href="#">Shortcode</a>
26                      <span> html tag &amp; more</span>
27                  </li>
28
29                  <li>
30                      <a href="blog.html">Blog</a>
31                      <span> news</span>
32                  </li>
33
34                  <li>
35                      <a href="contact.html">Contact</a>
36                      <span> get in touch</span>
37                  </li>
38              </ul>
39          </div>
```

The navigation code is insert into an unordered list, where each item has an hyperlink and a description (into a <span> tag):

```
 3              <ul class="level-1 black">
 4                  <li>
 5                      <a href="index.html">Home</a>  <!-- FIRST LEVEL ITEM -->
 6                      <span> welcome</span>          <!-- DESCRIPTION -->
 7                  </li>
```

Add 2nd level submenu

To add a 2nd level sub menu, you must insert a new unordered list, with ***sub- menu*** class, immediatly after the <span> description (or after hiperlink, if there isn't a description):

```
18
19                    <li>
20                        <a href="#">Portfolio</a>
21                        <span> our works</span>
22                        <ul class="sub-menu">
23                            <li><a href="portfolio_3_column.html">3 Column</a></li>
24                            <li><a href="portfolio_with_slider.html">With slider</a></li>
25                            <li><a href="portfolio_big_image.html">Big Image</a></li>
26                        </ul>
27                    </li>
28
```

Add 3rd level submenu

To add a 3nd level sub menu, you must insert another unordered list, same 2nd level, with ***sub-menu*** class, immediatly after own hiperlink:

```
18
19                    <li>
20                        <a href="#">Portfolio</a>
21                        <span> our works</span>
22                        <ul class="sub-menu">   <!-- 2nd LEVEL -->
23                            <li><a href="portfolio_3_column.html">3 Column</a></li>
24                            <li>
25                                <a href="portfolio_with_slider.html">With slider</a>
26                                <ul class="sub-menu">        <!-- 3rd LEVEL -->
27                                    <li><a href="web.html">Web</a></li>
28                                    <li><a href="photo.html">Photo</a></li>
29                                    <li><a href="media.html">Media</a></li>
30                                </ul>
31                            </li>
32                            <li><a href="portfolio_big_image.html">Big Image</a></li>
33                        </ul>
34                    </li>
```

Change skin of menu

To change the style of menu, you must change the class of main navigation. The style available are:

- black;
- white.

```
2        <div id="nav">
3            <ul class="level-1 black">
4                <li>
```

Slider Customize

Arrow Slider

The XHTML code of arrow is like this:

```
1       <!-- START SLIDER -->
2     | <div id="slider">
3           <div class="inner">
4
5               <!-- START PANEL -->
6               <div id="bolder-theme" class="panel">
7                   ...
8               </div>
9               <!-- END PANEL -->
10
11              <!-- START PANEL -->
12              <div id="elegant-theme" class="panel">
13                  ...
14              </div>
15              <!-- END PANEL -->
16
17              <!-- START PANEL -->
18              <div id="easy-customize" class="panel">
19                  ...
20              </div>
21              <!-- END PANEL -->
22
23              <!-- START PANEL -->
24              <div id="versatile-theme" class="panel">
25                  ...
26              </div>
27              <!-- END PANEL -->
28
29              <!-- START PANEL -->
30              <div id="portfolio-blog" class="panel">
31                  ...
32              </div>
33              <!-- END PANEL -->
34
35          </div>
36
37          <div class="clear"></div>
38      </div>
```

and its navigation is like this:

```
40    <!-- START NAV SLIDER -->
41    <div id="nav-slider">
42        <div class="inner">
43            <ul>
44                <li class="current first"><a href="#bolder-theme">Bolder Theme </a><span>for your corporate site</span></li>
45                <li><a href="#elegant-theme">Elegant Theme </a><span>for a clean &#038; nice layout</span></li>
46                <li><a href="#easy-customize">Easy to customize </a><span>make your site easily</span></li>
47                <li><a href="#versatile-theme">Versatile theme </a><span>different color &#038; style</span></li>
48                <li><a href="#portfolio-blog">Portfolio + Blog </a><span>premium wordpress theme</span></li>
49            </ul>
50        </div>
51
52        <div class="clear"></div>
53    </div>
54    <!-- END NAV SLIDER -->
```

To link each item of navigation to own panel of slider, you must add the ID of panel on href attribute of its <a> tag of item navigation. For example, the first item of previous screen has *#bolder- theme* on href attribute. It will linked to panel with *bolder-theme* ID:

```
5    <!-- START PANEL -->
6    <div id="bolder-theme" class="panel">
7        ...
8    </div>
9    <!-- END PANEL -->
```

It is the same with other panel of your arrow slider.

Add some text into each panel

Here an example of content markup for content of each panel of slider:

```
5        <!-- START PANEL -->
6        <div id="bolder-theme" class="panel">
7            <div class="text">
8                <h1>Bolder Theme</h1>
9                <h2>for your corporate site</h2>
10
11               <p>Lorem ipsum dolor sit amet, consectetur adipiscing lorem
12               ipsum dolor sit amet, consectetur adipiscing elit.
13               Donec blandit enim libero, quis tincidunt arcu.</p>
14           </div>
15
16           <img src="images/slider/face.png" alt="Bolder Theme, for your corporate site" />
17       </div>
18       <!-- END PANEL -->
```

1. **Titles:** they are into a <h1> tags
2. **Subtitles:** they are into a <h2> tags
3. **Content:** the contents are all into a <p> tag
4. **Featured Image:** the featured images of each panel are after previous element.

Adjust the speed of slider

To adjust the animation speed of this slider, edit this rows of javascript code:

```
100
101  |  <script type="text/javascript">
102        jQuery(document).ready(function($){
103            $('#nav-slider ul').arrowFade({
104                speed: 500,
105                timeout: 5000
106            });
107        });
108    </script>
109    <!-- END SLIDER -->
```

- **Speed:** the animation speed of transition between panels;
- **Timeout:** the delay between one slide and next one.

Full Width Slider

This is an example of Full Width Slider markup:

```
196     <!-- START SLIDER -->
197     <div id="slider-full-width">
198         <div class="bg-full">
199
200             <!-- IMAGE 1 -->
201             <div class="bg-image" style="background-image:url('images/fullwidth/001.jpg')">
202                 <div class="bg-text">
203                     <blockquote><h2>Bolder. A premium &amp; relaxing wordpress theme.</h2></blockquote>
204                 </div>
205             </div>
206             <!-- END IMAGE 1 -->
207
208             <!-- IMAGE 2 -->
209             <div class="bg-image" style="background-image:url('images/fullwidth/002.jpg')">
210                 <div class="bg-text">
211                     <blockquote><h2>Make your choice with Bolder</h2></blockquote>
212                 </div>
213             </div>
214             <!-- END IMAGE 2 -->
215
216             <!-- IMAGE 3 -->
217             <div class="bg-image" style="background-image:url('images/fullwidth/003.jpg')">
218
219             </div>
220             <!-- END IMAGE 3 -->
221
222             <!-- IMAGE 4 -->
223             <div class="bg-image" style="background-image:url('images/fullwidth/004.jpg')">
224                 <div class="bg-text">
225                     <blockquote><h2>Bolder is different. Is a new amazing corporate theme. Buy it!</h2></blockquote>
226                 </div>
227             </div>
228             <!-- END IMAGE 4 -->
229
230             <!-- IMAGE 5 -->
231             <div class="bg-image" style="background-image:url('images/fullwidth/005.jpg')">
232                 <div class="bg-text">
233                     <blockquote><h2>Easy to customize and clean style: it&#8217;s Bolder.</h2></blockquote>
234                 </div>
235             </div>
236             <!-- END IMAGE 5 -->
237         </div>
238
239         <div class="inner">
240             <div class="pagination"></div>
241         </div>
242     </div>
```

For each slide with full width image, you have to write a <div> with *bg-image* class and write the url image into the background-image style of the div.

If you want insert a caption on image, add a text with this markup:

```
<div class="bg-text">
    <blockquote><h2>Make your choice with Bolder</h2></blockquote>
</div>
```

Into <div class="bg-image>.

Adjust the speed of slider

To adjust the animation speed of this slider, edit this rows of javascript code:

```
243
244     <script type="text/javascript">
245            jQuery(document).ready(function($){
246
247                $('#slider-full-width .bg-full').cycle({
248                    fx: "fade",
249                    speed: 2000,
250                    timeout: 6000,
251                    pager: '.pagination'
252                });
253
254            });
255     </script>
256
```

- **Fx:** the effect of panels transition;
- **Speed:** the animation speed of transition between panels;
- **Timeout:** the delay between one slide and next one;
- **Pager:** the class of div pagination.

Big Nivo Slider

This is an example of Big Nivo Slider markup:

```
196    <!-- START SLIDER -->
197    <div id="slideshow">
198        <div class="images">
199            <div class="container">
200                <img width="950" height="316" src="images/slideshow/001.jpg" alt="001" />
201                <img width="950" height="316" src="images/slideshow/002.jpg" alt="002" />
202                <img width="950" height="316" src="images/slideshow/003.jpg" alt="003" />
203            </div>
204        </div>
205
206        <div class="shadow-slideshow"></div>
207    </div>
208
209    <script type="text/javascript">
210        jQuery(document).ready(function($){
211            $('#slideshow .container').nivoSlider({
212                controlNav:false,
213                directionNav:false,
214                keyboardNav:false,
215                slices:20,
216                captionOpacity:0,
217                animSpeed: 500,
218                pauseTime: 5000
219            });
220        });
221    </script>
222    <!-- END SLIDER -->
```

The images should be into the div with class *container* and they must be width 950px and height 316px.

Adjust speed animation

- **Speed:** the animation speed of transition between panels;
- **Timeout:** the delay between one slide and next one.

Customize footer

The content footer must be into this markup:

```
1      <!-- START FOOTER -->
2      <div id="footer">
3          <div class="inner five">
4
5                  ...
6
7                  <div class="clear"></div>
8
9          </div>
10     </div>
11     <!-- END FOOTER -->
```

Where the class *five* indicates the number of columns. You can choose 3 (three class), 4 (four) or 5 (five) columns, to write in that class.

For each column of footer must be into this markup (into previous markup):

```
<div class="section">
    <h3>Title</h3>

        ...
</div>
```

Sidebar Customize

XHTML Structure

The XHTML markup of page with sidebar, is same this:

```
<!-- START CONTENT -->
<div id="content">

    <div class="inner">

        <!-- HENTRY -->
        <div class="text">

            Insert here your page content.

        </div>
        <!-- END HENTRY -->


        <!-- START SIDEBAR -->
        <div class="sidebar">

            Insert here the sidebar content.

        </div>
        <!-- END SIDEBAR -->

    </div>

    <div class="clear"></div>

</div>
<!-- END CONTENT -->
```

The content of the **page** must be like *<div class="text">text</div>*.

The content of the **sidebar** must be like *<div class="sidebar">text</div>.*

Set sidebar on left

To move sidebar on left, you need add class *right* on div text.

```html
<!-- START CONTENT -->
<div id="content">

    <div class="inner">

        <!-- HENTRY -->
        <div class="text right">

            Insert here your page content.

        </div>
        <!-- END HENTRY -->
```

Customize Sidebar

You can add more section on your sidebar, according to this markup. Each section, should be same this:

```html
<!-- START SIDEBAR -->
<div class="sidebar">

    <!-- START SECTION -->
    <div class="section">
        <h3>Your Title</h3>

        Insert here your content.
    </div>
    <!-- END SECTION -->

    <!-- START SECTION -->
    <div class="section">
        <h3>Your Title</h3>

        Insert here your content.
    </div>
    <!-- END SECTION -->

</div>
<!-- END SIDEBAR -->
```

Each content of sidebar content must be like *<div class="section">text</div>*.

The title of section must be into *<h3>* heading.

Page without sidebar

To create a page without sidebar, you can add the text directly under *<div class="inner">*, without div text.

Twitter and Flickr Configuration

Twitter

Twitter is showed by *tweetable jquery plugin*. So, if you open *index.html* and see on the footer markup, you can find this rows:

```
<div class="twitter-container"></div>

<script type="text/javascript">
jQuery(function(){
    jQuery('.twitter-container').tweetable({
        id: 'tweets',
        username: 'YIW',
        time: true,
        limit: 2,
        replies: true
    });
});
</script>
```

You must edit:

1. **ID:** the class of list that will be put into *<div class="twitter- container"></div>*;
2. **Username:** the your twitter username;
3. **Limit:** the number of item will be showed.

Flickr

The Flickr script is composed only by unique url, where is contained the ido f your flickr account. This is an example:

```
<!-- START FLICKR -->
<div class="section">
    <h3>Flickr</h3>

    <div class="flickr">
        <script type="text/javascript"
        src="http://www.flickr.com/badge_code_v2.gne?count=6&amp;display=latest&amp;&amp;layout=x&amp;source=user&amp;user=43893867@N04&amp;size=s">
    </div>
</div>
<!-- END FLICKR -->
```

To get your **flickr ID**, go to http://idgettr.com/ and replace '*username*' with your **Flickr username.**

Copy the showed ID and paste into url of script.

Contact Configuration

1. Open *sendmail.php*;
2. Edit *TO* constant, with the email witch you want send the email created by user;
3. Edit *FROM* constant, with the from email;
4. Edit *BODY* constant, with the body format of your email.

On the *body* format, you can insert some tag, according to the **ID name** of each field of contact form, that you can find on **contact.html** file, with **%IDname%** format.

For example, this is the XHTML markup of contact form:

```
<form action="sendmail.php" method="post" class="form-contact" id="form-contact">
    <ol class="cf-ol">
        <li>
            <label for="name"><span>Name</span></label>
            <input type="text" name="name" id="name" class="required" />
            <span class="reqtxt">(required)</span>
        </li>

        <li>
            <label for="email"><span>Email</span></label>
            <input type="text" name="email" id="email" class="required" />
            <span class="emailreqtxt">(valid email required)</span>
        </li>

        <li>
            <label for="subject"><span>Subject</span></label>
            <input type="text" name="subject" id="subject" class="single" />
        </li>

        <li>
            <label for="message"><span>Message</span></label>
            <textarea cols="30" rows="8" name="message" id="message" class="area"></textarea>
        </li>
    </ol>

    <input type="hidden" name="action" value="send">

    <p class="cf-sb">
        <input type="submit" name="sendbutton" id="sendbutton" class="sendbutton" value="Send" />
    </p>
</form>
```

On the body you can write this: **"This email was sent by %name% (email: %email) < br /> %message%".** Each tag will be replace with own value.

Shortcode

This is a list of all shortcode avalables on this theme. Insert this code in your page :

Typography

Dropcap

```
<p class="dropcap">your text</p>
```

Quote text

```
<blockquote>your text</blockquote>
```

Highlight text

```
<span class="highlight">your text</p>
```

Styled lists

```
<ul class="short star">
    <li>item</li>
    <li>item</li>
    <li>item</li>
</ul>
```

Symbols (insert after *short* class):

```
Star – arrow – check – add - info
```

Alert boxes

Success box

```
<div class="box success-box">your text</div>
```

Arrow box

```
<div class="box arrow-box">your text</div>
```

Alert box

```
<div class="box alert-box">your text</div>
```

Error box

```
<div class="box error-box">your text</div>
```

Notice box

```
<div class="box notice-box">your text</div>
```

Info box

```
<div class="box info-box">your text</div>
```

Buttons

Big buttons

```
<a class="large green|blue|magenta|red|orange|yellow yellow button">your
text</a>
```

Small buttons

```
<a class="small green|blue|magenta|red|orange|yellow yellow button">your
text</a>
```

Icon boxes

```
<div class="box-sections">
    <img src="images/icons/tick48.png"
        alt="your text"
        class="icon" />

    <h3>Your Title</h3>

    <p>Your Text</p>
</div>
```

Icons:

Tick – bag – pictures – letter – box – bubble – bulb – calendar – cart – chart –
clipboard – coffee – diagram – doodles – gear – info – globe – gift – label –

moleskine – monitor – mphone – news – open – pc – pencil – phone – postit –
qmark – refresh – shopbag – statistics – testimonial

Tabs, Toggles & Table

Tabs

```
<div class="tabs-container">
    <ul class="tabs">
        <li class="open-tab"><h4><a href="#tab1">Tab 1</a></h4></li>
        <li><h4><a href="#tab2">Tab 2</a></h4></li>
        <li><h4><a href="#tab3">Tab 3</a></h4></li>
    </ul>
    <div class="clear"></div>

    <div class="border">
            <div id="tab1" class="panel">
                <h5><strong>Your Title of Tab 1</strong></h5>

                <p>Your Text</p>

                <div class="clear"></div>
            </div>

            <div id="tab2" class="panel">
                <h5><strong>Your Title of Tab 2</strong></h5>

                <p>Your Text</p>

                <div class="clear"></div>
            </div>

            <div id="tab3" class="panel">
                <h5><strong>Your Title of Tab 3</strong></h5>

                <p>Your Text</p>

                <div class="clear"></div>
            </div>
        </div>
</div>
```

Toggle

```
<div class="toggle-title">
    <span class="open-toggle closed"> </span>

    <h4><a href="#" title="Open">Your Title</a></h4>
</div>

<div class="toggle-content">
    <p>Your Text</p>
</div>
```

Table

```
<table width="100%" cellpadding="0" cellspacing="0" class="short-table red">
        <thead>
            <tr>
                <th style="width:20%"></th>
                <th style="width:20%">Free</th>
                <th style="width:20%">Mini</th>
                <th style="width:20%">Standard</th>
                <th style="width:20%">Premium</th>
            </tr>
        </thead>

        <tbody>
            <tr>
                <th class="features">Features 1</th>
                <td>1</td>
                <td>unlimited</td>
                <td>[x]</td>
                <td>-</td>
            </tr>
        </tbody>
</table>
```

Nivo Slideshow

```
<div class="nivo-slider" style="width:640px; height:380px">
        <img src="images/nivo-slider/001.jpg" alt="1" />
        <img src="images/nivo-slider/002.jpg" alt="2" />
        <img src="images/nivo-slider/003.jpg" alt="3" />
        <img src="images/nivo-slider/004.jpg" alt="4" />
        <img src="images/nivo-slider/005.jpg" alt="5" />
</div>

<script type="text/javascript">
    jQuery(document).ready(function($){
        $('.nivo-slider').nivoSlider({
            effect: 'random',
            directionNav:false
        });
    });
</script>
```

CSS

I'm using six CSS files in this theme.

- Style.css

- PrettyPhoto.css

- Ie7.css

- Ie.css

- jCarousel.css

- tipsy.css

The first one contains all of the specific stylings for the page, such as colors, font-sizes, etc. Keep in mind, that these values might be overridden somewhere else in the file.

PrettyPhoto.css is the style for the lightbox effect on the portfolio/gallery page.

Ie.css and Ie7.css are a css hacks for IE. The IE browser interpret the default behavior of html elements differently. By using this css, we can work round this.

jCarousel.css is used for the carousel in the portfolio page.

tipsy.css contains the styles for the tooltips on the social network's icons.

HTML is well commented for easy customization: If you would like to edit a specific section of the site, simply find the appropriate label in the CSS file, and then scroll down until you find the appropriate style that needs to be edited.

CSS also is well commented for easy customization.

Example:

/*Typhography*/ contains all stylings as colors, styles of typhography, etc..

/*Table*/ contains all stylings for tables

/*form*/ contains all stylings for form, as a contact form in the contact page

/*styling image*/ contains all stylings for the articles'images

/*image header position*/ contains all settings for the header's images

/*start comment post*/ contains all stylings for comments

…etc, etc..

Javascript

This theme imports eleven Javascript files.

1) **cufon- yui.js** and **waukegan.font.js**: are the javascript to include custom font in the theme.

2) **jquery.arrowFade.js** and **jquery.custom.js**: are the javascript library used to include the slider with arrow in home page.

3) **jquery.cycle.all.min.js**: is used on different sections, such as « testimonial » , « flash news » and for some slider in home page.

4) **jquery.easing.1.3.js**: is used for different effect in the javascript animations.

5) **jquery.jcarousel.min.js**: is used for the carousel in the portfolio page.

6) **jquery.nivo.slider.pack.js**: is used on the slider in home page.

7) **jQuery.prettyPhoto.js**: is the javascript for the lightbox effect on the portfolio/gallery page.

8) **jquery.tipsy.js:** is the javascript library for the tooltips on the social network's icons.

9) **jquery.tweetable.js:** is the javascript library for showing last tweets.

Once again, thank you so much for purchasing this theme. As I said at the beginning, I'd be glad to help you if you have any questions relating to this theme.

Cheers,

<div align="right">

Sara P.

</div>